

PKG & QAP  
A-A-20078C  
25 September 2009  
**W/ Change 01 21 Feb 13**  
SUPERSEDING  
A-A-20078B  
29 October 2003

## **SECTION C**

This document covers fruit jelly packaged in a flexible pouch for use by the Department of Defense as a component of operational rations.

### **C-1 ITEM DESCRIPTION**

#### **PACKAGING REQUIREMENTS AND QUALITY ASSURANCE AND PROVISIONS FOR CID A-A-20078C, JELLY, FRUIT**

Types, kinds, styles, finished product quality, and packages.

##### Types.

Type I - Standardized, single

##### Kinds.

A - Apple  
M - Grape  
AA - Strawberry

##### Styles.

Style 1 - Regular

##### Finished product quality

Finished product quality a - U.S. Grade A

##### Packages.

Package C – Meal, Ready-To-Eat™ (MRE™)  
Package E – Unitized Group Ration™ (UGR™) – Heat & Serve™

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

**C-2 PERFORMANCE REQUIREMENTS**

A. Product standard. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Packaging Requirements and Quality Assurance Provisions. The approved sample shall serve as the Product Standard. Should the contractor at any time plan to, or actually produce the product using different raw material or process methodologies from the approved Product Standard, which result in a product non comparable to the Product Standard, the contractor shall arrange for a new or alternate FA or PDM approval. In any event, all product produced must meet all requirements of this document including Product Standard comparability.

B. Commercial sterility. The packaged food shall be processed until commercially sterile.

C. Shelf life. The packaged food shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Palatability and overall appearance. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.

E. Net weight. The average net weight of shall be not less than 1.0 ounce (28 grams). The net weight of an individual pouch shall be not less than 0.9 ounces (25 grams).

F. Vegetarian requirement. This product shall contain no ingredients, major or trace, and/or processing aids derived from the flesh, skin, blood, entrails, or bones of animals. This includes, but is not limited to oils, fats, fatty acids, and their esters (palmitic, stearic, oleic, and pelargonic acids), flavorings, gelling agents, coagulants, (rennet derived from calves or pepsin derived from swine which are used in cheese manufacture), binders, emulsifiers (mono/di-glycerides, sodium or magnesium stearate, polysorbate, sorbitans, monstearate, glycerin), fatty alcohol, aldehydes, and ketones, lactones, glycerol, amino acids, hydrolyzed proteins, enzymes, and enzyme modified products. Furthermore, these products shall contain no ethyl alcohol, or ingredients derived from or containing methyl alcohol. Milk and eggs, and ingredients derived from them such as yogurt, or cheese (produced without animal based rennet or pepsin), are allowed.

**Comment [RDNS-CFF1]:** ES13-025 (DSCP-SS-13-30903) change 01, 21-FEB-13 Insert "F. Vegetarian requirement. This product shall contain no ingredients, major or trace, and/or processing aids derived from the flesh, skin, blood, entrails, or bones of animals. This includes, but is not limited to oils, fats, fatty acids, and their esters (palmitic, stearic, oleic, and pelargonic acids), flavorings, gelling agents, coagulants, (rennet derived from calves or pepsin derived from swine which are used in cheese manufacture), binders, emulsifiers (mono/di-glycerides, sodium or magnesium stearate, polysorbate, sorbitans, monstearate, glycerin), fatty alcohol, aldehydes, and ketones, lactones, glycerol, amino acids, hydrolyzed proteins, enzymes, and enzyme modified products. Furthermore, these products shall contain no ethyl alcohol, or ingredients derived from or containing methyl alcohol. Milk and eggs, and ingredients derived from them such as yogurt, or cheese (produced without animal based rennet or pepsin), are allowed."

**SECTION D**

**D-1 PACKAGING**

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

A. Packaging. One ounce (28 grams) of jelly shall be filled into a preformed barrier pouch.

(1) Pouch material. The preformed pouch shall be fabricated from 0.002 inch thick ionomer or polyolefin film laminated or extrusion coated to 0.00035 inch thick primed aluminum foil which is then laminated to 0.0005 inch thick polyester. The three plies shall be laminated with the polyester on the exterior of the pouch. The polyolefin layer of bag material shall be suitably formulated for hot fill or post-fill processing. Tolerances for thickness of plastic films shall be plus or minus 20 percent and tolerance for the foil layer shall be plus or minus 10 percent. The material shall show no evidence of delamination, degradation, or foreign odor when heat-sealed or fabricated into pouches. The material shall be suitably formulated for food packaging and shall not impart an odor or flavor to the product. The complete exterior surface of the pouch shall be uniformly colored in the range of 34079 through 34087 or 24052 through 24087 or 30045 through 30118 (excluding 31109) or 10045 of FED-STD-595, Colors Used in Government Procurement.

(2) Pouch construction. The pouch shall be a flat style preformed pouch having maximum inside dimensions of 2-7/8 inches wide by 5-3/8 inches long. The pouch shall be made by heat sealing three edges with 3/8 inch (-1/8 inch, +3/16 inch) wide seals. The side and bottom seals shall have an average seal strength of not less than 6 pounds per inch of width and no individual specimen shall have a seal strength of less than 5 pounds per inch of width when tested as specified in E-6,B(1)a. Alternatively, the pouch shall exhibit no rupture or seal separation greater than 1/16 inch or seal separation that reduce the effective seal width to less than 1/16 inch when tested for internal pressure resistance as specified in E-6,B(1)c. A tear nick or tear notch or serrations shall be provided to facilitate opening of the filled and sealed pouch. A 1/8 inch wide lip may be incorporated at the open end of the pouch.

(3) Pouch filling and sealing. One ounce (28 grams) of jelly shall be filled into the pouch and the pouch sealed. The closure seal shall be free of foldover wrinkles or entrapped matter that reduces the effective closure seal width to less than 1/16 inch. Seals shall be free of impression or design on the seal surface that would conceal or impair visual detection of seal defects. The average seal strength shall be not less than 6 pounds per inch of width and no individual specimen shall have a seal strength of less than 5 pounds per inch of width when tested as specified in E-6,B(1)b. Alternatively, the pouch shall exhibit no rupture or seal separation greater than 1/16 inch or seal separation that reduce the effective seal width to less than 1/16 inch when tested for internal pressure resistance as specified in E-6,B(1)c.

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

## **D-2 LABELING**

A. Pouches. Each pouch shall be correctly and legibly labeled. Printing ink shall be permanent black ink or other, dark, contrasting color which is free of carcinogenic elements. The label shall contain the following information:

- (1) Name and flavor of product (letters not less than 1/8 inch high)
- (2) Ingredients
- (3) Date 1/
- (4) Net Weight
- (5) Name and address of packer
- (6) "Nutrition Facts" label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable FDA regulations.

1/ Each pouch shall have the date of pack noted by using a four digit code beginning with the final digit of the current year followed by the three digit Julian day code. For example, 14 February 2010 would be coded as 0045. The Julian day code shall represent the day the product was packaged into the pouch.

## **D-3 PACKING**

A. Packing. Not more than 40 pounds of pouched product shall be packed in a fiberboard shipping box constructed in accordance with style RSC-L of ASTM D 5118/D 5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, grade 200 of ASTM D 4727/D 4727M Standard Specifications for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes. Each box shall be closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

## **D-5 MARKING**

A. Shipping containers. Shipping containers shall be marked in accordance with DSCP Form 3556, Marking Instructions for Boxes, Sacks and Unit Loads of Perishable and Semiperishable Subsistence.

## **SECTION E INSPECTION AND ACCEPTANCE**

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

The following quality assurance criteria, utilizing ANSI/ASQ Z1.4, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified, Single Sampling Plans indicated in ANSI/ASQ Z1.4 will be utilized. When required, the manufacturer shall provide the Certificate(s) of Conformance to the appropriate inspection activity. Certificate(s) of Conformance not provided shall be cause for rejection of the lot.

A. Definitions.

(1) Critical defect. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.

(2) Major defect. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.

(3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

B. Classification of inspections. The inspection requirements specified herein are classified as follows:

(1) Product standard inspection. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

US Army Research, Development, and Engineering Command  
Natick Soldier Research, Development, and Engineering Center  
RDNS-CFF  
15 Kansas Street  
Natick, MA 01760-5018

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

One lot shall be randomly selected during each calendar month of production. Six (6) sample units of each item produced shall be randomly selected from that one production lot. The six (6) sample units shall be shipped to Natick within five working days from the end of the production month and upon completion of all USDA inspection requirements. The sample units will be evaluated for the characteristics of appearance, odor, flavor, texture and overall quality.

(2) Conformance inspection. Conformance inspection shall include the product examination and the methods of inspection cited in this section.

#### **E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)**

A. Product examination. The finished product shall be examined for compliance with the performance requirements specified in A-A-20078C and Section C of the Packaging Requirements and Quality Assurance Provisions document utilizing the double sampling plans indicated in ANSI/ASQ Z1.4. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in Table I.

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

TABLE I. Product defects 1/ 2/ 3/ 4/

Category		Defect
<u>Major</u>	<u>Minor</u>	
101		Product not type or kind or style or finished product quality as specified.
		<u>Appearance</u>
	201	Fruit jelly not clear.
	202	Fruit jelly not translucent.
	203	Fruit jelly does not retain compact shape or exhibits excessive weeping.
		<u>Flavor</u>
102		Apple jelly does not have a distinct apple flavor or has a caramelized flavor.
103		Grape jelly does not have a distinct grape flavor or has a caramelized flavor.
104		Strawberry does not have a distinct strawberry flavor or has a caramelized flavor.
		<u>Texture</u>
	204	Fruit jelly does not have a tender to slightly firm texture.
	205	Fruit jelly does not have a spreadable consistency.
		<u>Net weight</u>
	206	Net weight of an individual pouch less than 0.9 ounce (25 grams). <u>45/</u>

Comment [RDNS-CFF2]: ES13-025 (DSCP-SS-13-30903) change 01, 21-FEB-13 Insert "4/".

1/ Presence of any foreign materials such as but not limited to, dirt, insect parts, hair, glass, wood, or metal, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy shall be cause for rejection of the lot.

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.

3/ Failure to meet the Grade requirement shall be cause for rejection of the lot.

4/ Product not verified by a Certificate of Conformance (CoC) as meeting the vegetarian requirement shall be cause for rejection of the lot.

**Comment [RDNS-CFF3]:** ES13-025 (DSCP-SS-13-30903) change 01, 21-FEB-13 Insert "4".

45/ Sample average net weight less than 1.0 ounce (28 grams) shall be cause for rejection of the lot.

**Comment [RDNS-CFF4]:** ES13-025 (DSCP-SS-13-30903) change 01, 21-FEB-13 Delete "4" Insert "5".

**B. Methods of inspection.**

(1) Commercial sterility. Commercial sterility shall be determined by verification review of the processing authority records. It has been found that the following processing parameters ensure product sterility: Interior surfaces of pouch exposed to a temperature of 160°F for 60 seconds or any equivalent treatment such as 170°F for 6 seconds, 180°F for 0.6 seconds, or by post-fill processing (i.e., pasteurization).

(2) Shelf life. The contractor shall provide a Certificate of Conformance that the product has a 36 month shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point hedonic scale to be considered acceptable.

(3) Net weight. The net weight of the filled and sealed pouches shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce or to the nearest 1 gram.

**E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS)**

**A. Packaging.**

(1) Pouch material certification. The pouch material shall be tested for these characteristics. A Certificate of Conformance (CoC) may be accepted as evidence that the characteristics below conform to the specified requirements.



**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

<u>Characteristics</u>	<u>Requirement paragraph</u>	<u>Test procedure</u>
Thickness of films for laminated material	D-1,A(1)	ASTM D 2103 <u>1/</u>
Aluminum foil thickness	D-1,A(1)	ASTM B 479 <u>2/</u>
Laminated material identification and construction	D-1,A(1)	Laboratory evaluation
Color of laminated material	D-1,A(1)	FED-STD-595 <u>3/</u>

1/ ASTM D 2103 Standard Specification for Polyethylene Film and Sheeting

2/ ASTM B 479 Standard Specification for Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications

3/ FED-STD-595 Colors Used in Government Procurement

(2) Unfilled preformed pouch certification. A CoC may be accepted as evidence that unfilled pouches conform to the requirements specified in D-1,A(1). When deemed necessary by the USDA, testing of the unfilled preformed pouches for the seal strength shall be as specified in E-6,B(1)a.

(3) Filled and sealed pouch examination. The filled and sealed pouches shall be examined for the defects listed in table II. The lot size shall be expressed in pouches. The sample unit shall be one pouch. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major defects and 2.5 for minor defects.

TABLE II. Filled and sealed pouch defects 1/

Category	Defect
----------	--------

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

---

<u>Major</u>	<u>Minor</u>	
101		Tear or hole or open seal.
102		Seal width less than 1/16 inch. <u>2/</u>
103		Presence of delamination. <u>3/</u>
104		Unclean pouch. <u>4/</u>
105		Pouch has foreign odor.
106		Any impression or design on the heat seal surfaces which conceals or impairs visual detection of seal defects. <u>5/</u>
107		Not packaged as specified.
	201	Label missing or incorrect or illegible.
	202	Tear nick or notch or serrations missing, or does not facilitate opening.
	203	Seal width less than 1/8 inch but greater than 1/16 inch.
	204	Presence of delamination. <u>3/</u>

---

1/ Any evidence of rodent or insect infestation shall be cause for rejection of the lot.

2/ The effective closure seal is defined as any uncontaminated, fusion bonded, continuous path, minimum 1/16 inch wide, from side seal to side seal that produces a hermetically sealed pouch.

3/ Delamination defect classification:

Major - Delamination of the outer ply in the pouch seal area that can be propagated to expose aluminum foil at the food product edge of the pouch after manual flexing of the delaminated area. To flex, the delaminated area shall be held between the thumb and forefinger of each hand with both thumbs and forefingers touching each other. The delaminated area shall then be rapidly flexed 10 times by rotating both hands in alternating

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

clockwise- counterclockwise directions. Care shall be exercised when flexing delaminated areas near the tear notches to avoid tearing the pouch material. After flexing, the separated outer ply shall be grasped between thumb and forefinger and gently lifted toward the food product edge of the seal or if the separated area is too small to be held between thumb and forefinger, a number two stylus shall be inserted into the delaminated area and a gentle lifting force applied against the outer ply. If separation of the outer ply can be made to extend to the product edge of the seal with no discernible resistance to the gentle lifting, the delamination shall be classified as a major defect. Additionally, spot delamination of the outer ply in the body of the pouch that is able to be propagated beyond its initial borders is also a major defect. To determine if the laminated area is a defect, use the following procedure: Mark the outside edges of the delaminated area using a bold permanent marking pen. Open the pouch and remove the contents. Cut the pouch transversely not closer than 1/4 inch ( $\pm$  1/16 inch) from the delaminated area. The pouch shall be flexed in the area in question using the procedure described above. Any propagation of the delaminated area, as evidenced by the delaminated area exceeding the limits of the outlined borders, shall be classified as a major defect.

Minor - Minor delamination of the outer ply in the pouch seal area is acceptable and shall not be classified as a minor defect unless it extends to within 1/16 inch of the food product edge of the seal. All other minor outer ply delamination in the pouch seal area or isolated spots of delamination in the body of the pouch that do not propagate when flexed as described above shall be classified as minor defects.

4/ Outer packaging shall be free from foreign matter which is unwholesome, has the potential to cause pouch damage (for example, glass, metal filings) or generally detracts from the clean appearance of the pouch. The following examples shall not be classified as defects for unclean:

a. Foreign matter which presents no health hazard or potential pouch damage and which can be readily removed by gently shaking the package or by gently brushing the pouch with a clean dry cloth.

b. Dried product which affects less than 1/8 of the total surface area of one pouch face (localized and aggregate).

c. Water spots.

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

5/ If doubt exists as to whether or not the sealing equipment leaves an impression or design on the closure seal surface that could conceal or impair visual detection of seal defects, samples shall be furnished to the contracting officer for a determination as to acceptability.

**B. Methods of inspection.**

(1) Seal testing. The pouch seals shall be tested for seal strength as required in a, b, or c, as applicable.

(a) Unfilled preformed pouch seal testing. The seals of the unfilled preformed pouch shall be tested for seal strength in accordance with ASTM F 88, Seal Strength of Flexible Barrier Materials. The lot size shall be expressed in pouches. The sample size shall be the number of pouches indicated by inspection level S-1. Three adjacent specimens shall be cut from each of the three sealed sides of each pouch in the sample. The average seal strength of any side shall be calculated by averaging the three specimens cut from that side. Any average seal strength of less than 6 pounds per inch of width or any test specimen with a seal strength of less than 5 pounds per inch of width shall be cause rejection of the lot.

(b) Pouch closure seal testing. The closure seals of the pouches shall be tested for seal strength in accordance with ASTM F 88. The lot size shall be expressed in pouches. The sample size shall be the number of pouches indicated by inspection level S-1. For the closure seal on preformed bags, three adjacent specimens shall be cut from the closure seal of each pouch in the sample. For the form-fill-seal pouches, three adjacent specimens shall be cut from each side and each end of each pouch in the sample. The average seal strength of any side, end or closure shall be calculated by averaging the three specimens cut from that side, end or closure. Any average seal strength of less than 6 pounds per inch of width or any test specimen with a seal strength of less than 5 pounds per inch of width shall be cause for rejection of the lot.

(c) Internal pressure test. The internal pressure resistance shall be determined by pressurizing the pouches while they are restrained between two rigid plates spaced  $1/2 \pm 1/16$  inch apart. The sample size shall be the number of pouches indicated by inspection level S-1. If a three seal tester (one that pressurizes the pouch through an open end) is used, the closure seal shall be cut off for testing the side and bottom seals of the pouch. For testing the closure seal, the bottom seal shall be cut off. The pouches shall be emptied prior to testing. If a four-seal tester (designed to pressurize filled pouches by use of a hypodermic needle through the pouch wall) is used, all four seals can be tested simultaneously. The distance between rigid restraining plates on the four-seal tester shall be equal to the thickness of the product +1/16

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

inch. Pressure shall be applied at the approximate uniform rate of 1 pound per square inch gage (psig) per second until 14 psig pressure is reached. The 14 psig pressure shall be held constant for 30 seconds and then released. The pouches shall then be examined for separation or yield of the heat seals. Any rupture of the pouch or evidence of seal separation greater than 1/16 inch in the pouch manufacturer's seal shall be considered a test failure. Any seal separation that reduces the effective closure seal width to less than 1/16 inch (see table II, footnote 2/) shall be considered a test failure. Any test failure shall be cause for rejection of the lot.

C. Packing.

(1) Shipping container and marking examination. The filled and sealed shipping containers shall be examined for the defects listed in table III below. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE III. Shipping container defects

Category		Defect
<u>Major</u>	<u>Minor</u>	
101		Marking missing or incorrect or illegible.
102		Inadequate workmanship. <u>1/</u>
	201	More than 40 pounds of product.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

**PKG & QAP**  
**A-A-20078C**  
**25 September 2009**  
**W/ Change 01 21 Feb 13**  
**SUPERSEDING**  
**A-A-20078B**  
**29 October 2003**

**SECTION J REFERENCE DOCUMENTS**

Unless otherwise specified, the issues of these documents are those active on the date of the solicitation or contract.

**DSCP FORMS**

DSCP FORM 3556      Marking Instructions for Boxes, Sacks and Unit Loads of  
Perishable and Semiperishable Subsistence

**FEDERAL STANDARD**

FED-STD-595      Colors Used in Government Procurement

**NON-GOVERNMENTAL STANDARDS**

AMERICAN SOCIETY FOR QUALITY (ASQ) [www.asq.org](http://www.asq.org)

ANSI/ASQ Z1.4      Sampling Procedures and Tables for Inspection by Attributes

ASTM International [www.astm.org](http://www.astm.org)

B 479      Standard Specification for Annealed Aluminum and  
Aluminum-Alloy Foil for Flexible Barrier, Food Contact,  
and Other Applications  
D 1974      Standard Practice for Methods of Closing, Sealing, and  
Reinforcing Fiberboard Boxes  
D 2103      Standard Specification for Polyethylene Film and Sheeting  
D 4727/D 4727M      Standard Specification for Corrugated and Solid Fiberboard Sheet  
Stock (Container Grade) and Cut Shapes  
D 5118/D 5118M      Standard Practice for Fabrication of Fiberboard Shipping Boxes  
F 88      Standard Test Method for Seal Strength of Flexible Barrier  
Materials

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

## For DLA Troop Support Website Posting

RDNS-CFF

21 February 2013

TO: DLA Troop Support - Subsistence

SUBJECT: ES13-025 (DSCP-SS-13-30903); Document change to PKG&QAP for CID A-A-20078C, Jelly, Fruit and PKG&QAP for CID A-A-20079C, Preserves (or Jams), Fruit, to include the Vegetarian Requirement

1. Warfighter feedback suggests pairing jam/jelly with each peanut butter results in increased acceptability of the Meal, Ready-to-Eat™ (MRE™). Currently, this pairing is excluded from vegetarian menus due to uncertainty regarding the presence of animal by-products (such as gelatin) in the MRE™ jams and jellies.
2. The companies currently supplying jams and jellies to the MRE™ assemblers were contacted and confirmed none of the jams or jellies contain animal by-products.
3. Natick would like to add a vegetarian requirement to the subject documents to ensure that the jams and jellies do not contain animal by-products. The products will then be considered vegetarian and may be paired with peanut butter in vegetarian menus, resulting in increased variety and acceptability. A change to the subject documents is required to reflect this requirement.
4. Natick submits the following changes to subject documents for all current, pending and future procurements until the document is formally amended or revised:
  - a. PKG&QAP for CID A-A-20078C, Jelly, Fruit document changes:
    - (1) page 2, Section C-2; After “E. Net weight. ...” insert “F. Vegetarian requirement. This product shall contain no ingredients, major or trace, and/or processing aids derived from the flesh, skin, blood, entrails, or bones of animals. This includes, but is not limited to oils, fats, fatty acids, and their esters (palmitic, stearic, oleic, and pelargonic acids), flavorings, gelling agents, coagulants, (rennet derived from calves or pepsin derived from swine which are used in cheese manufacture), binders, emulsifiers (mono/di-glycerides, sodium or magnesium stearate, polysorbate, sorbitans, monostearate, glycerin), fatty alcohol, aldehydes, and ketones, lactones, glycerol, amino acids, hydrolyzed proteins, enzymes, and

**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

enzyme modified products. Furthermore, these products shall contain no ethyl alcohol, or ingredients derived from or containing methyl alcohol. Milk and eggs, and ingredients derived from them such as yogurt, or cheese (produced without animal based rennet or pepsin), are allowed.”

(2) page 6, TABLE I header; After “3/”, insert “4/”.

(3) page 7, Section E-5, TABLE I, footnotes; After footnote 3/ insert the following new footnote “4/ Product not verified by a Certificate of Conformance (CoC) as meeting the vegetarian requirement shall be cause for rejection of the lot.”

(4) page 7, Delete “4/” and insert “5/”.

b. PKG&QAP for CID A-A-20079C, Preserves (or Jams), Fruit document changes:

(1) page 2, Section C-2; After “E. Net weight. ...” insert “F. Vegetarian requirement. This product shall contain no ingredients, major or trace, and/or processing aids derived from the flesh, skin, blood, entrails, or bones of animals. This includes, but is not limited to oils, fats, fatty acids, and their esters (palmitic, stearic, oleic, and pelargonic acids), flavorings, gelling agents, coagulants, (rennet derived from calves or pepsin derived from swine which are used in cheese manufacture), binders, emulsifiers (mono/di-glycerides, sodium or magnesium stearate, polysorbate, sorbitans, monstearate, glycerin), fatty alcohol, aldehydes, and ketones, lactones, glycerol, amino acids, hydrolyzed proteins, enzymes, and enzyme modified products. Furthermore, these products shall contain no ethyl alcohol, or ingredients derived from or containing methyl alcohol. Milk and eggs, and ingredients derived from them such as yogurt, or cheese (produced without animal based rennet or pepsin), are allowed.”

(2) page 6, Section E-5, TABLE I header; After “3/”, insert “4/”.

(3) page 7, Section E-5, TABLE I, footnotes; After footnote 3/ insert the following new footnote “4/ Product not verified by a Certificate of Conformance (CoC) as meeting the vegetarian requirement shall be cause for rejection of the lot.”

(4) page 7, Delete “4/” and insert “5/”.



**PKG & QAP  
A-A-20078C  
25 September 2009  
W/ Change 01 21 Feb 13  
SUPERSEDING  
A-A-20078B  
29 October 2003**

5. Attached are Change 01, PKG&QAP for CID A-A-20078C, Jelly, Fruit and Change 01 PKG&QAP for CID A-A-20079C, Preserves (or Jams), Fruit, dated 21 February 2013, with changes highlighted.