



## APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

<b>PRODUCT DATA SHEET</b>		<b>CONTRACTOR NAME: Johnson Outdoors Gear LLC</b>	
<b>1.PART NUMBER: 2480154</b>		<b>2.NSN</b>	
<b>3.NAME: Modular General Purpose System (MGPTS Type III Med Tan)</b>	<b>4.TYPE: MGPTS (Modular General Purpose Tent System)</b>	<b>5.CLASS: Tent with Liner &amp; Floor</b>	
<b>6.COLOR: Tan</b>	<b>7. Support System: Internal Arch</b>	<b>8.SERIES: NA</b>	
<b>9. INTENDED USE: Personnel, billeting, command &amp; control, support or maintenance</b>			
<b>10.DIMENSIONS (IN FEET AND INCHES)</b>	<b>LENGTH: 36'</b>	<b>WIDTH: 18'</b>	<b>HEIGHT: RIDGE/EAVE 11' 5" / 7'</b>
<b>11.DIMENSIONS (EXTERNAL GUYED)</b>	<b>LENGTH 50'</b>	<b>WIDTH 32'</b>	
<b>12.SQUARE FEET INTERIOR: 648</b>			
<b>13.WEIGHT (POUNDS, UNPACKAGED) 955</b>	<b>14.WEIGHT (PACKAGED) 1265</b>	<b>15.SHIPPING CUBE (PACKAGED) 102.6</b>	
<b>16SHIPPING CONTAINER</b>	<b>LENGTH 96 "</b>	<b>WIDTH 41.5 "</b>	<b>HEIGHT 44.5 "</b>
<b>17.SET-UP TIME/ NUMBER OF PERSONS 58 Minutes 4 People</b>		<b>18.STRIKE TIME/ NUMBER OF PERSONS 58 Minutes 4 People</b>	
<b>19.PARTS INCLUDED:</b> 2 End Fabric Modules, 1 Mid Fabric Module, 3 Internal Arch, 2 End Poles, 4 Side Poles, Stakes & Component wrappers, 2 End Fabric Liner Modules, 1 Mid fabric Liner Module, 2 End Fabric Floor Modules, 1 Mid Fabric Floor Module.			
<b>20.DESCRPTION:</b> The MGPTS Type III incorporates a patented internal arch for support and clear, unobstructed interior space. This proprietary arch system creates a structure which distributes wind, rain and snow loads away from the fabric and directly to the arch (or support system), making a stronger, more durable fielded structure. Designed for use in various climate and weather conditions ranging from sweltering heat to severe cold. Passed all of the rigorous testing parameters for wind, rain and snow loads at Aberdeen Proving Ground. The Medium is 18'x36' and modular in design. All components are interchangeable between sizes and the the MGPTS Type I.TEMPER vestibule adapter is attached and can compex to any MILSPEC tent. No parts longer than 96" when configured for transport - fits easily into an ISO container, TRICON container or standard pallet.			
<b>21. SUPPORT EQUIPMENT:</b>	<b>PART NUMBER Or NSN</b>	<b>Included or Optional</b>	<b>DESCRIPTION</b>
<b>LIGHT SET Product Data Sheet</b>			
<b>ELECTRICAL OUTLET SET Product Data Sheet</b>			

<b>FLOORING</b>			
<b>Product Data Sheet</b>			
<b>HEATER</b>			
<b>Product Data Sheet</b>			
<b>AIR</b>			
<b>CONDITIONER</b>			
<b>Product Data Sheet</b>			
<b>GENERATOR</b>			
<b>Product Data Sheet</b>			
<b>POWER</b>			
<b>DISTRIBUTION</b>			
<b>Product Data Sheet</b>			
<b>TRAILER</b>			
<b>MOUNTED</b>			
<b>SUPPORT</b>			
<b>SYSTEM Product</b>			
<b>Data Sheet</b>			
<b>INSULATED</b>			
<b>LINER Product</b>			
<b>Data Sheet</b>			
<b>INSULATED</b>			
<b>FLOORING</b>			
<b>Product Data Sheet</b>			
<b>SOLAR SHADE/ CAMOU. NETT</b>			
<b>Product Data Sheet</b>			