

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE K	PAGE 1	OF 23	PAGES
2. AMENDMENT/MODIFICATION NO. P00006		3. EFFECTIVE DATE See Blk. 16C SPE8EC	4. REQUISITION/PURCHASE REQ. NO. See Block 14		5. PROJECT NO. (if applicable) S2101A
6. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (HEPP) 100 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Initiator: ARIA GESSNER PEPCDEH Tel: 215-737-7252 FAX: 215-737-0396 Email: ARIA.GESSNER@DLA.MIL		7. ADMINISTERED BY (If other than item 6) DCMA BALTIMORE 217 E REDWOOD ST SUITE 1800 BALTIMORE MD 21202-5299 USA			
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) GAITHERSBURG FARMERS SUPPLY, INC. DBA GAITHERSBURG EQUIPMENT COMPANY 700 E DIAMOND AVE GAITHERSBURG MD 20877-3065 USA		(X)	9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
		X	10A. MODIFICATION OF CONTRACT/ORDER NO. SPE8EC-14-D-0017		
			10B. DATED (SEE ITEM 13) 2014 MAY 09		
CODE 0N8G1		FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers ☐ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.



CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF REFERENCE ADD/DELETE LANGUAGE ON PGS 27-28 OF SOLICITATION SPM8EC-11-R-0006
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not, ☒ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Continuation Sheet

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) James W. JACOBS JR, V.P.		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) JUDITH HENRY	
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 3-27-15	16B. UNITED STATES OF AMERICA  (Signature of Contracting Officer)	16C. DATE SIGNED 3/31/15

NSN 7540-01-152-8070
Previous edition unusable

STANDARD FORM 30 (REV. 10-83)
Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE8EC-14-D-0017/P00006	PAGE 2 OF 23 PAGES
--------------------	---	--------------------

THE SCHEDULE OF ITEMS ON PAGES 15-35 OF SUBJECT CONTRACT ARE HEREBY REPLACED BY PAGES 4-23 OF SUBJECT MODIFICATION TO REFLECT THE ADDITION OF 59 ITEMS AND THE DELETION OF 58 ITEMS.

IN ACCORDANCE WITH THE ADDITION/DELETION OF ITEMS AS REFERENCED ON PAGE 27-28 OF SOLICITATION SPM8EC-11-R-0008, THE FOLLOWING MODELS ARE HEREBY ADDED:

New Holland Product Line (25): T6.145 T4B, T6.155 T4B, T6.165 T4B, T6.175 T4B, T6.145 T4B CVT, T6.165 T4B CVT, T6.175 T4B CVT, TS6.110 T4B, TS6.110 T4B, TS6.110 T4B, TS6.110 T4B, TS6.120 T4B, TS6.120 T4B, TS6.120 T4B, TS6.120 T4B, TS6.130 T4B, TS6.130 T4B, TS6.130 T4B, TS6.130 T4B, TS6.140 T4B, TS6.140 T4B, TS6.140 T4B, TS6.140 T4B, TS6.120 HC T4B, TS6.120 HC T4B.

Bad Boy Product Line (34): BBM42KT725, BMG48KT725, BZE48KT740, BZE54KT745, BZE48FR730, BZE54FR730, BZE60FR730, BCE48ZT740, BCE54ZT740, BCE48FS730, BCE54FS730, BCE60FS730, BBS48FX730, BBS54FX730, BBS61FX730, BBO54810VA, BBO61810VA, BBO54ZT740, BBO61ZT740, BBO54FX730, BBO61FX730, BBO54FX850, BBO61FX850, BBO72FX850, BBO6136VA, BBO7236VA, BBO54EV860, BBO61EV860, BBX54FX850, BBX61FX850, BBX72FX850, BBX6136VA, BBX7236VA, BBD61247CA.

IN ACCORDANCE WITH THE ADDITION/DELETION OF ITEMS AS REFERENCED ON PAGE 27-28 OF SOLICITATION SPM8EC-11-R-0008, THE FOLLOWING MODELS ARE HEREBY DELETED:

New Holland Product Line (23): T6.140 4WD Cab, T6.150 4WD Cab, T6.155 4WD Cab, T6.160 4WD Cab, T6.165 4WD, TS6.110 Cab 2WD, TS6.110 Cab 4WD, TS6.110 Rops 2WD, TS6.110 Rops 4WD, TS6.120 Cab 2WD, TS6.120 Cab 4WD, TS6.120 Rops 2WD, TS6.120 Rops 4WD, TS6.120HC 4WD ROPS, TS6.125 Cab 2WD, TS6.125 Cab 4WD, TS6.125 Rops 2WD, TS6.125 Rops 4WD, TS6.140 Cab 2WD, TS6.140 Cab 4WD, TS6.140 Rops 2WD, TS6.140 Rops 4WD.

Bad Boy Product Line (35): BBM42726KA, BMG48726KA, BMG54726KA, BZE4825KO, BZE48726KA, BZE5426KO, BZE54726KA, BCE4825KO, BCE5425KO, BCE4826KA, BCE5426KA, BCE6026KA, BBS4827BS, BBS4826KA, BBS5427BS, BBS5426KA, BBO5427BS, BBO6127BS, BBO5425KO, BBO6125KO, BBO5426KA, BBO6126KA, BBO5431KA, BBO6131KA, BBO7231KA, BBO6136BS, BBO7236BS, BBO5429KO, BBO6129KO, BBX5431KA, BBX6131KA, BBX7231KA, BBX6136BS, BBX7236BS, BBD6125CA.

--

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price	Base Unit
1	Diesel 61" 35 hp CAT LC	Bad Boy	BBA6135CA			
2	Diesel 72" 35 hp CAT Diesel	Bad Boy	BBA7235CA			
3	Diesel 61" 1100cc Compact Cat	Bad Boy	BBD61247CA			
4	MZ 42" 540 Briggs 540cc	Bad Boy	BBM42198S			
5	MZ 42" 725cc Kohler Pro**	Bad Boy	BBM42KT725			
6	Outlaw 54" 747cc Kohler Confidant	Bad Boy	BBO54ZT740			
7	Outlaw 54" 726cc Kawasaki FX	Bad Boy	BBO54FX730			
8	Outlaw 54" 810cc Vanguard	Bad Boy	BBO54810VA			
9	Outlaw 54" 824cc Kohler EFI	Bad Boy	BBO54EV860			
10	Outlaw 54" 852cc Kawasaki FX	Bad Boy	BBO54FX850			
11	Outlaw 61" 747cc Kohler Confidant	Bad Boy	BBO61ZT740			
12	Outlaw 61" 726cc Kawasaki FX	Bad Boy	BBO61FX730			
13	Outlaw 61" 810cc Vanguard	Bad Boy	BBO61810VA			
14	Outlaw 61" 824cc Kohler EFI	Bad Boy	BBO61EV860			
15	Outlaw 61" 852cc Kawasaki FX	Bad Boy	BBO61FX850			
16	Outlaw 61" 993cc Vanguard	Bad Boy	BBO6136VA			
17	Outlaw 72" 852cc Kawasaki FX	Bad Boy	BBO72FX850			
18	Outlaw 72" 993cc Vanguard	Bad Boy	BBO7236VA			
19	Outlaw S 48" 726cc Kawasaki FX	Bad Boy	BBS48FX730			
20	Outlaw S 61" 726cc Kawasaki FX	Bad Boy	BBS61FX730			
21	Outlaw S 54" 726cc Kawasaki FX	Bad Boy	BBS54FX730			
22	Outlaw 54" 852cc Kawasaki FX	Bad Boy	BBX54FX850			
23	Outlaw 61" 852cc Kawasaki FX	Bad Boy	BBX61FX850			
24	Outlaw 61" 993cc Vanguard	Bad Boy	BBX6136VA			
25	Outlaw 72" 852cc Kawasaki FX	Bad Boy	BBX72FX850			
26	Outlaw 72" 993cc Vanguard	Bad Boy	BBX7236VA			
27	CZT 48" 747cc Kohler Confidant**	Bad Boy	BCE48ZT740			
28	CZT 48" 726cc Kawasaki FS**	Bad Boy	BCE48FS730			
29	CZT 48" 810cc Briggs Cyclonic	Bad Boy	BCE4827BS			
30	CZT 54" 747cc Kohler Confidant**	Bad Boy	BCE54ZT740			
31	CZT 54" 726cc Kawasaki FS**	Bad Boy	BCE54FS730			
32	CZT 54" 810cc Briggs Cyclonic	Bad Boy	BCE5427BS			
33	CZT 60" 747cc Kohler Confidant	Bad Boy	BCE60Z5KO			
34	CZT 60" 726cc Kawasaki FS**	Bad Boy	BCE60FS730			
35	CZT 60" 810cc Briggs Cyclonic	Bad Boy	BCE6027BS			
36	Magnum 48" 725cc Kohler Pro 7000**	Bad Boy	BMG48KT725			
37	Magnum 54" 725cc Kohler Pro 7000	Bad Boy	BMG5425KO			
38	ZT 48" 725cc Kohler Pro 7000**	Bad Boy	BZE48KT740			
39	ZT 48" 726cc Kawasaki FR**	Bad Boy	BZE48FR730			
40	ZT 54" 747cc Kohler Pro 7000**	Bad Boy	BZE54KT745			
41	ZT 54" 726cc Kawasaki FR**	Bad Boy	BZE54FR730			
42	ZT 60" 747cc Kohler Pro 7000	Bad Boy	BZE6026KO			
43	ZT 60" 726cc Kawasaki FR**	Bad Boy	BZE60FR730			
44	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	Kubota	B2320DT			
45	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	Kubota	B2320HSD			
46	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires.	Kubota	B2620HSD			
47	4WD CAB TRACTOR With Factory Certified ROPS Cab (84.6" High)	Kubota	B2650HSDC			
48	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket	Kubota	B26TL			
49	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket Backhoe without Bucket	Kubota	B26TLB			
50	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket Backhoe without Bucket Includes factory installed backhoe auxiliary hydraulics kit. (BTB405)	Kubota	B26TLB-V			
51	4WD CAB TRACTOR with Factory Certified ROPS Cab (84.6" High)	Kubota	B3350HSDC			
52	4WD 18 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota	BX1870-1			
53	4WD 23 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota	BX2370-1			
54	ZT 60" 726cc Kawasaki FR **	Bad Boy	BZE60726KA			
55	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	Kubota	GR2020G2-48			
56	20.5 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Bar Tires	Kubota	GR2020GB2-48			
57	21 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	Kubota	GR2120-48			

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
58	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Turf Tires	Kubota	GR2120-54		
59	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Bar Tires	Kubota	GR2120B54		
60	L3301DT w/o tires (4WD TRACTOR W/ GEAR SHIFT TRANSMISSION)	Kubota	L3301DT		
61	L3301F w/o tires (2WD TRACTOR W/ GEARSHIFT TRANSMISSION)	Kubota	L3301F		
62	L3301HST w/o tires (4WD W/ HYDROSTATIC TRANS.)	Kubota	L3301HST		
63	L3560DT 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota	L3560DT		
64	L3560GST 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota	L3560GST		
65	L3560HST 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota	L3560HST		
66	L3560HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (90.6" Height)	Kubota	L3560HSTC		
67	L3901DT w/o tires (4WD TRACTOR WITH GEAR SHIFT TRANSMISSION)	Kubota	L3901DT		
68	L3901F w/o tires (2WD TRACTOR WITH GEAR SHIFT TRANSMISSION)	Kubota	L3901F		
69	L3901HST w/o tires (4WD TRACTOR WITH HYDROSTATIC TRANS.)	Kubota	L3901HST		
70	Tractor Loader 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket	Kubota	L39-1TL		
71	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Backhoe without Bucket	Kubota	L39-1TLB		
72	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	Kubota	L39-1TLB-B		
73	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL1715A) Backhoe without Bucket	Kubota	L39-1TLB-L		
74	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL1715A) Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kits (BT3911)	Kubota	L39-1TLB-LB		
75	L4060DT 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota	L4060DT		
76	L4060GST 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota	L4060GST		
77	L4060HST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota	L4060HST		
78	L4060HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (91.1" High)	Kubota	L4060HSTC		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Pri
79	TRACTOR LOADER 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket	Kubota	L45TL		
80	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Backhoe	Kubota	L45TLB		
81	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	Kubota	L45TLB-B		
82	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2211) Backhoe without Bucket	Kubota	L45TLB-L		
83	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2211)	Kubota	L45TLB-LB		
84	L4701DT w/o tires (4WD TRACTOR WITH GEAR SHIFT TRANSMISSION)	Kubota	L4701DT		
85	L4701F w/o tires (2WD TRACTOR WITH GEAR SHIFT TRANSMISSION)	Kubota	L4701F		
86	L4701HST w/o tires (4WD TRACTOR WITH HYDROSTATIC TRANS.)	Kubota	L4701HST		
87	L4760GST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota	L4760GST		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
88	L4760HST 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota	L4760HST		
89	L4760HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (91.9" High)	Kubota	L4760HSTC		
90	L5060GST 4WD TRACTOR with 2 Post Foldable ROPS (98.0" High)	Kubota	L5060GST		
91	L5460HST 4WD TRACTOR with 2 Post Foldable ROPS (98.0" High)	Kubota	L5460HST		
92	L5460HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (92.5" High)	Kubota	L5460HSTC		
93	L6060HST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota	L6060HST		
94	L6060HST 4WD CAB TRACTOR with ROPS Certified Factory Cab (92.5" High)	Kubota	L6060HSTC		
95	Tractor Loader 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket	Kubota	M59TL		
96	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket	Kubota	M59TLB		
97	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3921)	Kubota	M59TLB-B		
98	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2212).	Kubota	M59TLB-L		
99	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader Includes factory assembled loader auxiliary hydraulic kit (TL2212) Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kits (BT3921)	Kubota	M59TLB-LB		
100	4WD Narrow Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota	M6040HDNB-1		
101	4WD Utility Tractor (Hydraulic-Shuttle) with 2 Post foldable ROPS	Kubota	M6060HD		
102	4WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota	M6060HDC		
103	2WD Utility Cab Tractor (Hydraulic-Shuttle) with Ultra Grand Cab	Kubota	M6060HFC		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Pri
104	4WD Narrow Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota	M7040HDNB-1		
105	4WD Narrow Cab Tractor (Hydraulic Shuttle) Loader Ready	Kubota	M7040HDNBC-1		
106	2WD TRACTOR (Hydraulic Shuttle) with 2 Post Foldable ROPS	Kubota	M7040SUH		
107	4WD TRACTOR (Hydraulic Shuttle) with 2-Post Foldable ROPS	Kubota	M7040SUHD		
108	4WD Utility Tractor (Hydraulic-Shuttle) with 2 Post foldable ROPS	Kubota	M7060HD		
109	4WD Utility Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota	M7060HD12		
110	4WD Utility Tractor (Hydraulic-Shuttle) with Ultra Grand Cab	Kubota	M7060HDC		
111	4WD Utility Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota	M7060HDC12		
112	2WD Utility Tractor (Hydraulic-Shuttle) with Ultra Grand Cab	Kubota	M7060HFC		
113	4WD Narrow ROPS Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota	M8540HDNB-1		
114	4WD Narrow Cab Tractor (Hydraulic Shuttle) with mounting plates for Loader	Kubota	M8540HDNBC-1		
115	4WD Narrow Cab Tractor (Hydraulic Shuttle) 10-Speed, with mounting plates for Loader	Kubota	M8540HDNBC10		
116	4WD Narrow Cab Power Krawler Tractor Loader Ready	Kubota	M8540HDNBPC-1		
117	4WD Utility ROPS Tractor (Hydraulic Shuttle) With 2 Post foldable ROPS	Kubota	M8560HD		
118	4WD Utility ROPS Tractor (Hydraulic Shuttle) With 12 Speed and Foldable ROPS	Kubota	M8560HD12		
119	4WD Utility Cab Tractor (Hydraulic Shuttle) With Ultra Grand Cab	Kubota	M8560HDC		
120	4WD Utility Cab Tractor (Hydraulic Shuttle) With 12 Speed and Ultra Grand Cab	Kubota	M8560HDC12		
121	2WD Utility ROPS Tractor (Hydraulic Shuttle) With 2 Post foldable ROPS	Kubota	M8560HF		
122	2WD Utility Cab Tractor (Hydraulic Shuttle) With Ultra Grand Cab	Kubota	M8560HFC		
123	4WD Farm Tractor w/Foldable ROPS	Kubota	M96SHDM		
124	4WD Utility ROPS Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota	M9960HD		
125	4WD Utility ROPS Tractor (Hydraulic Shuttle) with 12 Speed and foldable ROPS	Kubota	M9960HD12		
126	4WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota	M9960HDC		
127	4WD Utility Cab Tractor (Hydraulic Shuttle) with 12 Speed and Ultra Grand Cab	Kubota	M9960HDC12		
128	4WD Utility Cab Tractor (Hydraulic Shuttle) with 24 Speed and Ultra Grand Cab	Kubota	M9960HDC24		
129	4WD Farm Tractor w/Factory ROPS Price with standard Fiberglass Fenders	Kubota	M9960HDL		
130	4WD Farm Tractor w/Factory ROPS Price with Heavy Duty Steel Fenders, Narrow	Kubota	M9960HDL-SN		
131	2WD Utility ROPS Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota	M9960HF		
132	2WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota	M9960HFC		
133	4WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4700DT		
134	2WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4700F		
135	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4700HST		
136	4WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4800DT		
137	2WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4800F		
138	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota	MX4800HST		
139	4WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5100DT		
140	2WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5100F		
141	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5100HST		
142	4WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5200DT		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
143	2WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5200F		
144	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota	MX5200HST		
145	18 Hp Lawn Tractor 42" Infinity Mower Deck	Kubota	T1880A2-42		
146	20 Hp Lawn Tractor 42" Infinity Mower Deck	Kubota	T2080A2-42		
147	22 Hp Lawn Tractor 48" Infinity Mower Deck	Kubota	T2380A2-48		
148	Zero Turn Mower with ROPS-48" PRO Commercial Mower Deck	Kubota	ZD221-48		
149	Zero Turn Mower with ROPS-54" PRO Commercial Mower Deck	Kubota	ZD221-54		
150	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZD323-60		
151	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZD326P-60		
152	Zero Turn Mower with ROPS-60" Rear Discharge Mower Deck	Kubota	ZD326RP-60R		
153	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZD326S-60		
154	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota	ZD331HL-72		
155	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota	ZD331LP-72		
156	Zero Turn Mower with ROPS 48" PRO Commercial Mower Deck	Kubota	ZG222A-48		
157	Zero Turn Mower with ROPS 48" Mower (Stamped Deck)	Kubota	ZG222A-48S		
158	Zero Turn Mower with ROPS-54" PRO Commercial Mower Deck	Kubota	ZG227A-54		
159	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZG227LA-60		
160	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZG327PA-60		
161	Zero Turn Mower with ROPS-60" Rear Discharge Mower Deck	Kubota	ZG327RPA-60R		
162	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota	ZG332LP-72		
163	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZG332P-60		
164	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota	ZP330LP-72		
165	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota	ZP330P-60		
166	2WD FRONT MOWER w/ ROPS-(Tires and Mower Decks must be ordered separately)	Kubota	F2690E		
167	4WD FRONT MOWER w/ ROPS-(Tires and Mower Decks must be ordered separately)	Kubota	F2690		
168	4WD FRONT MOWER w/ ROPS	Kubota	F3990		
169	4WD TRACTOR W/8 SPEED SHUTTLE TRANSMISSION/ROPS W/ F-TIRE 11.2-24 R1 FIRESTONE (SAT) II WAF & R-TIRE 16.9-30 R1 DURATORQ 19MM HOLES	Kubota	MD-091HD		
170	4WD TRACTOR W/12 SPEED SHUTTLE TRANSMISSION/ROPS W/ F-TIRE 11.2-24 R1 FIRESTONE (SAT) II WAF & R-TIRE 16.9-30 R1 DURATORQ 19MM HOLES	Kubota	MD-091HD12		
171	2WD TRACTOR W/8 SPEED HYD SHUTTLE /ROPS W/ F-TIRE 7.5-18 F2 TITAN TRU TRAC TT & R-TIRE 16.9-30R1 DURATORQ 19MM HOLES	Kubota	MD-091HF		
172	4WD TRACTOR W/8 SPEED HYD SHUTTLE/ROPS W/ F-TIRE 12.4-24 R1 TTN TRUGRIP LUG TL WAF, R-TIRE 18.4-30 R1 TITAN HI TRAC LUG TL	Kubota	M5-111HD		
173	4WD TRACTOR W/ 12 SPEED HYD SHUTTLE/ROPS W/ F-TIRE 7.5-18 F2 TITAN TRU TRAC TT & R-TIRE 18.4-30 R1 TITAN HI TRAC LUG TL	Kubota	M5-111HD12		
174	2WD TRACTOR W/ F-TIRE 7.5-18 F2 TITAN TRU TT & R-TIRE 18.4-30 R1 TITAN HI TRAC LUG TL	Kubota	M5-111HF		
175	4WD TRACTOR W/8 SPEED HYD SHUTTLE /CAB W/ F-TIRE 11.2-24 R1 FIRESTONE (SAT) II WAF & R-TIRE 16.9-30 R1 DURATORQ 19MM HOLES	Kubota	M5-091HDC		
176	4WD TRACTOR W/12 SPEED HYD SHUTTLE/ CAB W/ F-TIRE 11.2-24 R1 FIRESTONE (SAT) II WAF & R-TIRE 16.9-30 R1 DURATORQ 19MM HOLES.	Kubota	M5-091HDC12		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
177	2WD TRACTOR W/8 SPEED SHUTTLE CAB W/ F-TIRE 7.5-18 F2 TITAN TRU TRAC TT & F-TIRE 16.9-30 R1 DURATORQ 19MM HOLES.	Kubota	M5-091HFC		
178	4WD TRACTOR W/ 8 SPEED HYD SHUTTLE/ CAB F-TIRE 12.4-24 R1 TTN TRUGRIP LUG TL WAF & R-TIRE 18.4-30 R1	Kubota	M5-111HDC		
179	4WD TRA W/12-SPEED HYD SHUTTLE/CAB w/ F-TIRE 12.4-24 R1 Ttn TruGrip Lug TL WAF & R-TIRE 18.4-30 R1 Titan Hi Trac Lug TL.	Kubota	M5-111HDC12		
180	4WD TRA W/24-SPEED HYD SHUTTLE/CAB w/ F-TIRE 12.4-24 R1 Ttn TruGrip Lug TL WAF & R-TIRE 18.4-30 R1 Titan Hi Trac Lug TL.	Kubota	M5-111HDC24		
181	2WD TRA W/8-SPEED HYD SHUTTLE/CAB w/ F- TIRE 7.5-18 F2 Titan Tru Trac TT & R-TIRE 18.4-30 R1 Titan Hi Trac Lug TL.	Kubota	M5-111HFC		
182	4WD TRA W/24 SPD INTELLI-SHIFT TRANS w/ F-TIRE 12.4R24 R1 Titan Hi Trac Lug WAF & R- TIRE 18.4R30 R1 Titan Hi Pwr Lug Cast.	Kubota	M6-101DTC-F		
183	4WD TRA W/24 SPD INTELLI-SHIFT TRANS w/ F-TIRE 13.6R24 R1 Titan Hi Trac Lug WAF & R- TIRE 18.4R34 R1 Titan Hi Trac Lug Cast.	Kubota	M6-111DTC-F		
184	4WD TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	B2301HSD		
185	4WD TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	B2601HSD		
186	4WD TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	L2501DT		
187	2WD TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	L2501F		
188	4WD TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	L2501HST		
189	4WD HST TRACTOR W/FOLDABLE ROPS AND STANDARD TIRES	Kubota	MX5800HST		
190	4WD TRACTOR W/24-SPD INTELLI-SHIFT TRANS AND STD TIRES	Kubota	M6-131DTC-F		
191	4WD TRACTOR W/24-SPD INTELLI-SHIFT TRANS AND STD TIRES	Kubota	M6-141DTC-F		
192	4WD TRACTOR W/24-SPD INTELLI-SHIFT TRANS AND STD TIRES	Kubota	M6-141DTSC-F		
193	2WD STD UTILITY TRACTOR W/HYD SHUTTLE AND STD TIRES	Kubota	M5660SUH		
194	4WD STD UTILITY TRACTOR W/HYD SHUTTLE AND STD TIRES	Kubota	M5660SUHD		
195	BOOMER 33 ISM 3 Cyl. Turbo Diesel Engine 32.2 Gross Engine hp @ 2600 rpm 26.0 PTO hp @ 2600 rpm (Gear) 24.7 PTO hp @ 2600 rpm (Hydro) 92 cu. in.(1.5L) Displacement, 3 Cylinders Tier 4b compliant Turbo charged Under Hood Muffler / Exhaust Two-stage Dual Element Air Cleaner Full-flow, Spin-on Oil Filter 10.5 gallon (40L) Fuel Tank Fuel Filter with water separator Quick Glow Plug Starting Aid Flip- up Hood w/ Gas Strut.	New Holland	Boomer 33		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price	Base Unit
196	L220-T4B-Horsepower: - Gross 60 - Net 57, ROPS/FOPS Level 1 canopy with side screens, Mechanical Foot Controls, Alarm package (backup and horn), Lights - 2 front, 2 rear (halogen), Tail lights, Advanced Instrument Cluster with Hour meter, fuel gauge, engine and oil temperature gauge, diagnostic features and security lock-out, Manual controlled hydrostatic two speed four wheel drive Spring applied hydraulic release, SAE operating load: 2000 lbs. TIRES: 12 X 16.5 Heavy Duty.	New Holland	L220-T4B			
197	L230-T4A-Horsepower - Gross 90 - Net 84, ROPS/FOPS Level 1 canopy with side screens, Mechanical Foot Controls for loader with low effort Hand Controls for steering, Alarm package (backup and horn), Lights - 2 front, 2 rear (halogen), Tail Lights, Advanced Instrument Cluster with Hour meter, fuel gauge, engine and oil temperature gauge, diagnostic features and security lock-out, Servo assist, two-speed hydrostatic four wheel drive, SAE operating load 3000 lbs. TIRES 14 X 17.5 Premium Duty.	New Holland	L230-T4A			
198	LM5.25 75 hp (55 kW) Tier 4A Emissionized 4-Cylinder, Liquid cooled 203 cu. in. (3.3L) displacement Common Rail fuel injection Turbo charged Dual element dry air cleaner 21 gallon (80L) fuel tank, Single range hydrostatic Ground speed 0-16 mph (0-26 kph) Left hand shuttle lever Foot throttle/speed control.	New Holland	LM5.25			
199	LM6.28 101 hp (74 kW) Tier IV A Emissionized 4-Cylinder, Liquid cooled 268 cu. in. (4.4L) displacement Common Rail fuel injection Turbo charged Dual element dry air cleaner 26.5 gallon (100L) fuel tank, 2-section low profile boom 6175 lbs (2800 kg) Max. lift capacity 20.8 ft. (6.3 m) Max lift height Manitou-style attachment coupler Hydraulic attachment lock Boom hydraulics w/flat-faced couplers. Dual-range hydrostatic Ground speed 0-20 mph (0-32 kph) w/24" tires Left hand shuttle lever Foot throttle/speed control	New Holland	LM6.28			
200	Tier 4A Emissionized ECO Blue SCR Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 274 cu. in (4.5L) Displacement Common Rail Electronic Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 36.9 Gallon (140L) Fuel Capacity 7.1 Gallon (27L) Ad Blue (DEF) Capacity, LM6.32 & LM9.35 Powershift - 24 mph (38 kph) 4 Forward/3 Reverse Speeds Left-Hand Shuttle Lever Gear Change Buttons on Joystick 11 in. Torque Converter Transmission De-Clutch on Joystick	New Holland	LM6.32			
201	Tier 4A Emissionized ECO Blue SCR Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 274 cu. in (4.5L) Displacement Common Rail Electronic Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 36.9 Gallon (140L) Fuel Capacity 7.1 Gallon (27L) Ad Blue (DEF) Capacity, Powershift - 25 mph (38 kph) 6 Forward/3 Reverse Speeds Direction Change Buttons on Joystick Powershift Buttons on Joystick Auto Mode 11 in. Torque Converter Transmission De-Clutch on Joystick	New Holland	LM7.42 ELITE			

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
202	Tier 4A Emissionized ECO Blue SCR Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 274 cu. in (4.5L) Displacement Common Rail Electronic Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 36.9 Gallon (140L) Fuel Capacity 7.1 Gallon (27L) Ad Blue (DEF) Capacity, LM6.32 & LM9.35 Powershift - 24 mph (38 kph) 4 Forward/3 Reverse Speeds Left-Hand Shuttle Lever Gear Change Buttons on Joystick 11 in. Torque Converter Transmission De-Clutch on Joystick	New Holland	LM9.35		
203	106 Gross Engine hp 91 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) Displacement. TRANSMISSION: LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock.	New Holland	T4.105DC CAB		
204	106 Gross Engine hp 91 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) Displacement. TRANSMISSION: LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock.	New Holland	T4.105DC ROPS		
205	T4.115 CAB - 115 Gross engine HP, 98 PTO HP Tractor @ 2300 RPM, standard NSL Loader, 12x12 power shuttle transmission, Hyd power steering, wet disc brakes includes 14.9R24 R1W & 18.4R34 R1w tires.	New Holland	T4.115 CAB		
206	T4.115 CAB - 115 Gross engine HP, 98 PTO HP Tractor @ 2300 RPM, standard NSL Loader, 12x12 power shuttle transmission, Hyd power steering, wet disc brakes includes 14.9R24 R1W & 18.4R34 R1w tires.	New Holland	T4.115 ROPS		
207	84 Gross Engine hp 70 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) isplacement, LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock	New Holland	T4.85DC CAB		
208	84 Gross Engine hp 70 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) isplacement, LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock	New Holland	T4.85DC ROPS		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
209	98 Gross Engine hp 82 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) Displacement, TRANSMISSION: LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock.	New Holland	T4.95DC CAB		
210	98 Gross Engine hp 82 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207 cu in (3.4 L) Displacement, TRANSMISSION: LH side steering column mounted Power Shuttle 24 Forward X 24 Reverse Speeds (4) Synchronized Gears with a HiLo in each Gear Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch (3) Non-synchronized Ranges Forward Reverse Synchronized Shuttle 25 mph (40 kph) Speed varies with tire selection (2) clutches, 5 plates per clutch pack Park Lock.	New Holland	T4.95DC ROPS		
211	T5.105 - AG TRACTOR: 105 Gross Engine hp 91 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland	T5.105		
212	T5.115 - AG TRACTOR: 115 Gross Engine hp 98 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland	T5.115		
213	T5.95 - AG TRACTOR: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland	T5.95		
214	Std Cab Tractor 116 Eng hp/ 95 PTO, Std Tires ***Bucket not included	New Holland	T6.145 T4B		
215	Std Cab Tractor 116 Eng hp/ 95 pto Std Tires ***Bucket not included	New Holland	T6.145 T4B CVT		
216	Std Cab Tractor 125 Eng hp/ 105 PTO Std Tires ***Bucket not included	New Holland	T6.155 T4B		
217	Std Cab Tractor 135 Eng hp/ 110 PTO Std Tires ***Bucket not included	New Holland	T6.165 T4B		
218	Std Cab Tractor 135 Eng hp/ 110 pto Std Tires ***Bucket not included	New Holland	T6.165 T4B CVT		
219	Std Cab Tractor 145 Eng hp/ 120 PTO Std Tires ***Bucket not included	New Holland	T6.175 T4B		
220	Std Cab Tractor 145 Eng hp/ 120 pto Std Tires***Bucket not included	New Holland	T6.175 T4B CVT		
221	T6.180 T4B 4WD Cab - Rated PTO HP - 125 Engine Power Management (EPM) Rated Engine HP w/ EPM - 179, Rated Speed - 2200 RPM, 411 cu. in. (6.7L) -6 Cylinder, Fuel Tank: 52.2 Gallon (179.5L) DEF Tank: 9.7 Gallon (37L), Tier 4 Emission Compliant, ECOBlue HI-eSCR Tier 4B system, Engine with Turbocharger and Air-to-Air Intercooler. ***Bucket not included	New Holland	T6.180 T4B 4WD Ca		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
222	T7.175 Rated PTO HP - 110 Rated Engine HP - 140 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 175 , New Holland 6 Cylinder Diesel Tier IV Emission Certified Wastegate Turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 Valve Electronic Controlled Common Rail Fuel System Rated Engine Speed - 2100 RPM Dual Element Air Filter Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Fuel Cooler Grid Heater Foot Throttle Antifreeze Solution to -34F (-37C) 71.3 gallon (270L) fuel tank 13.2 Gallon (50L) Diesel Exhaust Tank (DEF) 18x6 RangeCommand Semi Power Shift Steering Column Mounted Left-hand Power Shuttle, ****BUCKET NOT INCLUDED****	New Holland	T7.175 SWB		
223	T7.190 Rated PTO HP - 120 Rated Engine HP - 150 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 190, New Holland 6 Cylinder Diesel Tier IV Emission Certified Wastegate Turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 Valve Electronic Controlled Common Rail Fuel System Rated Engine Speed - 2100 RPM Dual Element Air Filter Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Fuel Cooler Grid Heater Foot Throttle Antifreeze Solution to -34F (-37C) 71.3 gallon (270L) fuel tank 13.2 Gallon (50L) Diesel Exhaust Tank (DEF), Auto Command™ Continuously Variable Transmission (CVT) Steering Column Mounted Left-hand Power Shuttle Command™ Grip Multi-Function Controller Active Start/ Stop Control Feature Radar - Electronic slip control.	New Holland	T7.190 SWB		
224	T7.210 - T7. STANDARD WHEEL BASE AC CVT. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland	T7.210 AC		
225	T7.210 SWB PC - T7. STANDARD WHEEL BASE PC MECHANICAL. Rated PTO hp - 145 Rated Engine hp - 165 (121kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 200 (147kW) Max Engine hp w/EPM - 212 (156kW) 87.2 gallon (330L) Fuel Capacity 12.7 gallon (48L) DEF tank. ***Bucket not included	New Holland	T7.210 SWB PC		
226	Management (EPM) Maximum Engine HP w/ EPM - 230, New Holland 6 Cylinder Diesel Tier IVB emission certified Wastegate turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 6.8L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel System Dual Element Air Filter with Spin Tube Exhaust Aspiration Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Grid Heater Hand and Foot Throttle Antifreeze Solution to -34F (-37C) 104 U.S. gallon (395L) fuel tank 13.2 Gallon (50L) Diesel Exhaust Tank (DEF)	New Holland	T7.230 LWD		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
227	Management (EPM) Maximum Engine HP w/ EPM - 245, New Holland 6 Cylinder Diesel Tier IVB emission certified Wastegate turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 6.8L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel System Dual Element Air Filter with Spin Tube Exhaust Aspiration Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Grid Heater Hand and Foot Throttle Antifreeze Solution to -34F (-37C) 104 U.S. gallon (395L) fuel tank 13.2 Gallon (50L) Diesel Exhaust Tank (DEF)	New Holland	T7.245 LWD		
228	Management (EPM) Maximum Engine HP w/ EPM - 270, New Holland 6 Cylinder Diesel Tier IVB emission certified Wastegate turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 6.8L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel System Dual Element Air Filter with Spin Tube Exhaust Aspiration Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Grid Heater Hand and Foot Throttle Antifreeze Solution to -34F (-37C) 104 U.S. gallon (395L) fuel tank 13.2 Gallon (50L) Diesel Exhaust Tank (DEF)	New Holland	T7.270 LWD		
229	T8.275 - T8. SERIES: Rated PTO hp-195 (145kW) Rated Engine hp- 235 (172kW) Engine Power Management (EPM) Max Engine hp w/EPM-273 (200kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.320 AC		
230	T8.275 - T8. SERIES: Rated PTO hp-195 (145kW) Rated Engine hp- 235 (172kW) Engine Power Management (EPM) Max Engine hp w/EPM-273 (200kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.320 PS		
231	T8.300 - T8. SERIES: Rated PTO hp-215 (160kW) Rated Engine hp- 256 (188kW) Engine Power Management (EPM) Max Engine hp w/EPM-298 (219kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.350 AC		
232	T8.300 - T8. SERIES: Rated PTO hp-215 (160kW) Rated Engine hp- 256 (188kW) Engine Power Management (EPM) Max Engine hp w/EPM-298 (219kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.350 PS		
233	T8.330 - T8. SERIES: Rated PTO hp-240 (179kW) Rated Engine hp- 284 (208kW) Engine Power Management (EPM) Max Engine hp w/EPM-327 (240kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.380 AC		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit P
234	T8.330 - T8. SERIES: Rated PTO hp-240 (179kW) Rated Engine hp- 284 (208kW) Engine Power Management (EPM) Max Engine hp w/EPM-327 (240kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.380 PS		
235	T8.360 - T8. SERIES: Rated PTO hp-265 (198kW) Rated Engine hp- 311 (228kW) Engine Power Management (EPM) Max Engine hp w/EPM-357 (262kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.410 AC		
236	T8.360 - T8. SERIES: Rated PTO hp-265 (198kW) Rated Engine hp- 311 (228kW) Engine Power Management (EPM) Max Engine hp w/EPM-357 (262kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.410 PS		
237	T8.390 - T8. SERIES: Rated PTO hp-290 (216kW) Rated Engine hp- 339 (249kW) Engine Power Management (EPM) Max Engine hp w/EPM-389 (286kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not included	New Holland	T8.435 AC		
238	Rated Engine hp- 370 (276kW) at 2000 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-429 (320kW) at 1800 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 9.0L (531 cu. in.) 24 valve Variable Geometry turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g. Fuel Tank Capacity Standard/Heavy Duty configuration - 230 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed anagement and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Automatic transmission kickout below 600 rpm Steering column mounted F-N-R shufflesift with integral park.	New Holland	T9.435 HD Ag		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
239	<p>Rated Engine hp- 370 (276kW) at 2000 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-429 (320kW) at 1800 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 9.0L (531 cu. in.) 24 valve Variable Geometry turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g. Fuel Tank Capacity Standard/Heavy Duty Configuration - 230 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Automatic transmission kickout below 600 rpm Steering column mounted F-N-R shuttle shift with integral park.</p>	New Holland	T9.435 STD Ag		
240	<p>Rated Engine hp: 420 (313kW) @2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-462 (345W) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged. 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g Fuel Tank Capacity Standard Configuration- 230 g. Heavy Duty Configuration- 325 g. 16- Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto- skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.480 HD Ag		
241	<p>Rated Engine hp: 420 (313kW) @2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-462 (345W) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged. 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g Fuel Tank Capacity Standard Configuration- 230 g. Heavy Duty Configuration- 325 g. 16- Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto- skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.480 Std Ag		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
242	<p>Rated Engine hp: 470 (336kW) @2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-517 (386kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g Fuel Tank Capacity Heavy Duty Configuration- 325 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kick out below 600 rpm.</p>	New Holland	T9.530 HD Ag		
243	<p>Rated Engine hp: 470 (336kW) @2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-517 (386kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g Fuel Tank Capacity Heavy Duty Configuration- 325 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kick out below 600 rpm.</p>	New Holland	T9.530 SCRAPER		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
244	Rated Engine hp: 500 (373kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-550 (410kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 42 g Fuel Tank Capacity Heavy Duty Configuration- 325 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Auto matic transmission kick out below 600 rpm	New Holland	T9.565 HD Ag		
245	Rated Engine hp- 535 (399kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-605 (451kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 325 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.	New Holland	T9.600 HD AG		
246	Rated Engine hp- 535 (399kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-605 (451kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 325 g. 16-Speed Full powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.	New Holland	T9.600 SCRAPER		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit
247	<p>Rated Engine hp- 535 (399kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-605 (451kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 325 g. 16-Speed Full powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.600 TRKRDY		
248	<p>Rated Engine hp- 580 (443kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-638 (476kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.645 HD AG		
249	<p>Rated Engine hp- 580 (443kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-638 (476kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.645 SCRAPER		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
250	<p>Rated Engine hp- 580 (443kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-638 (476kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.645 STD AG		
251	<p>Rated Engine hp- 580 (443kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-638 (476kW) @ 1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout below 600 rpm.</p>	New Holland	T9.645 TRKRDY		
252	<p>Rated Engine hp- 620 (462kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-682 (509kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout for 600 rpm.</p>	New Holland	T9.700 HD AG		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Price
253	Rated Engine hp- 620 (462kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-682 (509kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout for 600 rpm.	New Holland	T9.700 STD AG		
254	Rated Engine hp- 620 (462kW) @ 2100 rpm Engine Power Management (EPM) Maximum Engine hp w/EPM-682 (509kW) @1900 rpm Power Boost provided when remote constant flow hydraulics, PTO, or road transport gears are engaged 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater Vistronic Fan Drive Dry Dual Element Air Cleaner Exhaust Aspirated Integral Precleaner Foot Operated Electronic Decelerator Switch DEF Tank Capacity - 66 g. Fuel Tank Capacity - 480 g. 16-Speed Full Powershift with automatic shift, Auto Field Ground Speed Management and Auto Road Ground Speed Management auto-skip system: 16 forward and 2 reverse speeds with transport mode Start forward movement in 1st through 8th gear Steering column mounted F-N-R shuttle shift with integral park. Automatic transmission kickout for 600 rpm.	New Holland	T9.700 TRKRDY		
255	Cab 2 WD - Tractor 8X8 110 Gross Engine hp ***Bucket not included	New Holland	TS6.110 T4B		
256	Cab 4wd - Tractor 8x8 110 Gross Eng hp ***Bucket not included	New Holland	TS6.110 T4B		
257	ROPS 2wd Tractor 8x8 110 Gross Eng hp ***Bucket not included	New Holland	TS6.110 T4B		
258	ROPS 4wd Tractor 8x8 110 Gross Eng hp***Bucket not included	New Holland	TS6.110 T4B		
259	Cab 2wd Tractor 119 Eng hp Std Tires***Bucket not included	New Holland	TS6.120 T4B		
260	Cab 4wd Tractor 119 Eng hp Std Tires	New Holland	TS6.120 T4B		
261	ROPS 2wd Tractor 119 Eng hp Std Tires***Bucket not included	New Holland	TS6.120 T4B		
262	ROPS 4wd Tractor 119 Eng hp Std Tires***Bucket not included	New Holland	TS6.120 T4B		
263	ROPS 4wd Tractor 119 Eng hp Std Tires	New Holland	TS6.120 HC T4B		
264	CAB 4wd Tractor 119 Eng hp Std Tires	New Holland	TS6.120 HC T4B		
265	Cab 2wd Tractor 129 Eng hp Std Tires ***Bucket not included	New Holland	TS6.130 T4B		
266	Cab 4wd Tractor 129 Eng hp Std Tires ***Bucket not included	New Holland	TS6.130 T4B		
267	ROPS 2wd Tractor 129 Eng hp Std Tires ***Bucket not included	New Holland	TS6.130 T4B		
268	ROPS 4wd Tractor 129 Eng hp Std Tires ***Bucket not included	New Holland	TS6.130 T4B		
269	Cab 2wd Tractor 139 Eng hp Std Tires ***Bucket not included	New Holland	TS6.140 T4B		
270	Cab 4wd Tractor 139 Eng hp Std Tires ***Bucket not included	New Holland	TS6.140 T4B		
271	ROPS 2wd Tractor 139 Eng hp Std Tires ***Bucket not included	New Holland	TS6.140 T4B		

Item #	Item Description	Manufacturer	Model Number	Delivery	Base Unit Pri
272	ROPS 4wd Tractor 139 Eng hp Std Tires ***Bucket not included	New Holland	TS6.140 T4B		
273	U80C 4WD-U80B 4WD DIESEL ENGINE-TIER IV TRACTOR LOADER, 85 HP	New Holland	U80C 4WD		

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30				1. REQUISITION NUMBER IQC11047009037		PAGE 1 OF 35	
2. CONTRACT NO. SPE8EC-14-D-0017		3. AWARD/EFFECTIVE DATE 2014 MAY 09		4. ORDER NUMBER		5. SOLICITATION NUMBER SPM8EC-11-R-0008	
7. FOR SOLICITATION INFORMATION CALL:		a. NAME Arla Gessner		b. TELEPHONE NUMBER (If to collect calls) 215-737-7252		8. SOLICITATION ISSUE DATE 08/04/2011	
9. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (SUPPLY CHAIN) 700 ROBBINS AVENUE PHILADELPHIA, PA 19111-5098 aria.gessner@dla.mil		CODE SPE8EC		10. THIS ACQUISITION IS <input checked="" type="checkbox"/> UNRESTRICTED OR <input type="checkbox"/> SET ASIDE: _____ % FOR: <input type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM NAICS: 333111 <input type="checkbox"/> HUBZONE SMALL BUSINESS <input type="checkbox"/> EDWOSB SIZE STANDARD: 750 <input type="checkbox"/> SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS <input type="checkbox"/> s (A)			
11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED <input type="checkbox"/> SEE SCHEDULE		12. DISCOUNT TERMS [REDACTED]		13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) <input checked="" type="checkbox"/>		13b. RATING To Be Shown On Each Order	
15. DELIVER TO TO BE SHOWN ON EACH ORDER		CODE		16. ADMINISTERED BY DCMA BALTIMORE, 217 EAST REDWOOD STREET, SUITE 1800, BALTIMORE, MD, 21202-3375		CODE S2101A	
17a. CONTRACTOR/ OFFEROR Gallthersburg Farmers Supply Incorporated 700 East Diamond Avenue Gallthersburg, MD 20877-3085 TELEPHONE NO. 301-670-9300		CODE ON8G1 FACILITY CODE		18a. PAYMENT WILL BE MADE BY DFAS BVD (SL4701) P.O. BOX 369031 COLUMBUS, OH 43236-9031		CODE SL4701	
<input type="checkbox"/> 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER				<input type="checkbox"/> 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED <input type="checkbox"/> SEE ADDENDUM			
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES			21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	SEE PAGES 15-35						
				(Use Reverse and/or Attach Additional Sheets as Necessary)			
25. ACCOUNTING AND APPROPRIATION DATA TO BE SHOWN ON EACH ORDER				26. TOTAL AWARD AMOUNT (For Govt. Use Only) 87,600,000 (ESTIMATE)			
<input type="checkbox"/> 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52 212-1, 52 212-4. FAR 52 212-3 AND 52 212-5 ARE ATTACHED. ADDENDA <input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED				<input checked="" type="checkbox"/> 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52 212-4. FAR 52 212-5 IS ATTACHED. ADDENDA <input checked="" type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED			
<input checked="" type="checkbox"/> 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN 1 COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED				<input checked="" type="checkbox"/> 29. AWARD OF CONTRACT: REF. Gallthersburg's OFFER DATED 08/30/2011. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: AGRIC EQUIP			
30a. SIGNATURE OF OFFEROR/CONTRACTOR <i>James W. Jacobs, Jr.</i>				31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER) <i>Louis Cooper</i>			
30b. NAME AND TITLE OF SIGNER (Type or print) James W. Jacobs, Jr.		30c. DATE SIGNED 5/9/2014		31b. NAME OF CONTRACTING OFFICER (Type or print) LOUIS COOKER		31c. DATE SIGNED 5/9/2014	

Gaithersburg Farmers Supply Incorporated**1) CONTRACT AWARD**

- a. This contract constitutes the Government's acceptance of the Contractor's offer, including all revisions that were approved and accepted by the Government, under Request for Proposal (RFP) SPM8EC-11-R-0008, as amended by Amendments 0001, 0002, and 0003. It is an Indefinite Delivery/Requirements Contract under which the Contractor shall function as a supplier for Agricultural Equipment.
- b. Performance under this contract shall be governed by the Statement of Work (SOW) and terms and conditions of RFP SPM8EC-11-R-0008, as amended, and, the following terms and conditions negotiated prior to award that were acceptable to both the Contractor and the Government.
- c. The overseas preservation/packaging and additional commercial manual set pricing elements included in the solicitation are both hereby deleted from the basic contract. In the event that these requirements are applicable to a particular Request for Quotations (RFQs), they will be considered and competed upon the issuance of RFQs.
The contractor was advised via e-mail on 06/04/2013 of the change.
- d. DFARS 252.204-7004, Alternate A, System for Award Management, has been updated to Feb 2014 and is hereby incorporated into this document by reference on page 5. FAR 52.204-7, System for Award Management (July 2013) and FAR 52.204-13, System for Award Management Maintenance (July 2013) will not be incorporated into this award document as all pertinent System for Award Management information is included in the most current version of FAR 52.212-4.
- e. FAR 52.216-2-Economic Price Adjustment – Standard Supplies (Jan 1997), and DLAD 52.246-9008-Inspection and Acceptance at Origin which were completed by Gaithersburg and returned to DLA Troop Support on 03/12/2014 are hereby incorporated into the contract.
- f. The product base list unit prices set forth in the contractor's proposal dated 06/11/2013 and the final proposal discounts dated 04/03/2014 are applicable to the items specified in this contract and are shown on pages 15-35 of this contract.
The attachments/optional features (options) and volume discounts for all items are also shown on pages 15-35 of this contract.
The proposed product base list unit prices are from the New Holland, Kubota and Bad Boy [REDACTED] Commercial Price Lists.
- g. DFARS 252.212-7001, Contract Terms and Conditions Required to Implement Statutes or Executive Orders Applicable to Defense Acquisitions of Commercial Items which was included in solicitation SPM8EC-11-R-0008 has been deleted.

However, the applicable contract clauses previously contained within this clause are incorporated by reference in the Addendum to FAR 52.212-4 on page 5.

h. CAUTION - CONTRACTOR CODE OF BUSINESS ETHICS (DEC 2010)

FAR Part 3.1002(a) requires all government contractors to conduct themselves with the highest degree of integrity and honesty. Contractors should have a written code of business ethics and conduct. To promote compliance with such code of business ethics and conduct, contractors should have an employee business ethics and compliance training program that facilitates timely discovery and disclosure of improper conduct in connection with government contracts and ensures corrective measures are promptly instituted and carried out.

A contractor may be suspended and/or debarred for knowing failure by a principal to timely disclose to the government, in connection with the award, performance, or closeout of a government contract performed by the contractor or a subcontract awarded there under, credible evidence of a violation of federal criminal law involving fraud, conflict of interest, bribery, or gratuity violations found in title 18 of the United States Code or a violation of the False Claims Act. (31 U.S.C. 3729-3733)

If this solicitation or contract includes FAR clause 52.203-13 - CONTRACTOR CODE OF BUSINESS ETHICS AND CONDUCT; contained elsewhere in the solicitation or contract, the contractor shall comply with the terms of the clause and have a written code of business ethics and conduct; exercise due diligence to prevent and detect criminal conduct; promote ethical conduct and a commitment to compliance with the law within their organization; and timely report any violations of federal criminal law involving fraud, conflict of interest, bribery or gratuity violations found in title 18 of the United States Code or any violations of the False Claims Act. (31 U.S.C. 3729-3733)

Note: FAR clause 52.203-13 – Contractor Code of Business Ethics and Conduct is incorporated by reference on page 9 of this contract.

2) CONTRACT PERIOD

Any supplies to be furnished under this contract shall be ordered by issuance of delivery orders by DLA Troop Support. The ordering period shall commence on the date of award/contract and shall continue for five (5) calendar years after the effective date of the award/contract.

The "Total Award Amount" listed in block twenty six (26) on page one (1) of this contract (\$87,500,000.00) is the estimated value of the five (5) year contract and represents the combined estimated 5 year value of all the Agricultural Equipment contracts to be awarded under SPM8EC-11-R-0008, not this contract alone. The maximum dollar value that may be obligated against the contract throughout the five (5) year contract period is \$187,500,000.00.

3) DELIVERY ORDER LIMITATIONS

(a) **Minimum Order:** When the Government requires supplies or services covered by this contract in an amount of less than one each, the Government

is not obligated to purchase, nor is the Contractor obligated to furnish those supplies or services under the contract.

(b) **Maximum Order:** The Contractor is not obligated to honor -

- (1) Any order for a single item is excess of \$100,000,000.00
- (2) Any order for a combination of items in excess of \$100,000,000.00; or
- (3) A series of orders from the same ordering office within five (5) days that together call for quantities exceeding the limitations in subparagraph (b)(1) or (b)(2) of this section.

(c) The Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum order limitations in paragraph (b) of this section.

(d) Notwithstanding paragraphs (b) and (c) of this section, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within thirty (30) days after issuance, with written notice stating the Contractor's intent not to ship the item (or items) called for and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

4) CONTRACT UNIT PRICES

(a) The product base list unit prices set forth in the contractor's proposal dated [REDACTED] and the final proposal discounts dated 04/03/2014 are applicable to the items specified in this contract and are shown on pages 15-35 of this contract.

(b) Additions to the above items. The unit prices and initial delivery schedules for any item(s) added to the initial list of contract items shall be established based on negotiations between the Government and the Contractor. The unit prices must be determined fair and reasonable by the Contracting Officer prior to addition to the contract.

5) PAYMENT

a. **Terms.** Payment terms are [REDACTED]

b. Prompt Payment Procedures apply.

c. **Remittance Address:** The Contractor's remittance address is as follows:

See Block 17a

6) CONTRACT ADMINISTRATION: Administration of the contract is the responsibility of the Defense Contract Management Agency (DCMA) Baltimore.

ADDENDUM TO FAR 52.212-4

The clause listed below is incorporated by reference with the same force and effect as if it was given in full text:

DFARS 252.204-7004, Alternate A, System for Award Management (FEB 2014)

The following Federal Acquisition Regulation (FAR) clauses are included in the contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items or components:

FAR 52.203-3, Gratuities (APR 1984) (10 U. S. C. 2207).

The following DFARS clauses are included in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items or components:

DFARS 252.203-7000, Requirements Relating to Compensation of Former DoD Officials (Sep 2011)(Section 847 of Pub. L. 110-81)

DFARS 252. 203-7003, Agency Office of the Inspector General (Dec 2012) (Section 6101 of Pub.L. 110-252, 41 U.S.C. 3509 note)

DFARS 252.205-7000, Provision of Information to Cooperative Agreement Holders (Dec 1991) (10 U.S.C. 2416)

DFARS 252.219-7003, Small Business Subcontracting Plan (DoD Contracts) (Aug 2012) (15 U.S.C. 637)

DFARS 252.225-7021, Trade Agreements (OCT 2013) (19 U.S.C. 2501-2518 and 19 U.S.C. 3301 note)

(ii) ___ Alternate I Reserved

(iii) ___ Alternate II (Oct 2011) of 252.225-7021

DFARS 252.225-7028, Exclusionary Policies and Practices of Foreign Governments (Apr 2003) (22 U.S.C. 2755).

DFARS 252.226-7001, Utilization of Indian Organizations, Indian-Owned Economic Enterprises, and Native Hawaiian Small Business Concerns (Sep 2004) (Section 8021 of Pub. L. 107-248 and similar sections in subsequent DoD appropriations acts).

DFARS 252.227-7015, Technical Data -- Commercial Items (Feb 2014)(10 U.S.C. 2320).

DFARS 252.227-7037, Validation of Restrictive Markings on Technical Data (June 2013), if applicable (see 227.7102-4(c))

DFARS 252.232-7003, Electronic Submission of Payment Requests (June 2012)(10 U.S.C. 2227)

DFARS 252.243-7002, Requests for Equitable Adjustment (Dec 2012)(10 U.S.C. 2410).

DFARS 252.247-7023, Transportation of Supplies by Sea (June 2013)(10 U.S.C.2631).

(ii) ___ Alternate I (Mar 2000) of 252.247-7023.

(iii) ___ Alternate II (Mar 2000) of 252.247-7023.

(iv) ___Alternate III (May 2002) of 252.247-7023.

TIME OF DELIVERY – F.O.B. POINT

(a) Time of Delivery

With respect to each delivery order issued under this contract, the contractor shall make delivery within the number of days specified on pages 15-35 of this contract for the applicable line item after the date of order, unless the contractor agrees to a different delivery requirement for a particular delivery order.

(b) F.O.B. Point

[] With respect to all contract line items this contract is awarded on the basis of delivery F.O.B. Origin.

[X] With respect to all contract line items this contract is awarded on the basis of delivery F.O.B. Destination.

PLACE OF PERFORMANCE GOVERNMENT INSPECTION ACCEPTANCE AND SHIPPING POINT

(a) Place of Performance:

[X] (1) Items will be manufactured at the following location:

<u>ITEM</u>	<u>PLANT NAME AND ADDRESS</u>
1-5, 7-11, 13-15, 25-26, 37-39	3401 1 st Avenue Fargo, ND 58108
6, 88-89	3301 South Hoover Road Wichita, KS 67215
12, 16-24, 27-32 65-71	Jesi Plant Viale delle Nazioni 55 41100 Modena (MO) Italy
36, 40-49, 51-55, 78-81, 111	233 Lake Avenue Racine, WI 53403
50, 56-63, 150 153-154, 158, 179-192	Cranes Farm Road Basildon Essex UK
107-109	71 Ave Georges Hannart 59964 Croix Cedex France
33-35, 64, 72, 77, 87, 93-94, 97, 101-106, 110, 112-116, 119, 121, 127-129, 134, 136-141, 152, 155, 159, 165-169, 171-175, 177-178, 193-210, 213, 216-223	Gainsville Industrial Park 2715 Ramsey Road Gainesville, GA 30501

73-76, 82-86, 90-92,
95-96, 98-100, 117-118,
120, 122-126, 130-133,
135, 142-149, 151,
156-157, 160-164, 170,
211-212, 214-215

2-47, Shikitsuhigashi 1-Chrome
Naniwa-ku Osaka 556-8601 Japan

176

1422-5 Seocho-Dong,
Seocho-Gu, Seoul, Korea

224-264

102 Industrial Drive
Batesville, AK 72501

☐ (2) Items will be furnished from stock. Manufacturer (not dealer) is as follows:

(b) Place of Packaging, Packing and Marking:

☒ (1) Same as shown in a(1) above.

☐ (2) As shown below: in c(1)

(c) Place of Government Inspection:

☒ (1) Material inspection, except as may be indicated in c(2), will be made at the following locations:

<u>ITEM</u>	<u>PLANT NAME AND ADDRESS</u>	<u>GOVERNMENT INSPECTION OFFICE</u>
ALL	Gaithersburg Farmers Supply Inc. 700 East Diamond Avenue Gaithersburg, MD 20877	DCMA Baltimore, S2101A

☐ (2) Packaging, Packing and Marking inspection (if other than c(1) above) will be made at the following location:

<u>ITEM</u>	<u>PLANT NAME AND ADDRESS</u>	<u>GOVERNMENT INSPECTION OFFICE</u>
-------------	-------------------------------	-------------------------------------

☐ (3) At destination

(d) Place of Acceptance:

☒ (1) At the plant shown and by the Government Inspection Office shown in c(1) above.

☐ (2) At the plant shown and by the Government Inspection Office shown in c(2) above.



☐ (3) At destination by the receiving authority.

(e) APPLICABLE TO F.O.B. ORIGIN SHIPMENTS ON GOVERNMENT BILL OF LADING AWARDS ONLY. Shipment will be made from the contractor's or subcontractor plant(s) identified below. These shipping points were used in the evaluation of contractor's F.O.B. Origin offer. If the contractor ships from a place other than as identified herein, any increase in transportation costs shall be borne by the contractor and any savings shall revert to the Government.

☐ (1) Same as shown in a(1) above.

☐ (2) As shown below:

NOTE: Any change to the above Place of Performance, Inspection and Acceptance must be approved in writing by the Contracting Officer.



FAR 52.212-5 CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS – COMMERCIAL ITEMS (JAN 2014)

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

(1) 52.222-50, Combatting Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g))

____ Alternate I (AUG 2007) of 52.222-50 (22 U.S.C. 7104(g))

(2) 52.233-3, Protest after Award (AUG 1996) (31 U.S.C. 3553).

(3) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Pub. L., 108-77, 108-78)

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

[Contracting Officer shall check as appropriate.]

- ☒ (1) **52.203-6**, Restrictions on Subcontractor Sales to the Government (SEP 2006), with Alternate I (Oct 1995) (41 U.S.C. 253g and 10 U.S.C. 2402).
- ☒ (2) **52.203-13**, Contractor Code of Business Ethics and Conduct (APR 2010) (Pub.L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note))
- ☐ (3) **52.203-15**, Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (JUNE 2010) (Section 1553 of Pub. L. 111- 5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)
- ☒ (4) **52.204-10** Reporting Executive Compensation and First-Tier Subcontract Awards (JUL 2013) (Pub L. 109-282) (31 U.S.C. 6101 note).
- ☐ (5) **52.204-11**, American Recovery and Reinvestment Act - Reporting Requirements (JUL 2010) (Pub. L. 111-5). Applies to contracts funded under the Act.
- ☒ (6) **52.209-6**, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment (Aug 2013) (31U.S.C. 6101 note).
- ☒ (7) **52.209-9**, Updates of Publicly Available Information Regarding Responsibility Matters (JUL 2013) (41 U.S.C. 2313).
- ☒ (8) **52.209-10**, Prohibition on Contracting with Inverted Domestic Corporations (MAY 2012) (section 738 of Division C of Pub. L. 112-74, section 740 of Division C of Pub. L. 111-117, section 743 of Division D of Pub. L. 111-8, and section 745 of Division D of Pub.L. 110-61)
- ☐ (9) **52.219-3**, Notice of Total HUBZone Set-Aside or Sole-Source Award (NOV 2011) (15 U.S.C. 657a).
- ☒ (10) **52.219-4**, Notice of Price Evaluation Preference for HUBZone Small Business Concerns (JAN 2011) (if the offeror elects to waive the preference, it shall so indicate in its offer) (15 U.S.C. 657a)
- ☐ (11) [Reserved]
- ☐ (12) (i) **52.219-6**, Notice of Total Small Business Set-Aside NOV 2011) (15U.S.C.644).
- ☐ (ii) Alternate I (NOV 2011)
- ☐ (iii) Alternate II (NOV 2011)
- ☐ (13) (i) **52.219-7**, Notice of Partial Small Business Set-Aside (JUNE 2003) (15 U.S.C. 644).
- ☐ (ii) Alternate I (OCT 1995) of 52.219-7
- ☐ (iii) Alternate II (MAR 2004) of 52.219-7.
- ☒ (14) **52.219-8**, Utilization of Small Business Concerns (JUL 2013) (15 U.S.C. 637(d)(2) and (3)).

- X (15) (i) **52.219-9**, Small Business Subcontracting Plan (JUL 2013) (15 U.S.C. 637 (d)(4)). *[Add Alternate I when using Sealed Bidding procedures. Add Alternate II when subcontracting plans are required at time of initial proposal; generally, this Alternate should be included.*
Add Alternate III for actions not reported in FPDS.]
- (ii) Alternate I (OCT 2001) of 52.219-9.
- X (iii) Alternate II (OCT 2001) of 52.219-9.
- (iv) Alternate III (JULY 2010) of 52.219-9.
- (16) **52.219-13**, Notice of Set-Aside of Orders (NOV 2011) (15 U.S.C. 644(r))
- (17) **52.219-14**, Limitations on Subcontracting (NOV 2011) (15 U.S.C. 637(a)(14)).
- X (18) **52.219-16**, Liquidated Damages - Subcontracting Plan (JAN 1999) (15 U.S.C. 637(d)(4)(F)(i)).

[Paragraph 19 is not applicable to DoD contracts and has been deleted.
Paragraphs 20 and 21 are not applicable to DoD contracts at this time.]

- (20) **52.219-25**, Small Disadvantaged Business Participation Program – Disadvantaged Status and Reporting (JUL 2013) (Pub. L. 103-355, section 7102, and 10 U.S.C. 2323).
- (21) **52.219-26**, Small Disadvantaged Business Participation Program – Incentive Subcontracting (OCT 2000) (Pub. L. 103-355, section 7102, and 10 U.S.C. 2323).
- (22) **52.219-27**, Notice of Total Service-Disabled Veteran-Owned Small Business Set-Aside (NOV 2011) (15 U.S.C. 657 f)
- X (23) **52.219-28**, Post Award Small Business Program Representation (JUL 2013) (15 U.S.C. 632(a)(2)).
- (24) **52.219-29**, Notice of Total Set-Aside for Economically Disadvantaged Women-Owned Small Business (EDWOSB) Concerns (JUL 2013)
- (25) **52.219-30**, Notice of Total Set-Aside for Women-Owned Small Business (WOSB) Concerns Eligible Under the WOSB Program (JUL 2013)
- X (26) **52.222-3**, Convict Labor (JUNE 2003) (E.O. 11755).
- X (27) **52.222-19**, Child Labor - Cooperation with Authorities and Remedies (JAN 2014) (E.O. 13126).
- X (28) **52.222-21**, Prohibition of Segregated Facilities (FEB 1999).
- X (29) **52.222-26**, Equal Opportunity (MAR 2007) (E.O. 11246).
- X (30) **52.222-35**, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212).
- X (31) **52.222-36**, Affirmative Action for Workers with Disabilities (OCT 2010) (29 U.S.C. 793).
- X (32) **52.222-37**, Employment Reports on Veterans (SEP 2010) (38 U.S.C. 4212).
- X (33) **52.222-40**, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496)

- (34) 52.222-54, Employment Eligibility Verification (AUG 2013) (Executive Order 12989) (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial items as prescribed in 22.1803.)
- (35)(i) 52.223-9, Estimate of Percentage of Recovered Material Content for EPA-Designated Products (MAY 2008) (42 U.S.C. 6962(c)(3)(A)(ii)).
- (ii) Alternate I (MAY 2008) of 52.223-9 (42 U.S.C. 6962(i)(2)(C))
- (36) 52.223-15, Energy Efficiency in Energy-Consuming Products (DEC 2007) (42 U.S.C. 8259b)
- (37) (i) 52.223-16, IEEE 1680 Standard for the Environmental Assessment of Personal Computer Products (DEC 2007) (E.O. 13423)
- (ii) Alternate I (DEC 2007) of 52.223-16
- X (38) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging While Driving AUG 2011)(E.O. 13513)

[Paragraphs (39) - (41) are not applicable to DoD contracts and have been deleted.]

- X (42) 52.225-13, Restrictions on Certain Foreign Purchases (JUNE 2008) (E.o.s., proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- (43) 52.226-26, Contractors Performing Private Security Functions Outside the United States (JUL 2013) (Section 862, as amended, of the National Defense Authorization Act for FY 2008; 10 U.S.C. 2302 Note)
- (44) 52.226-4, Notice of Disaster or Emergency Area Set-Aside (NOV 2007) (42 U.S.C. 5150)
- (45) 52.226-5, Restrictions on Subcontracting Outside Disaster or Emergency Area (NOV 2007) (42 U.S.C. 5150)
- (46) 52.232-29, Terms for Financing of Purchases of Commercial Items (FEB 2002) (41 U.S.C. 255(f), 10 U.S.C. 2307(f)).
- (47) 52.232-30, Installment Payments for Commercial Items (OCT 1995) (41 U.S.C. 255(f), 10 U.S.C. 2307(f)).
- X (48) 52.232-33, Payment by Electronic Funds Transfer – System for Award Management (JUL 2013) (31 U.S.C. 3332).
- (49) 52.232-34, Payment by Electronic Funds Transfer – Other than System for Award Management (JUL 2013) (31 U.S.C. 3332.)
- (50) 52.232-36, Payment by Third Party (JUL 2013)(31 U.S.C. 3332.)
- (51) 52.239-1, Privacy or Security Safeguards (AUG 1996) (5 U.S.C. 552a)

[Paragraph (52) is not applicable to DoD contracts and has been deleted.]

(c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, which the Contracting Officer has indicated as

being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

- ___ (1) **52.222-41**, Service Contract Act of 1965 (NOV 2007) (41 U.S.C. 351, *et seq.*).
- ___ (2) **52.222-42**, Statement of Equivalent Rates for Federal Hires (MAY 1989) (29 U.S.C. 206 and 41 U.S.C. 351, *et seq.*).
- ___ (3) **52.222-43**, Fair Labor Standards Act and Service Contract Act – Price Adjustment (Multiple Year and Option Contracts) (SEP 2009) (29 U.S.C. 206 and 41 U.S.C. 351, *et seq.*).
- ___ (4) **52.222-44**, Fair Labor Standards Act and Service Contract Act – Price Adjustment (SEP 2009) (29 U.S.C. 206 and 41 U.S.C. 351, *et seq.*).
- ___ (5) **52.222-51**, Exemption from Application of the Service Contract Act to Contracts for Maintenance, Calibration, or Repair of Certain Equipment - Requirements (NOV 2007) (41 U.S.C. 351, *et seq.*).
- ___ (6) **52.222-53**, Exemption from Application of the Service Contract Act to Contracts for Certain Services - Requirements (FEB 2009) (41 U.S.C. 351, *et seq.*)
- ___ (7) **52.222-17**, Nondisplacement of Qualified Workers (JAN 2013)(E.O. 13495)
- ___ (8) **52.226-6**, Promoting Excess Food Donation to Nonprofit Organizations (MAR 2009) (Pub. L. 110-247)
- ___ (9) **52.237-11**, Accepting and Dispensing of \$1 Coin (SEPT 2008) (31 U.S.C. 5112 (p)(1))

(d) *Comptroller General Examination of Record.*

The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records - Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that

the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c) or (d) of this clause, the Contractor is not required to include any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause-

- (i) **52.203-13**, Contractor Code of Business Ethics and Conduct (Apr 2010) (Pub. L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note))
- (ii) **52.219-8**, Utilization of Small Business Concerns (JUL 2013)(15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontractor (except subcontracts to small business concerns) exceeds \$650,000 (\$1,500,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.
- (iii) **52.211-17**, Nondisplacement of Qualified Workers (JAN 2013) (E.O. 13495). Flowdown required in accordance with Paragraph (1) of FAR 52.222-17.
- (iv) **52.222-26**, Equal Opportunity (MAR 2007)(E.O. 11246);
- (v) **52.222-35**, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212);
- (vi) **52.222-36**, Affirmative Action for Workers with Disabilities (OCT 2010)(29U.S.C.793);
- (vii) **52.222-40**, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496). Flowdown required in accordance with Paragraph (f) of FAR 52.222-40.
- (viii) **52.222-41**, Service Contract Act of 1965 (NOV 2007) (41 U.S.C. 351, *et seq.*)
- (ix) **52.222-50**, Combatting Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g).
 _____ Alternate I (AUG 2007) of 52.222-50 (22 U.S.C 7104 (g))
- (x) **52.222-51**, Exemption from Application of the Service Contract Act to Contracts for Maintenance, Calibration, or Repair of Certain Equipment – Requirements (NOV 2007) (41 U.S.C.351, *et.seq.*)
- (xi) **52.222-53**, Exemption from Application of the Service Contract Act to Contracts for Certain Services - Requirements (FEB 2009) (41 U.S.C. 351, *et. seq.*)
- (xii) **52.222-54**, Employment Eligibility Verification (AUG 2013)
- (xiii) **52.225-26**, Contractors Performing Private Security Functions Outside the United States (JUL 2013) (Section 862, as amended, of the National Defense Authorization Act for FY2008; 10 U.S.C. 2302 Note).
- (xiv) **52.226-6**, Promoting Excess Food Donations to Nonprofit Organizations (MAR 2009) (Pub. L. 110-247). Flow down required in accordance with Paragraph (e) of FAR 52.226-6.

[Paragraph (xv) is not applicable to DoD contracts and has been deleted.]

(2) While not required, the contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

[If the acquisition uses American Recovery and Reinvestment Act funds, ALT II (OCT 2010) of FAR 52.212-5 applies.]

Item #	Item Description	Model Number	Delivery	Base Unit Price	Discounted			
1	T8.275 - T8. SERIES: Rated PTO hp-195 (145kW) Rated Engine hp- 235 (172kW) Engine Power Management (EPM) Max Engine hp w/EPM-273 (200kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not Included	New Holland T8.275						
2	T8.300 - T8. SERIES: Rated PTO hp-215 (160kW) Rated Engine hp- 256 (188kW) Engine Power Management (EPM) Max Engine hp w/EPM-298 (219kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not Included	New Holland T8.300						
3	T8.330 - T8. SERIES: Rated PTO hp-240 (179kW) Rated Engine hp- 284 (208kW) Engine Power Management (EPM) Max Engine hp w/EPM-327 (240kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not Included	New Holland T8.330						
4	T8.360 - T8. SERIES: Rated PTO hp-265 (198kW) Rated Engine hp- 311 (228kW) Engine Power Management (EPM) Max Engine hp w/EPM-357 (262kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not Included	New Holland T8.360						
5	T8.390 - T8. SERIES: Rated PTO hp-290 (216kW) Rated Engine hp- 339 (249kW) Engine Power Management (EPM) Max Engine hp w/EPM-389 (286kW). New Holland 6 Cylinder Diesel Wastegate Turbocharged, aftercooled with Selective Catalytic Reduction (SCR) 9.0L (549 cu. in.) 24 valve Fuel System: Electronically controlled common rail Air Intake System Filter: Donaldson PowerCore. ***Bucket not Included	New Holland T8.390						
6	L220-T4B-Horsepower: - Gross 60 - Net 57, ROPS/FOPS Level 1 canopy with side screens, Mechanical Foot Controls, Alarm package (backup and horn), Lights - 2 front, 2 rear (halogen), Tail lights, Advanced Instrument Cluster with Hour meter, fuel gauge, engine and oil temperature gauge, diagnostic features and security lock-out, Manual controlled hydrostatic two speed four wheel drive Spring applied hydraulic release, SAE operating load: 2000 lbs. TIRES: 12 X 16.5 Heavy Duty.	New Holland L220-T4B						

Item #	Item Description	Model Number	Delivery	Base Unit Price			
7	T9.390 Std Ag - T9. SERIES: Rated Engine hp- 350 (261kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-390 (291kW) Rated Engine Speed 2000 rpm 6 cylinder 9.0L (549 cu. in.) 24 valve Variable Geometry Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.390 Std Ag					
8	T9.390 HD Ag - T9. SERIES: Rated Engine hp- 350 (261kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-390 (291kW) Rated Engine Speed 2000 rpm 6 cylinder 9.0L (549 cu. in.) 24 valve Variable Geometry Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.390 HD Ag					
9	T9.450 Std Ag - T9. SERIES: Rated Engine hp- 400 (298kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-446 (333kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater ***Bucket not Included	New Holland T9.450 Std Ag					
10	T9.450 HD Ag - T9. SERIES: Rated Engine hp- 400 (298kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-446 (333kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail Vertical Exhaust in line with Cab Corner Grid Heater ***Bucket not Included	New Holland T9.450 HD Ag					
11	T9.505 Std Ag - T9. SERIES: Rated Engine hp- 450 (336kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-502 (374kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.505 Std Ag					
12	T4050V Cab - T4000V: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not Included	New Holland T4050V Cab					
13	T9.505 HD Ag - T9. SERIES: Rated Engine hp- 450 (336kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-502 (374kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.505 HD Ag					

Item #	Item Description	Model Number	Delivery	Base Unit Price			
14	T9.560 HD Ag - T9. SERIES: Rated Engine hp- 500 (373kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-557 (415kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. In.) 24 valve Wastgate Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.560 HD Ag					
15	T9.615 Std Ag - T9. SERIES: Rated Engine hp- 535 (399kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-613 (457kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. In.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not Included	New Holland T9.615 Std Ag					
16	T4030V Cab - T4000V: 76 Gross Engine hp 62 PTO hp @ 2300 rpm 195 cu. In. (3.2L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity.	New Holland T4030V Cab					
17	T4030V ROPS - T4000V: 76 Gross Engine hp 62 PTO hp @ 2300 rpm 195 cu. In. (3.2L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity	New Holland T4030V ROPS					
18	T4040V Cab - T4000V: 87 Gross Engine hp 72 PTO hp @ 2300 rpm 195 cu. In. (3.2L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter, Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not Included	New Holland T4040V Cab					
19	T4040V ROPS - T4000V: 87 Gross Engine hp 72 PTO hp @ 2300 rpm 195 cu. In. (3.2L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not Included	New Holland T4040V ROPS					
20	T4050V ROPS - T4000V: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 274 cu. In. (4.5L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not Included	New Holland T4050V ROPS					

Item #	Item Description	Model Number	Delivery	Base Unit Price			
21	T4060F CAB - T4000F: 106 Gross Engine hp 92 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cylinder Turbocharged Intercooled Engine. Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4060F CAB					
22	T4060F ROPS - T4000F: 106 Gross Engine hp 92 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cylinder Turbocharged Intercooled Engine. Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4060F ROPS					
23	T4060V CAB - T4000V: 106 Gross Engine hp 92 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter, Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not included	New Holland T4060V Cab					
24	T4060V ROPS - T4000V: 106 Gross Engine hp 92 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cyl Turbocharged Intercooled Eng. EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter, Under Hood Muffler Horizontal Exhaust 19.3 gallon Fuel Capacity. ***Bucket not included	New Holland T4060V ROPS					
25	T9.670 Std Ag - T9. SERIES: Rated Engine hp- 600 (447kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-669 (499kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not included	New Holland T9.670 Std Ag					
26	T9.670 HD Ag - T9. SERIES: Rated Engine hp- 600 (447kW) Engine Power Management (EPM) Maximum Engine hp w/EPM-669 (499kW) Rated Engine Speed 2100 rpm 6 cylinder 12.90L (787 cu. in.) 24 valve Two Stage Turbocharger, Aftercooled with Selective Catalytic Reduction (SCR) Fuel System: Electronically controlled common rail. ***Bucket not included	New Holland T9.670 HD Ag					
27	T4050F Cab - T4000F: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cylinder Turbocharged Intercooled Engine. Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4050F Cab					

Item #	Item Description	Model Number	Delivery	Base Unit Price	Bucket	Bucket Capacity	Bucket Material
28	T4040F Cab - T4000F: 87 Gross Engine hp 72 PTO hp @ 2300 rpm 195 cu. in. (3.2L) Displacement 4 Cylinder Turbocharged Intercooled Engine, Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity.	New Holland T4040F Cab					
29	T4030F Cab - T4000F: U.S. - 76 Gross Engine hp 62 PTO hp @ 2300 rpm 195 cu. in. (3.2L) Displacement 4 Cylinder Turbocharged Intercooled Engine Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4030F Cab					
30	T4050F ROPS - T4000F: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 274 cu. in. (4.5L) Displacement 4 Cylinder Turbocharged Intercooled Engine, Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4050F ROPS					
31	T4040F ROPS - T4000F: 87 Gross Engine hp 72 PTO hp @ 2300 rpm 195 cu. in. (3.2L) Displacement 4 Cylinder Turbocharged Intercooled Engine, Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4040F ROPS					
32	T4030F ROPS - T4000F: U.S. - 76 Gross Engine hp 62 PTO hp @ 2300 rpm 195 cu. in. (3.2L) Displacement 4 Cylinder Turbocharged Intercooled Engine Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Thermostart Starting Aid Dual Element Air Filter Under Hood Muffler Horizontal Exhaust 19.3- gallon Fuel Capacity. ***Bucket not included	New Holland T4030F ROPS					
33	2WD FRONT MOWER w/ ROPS-(Tires and Mower Decks must be ordered separately)	Kubota F2680E					
34	4WD FRONT MOWER w/ ROPS-(Tires and Mower Decks must be ordered separately)	Kubota F3080					
35	4WD FRONT MOWER w/ ROPS	Kubota F3680					
36	T7.210 SIDEWINDER II: Rated PTO hp - 140 Rated Engine hp - 165 (121kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 200 (147kW) Max Engine hp w/EPM - 212 (156kW) 87.2 gallon (330L) Fuel Capacity 12.7 gallon (48L) DEF tank	New Holland T7.210 SIDEWINDER II					
37	T505 Scraper - T9. SCRAPER ***Bucket not included	New Holland T505 Scraper					

Item #	Item Description	Model Number	Delivery	Base Unit Price	
38	T615 Scraper - T9. SCRAPER ***Bucket not Included	New Holland T615 Scraper			
39	TV6070 BIDIRECTIONAL - BIDI TRACTOR: 105 PTO hp @ 1000 rpm PTO Speed 6.7L Displacement (411 cu. in.) 6 Cylinders, Turbocharged and Intercooled 55-gallon U.S. Fuel Tanks Water Separator and Fuel Filter Right-hand Vertical Exhaust with under hood muffler Dry Dual Element Air Filter with aspirated precleaner Full Flow Vertical Oil Filter Coolant Recovery System. ***Bucket not Included	New Holland TV6070			
40	T7.260 PC Sidewinder - T7. LONG WHEEL BASE PC: Rated PTO hp-180 (134kW) Rated Engine hp-215 (158kW) Engine Power Management (EPM) Rated Engine hp w/ EPM -246 (181kW) Maximum Engine hp w/EPM-260 (191kW). New Holland 6 Cylinder Diesel Tier IV emission Certified Wastegate turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel System. ***Bucket not Included	New Holland T7.260 PC Sidewinder			
41	T7.250 PC Sidewinder - T7. LONG WHEEL BASE PC: Rated PTO hp-165 (123 kW) Rated Engine hp-200 (147kW) Engine Power Management (EPM) Rated Engine hp w/ EPM -235 (173kW) Maximum Engine hp w/EPM-250 (184kW). New Holland 6 Cylinder Diesel Tier IV emission Certified Wastegate turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel System. ***Bucket not Included	New Holland T7.250 PC Sidewinder			
42	T7.250 AC (CVT) - T7 LONG WHEEL BASE AC CVT. Rated PTO hp-165 (123kW) Rated Engine hp-200 (147kW) Engine Power Management (EPM) Rated Engine hp w/ EPM -235 (173kW) Maximum Engine hp w/EPM-250 (184kW) ***Bucket not Included	New Holland T7.250 AC (CVT)			
43	T7.235 PC Sidewinder - T7. LONG WHEEL BASE PC. New Holland 6 Cylinder Diesel Tier IV emission Certified Wastegate turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel. Dual Element Air Filter with Spin Tube Exhaust Aspiration Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Grid Heater ***Bucket not Included	New Holland T7.235 PC Sidewinder			
44	T7.235 AC (CVT) - T7 LONG WHEEL BASE AC CVT. Rated PTO hp-150 (112kW) Rated Engine hp-185 (136kW) Engine Power Management (EPM) Rated Engine hp w/ EPM -220 (162kW) Maximum Engine hp w/EPM-234 (172kW) ***Bucket not Included	New Holland T7.235 AC (CVT)			

Item #	Item Description	Model Number	Delivery	Base Unit Price	
45	T7.170 SWB PC - T7. STANDARD WHEEL BASE PC MECHANICAL. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.170 SWB PC			
46	T7.235 PC Mech Remotes - T7. LONG WHEEL BASE PC. New Holland 6 Cylinder Diesel Tier IV emission Certified Wastegate turbocharged, Aftercooled with Selective Catalytic Reduction (SCR) 6.7L (411 cu.in) 24 valve Electronic Controlled Common Rail Fuel. Dual Element Air Filter with Spin Tube Exhaust Aspiration Dual Element Fuel Filter A-Pillar Exhaust with Integral Muffler Viscous Fan Drive Grid Heater. ***Bucket not included	New Holland T7.235 PC Mech Remotes			
47	T7.270 AC (CVT) - T7 LONG WHEEL BASE AC CVT. Rated PTO hp-195 (145kW) Rated Engine hp- 228 (168kW) Engine Power Management (EPM) Rated Engine hp w/ EPM -261 (192kW) Maximum Engine hp w/EPM-269 (198kW) ***Bucket not Included	New Holland T7.270 AC (CVT)			
48	T7.200 SWB PC - T7. STANDARD WHEEL BASE PC MECHANICAL. Rated PTO hp - 130 Rated Engine hp - 155 (114kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 190 (140kW) Max Engine hp w/EPM - 203 (149kW) 87.2 gallon (330L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.200 SWB PC			
49	T7.210 SWB PC - T7. STANDARD WHEEL BASE PC MECHANICAL. Rated PTO hp - 145 Rated Engine hp - 165 (121kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 200 (147kW) Max Engine hp w/EPM - 212 (156kW) 87.2 gallon (330L) Fuel Capacity 12.7 gallon (48L) DEF tank. ***Bucket not included	New Holland T7.210 SWB PC			
50	T6.160 4WD Cab - T6.160 Gross HP - 130 Rated PTO HP - 110 Engine Power Management (EPM) Rated Engine HP w/ EPM - 150 Maximum Engine HP w/ EPM - 160 Rated Speed, rpm 2200 274 cu. In. (4.5L) Displacement 4 Cylinder Fuel Tank: 46.2 Gallon (175L) DEF Tank: 9.7 Gallon (37L) ***Bucket not included	New Holland T6.160 4WD Cab			
51	T7.185 - T7. STANDARD WHEEL BASE AC CVT TRANSMISSION. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.185			
52	T7.185 SWB PC - T7. STANDARD WHEEL BASE PC MECHANICAL. Rated PTO hp - 115 Rated Engine hp - 140 (103kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 175 (129kW) Max Engine hp w/EPM - 188 (138kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.185 SWB PC			

Item #	Item Description	Model Number	Delivery	Base Unit Price	
53	T7.210 - T7. STANDARD WHEEL BASE AC CVT. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.210			
54	T7.200 - T7. STANDARD WHEEL BASE AC CVT TRANSMISSION. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.200			
55	T7.170 - T7. STANDARD WHEEL BASE AC CVT TRANSMISSION. Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank ***Bucket not included	New Holland T7.170			
56	T6.165 4WD Cab - T6.165 Gross HP - 125 Rated PTO HP - 105 Engine Power Management (EPM) Rated Engine HP w/ EPM - 155 Maximum Engine HP w/ EPM - 165 Rated Speed, rpm 2200 411 cu. In. (6.7L) Displacement 6 Cylinder Fuel Tank: 60.0 gal. (227 L) DEF Tank: 9.7 Gallon (37L) ***Bucket not included	New Holland T6.165 4WD Cab			
57	T6.175 4WD Cab - Gross HP - 140 Rated PTO HP - 120 Engine Power Management (EPM) Rated Engine HP w/ EPM - 165 Maximum Engine HP w/ EPM - 175 Rated Speed, rpm 2200 411 cu. In. (6.7L) Displacement 6 Cylinder Fuel Tank: 60.0 gal. (227 L) DEF Tank: 9.7 Gallon (37L) ***Bucket not included	New Holland T6.175 4WD Cab			
58	T5.105 - AG TRACTOR: 105 Gross Engine hp 91 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland T5.105			
59	T5.115 - AG TRACTOR: 115 Gross Engine hp 98 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland T5.115			
60	T5.95 - AG TRACTOR: 95 Gross Engine hp 82 PTO hp @ 2300 rpm 4 Cyl Turbocharged & Intercooled 207 cu in (3.4 L) Displacement ***Bucket not included	New Holland T5.95			
61	T6.140 4WD Cab - T6.140 Gross HP - 110 Rated PTO HP - 90 Engine Power Management (EPM) Rated Engine HP w/ EPM - 135 Maximum Engine HP w/ EPM - 145 Rated Speed, rpm 2200 274 cu. In. (4.5L) Displacement 4 Cylinder Fuel Tank: 46.2 Gallon (175L) DEF Tank: 9.7 Gallon (37L) ***Bucket not included	New Holland T6.140 4WD Cab			
62	T6.155 4WD Cab - T6.155 Gross HP - 115 Rated PTO HP - 95 Engine Power Management (EPM) Rated Engine HP w/ EPM - 145 Maximum Engine HP w/ EPM - 155 Rated Speed, rpm 2200 411 cu.in. (6.7L) Displacement 6 Cylinder Fuel Tank: 60.0 gal. (227 L) DEF Tank: 9.7 Gallon (37L) ***Bucket not included	New Holland T6.155 4WD Cab			

Item #	Item Description	Model Number	Delivery	Base Unit Price	
63	T6.150 4WD Cab - T6.150 Gross HP -- 120 Rated PTO HP -- 100 Engine Power Management (EPM) Rated Engine HP w/ EPM -- 140 Maximum Engine HP w/ EPM -- 150 Rated Speed, rpm 2200 274 cu. in. (4.5 L) Displacement 4 Cylinder Fuel Tank: 46.2 Gallon (175 L) DEF Tank: 9.7 Gallon (37 L) ***Bucket not included	New Holland T6.150 4WD Cab			
64	4WD Farm Tractor w/Foldable ROPS	Kubota M96SHDM			
65	T4030 DLX 4WD ROPS - New Holland AG tractor: ROPS, 76 Gross Engine hp 62 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 195 cu in (3.2 L) Displacement: ALL MODELS U. S. - EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Vertical Exhaust 21.6-gallon Fuel Tank with Bottom Protection Shield. ***Bucket not included	New Holland T4030 DLX 4WD ROPS			
66	T4030 DLX 4WD Cab - New Holland AG tractor: CAB, 76 Gross Engine hp 62 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 195 cu in (3.2 L) Displacement: ALL MODELS U. S. - EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Vertical Exhaust 21.6-gallon Fuel Tank with Bottom Protection Shield. ***Bucket not included	New Holland T4030 DLX 4WD Cab			
67	T4050 DLX 4WD Cab - New Holland AG tractor: CAB, 95 Gross Engine hp 80 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 274 cu in (4.5 L) Displacement (only available with 4WD). ***Bucket not included	New Holland T4050 DLX 4WD Cab			
68	T4040 STD 4WD ROPS - New Holland AG tractor: 84 Gross Engine hp 70 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 274 cu in (4.5 L) Displacement: ALL MODELS U. S. - EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Vertical Exhaust 21.6-gallon Fuel Tank with Bottom Protection Shield. ***Bucket not included	New Holland T4040 STD 4WD ROPS			
69	T4050 STD 4WD ROPS - New Holland AG tractor: 95 Gross Engine hp 80 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 274 cu in (4.5 L) Displacement (only available with 4WD). ***Bucket not included	New Holland T4050 STD 4WD ROPS			
70	T4030 STD 4WD ROPS - New Holland AG tractor: 76 Gross Engine hp 62 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 195 cu in (3.2 L) Displacement: ALL MODELS U. S. - EPA Tier III Emissions Compliant Bosch Fuel Injection Pump Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Dual Element Air Filter Under Hood Muffler Vertical Exhaust 21.6-gallon Fuel Tank with Bottom Protection Shield. ***Bucket not included	New Holland T4030 STD 4WD ROPS			

Item #	Item Description	Model Number	Delivery	Base Unit Price
71	T4050 DLX 4WD ROPS - New Holland AG tractor: ROPS, 95 Gross Engine hp 80 PTO hp @ 2300 rpm 4 Cyl Turbocharged Intercooled Eng 274 cu In (4.5 L) Displacement (only available with 4WD). ***Bucket not included	New Holland T4050 DLX 4WD ROPS		
72	4WD Utility Tractor (Hydraulic-Shuttle) with 2 Post foldable ROPS	Kubota M6060HD		
73	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2211)	Kubota L45TLB-LB		
74	Tractor Loader 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket	Kubota L39 1TL		
75	TRACTOR LOADER 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket	Kubota L45TL		
76	Tractor Loader 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket	Kubota M59TL		
77	4WD Utility Tractor (Hydraulic-Shuttle) with 2 Post foldable ROPS	Kubota M7060HD		
78	T7.170 SWB SIDEWINDER II: Rated PTO hp - 100 Rated Engine hp - 125 (92kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 160 (118kW) Max Engine hp w/EPM - 171 (126kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank	New Holland T7.170 SIDEWINDER II		
79	T7.185 SWB SIDEWINDER II: Rated PTO hp - 115 Rated Engine hp - 140 (103kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 175 (129kW) Max Engine hp w/EPM - 188 (138kW) 71.3 gallon (270L) Fuel Capacity 12.7 gallon (48L) DEF tank	New Holland T7.185 SIDEWINDER II		
80	T7.200 SIDEWINDER II: Rated PTO hp - 130 Rated Engine hp - 155 (114kW) Engine Power Management (EPM) Rated Engine hp w/EPM - 190 (140kW) Max Engine hp w/EPM - 203 (149kW) 87.2 gallon (330L) Fuel Capacity 12.7 gallon (48L) DEF tank	New Holland T7.200 SIDEWINDER II		
81	T7.220 AC (CVT) - T7 LONG WHEEL BASE AC CVT. Rated PTO hp-135 (112kW) Rated Engine hp-165, Engine Power Management (EPM) Rated Engine hp w/ EPM -205 (151kW) Maximum Engine hp w/EPM-218 (160kW) ***Bucket not included	New Holland T7.220 AC (CVT)		
82	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket	Kubota B26TL		
83	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Backhoe	Kubota L45TLB		
84	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Backhoe without Bucket	Kubota L39 1TLB		

Item #	Item Description	Model Number	Delivery	Base Unit Price	
85	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2211) Backhoe without Bucket	Kubota L45TLB-L			
86	TRACTOR LOADER BACKHOE 4 Post ROPS/FOPS (FCL-45) & Seat Belt Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND Rear Tire (ALR9195) 15 - 19.5 R4 IND Front Loader without Bucket Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	Kubota L45TLB-B			
87	4WD Utility Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota M7060HD12			
88	L225-T4A-Horsepower - Gross 82 - Net 76, ROPS/FOPS Level 1 canopy with side screens, Mechanical Foot Controls for loader with low effort Hand Controls for steering, Alarm package (backup and horn), Lights - 2 front, 2 rear (halogen), Tail Lights, Advanced Instrument Cluster with Hour meter, fuel gauge, engine and oil temperature gauge, diagnostic features and security lock-out. Drive Servo assist, two-speed hydrostatic four wheel drive, SAE operating load 2500 lbs. TIRES 12 X 16.5 Heavy Duty.	New Holland L225-T4A			
89	L230-T4A-Horsepower - Gross 90 - Net 84, ROPS/FOPS Level 1 canopy with side screens, Mechanical Foot Controls for loader with low effort Hand Controls for steering, Alarm package (backup and horn), Lights - 2 front, 2 rear (halogen), Tail Lights, Advanced Instrument Cluster with Hour meter, fuel gauge, engine and oil temperature gauge, diagnostic features and security lock-out, Servo assist, two-speed hydrostatic four wheel drive, SAE operating load 3000 lbs. TIRES 14 X 17.5 Premium Duty.	New Holland L230-T4A			
90	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket Backhoe without Bucket	Kubota B26TLB			
91	4 Post ROPS/FOPS & Seat Belt (FCB-26) Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND TL500 Front Loader without Bucket Backhoe without Bucket Includes factory installed backhoe auxiliary hydraulics kit. (BT8405)	Kubota B26TLB-V			
92	2WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3800F			
93	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZD323-60			
94	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZD326S-60			
95	4WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3800HST			
96	4WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3200HST			
97	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZD326P-60			

Item #	Item Description	Model Number	Delivery	Base Unit Price
98	4WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3800DT		
99	4WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3200DT		
100	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	Kubota L39 1TLB-B		
101	Zero Turn Mower with ROPS-48" PRO Commercial Mower Deck	Kubota ZD221-48		
102	4WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota M6060HDC		
103	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZD331P-60		
104	Zero Turn Mower with ROPS-54" PRO Commercial Mower Deck	Kubota ZD221-54		
105	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota ZD331LP-72		
106	4WD Utility Tractor (Hydraulic-Shuttle) with Ultra Grand Cab	Kubota M7060HDC		
107	LM5060 - TELEHANDLER PLUS: 120 hp (88 Kw) Tier III Emissionized Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 275 cu. In (4.5L) Displacement Mechanical Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 34 Gallon (120L) Fuel Capacity	New Holland LM5060		
108	LM5040 - TELEHANDLER PLUS: 120 hp (88 Kw) Tier III Emissionized Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 275 cu. In (4.5L) Displacement Mechanical Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 34 Gallon (120L) Fuel Capacity	New Holland LM5040		
109	LM5080 - TELEHANDLER PLUS: 120 hp (88 Kw) Tier III Emissionized Turbocharged/Aftercooled 4 Cylinder Parent-Bore Block 275 cu. In (4.5L) Displacement Mechanical Fuel Injection Dry Dual Element Air Cleaner Cyclonic Precleaner Paper Element Fuel Filtering Key Operated Fuel Shutoff 34 Gallon (120L) Fuel Capacity	New Holland LM5080		
110	2WD Utility Cab Tractor (Hydraulic-Shuttle) with Ultra Grand Cab	Kubota M6060HFC		
111	U80C 4WD-U80B 4WD DIESEL ENGINE-TIER IV TRACTOR LOADER, 85 HP	New Holland U80C 4WD		
112	Zero Turn Mower with ROPS-60" Rear Discharge Mower Deck	Kubota ZD331RP-60R		
113	4WD Farm Tractor w/Factory ROPS Price with Heavy Duty Steel Fenders, Wide	Kubota M9960HDL-S		
114	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZP330P-60		

Item #	Item Description	Model Number	Delivery	Base Unit Price
115	4WD Farm Tractor w/Factory ROPS Price with Heavy Duty Steel Fenders, Narrow	Kubota M9960HDL-SN		
116	2WD Utility Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota M7060HFC		
117	L3560DT 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota L3560DT		
118	L4060DT 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota L4060DT		
119	4WD Narrow Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota M6040HDNB-1		
120	L5060GST 4WD TRACTOR with 2 Post Foldable ROPS (98.0" High)	Kubota L5060GST		
121	4WD Narrow ROPS Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota M8540HDNB-1		
122	L3560GST 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota L3560GST		
123	L4060GST 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota L4060GST		
124	L3560HST 4WD TRACTOR with 2 Post Foldable ROPS (97.2" High)	Kubota L3560HST		
125	L4060HST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota L4060HST		
126	L5460HST 4WD TRACTOR with 2 Post Foldable ROPS (98.0" High)	Kubota L5460HST		
127	4WD Narrow Tractor (Hydraulic Shuttle) With 2 Post Mid-Mounted foldable ROPS	Kubota M7040HDNB-1		
128	4WD Narrow Cab Tractor (Hydraulic Shuttle) Loader Ready	Kubota M7040HDNB C-1		
129	4WD Narrow Cab Tractor (Hydraulic Shuttle) with mounting plates for Loader	Kubota M8540HDNB C-1		
130	2WD TRACTOR with 2 Post Foldable ROPS w/Retractable Seat Belt Folded Height 72.8"	Kubota L3200F		
131	4WD Tractor 2 Post Foldable ROPS with Retractable Seat Belt	Kubota L4600HST		
132	L6060HST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota L6060HST		
133	4WD Tractor 2 Post Foldable ROPS with Retractable Seat Belt	Kubota L4600DT		
134	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZG332P-60		
135	2WD Tractor 2 Post Foldable ROPS with Retractable Seat Belt	Kubota L4600F		
136	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota ZG332LP-72		
137	Zero Turn Mower with ROPS-60" Rear Discharge Mower Deck	Kubota ZD326RP-60R		
138	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZG327PA-60		

Item #	Item Description	Model Number	Delivery	Base Unit Price
139	Zero Turn Mower with ROPS-60" Rear Discharge Mower Deck	Kubota ZG327RPA-60R		
140	4WD TRACTOR with 2-Post Foldable ROPS	Kubota M5640SUD		
141	2WD TRACTOR with 2 Post Foldable ROPS	Kubota M5640SU		
142	L4760GST 4WD TRACTOR with 2 Post Foldable ROPS (97.4" High)	Kubota L4760GST		
143	L4760HST 4WD TRACTOR with 2 Post Foldable ROPS (97.6" High)	Kubota L4760HST		
144	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL1715A) Backhoe without Bucket	Kubota L39 1TLB-L		
145	L5460HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (92.5" High)	Kubota L5460HSTC		
146	Tractor Loader Backhoe 4 Post ROPS/FOPS & Seat Belt (FCL-39-2) Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL1715A) Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kits (BT3911)	Kubota L39 1TLB-LB		
147	4WD TRACTOR (Includes Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires	Kubota B3200HSD		
148	L4060HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (91.1" High)	Kubota L4060HSTC		
149	L6060HST 4WD CAB TRACTOR with ROPS Certified Factory Cab (92.5" High)	Kubota L6060HSTC		
150	TS6.125 Rops 2 WD - TS6.125 55° Turning Angle 12° Axle Oscillation, 12° Axle Oscillation, Adjustable Tread Width from 56 in. to 80 in., 6 Cylinders, Turbocharged, Intercooled Engine Front - FWD, 4 cylinder - Class 3 Standard Duty ***Bucket not included	New Holland TS6.125 Rops 2 WD		
151	L3560HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (90.6" Height)	Kubota L3560HSTC		
152	Zero Turn Mower with ROPS-72" PRO Commercial Mower Deck	Kubota ZP330LP-72		
153	TS6.140 Rops 2 WD - TS6.140 6 cylinder - Class 3 Heavy Duty Limited Slip Front Wheel Drive, Limited Slip Front Wheel Drive, Mechanical FWD Engagement, 55° Turning Angle, 6 Cylinders, Turbocharged 12° Axle Oscillation, Intercooled Engine Front Drive Shaft Shield, Manual Adjustable Tread Width. ***Bucket not included	New Holland TS6.140 Rops 2 WD		
154	TS6.125 Cab 2 WD - TS6.125 55° Turning Angle 12° Axle Oscillation, 12° Axle Oscillation, Adjustable Tread Width from 56 in. to 80 in., 6 Cylinders, Turbocharged, Intercooled Engine Front - FWD, 4 cylinder - Class 3 Standard Duty ***Bucket not included	New Holland TS6.125 Cab 2 WD		
155	Zero Turn Mower with ROPS-54" PRO Commercial Mower Deck	Kubota ZG227A-54		

Item #	Item Description	Model Number	Delivery	Base Unit Price
156	4WD CAB TRACTOR With Factory Certified ROPS Cab (84.6" High)	Kubota B2650HSDC		
157	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires.	Kubota B2620HSD		
158	TS6.140 Cab 2 WD - TS6.140 6 cylinder - Class 3 Heavy Duty Limited Slip Front Wheel Drive , Limited Slip Front Wheel Drive , Mechanical FWD Engagement, 55° Turning Angle, 6 Cylinders, Turbocharged 12" Axle Oscillation, Intercooled Engine Front Drive Shaft Shield, Manual Adjustable Tread Width. ***Bucket not included	New Holland TS6.140 Cab 2 WD		
159	4WD Narrow Cab Power Krawler Tractor Loader Ready	Kubota M8540HDNB PC-1		
160	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	Kubota B2320DT		
161	4WD TRACTOR (Includes Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires	Kubota B3300SUHSD p		
162	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	Kubota B2320HSD		
163	4WD CAB TRACTOR With Factory Cold Climate Cab	Kubota B3000HSDCC		
164	L4760HSTC 4WD CAB TRACTOR with ROPS Certified Factory Cab (91.9" High)	Kubota L4760HSTC		
165	Zero Turn Mower with ROPS 48" PRO Commercial Mower Deck	Kubota ZG222A-48		
166	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket	Kubota M59TLB		
167	Zero Turn Mower with ROPS-60" PRO Commercial Mower Deck	Kubota ZG227LA-60		
168	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2212).	Kubota M59TLB-L		
169	2WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota MX4700F		
170	4WD CAB TRACTOR with Factory Certified ROPS Cab (84.6" High)	Kubota B3350HSDC		
171	2WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota MX5100F		
172	4WD TRACTOR SYNCHRO SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota MX4700DT		
173	4WD TRACTOR SYNCHRO-SHUTTLE 2 Post Foldable ROPS w/Seat Belt	Kubota MX5100DT		
174	Zero Turn Mower with ROPS 48" Mower (Stamped Deck)	Kubota ZG222A-48S		


Item #	Item Description	Model Number	Delivery	Base Unit Price
175	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 IND Rear Tire (ALR6843) 17.5L - 24 R4 IND Front Loader without Bucket Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3921)	Kubota M59TLB-B		
176	Boomer 30 - COMPACT TRACTOR: Mitsubishi S4L 4 Cyl. Diesel Engine 28.1 Gross Engine hp @ 2600 rpm 23.9 PTO hp @ 2600 rpm (Gear) 22.5 PTO hp @ 2600 rpm (Hydro) 92 cu. in.(1.5L) Displacement, 4 Cylinders Tier 4a compliant Naturally Aspirated Under Hood Muffler / Exhaust Two-stage Dual Element Air Cleaner Full-flow, Spin-on Oil Filter 8.7 gallon (33L) Fuel Tank Fuel Filter with water separator Quick Glow Plug Starting Aid Flip-up Hood w/ Gas Strut ***Bucket not included	New Holland Boomer 30		
177	2WD TRACTOR (Hydraulic Shuttle) with 2 Post Foldable ROPS	Kubota M7040SUH		
178	4WD TRACTOR (Hydraulic Shuttle) with 2-Post Foldable ROPS	Kubota M7040SUHD		
179	TS6.120 Rops 2 WD - TS6.120 STEERING 118 Gross Engine hp, 118 Gross Engine hp, 95 PTO hp @ 2200 rpm Hydrostatic Power Steering, 274 cu in. (4.5L) Displacement, 4 Cylinders, Turbocharged AXLES, Intercooled Engine, Front - 2WD ***Bucket not included	New Holland TS6.120 Rops 2 WD		
180	TS6.110 Cab 4 WD - TS6.110 8X8 110 Gross Engine hp 8 Forward x 8 Reverse, 110 Gross Engine hp 8 Forward x 8 Reverse, 90 PTO hp @ 2200 rpm Main gearbox synchronized, 274 cu. in. (4.5L) Displacement Left-hand shuttle lever, 4 Cylinders, Turbocharged (2) Right-hand Shift Levers, Intercooled Engine 14 in. Cerametallic Clutch ***Bucket not included	New Holland TS6.110 Cab 4 WD		
181	TS6.120 Cab 4 WD - TS6.120 STEERING 118 Gross Engine hp, 118 Gross Engine hp, 95 PTO hp @ 2200 rpm Hydrostatic Power Steering, 274 cu in. (4.5L) Displacement, 4 Cylinders, Turbocharged AXLES, Intercooled Engine, Front - 2WD ***Bucket not included	New Holland TS6.120 Cab 4 WD		
182	TS6.140 Rops 4 WD - TS6.140 6 cylinder - Class 3 Heavy Duty Limited Slip Front Wheel Drive, Limited Slip Front Wheel Drive, Mechanical FWD Engagement, 55° Turning Angle, 6 Cylinders, Turbocharged 12" Axle Oscillation, Intercooled Engine Front Drive Shaft Shield, Manual Adjustable Tread Width. ***Bucket not included	New Holland TS6.140 Rops 4 WD		
183	TS6.125 Cab 4 WD - TS6.125 55° Turning Angle 12" Axle Oscillation, 12" Axle Oscillation, Adjustable Tread Width from 56 in. to 80 in., 6 Cylinders, Turbocharged, Intercooled Engine Front - FWD, 4 cylinder - Class 3 Standard Duty ***Bucket not included	New Holland TS6.125 Cab 4 WD		

Item #	Item Description	Model Number	Delivery	Base Unit Price	Discounted
184	TS6.120HC 4 WD CAB - TS6.120 Front - FWD 118 Gross Engine hp Standard Duty, 118 Gross Engine hp Standard Duty, 95 PTO hp @ 2200 rpm Limited Slip Front Wheel Drive Axle, 274 cu in. (4.5L) Displacement Mechanical FWD Engagement, 4 Cylinders, Turbocharged 55° Turning Angle, Intercooled Engine 12° Axle Oscillation Drive Shaft Shield, Bosch Fuel Injection Pump (mechanical) Front Drive Shaft Shield, Vertical Muffler/ Exhaust Manual Adjustable Tread Width from, Electric Engine Shutoff 72 in. to 84 in., Under Hood Dual Element Dry Air Maximum Axle Clearance - 28 in. Cleaner ***Bucket not Included	New Holland TS6.120HC 4 WD CAB			
185	TS6.110 Cab 2 WD - TS6.110 8X8 110 Gross Engine hp 8 Forward x 8 Reverse, 110 Gross Engine hp 8 Forward x 8 Reverse, 90 PTO hp @ 2200 rpm Main gearbox synchronized, 274 cu. in. (4.5L) Displacement Left-hand shuttle lever, 4 Cylinders, Turbocharged (2) Right-hand Shift Levers, Intercooled Engine 14 in. Cerametallic Clutch ***Bucket not Included	New Holland TS6.110 Cab 2 WD			
186	TS6.120 Cab 2 WD - TS6.120 STEERING 118 Gross Engine hp, 118 Gross Engine hp, 95 PTO hp @ 2200 rpm Hydrostatic Power Steering, 274 cu in. (4.5L) Displacement, 4 Cylinders, Turbocharged AXLES, Intercooled Engine, Front - 2WD. ***Bucket not Included	New Holland TS6.120 Cab 2 WD			
187	TS6.120HC 4 WD ROPS - TS6.120 Front - FWD 118 Gross Engine hp Standard Duty, 118 Gross Engine hp Standard Duty, 95 PTO hp @ 2200 rpm Limited Slip Front Wheel Drive Axle, 274 cu in. (4.5L) Displacement Mechanical FWD Engagement, 4 Cylinders, Turbocharged 55° Turning Angle, Intercooled Engine 12° Axle Oscillation Drive Shaft Shield, Bosch Fuel Injection Pump (mechanical) Front Drive Shaft Shield, Vertical Muffler/ Exhaust Manual Adjustable Tread Width from, Electric Engine Shutoff 72 in. to 84 in., Under Hood Dual Element Dry Air Maximum Axle Clearance - 28 in. Cleaner ***Bucket not Included	New Holland TS6.120HC 4 WD ROPS			
188	TS6.140 Cab 4 WD - TS6.140 6 cylinder - Class 3 Heavy Duty Limited Slip Front Wheel Drive, Limited Slip Front Wheel Drive, Mechanical FWD Engagement, 55° Turning Angle, 6 Cylinders, Turbocharged 12° Axle Oscillation, Intercooled Engine Front Drive Shaft Shield, Manual Adjustable Tread Width. ***Bucket not Included	New Holland TS6.140 Cab 4 WD			
189	TS6.110 Rops 4 WD - TS6.110 8X8 110 Gross Engine hp 8 Forward x 8 Reverse, 110 Gross Engine hp 8 Forward x 8 Reverse, 90 PTO hp @ 2200 rpm Main gearbox synchronized, 274 cu. in. (4.5L) Displacement Left-hand shuttle lever, 4 Cylinders, Turbocharged (2) Right-hand Shift Levers, Intercooled Engine 14 in. Cerametallic Clutch. ***Bucket not Included	New Holland TS6.110 Rops 4 WD			
190	TS6.125 Rops 4 WD - TS6.125 55° Turning Angle 12° Axle Oscillation, 12° Axle Oscillation, Adjustable Tread Width from 56 in., to 80 in., 6 Cylinders, Turbocharged, Intercooled Engine Front - FWD, 4 cylinder - Class 3 Standard Duty ***Bucket not Included	New Holland TS6.125 Rops 4 WD			

Item #	Item Description	Model Number	Delivery	Base Unit Price	
191	TS6.120 Rops 4 WD - TS6.120 STEERING 118 Gross Engine hp, 118 Gross Engine hp, 95 PTO hp @ 2200 rpm Hydrostatic Power Steering, 274 cu In. (4.5L) Displacement, 4 Cylinders, Turbocharged AXLES, Intercooled Engine, Front - 2WD ***Bucket not included	New Holland TS6.120 Rops 4 WD			
192	TS6.110 Rops 2 WD - TS6.110 8X8 110 Gross Engine hp 8 Forward x 8 Reverse, 110 Gross Engine hp 8 Forward x 8 Reverse, 90 PTO hp @ 2200 rpm Main gearbox synchronized, 274 cu. In. (4.5L) Displacement Left-hand shuttle lever, 4 Cylinders, Turbocharged (2) Right-hand Shift Levers, Intercooled Engine 14 In. Cerametallic Clutch. ***Bucket not Included	New Holland TS6.110 Rops 2 WD			
193	Tractor Loader Backhoe 4 Post ROPS/FOPS (FCM-59) & Seat Belt Front Tire (ALR6842) 10 - 16.5 R4 1ND Rear Tire (ALR6843) 17.5L - 24 R4 1ND Front Loader Includes factory assembled loader auxiliary hydraulic kit (TL2212) Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kits (BT3921)	Kubota M59TLB-LB			
194	4WD Utility Cab Tractor (Hydraulic Shuttle) With Ultra Grand Cab	Kubota M8560HDC			
195	4WD Narrow Cab Tractor (Hydraulic Shuttle) 10-Speed, with mounting plates for Loader	Kubota M8540HDNB C10			
196	2WD Utility ROPS Tractor (Hydraulic Shuttle) With 2 Post foldable ROPS	Kubota M8560HF			
197	4WD Utility ROPS Tractor (Hydraulic Shuttle) With 12 Speed and Foldable ROPS	Kubota M8560HD12			
198	4WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota M9960HDC			
199	4WD Utility Cab Tractor (Hydraulic Shuttle) With 12 Speed and Ultra Grand Cab	Kubota M8560HDC12			
200	4WD Utility Cab Tractor (Hydraulic Shuttle) with 24 Speed and Ultra Grand Cab	Kubota M9960HDC24			
201	4WD Utility Cab Tractor (Hydraulic Shuttle) with 12 Speed and Ultra Grand Cab	Kubota M9960HDC12			
202	2WD Utility Cab Tractor (Hydraulic Shuttle) With Ultra Grand Cab	Kubota M8560HFC			
203	2WD Utility ROPS Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota M9960HF			
204	4WD Utility ROPS Tractor (Hydraulic Shuttle) With 2 Post foldable ROPS	Kubota M8560HD			
205	4WD Farm Tractor w/Factory ROPS Price with standard Fiberglass Fenders	Kubota M9960HDL			
206	4WD Utility ROPS Tractor (Hydraulic Shuttle) with 2 Post foldable ROPS	Kubota M9960HD			
207	2WD Utility Cab Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota M9960HFC			
208	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota MX5100HST			
209	4WD TRACTOR HYDROSTATIC TRANSMISSION 2 Post Foldable ROPS w/Seat Belt	Kubota MX4700HST			

Item #	Item Description	Model Number	Delivery	Base Unit Price
210	4WD Utility ROPS Tractor (Hydraulic Shuttle) with 12 Speed and foldable ROPS	Kubota M9960HD12		
211	4WD 23 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota BX2370		
212	4WD 23 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota BX25DLB-T		
213	4WD Utility Tractor (Hydraulic Shuttle) with Ultra Grand Cab	Kubota M7060HDC12		
214	4WD 25 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota BX2670		
215	4WD 18 hp Tractor-With Rigid ROPS (must order tires separately)	Kubota BX1870		
216	23 Hp Lawn Tractor 48" Infinity Mower Deck	Kubota T2380A-48		
217	18 Hp Lawn Tractor 42" Infinity Mower Deck	Kubota T1880A-42		
218	20 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	Kubota GR2020G-48		
219	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Turf Tires	Kubota GR2120-54		
220	20 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Bar Tires	Kubota GR2020GB48		
221	21 Hp Lawn & Garden Tractor 54" Stamped Mower Deck w/ Bar Tires	Kubota GR2120B54		
222	21 Hp Lawn & Garden Tractor 48" Stamped Mower Deck w/ Turf Tires	Kubota GR2120-48		
223	20 Hp Lawn Tractor 42" Infinity Mower Deck	Kubota T2080A-42		
224	Outlaw X 54" 29 Kohler EFI	Bad Boy BB05429KO		
225	Outlaw 54" 30 Briggs	Bad Boy BB05430BS		
226	Outlaw 54" 30 Kohler	Bad Boy BB05430KO		
227	Outlaw X 54" 31 Kawasaki FX	Bad Boy BB05431KA		
228	Outlaw X 61" 29 Kohler EFI	Bad Boy BB06129KO		
229	Outlaw 61" 30 Kohler	Bad Boy BB06130KO		
230	Outlaw X 61" 31 Kawasaki FX	Bad Boy BB06131KA		
231	Outlaw X 61" 36 Vanguard	Bad Boy BB06136BS		
232	Outlaw 61" 30 Briggs	Bad Boy BB06130BS		
233	Outlaw X 72" 31 Kawasaki FX	Bad Boy BB07231KA		
234	Outlaw X 72" 36 Vanguard	Bad Boy BB07236BS		

Item #	Item Description	Model Number	Delivery	Base Unit Price
235	Stand On 54" 30 hp Cyclonic	Bad Boy BB55430BS		
236	Diesel 61" 35 hp CAT Diesel	Bad Boy BBA6135CA		
237	Diesel 72" 35 hp CAT Diesel	Bad Boy BBA7235CA		
238	Diesel 61" 28 Compact CAT Diesel	Bad Boy BBD6128CA		
239	MZ 42" 21 Briggs**	Bad Boy BBM4221BS		
240	MZ 42" 22 Kawasaki FR**	Bad Boy BBM42726KA		
241	Outlaw 54" 726cc Kawasaki FS	Bad Boy BBO5426KA		
242	Outlaw 61" 726cc Kawasaki FS	Bad Boy BBO6126KA		
243	Stand On 48" 26 hp Kawasaki FS	Bad Boy BBS4826KA		
244	Stand On 48" 30 hp Cyclonic	Bad Boy BBS4830BS		
245	Stand On 54" 26 hp Kawasaki FS	Bad Boy BBS5426KA		
246	Outlaw XP 54" 31 Kawasaki FX	Bad Boy BBX5431KA		
247	Outlaw XP 61" 31 Kawasaki FX	Bad Boy BBX6131KA		
248	Outlaw XP 61" 36 Vanguard	Bad Boy BBX6136BS		
249	Outlaw XP 72" 31 Kawasaki FX	Bad Boy BBX7231KA		
250	Outlaw XP 72" 36 Vanguard	Bad Boy BBX7236BS		
251	CZT 48" 26 hp Kawasaki FS **	Bad Boy BCE4826KA		
252	CZT 48" 30 hp Cyclonic **	Bad Boy BCE4830BS		
253	CZT 54" 26 Kawasaki FS **	Bad Boy BCE5426KA		
254	CZT 54" 30 hp Cyclonic **	Bad Boy BCE5430BS		
255	CZT 60" 26 hp Kawasaki FS **	Bad Boy BCE6026KA		
256	CZT 60" 30 hp Cyclonic **	Bad Boy BCE6030BS		
257	Magnum 48" 726cc Kawasaki FR **	Bad Boy BMG48726KA		
258	Magnum 54" 27 Briggs Pro ELS **	Bad Boy BMG5427BS		
259	Magnum 54" 726cc Kawasaki FR **	Bad Boy BMG54726KA		

Item #	Item Description	Model Number	Delivery
260	ZT 48" 27 hp Briggs Pro ELS **	Bad Boy BZE4827BS	
261	ZT 48" 27 hp Kohler Courage Pro **	Bad Boy BZE4827KO	
262	ZT 48" 726cc Kawasaki FR **	Bad Boy BZE48726KA	
263	ZT 60" 27 hp Kohler Courage Pro **	Bad Boy BZE6027KO	
264	ZT 60" 726cc Kawasaki FR **	Bad Boy BZE60726KA	