AMENDMENT OF SOLICITATION	ON/MODIFICATION	OF CONTRACT	1. (	CONTRACT ID C J	ODE	PAGE 1 OF 3
2. AMENDMENT/MODIFICATION NO. P00009	3. EFFECTIVE DATE See Blk. 16C	4. REQUISITION/PUR See Block 14	CHASE	E REQ. NO.	5. PROJEC	I T NO. (If applicable)
6. ISSUED BY CODE	SPE3S1	7. ADMINISTERED BY (If a	ther thar	n Item 6)	CODE	SPE3S1
DLA TROOP SUPPORT SUBSISTENCE SUPPLY CHAIN 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Initiator: Matthew Conroy DMC0025 Tel: DSN312-444-9042 Email: Matthew.Conroy@d	la.mil	DLA TROOP SUPP SUBSISTENCE SUI 700 ROBBINS AVEI PHILADELPHIA PA USA	PPLY ( NUE			
8. NAME AND ADDRESS OF CONTRACTOR (No., st	reet, county, State and ZIP Code)		(X)	9A. AMENDME	NT OF SOLICIT	ATION NO.
BAXTERS NORTH AMERICA, INC. DBA THE WORNICK COMPANY 4700 CREEK RD CINCINNATI OH 45242-2808 USA			x	9B. DATED (SEE ITEM 11) 10A. MODIFICATION OF CONTRACT/ORDER NO. SPE3S1-21-D-Z130 10B. DATED (SEE ITEM 13) 2021 JUL 01		
CODE 9Y162	FACILITY CODE				01	
11. THIS IT	EM ONLY APPLIES TO A	MENDMENTS OF SO		TATIONS		
IT MOD   CHECK ONE A. THIS CHANGE ORDER IS ISSUED IN ITEM 10A.   X B. THE ABOVE NUMBERED CONTRAC date, etc. ) SET FORTH IN ITEM 14, PU   C. THIS SUPPLEMENTAL AGREEME	PRIOR TO THE HOUR AND DATE ed, such change may be made by i I date specified. required) <b>MAPPLIES ONLY TO M</b> <b>IFIES THE CONTRACT/O</b> PURSUANT TO: (Specify authority T/ORDER IS MODIFIED TO REFLEC RSUANT TO THE AUTHORITY OF NT IS ENTERED INTO PURSUA	E SPECIFIED MAY RESULT telegram or letter, provided e ODIFICATIONS OF C RDER NO. AS DESC ty) THE CHANGES SET FO CT THE ADMINISTRATIVE C FAR 43.103 (b).	IN REJI ach tele <b>ONTF RIBE</b> RTH IN	ECTION OF YOU gram or letter main RACTS/ORDI D IN ITEM 14 ITEM 14 ARE M	R OFFER. If by kes reference to ERS, L ADE IN THE CO	virtue of this the solicitation and this DNTRACT ORDER NO
D. OTHER (Specify type of modificatio						
E. IMPORTANT: Contractor X is not, 14. DESCRIPTION OF AMENDMENT/MODIFICATION	(Organized by UCF section head		ntract s		ies to the iss ere feasible.)	uing office.
See Continuation Sheet						
Except as provided herein, all terms and conditions of the	ne document referenced in Item 9.	A or 10A, as heretofore cha	nged. re	mains unchance	d and in full for	e and effect.
15A NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE C Matthew Conroy				
	15C. DATE SIGNED	16B. UNITED STATES O				16C. DATE SIGNE
15B. CONTRACTOR/OFFEROR	ISO. DATE SIGNED	Matthew Con				
(Signature of person authorized to sign)		(Signatu	re of Co	ontracting Officer,	)	2023 AUG 15

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S1-21-D-Z130 / P00009	PAGE 2 OF 3 PAGES
I. The following applies to A. SOLICITATION SPE3S1-20-R- 1. Page 45 of 114. Delete pa entirety and insert the foll	0002. ragraph titled "E-4-D. Operational Ration Component Lot Number	and Lot Inspection" in its
The component lot number for in flexible pouches and for operational rations shall be inspection lot shall include secondary, and ancillary ope (metal/poly) and other produ primary components, final as as the quantity of finished shall include product product separate an inspection lot i inspection may be drawn afte production of the lot. If st production of the lot), the samples are combined to make is defined as the manner in Producers of components class product basis (product ident	component Lot Number and Lot Inspection thermally processed (retorted), high-pressure processed, and food items classified by Natick Soldier Center (Natick) as pri- e defined as the Julian lot number assigned at the origin manuf only product produced in one work-shift.* (See attachment for rational rations component products). For products packaged in ets (including the FRH, food component lots not composed of, a sembled lots, and items listed under candies in the attachment product produced/assembled within a production day (Julian dat ed in no more than one production/assembly day. The Government nto smaller inspection lots. The Sample for Government and con r all units comprising the lot have been produced or samples m ratified sampling is utilized (drawing subsamples from each su sub-samples must be drawn at random from the sub-lot and not i -up the complete sample for the applicable lot size (the forma which the lot is to be presented for Government end item verif sified as "primary components" may petition the contracting of ity includes NSN), for permission to define a product's lot nu sembled within a production day (Julian date) and the inspecti production/assembly day.	<pre>mary components of acturer's plant and the listing of primary, tray pack containers s classified by Natick, ), a lot number is defined e) and the inspection lot QAR reserves the right to tractor's end item lot ay be drawn during b-lot/sub-code during nspected until all the sub- tion of the lot and lot size ication inspection). NOTE: ficer, on a product-by- mber as the quantity of</pre>
thermally processed (retorter inspection lots consisting or QAR when, in the best interer using inspection lots consist not apply to thermally proce pouches; for which, component	all notify the Government QAR when to begin inspection of prim d), high-pressure processed, and hot-filled products packaged mly of product produced in one work-shift. The Contracting Off est of the Government, it is determined to permit GQAR inspecti- ting of product produced in no more than one production/assemb ssed (retorted), high-pressure processed, and hot-filled produ- t lot numbers shall be defined as the Julian lot number assign inspection lot shall include only product produced in one wor	in flexible pouches, using icer shall notify Government on of primary components ly day. This footnote does cts packaged in flexible ed at the origin
2. Page 46 of 114. Delete th E-4-E:	e entire text of part "E-4-E. Periodic Review Samples" and ins	ert the following for part
testing during contract prod production, the USDA/AMS ins type, flavor, etc.) produced	e inspected by USDA/AMS will be subject to periodic review sam fuction in accordance with the following criteria: For each per pector will randomly select ten sample units from a conforming and inspected for product examination by USDA/AMS. As instruc ship seven of the samples, at the contractor's expense, to th	iodic review schedule of lot of each item (i.e. each ted by DLA Troop Support,
Operational Rations Mar Operational Rations Mar Operational Rations Mar	y USDA/AMS will be sent to: keting Specialist, Anthony Foresi (one sample) keting Specialist, Louis Obot (one sample) keting Specialist, Luke Smith (one sample) r-in-Charge (one sample)	
DEPARTMENT OF THE ARMY FCDD-SCC-EMR Attn: Jill Bates (Bldg	ELOPMENT COMMAND - SOLDIER CENTER	

The USDA/AMS inspector shall retain three samples for standby use and return them to contractor if not needed." 3. Page 49 of 114. Delete the entire text of sub-paragraph (c) and insert the following for sub-paragraph E-4-G-B,2, (c):

NATICK, MA 01760-5056 POC: (508) 233-5037

"(c) Thermal process deviations or deviations from the preparation, formulation or critical factors cited in the approved process schedule must be accompanied by a detailed letter from the plant's Processing Authority. The involved subcode(s), the deviation, and the disposition of the product shall be clearly identified, including if the deviant product being offered received an adequate thermal process, when the complete lot is presented for Government end item verification inspection."

4. Page 49 of 114. Delete the entire text of sub-paragraph (d) and insert the following for sub-paragraph E-4-G-B,2, (d):

"(d) Rework/Post-rework Testing of product that, at any time, tested positive for food borne pathogens, aflatoxin, histamine, methylmercury, is not authorized.

(i). This prohibition applies to the forementioned compounds and to any food borne pathogen to include but not limited to Listeria Monocytogenes, Salmonella, and E. coli. Unless Contracting Officer decides that circumstances dictate otherwise, APC, SPC, HPC, Total Coliforms, Yeast, and Mold are excluded from this prohibition.

(ii) Upon notification of the National Science Laboratory test results and/or USDA-AMS of a potential positive/ positive for Listeria Monocytogenes, Salmonella, or E. coli., the contractor shall commence actions recommended/ required, as applicable, by attachment "MICROBIOLOGICAL TEST RESULTS QUESTIONNAIRE". Questions regarding completion of the recommended/required actions are to be directed to the responsible office, Food Safety Office (FTW) through FTRC. (iii) Upon the issuance of a microbiological presumptive positive or test failure, the Government reserves the right

CONTINUED ON NEXT PAGE

to suspend Government inspection for sufficient time to allow the DLA Food Safety Officer to determine that the offeror has adequately demonstrated that the food safety risk of products being offered have been satisfactorily remediated."

5. Page 49 of 114. Delete the entire text of paragraphs "3. Container integrity defects:" through and including "5. Nonconformances Noted During Government Inspection for End Item Compliance:" and insert the following for subparagraphs E-4-G,B,3,4,5:

"3. Container Integrity Defects: All reworks due to and/or involving the presence of critical container integrity defects noted during the producer's end item inspection of finished product component lots and/or final assembly lots; noted during Government final lot end-item verification inspections; noted during Government or assembler receipt inspections of finished product component lots, or noted when the established action number/level (as cited in the contractor's QSP) is exceeded during the in-process assembly/subassembly operation must be approved by the applicable contracting officer. All containers exhibiting the same or other container integrity defects must be removed during a container rework and noted on the rework paperwork. Reworked lots will be inspected or re-inspected, as applicable, by the GQAR at the location of the rework using the next larger sample size in the case of tests and exams not assigned an AQL by a specification's sampling plan (for example, from 200 samples to 315, or if a second rework, from 315 samples to 500 samples). Government end-item verification inspection results shall serve as the basis for increasing the severity of inspections of reworked lots. Rework results must be included with other paperwork when the lot is presented for Government end item verification. NOTE: A contractor may submit a Standard Rework Procedure (SRP) for Container Integrity Defects to FTRC for approval and incorporation in the contractor's QSP.

4. Second Time Reworks: All second time reworks must be approved by the applicable FTR contracting officer. Applicable to combinations of contractor and government end-item and receipt inspection results involving reworks due to exam and or test rejections not due to the presence of critical defects or foodborne pathogens. When determining what constitutes a second time rework, consider the first Government lot rejection to be the initial rejection and its subsequent rework to count as the "first rework". Any second lot rejection, by either the contractor or the Government, rejected for the same examination or test that occasioned the "first rework" shall be cause for asking approval of "second rework". When an inspection examines or tests for the presence of a critical defect, refer to preceding sub-part "3. Container Integrity Defects."

5. Nonconformances Noted During Government Inspection for End Item Compliance: All rework requests submitted for defects noted during Government inspection for end item compliance, including defects noted during Government receipt inspection at assembly, must be approved by the applicable contracting officer. Reworked lots will be inspected or re-inspected, as applicable, by the GQAR at the location of the rework using the next larger sample size in the case of tests and exams not assigned an AQL by a specification's sampling plan (for example, from 200 samples to 315 for a first verification inspection after rework, from 315 samples to 500 samples for a second verification inspection after rework), and using tightened inspection criteria in the case of exams performed in accordance with a specification's sampling plan citing an AQL. Government end-item verification inspection results shall serve as the basis for increasing the severity of inspections of reworked lots. Rework results must be included with other paperwork when the lot is presented for Government end item verification inspection. NOTE: A contractor may submit a Standard Rework Procedure (SRP) to FTRC for approval and incorporation in the contractor's QSP." II. The specifications listed below have been updated and incorporated into this contract. The specifications are available on the Subsistence Frozen Site: http://www.dla.mil/TroopSupport/Subsistence/Operational-rations/frozen/

1. MIL-PRF-44073 Packaging of Food in Flexible Pouches