### **SECTION C**

This document covers shelf stable high energy beverage packaged in a flexible pouch for use by the Department of Defense as a component of operational rations.

## **C-1 ITEM DESCRIPTION**

## PCR-H-017, HIGH ENERGY BEVERAGE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

<u>Flavor</u>.

Flavor 1 - Cookies and cream

#### C-2 PERFORMANCE REQUIREMENTS

- A. <u>Product standard</u>. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements (PCR) document. The approved sample shall serve as the product standard. Should the contractor at any time plan to or actually produce the product using different raw material or process methodologies from the approved product standard, which result in a product noncomparable to the product standard, the contractor shall submit a replacement FA or PDM for approval. In any event, all product produced must meet all requirements of this document including product standard comparability.
  - B. Commercial sterility. The packaged food shall be processed until commercially sterile.
- C. <u>Shelf life</u>. The packaged product shall meet the minimum shelf life requirement of 36 months at 80°F.
  - D. Appearance.
    - (1) <u>General</u>. The finished product shall be free from foreign materials.
- (2) <u>Flavor 1</u>. The cookies and cream high energy beverage shall be a smooth, slightly thick liquid and shall be a golden tan to light brown color.

## E. Odor and flavor.

(1) <u>General</u>. The packaged food shall be free from foreign odors and flavors.

(2) <u>Flavor 1</u>. The packaged food shall have a moderate, cooked sweet cream and vanilla odor and flavor and a slight cocoa flavor.

#### F. Texture.

- (1) <u>Flavor 1</u>. The cookies and cream high energy beverage shall be smooth and slightly thick with a creamy mouthfeel.
- G. Net weight. The average net weight shall be not less than 5.2 ounces (147 grams). The net weight of an individual pouch shall be not less than 4.7 ounces (133 grams).
- H. <u>Palatability and overall appearance</u>. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.
  - I. Analytical requirements.
    - (1) Calories. The calories shall be not less than 280 per serving.
    - (2) Protein. The protein content shall be not less than 4.0 percent.
- (3) <u>Fat</u>. The fat content shall be not less than 8.0 percent and not greater than 12.0 percent.
  - (4) pH. The pH shall be not less than 6.0 and not greater than 6.6.

#### **SECTION D**

## **D-1 PACKAGING**

Product shall be filled into pouches and sealed in accordance with MIL-PRF-44073, Packaging of Food in Flexible Pouches, Type I, Style 2 or 3.

#### **D-2 LABELING**

A. <u>Pouches</u>. Each pouch shall be correctly and legibly labeled. Printing ink shall be permanent black ink or any other contrasting color, which is free of carcinogenic elements. Prior to thermal processing of the pouches, the product name, lot number, filling equipment number and time stamp shall be applied. All other marking may be applied before or after thermal processing.

## PCR-H-017 28 September 2023

(1) Product name (not less than 1/8 inch high). Commonly used abbreviations may be used.

(2) Pouch code includes: 1/

Lot number
Filling equipment identification number
Company code
Retort identification number and Retort cook number (Optional)
Time stamp (Hour and minute of filling/sealing operation)

<u>1</u>/ Each pouch shall have the date of pack noted by using either a four-digit code or five-digit code. When using the four-digit code, begin with the final digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 0045. When using the five-digit code, begin with the decade digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 50045. The Julian code shall represent the day the product was packaged into the pouch.

The pouches or paperboard insert cards shall also be labeled with:

Product name (7/32 to 9/32 inch block letters)

Ingredients

Net weight

Name and address of packer

"Nutrition Facts" label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable FDA regulations

(3) The product shall be formulated and labeled in accordance with all FDA labeling regulations and policies. The pouches or paperboard insert cards shall be labeled with the following product name:

Flavor Product name

1 HIGH ENERGY BEVERAGE, COOKIES AND CREAM

## **D-3 PACKING**

A. <u>Packing</u>. Not more than 40 pounds of product shall be packed in a fiberboard shipping box constructed in accordance with style RSC of ASTM D5118/D5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, minimum burst grade 200 or ECT 32 of ASTM D4727/D4727M, Standard Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut

Shapes. Each box shall be closed in accordance with ASTM D1974/D1974M, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

## **D-5 MARKING**

A. <u>Shipping containers</u>. Shipping containers shall be marked in accordance with DLA Troop Support Form 3556, Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence.

## SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, utilizing ANSI/ASQ Z1.4, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified, single sampling plans indicated in ANSI/ASQ Z1.4 will be utilized. When required, the manufacturer shall provide the Certificate(s) of Conformance to the appropriate inspection activity. Certificate(s) of Conformance not provided shall be cause for rejection of the lot.

#### A. Definitions.

- (1) <u>Critical defect</u>. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.
- (2) <u>Major defect</u>. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.
- (3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.
- B. <u>Classification of inspections</u>. The inspection requirements specified herein are classified as follows:
- (1) <u>Product standard inspection</u>. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for appearance, odor, flavor, and texture. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot.
- (2) <u>Periodic review evaluation</u>. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and

evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

COMBAT CAPABILITIES DEVELOPMENT COMMAND (DEVCOM) SOLDIER CENTER FCDD-SCD-SCR
10 GENERAL GREENE AVENUE
NATICK, MA 01760-5000

One lot shall be randomly selected during each calendar month of production or as otherwise specified in the contract. Three (3) sample units shall be randomly selected from that one production lot. The three (3) sample units shall be shipped to DEVCOM Soldier Center within five (5) working days from the end of the production month from which they are randomly selected and upon completion of all USDA inspection requirements. The sample units will be evaluated for overall quality against the current first article or product demonstration model.

(3) <u>Conformance inspection</u>. Conformance inspection shall include the examinations/tests and methods of inspection cited in this section and in section 4 of MIL-PRF-44073.

## **E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)**

A. <u>Product examination</u>. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQ Z1.4. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in table I.

TABLE I. Product defects 1/2/

Category		Defect
Major	Minor	
		General
101		Product not a high energy beverage or not flavor specified.
		Appearance
	201	Flavor 1 cookies and cream high energy beverage not smooth or not a slightly thick liquid or not a golden tan to light brown color.

TABLE I. Product defects 1/2/- Continued

Category		Defect
Major	Minor	
		Odor and flavor
102		Flavor 1 packaged food does not have a moderate cooked or not a sweet cream or not a vanilla odor or flavor or not a slight cocoa flavor.
		<u>Texture</u>
	202	Flavor 1 cookies and cream high energy beverage not smooth or not slightly thick or not with a creamy mouthfeel.
		Net weight
	203	Net weight of an individual pouch less than 4.7 ounces (133 grams). $\underline{3}$ /

<sup>1/</sup> Presence of any foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, or metal, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy shall be cause for rejection of the lot.

- 2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.
- $\underline{3}$ / Sample average net weight less than 5.2 ounces (147 grams) shall be cause for rejection of the lot.

### B. Methods of inspection.

- (1) <u>Commercial sterility</u>. Commercial sterility shall be verified in accordance with FDA regulations.
- (2) <u>Shelf life</u>. The contractor shall provide a Certificate of Conformance that the product has a 36 month shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point quality scale to be considered acceptable.

(3) <u>Net weight</u>. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce or to the nearest 1 gram.

## (4) Analytical.

- a. <u>Calories</u>. The calorie content shall be verified by the NLEA "Nutrition Facts" label. Product not conforming to the calorie content as specified in C-2, I(1) of this document shall be cause for rejection of the lot.
- b. <u>Protein, fat and pH</u>. The sample to be analyzed shall be a composite of eight filled and sealed pouches which have been selected at random from one lot. The composite sample shall be prepared and analyzed in accordance with the following methods of the Official Methods of Analysis (OMA) of AOAC International:

<u>Test</u>	Method Number
Protein	930.29A, 984.13, or 992.15
Fat	932.06 or 2008.06
pН	981.12

Test results for protein and fat shall be reported to the nearest 0.1 percent. Test results for pH shall be reported to the nearest 0.1 pH. Government verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirement shall be cause for rejection of the lot.

# E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS)

## A. Packaging.

- (1) <u>Pouch material testing</u>. The pouch material in accordance with the lot size, sample unit, and inspection level criteria shall be tested for the performance characteristics listed in table I of MIL-PRF-44073, Packaging of Food in Flexible Pouches for Type I. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.
- (2) <u>Filled and sealed pouch examination</u>. The filled and sealed commercially sterile pouches shall be examined for the defects listed in table II of MIL-PRF-44073 for Type I. The lot size shall be expressed in pouches. The sample unit shall be one thermal processed pouch. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects, and 4.0 for minor defects. Two hundred sample units shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot.

(3) <u>Paperboard insert card examination</u>. The insert card shall be examined for the defects listed in table III of MIL-PRF-44073 for Type I. The lot size shall be expressed in units of insert cards. The sample unit shall be one insert card. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major defects and 2.5 for minor defects.

## B. Packing.

(1) <u>Shipping container and marking examination</u>. The filled and sealed shipping containers shall be examined for the defects listed in table II. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE II. Shipping container and marking defects

Category		Defect
<u>Major</u>	<u>Minor</u>	
101		Marking missing or incorrect or illegible.
102		Inadequate workmanship. <u>1</u> /
	201	More than 40 pounds of product.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

#### **SECTION J REFERENCE DOCUMENTS**

Unless otherwise specified, the applicable version of these documents is that which is active on the date of the solicitation or contract.

DLA Troop Support Form

Form 3556 Marking Instructions for Boxes, Sacks, and Unit Loads of

Perishable and Semiperishable Subsistence

DEPARTMENT OF DEFENSE SPECIFICATION

MIL-PRF-44073 Packaging of Food in Flexible Pouches

(Copies of this document are available online at https://quicksearch.dla.mil)

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY (ASQ) www.asq.org

ANSI/ASQ Z1.4 Sampling Procedures and Tables for Inspection by

Attributes

ASTM INTERNATIONAL www.astm.org

D1974/D1974M Standard Practice for Methods of Closing, Sealing, and

Reinforcing Fiberboard Boxes

D4727/D4727M Standard Specification for Corrugated and Solid

Fiberboard Sheet Stock (Container Grade) and Cut Shapes

D5118/D5118M Standard Practice for Fabrication of Fiberboard Shipping

**Boxes** 

AOAC INTERNATIONAL www.aoac.org

Official Methods of Analysis (OMA) of AOAC International