

APPENDIX B-123

SOURCE PREFERENCE TABLE UPDATE DOCUMENT

1. This document is used to establish, change, or delete entries in the Source Preference Tables. It is also used to obtain a listing (appendix F-93) of the tables.

2. This document can be processed through SAMMSTEL by entering the Verb SODE as described in DLAH 4745.2, Volume I, DLA Remote Users Handbook.

3. The following are permissible entries in the document:

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Document Identifier Code	1-3	**Enter DIC ZHA.
Routing Identifier Code	4-6	**Enter RIC of DSC.
Blank	7	Leave blank.
Storage Location Routing Identifier Code	8-10	Enter the RIC of storage location against which this action is being taken. A storage location must be established in Table AA prior to its entry in any other table and can be done at the same time. Use with Action Code AA or AB; otherwise, leave blank.
Geographic Area Code of Customer	11-12	Enter the applicable area code from appendix A-120. Use with Action Code AA or AB; otherwise, leave blank.
Location Sequence Number	13-15	Enter a three position number to designate the position of the storage activity within the Geographic Area Code.

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
		The order of search applied to a Geographic Area Code is determined by the Location Sequence Number beginning with the lowest through the highest. Enter 000 for Geographic Area Code AA. Use with Action Code AA or AB; otherwise, leave blank.
Storage Location Zone Code	16	*Enter the applicable Storage Location Zone Code from appendix A-128 with Action Code AA or AB; otherwise, leave blank.
Storage Location Status Code	17	*Enter applicable location Status Code A, B, C, P, or S from appendix A-54.
Geographic Area Code of Storage Location	18-19	*Enter applicable area code from appendix A-108. Attrition storage locations will be assigned the area code of the closest prime storage location.
Blank	20	Leave blank.
Storage Location Name	21-35	*Enter the storage location name. When establishing or changing an entry in Geographic Area Code AA, e.g., DDRV, Richmond. The name is printed on Source Preference Table Listing (appendix F-93).
Inhibit Code	36	Enter X or leave blank. X will serve to notify the distribution edit process that if Action Decision Code AC or AF applies to the NSN. All Active RICs will be used, irrespective of East/West indicators, in sequence up to and

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Inactivate/Suspend/Partial Suspension Code	37	<p>including the RIC in position 8-10 of this transaction. (See note 2.)</p> <p>Enter I, S, P, 1, 2, 3 or leave blank. Code I - Inactive, will indicate that the RIC is a nonattrition location which is not in the DSCs normal stockage pattern and will not be used to issue assets or to position materiel returns. Code S - Suspend, will indicate that a RIC is temporarily suspended and will not be used in asset search. (See note 3.)</p> <p>Code P - Partial Suspension, issue priorities 1-8, 9-15 priorities if only location with available assets.</p> <p>Code 1 - Partial Suspension, issue priorities 1-3, no 4-15 priorities.</p> <p>Code 2 - Partial Suspension, issue priorities 1-8, no 9-15 priorities.</p> <p>Code 3 - Partial Suspension, issue stocks only if assets not available at other locations.</p>
Type Storage Activity Indicator	38	<p>Enter (A) Accountable Storage Activity or (N) Nonaccountable Storage Activity with Action Code AA for GAC Table AA only, if applicable; otherwise, leave blank. blank.</p>

<u>FIELD</u> <u>LEGEND</u>	<u>FIELD</u> <u>POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Effective Date	39-43	Enter 2-position year and 3-position Julian date when entry in pos. 38 is a A.
Distribution Standard System Indicator	44	Enter Y if storage activity is operating under DSS. See note 4. Enter N if storage activity is a non-DSS site and not capable of receiving DIC CGUs (appendix B-154). Enter C if storage activity is a non-DSS site and DIC CGU capable. See note 5.
Effective Date	45-49	Enter 2-position year and 3-position Julian date when the storage storage activity begins operations under DSS.
Blank	50-76	Leave blank.
Output Routing Code	77-78	**Enter applicable ORC.
Action Code	79-80	**Enter the applicable code as follows:  AA - Establish or change a Source Preference Table entry. AB - Delete a Source Preference Table entry. AC - Request a Listing of the Source Preference Tables (appendix F-93).

NOTE 1: With the exception of Location Sequence Number and Inhibit Code, all data for a storage location must be the same in every table in which it appears. The system maintenance process will force the data to agree with Table AA entries. The deletion of a storage location from Table AA will result in the location's being deleted from all tables; however, RICs can be individually deleted from specific Source Preference Tables.

NOTE 2: Once X is assigned to an RIC, the X must be present in all subsequent transactions against this RIC unless the intent is to remove the Inhibit Code, however, RICs can be individually deleted from Specific Source Preference Tables.

NOTE 3: The input of DIC ZHA against Table AA with a blank in position 37 and Action Code AA will result in the lifting of an existent Storage Location suspension or reactivation of a storage location which is currently coded as inactive.

NOTE 4: When adding a new storage activity to the table, entering a Y in the DSS Indicator field will require entry of a Type Storage Activity Indicator A in pos. 38, as well as Effective Dates in pos. 39-43 and pos. 45-49. When updating the table for a specific RIC, to reflect the activity as being under DSS, the user shall review current data to see if the Type Storage Activity Indicator is A. If the Type Storage Indicator reflects an A, pos. 38-43 may be left blank.

NOTE 5: Storage activities operating under DSS are automatically capable to receive MRO Exception Data Transactions (ICP to DSS Storage Activity), DIC CGUs (appendix B-154). Storage activities not operating under DSS which are DIC CGU capable are eligible to receive DIC CGUs with the exception MROs via DAASC when a C is entered in position 44. Storage activities not operating under DSS which are not DIC CGU capable require an N in position 44.

\*Do not enter when adding a new location to other than Table AA. Data will be mechanically added to all other tables (A-120) from Table AA.

\*\*Data elements required when using Action Code AC, pos. 79-80.