

APPENDIX B-144

WEAPON ITEM DATA TRANSACTION

1. This transaction identifies items required to support designated Weapon Systems for the various Military Services and authorized Agencies. It is generated by Military Services, authorized Agencies System Managers, Defense Logistics Support Command (DLSC-CSS); Defense Supply Centers' (DSCs) System Managers (for MILSVCs); or Provisioning internal generation. This transaction will establish, change, or delete system applications Weapon System Designator Codes (WSDCs) on specific NSNs.

2. The following are fields in the transaction:

<u>FIELD</u> <u>LEGEND</u>	<u>FIELD</u> <u>POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Document Identifier Code (DIC)	1-3	DIC WS1.
Routing Identifier Code (To) (RIC (TO))	4-6	RIC of the processing DSC.
Blank	7	Leave blank.
National Stock Number (NSN)	8-20	The NSN to be identified to the End-Item Weapon System (WSDC) pos. 28-30, as indicated by the rela- tionship expressed in the Weapon System Advice Code (WSAC) pos. 65-66 of this transaction.
		NOTE: This NSN may have changed from original/ submitted item as a re- sult of NIR Key Code DL, DR, or DX; appendix A-94, part 3 or of any Require- ments Family member Changes to the submitted NSN during processing validation/edit. (See WS3 Status Responses CD, CG, CS, and CZ for any required SVC records/ files adjustments.)
Blank	21-23	Leave blank.

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Weapon System Essentiality Code (WSEC)/Blank	24	Applicable WSEC as determined and assigned by the submitting service indicating the degree to which failure of the part/item affects the Weapon System to perform its intended mission as reflected in appendix A-38, part 1.
Weapon System Maintenance Code (WSMC)/Blank	25-26	Applicable WSMC as determined and assigned indicating the degree to which repairability/maintenance for the specific part/item affects the end-item/Weapon System to perform/operate. The WSMCs are derived from DLAR 4100 in appendix A-38, part 2. For the Provisioning, the WSMC as reflected in pos. 69-70 of the SSR transaction. May be blank.
Blank	27	Leave blank.
Weapon System Designator Code (WSDC)	28-30	The combination WSD and SVC/Agency which equals the WSDC.
Weapon System Designator (WSD)	(28-29)	A two position alpha-numeric WSD representing the Weapon System to which the NSN, pos. 8-20, is to have application. The WSDs are depicted in appendix A-44, part 1, and for Provisioning are extracted from pos. 37-38, SSR System Designator Code, appendix B-214, if entered through Provisioning internal processes. This field is a mandatory fill. Blanks are <u>not</u> valid entries.

<u>FIELD LEGEND</u>	<u>FIELD POSITIONS</u>	<u>EXPLANATION/INSTRUCTIONS</u>
Service Code (SVC)/Activity	(30)	The alpha SVC or Agency code representing the Service/Agency, appendix 161, associated with the WSD, pos. 28-29.
Blank	31-43	Leave blank.
Interchangeability/Substitutability (I&S) Data/Blank	44	Leave blank. (Reserved for future implementation.)
Blank	45	Leave blank.
Reserved for Military Service	46-53	Leave blank
Blank	54-55	Leave blank.
Transaction Date	56-60	The five position Julian date of the transaction's preparation. Whenever these field positions are blank and/or the WSAC, pos. 65-66, is AD, the system will overlay these positions with the current processing, Julian date.
Blank	61	Leave blank.
Transaction Origination Code (TOC)	62	The TOC will be computer generated during processing representing the origination of the transaction as depicted in appendix A-22. Valid TOCs are A, B, C, H, O, or P. TOC O is not a valid transaction with a date later than 1989.
Blank	63-64	Leave blank.
Weapon System Advice Code (WSAC)	65-66	Enter WSAC AA, AC, or AD, appendix A-57, part 1, as applicable, (see note below for WSAC AO). Advice Codes are as follows:

FIELD
LEGEND

FIELD
POSITIONS

EXPLANATION/INSTRUCTIONS

		AA - Adds/establishes an NSN as having Weapon System's application for the WSDC, pos. 28-30, at the RIC From, pos. 67-69.
		AC - Changes/overlays the WSEC, pos. 24-26, to the NSN, pos. 8-20, for the WSDC, pos. 28-30.
		AD - Deletes the NSN to the WSDC application on the WSDC, pos. 28-30.
		AO - Adds (From Provisioning internal generation <u>only</u>) an NSN relationship to a WSDC from the SSR process. NOTE: This WSAC AO is <u>never</u> to be used by any external, initiating sources.
Routing Identifier Code (From) (RIC (FM))	67-69	RIC of the Activity transactons for WSDC.
Blank	70-80	Leave blank.