

APPENDIX E-054 V

ITEM MANAGEMENT CODING HISTORY FILE
INTERROGATION DOCUMENT VIOLATIONS

1. INPUT DOCUMENT

Appendix B-54, Item Management Coding History File Interrogation Document, DIC YC9.

2. INPUT TO PROCEDURE DECISION CHART

Not applicable.

3. PURPOSE, CONTENTS, AND RESPONSIBILITIES

This appendix is applicable to chapter 46 and provides instructions for the research, correction, and reentry of IMC History File Interrogation Documents which have been rejected from computer processing. These violations will be output from the Technical Subsystem on appendix F-92, IMCH Interrogation Edit Errors List, which will carry an 80-80 image of the rejected input document as well as the Violation Reason Code (VRC) indicating the cause of rejection. Reasons for computer rejection, by VRC, in alphabetical order are listed below. The originator is responsible for processing these VRCs.

<u>VIOLATION REASON CODE</u>	<u>DEFINITION</u>
AY	Invalid NSN.
HV	Invalid Sequence Code.
QF	FSC Not Assigned to this DSC.
VN	Invalid Requester Code.
VQ	Invalid NCB Code.

4. PROCESSING/RESEARCH INSTRUCTIONS

a. VRC AY.

(1) REASON FOR VIOLATION/ERROR CONDITION

VRC AY indicates that either the FSC field, pos. 12-15, or the NIIN field, pos. 16-24, is not numeric or is zero filled.

(2) PROCESSING/RESEARCH REQUIRED

(a) Review source documents from which the original input, DIC YC9, was prepared to determine the correct FSC to enter in pos. 12-15 or the correct NIIN to enter in pos. 16-24.

(b) Prepare reentry documents IAW paragraph 5 below.

b. VRC HV.

(1) REASON FOR VIOLATION/ERROR CONDITION

VRC HV indicates that the Sequence Code field, pos. 9-11, is blank or the input document contains an alphanumeric code for manual requests.

(2) PROCESSING/RESEARCH REQUIRED

(a) Processing personnel will check validity of code used by ensuring a 3-digit number from 000 through 999 is used. Alphanumeric codes are normally restricted to automatic interrogations. Manual requests utilizing DLA Form 829 will be restricted to numeric entries unless more than 999 interrogations are to be processed in one cycle.

(b) Prepare reentry documents IAW paragraph 5 below.

c. VRC QF.

(1) REASON FOR VIOLATION/ERROR CONDITION

VRC QF indicates that the FSC in pos. 12-15 is other than all numerics or is not assigned to the DSC.

(2) PROCESSING/RESEARCH REQUIRED

(a) Review source documents from which the original input, DIC YC9, was prepared to determine the correct FSC.

(b) Prepare reentry documents IAW paragraph 5 below.

d. VRC VN.

(1) REASON FOR VIOLATION/ERROR CONDITION

VRC VN indicates that there is a blank in the 5-position Requester Code field, pos. 4-8.

(2) PROCESSING/RESEARCH REQUIRED

(a) Processing personnel will check validity of code used by ensuring the applicable 5-digit number is entered in pos. 4-8.

(b) Prepare reentry documents IAW paragraph 5 below.

e. VRC VQ.

(1) REASON FOR VIOLATION/ERROR CONDITION

VRC VQ indicates that all numerics were not entered as NCB Code in pos. 16-17.

(2) PROCESSING/RESEARCH REQUIRED

(a) Processing personnel will check validity of code by ensuring that all numerics are entered in pos. 16-17.

(b) Prepare reentry documents IAW paragraph 5 below.

5. REENTRY INSTRUCTIONS

a. Upon receipt and processing of any one of the violations listed above, review remaining data elements contained in violation output document and correct as necessary.

b. Reentry is accomplished by preparing a new IMC History File Interrogation Document, DIC YC9, IAW appendix B-54 with correct data.

6. FLOWCHART

Flowchart not required.