



```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Automatically generated by EDIF ECS SpecBuilder (http://www.edifecs.com) --&gt;
&lt;xsd:schema targetNamespace="http://www.edifecs.com/xdata/200" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns="http://www.edifecs.com/xdata/200"
elementFormDefault="qualified" version="1.0"&gt;
  &lt;xsd:element name="T_Warehouse_Shipping_Order" type="T_940"/&gt;
  &lt;xsd:complexType name="T_940"&gt;
    &lt;xsd:annotation&gt;
      &lt;xsd:documentation&gt;This Draft Standard for Trial Use contains the data contents of the Warehouse Shipping Order Transaction Set (940) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to enable the depositor to advise a warehouse to make a shipment, confirm a shipment, or modify or cancel a previously transmitted shipping order.&lt;/xsd:documentation&gt;
    &lt;/xsd:annotation&gt;
    &lt;xsd:sequence&gt;
      &lt;xsd:element name="Internal-Properties" type="Internal-Properties" minOccurs="0"/&gt;
      &lt;xsd:element name="S_Transaction_Set_Header" type="S_ST"/&gt;
      &lt;xsd:element name="S_Shipping_Order_Identification" type="S_W05"/&gt;
      &lt;xsd:element name="L_Name" type="L_0100" nillable="true" minOccurs="0" maxOccurs="10"/&gt;
      &lt;xsd:element name="S_Date_Time" type="S_G62" maxOccurs="10"/&gt;
      &lt;xsd:element name="L_Assigned_Number" type="L_0300" maxOccurs="unbounded"/&gt;
      &lt;xsd:element name="S_Transaction_Set_Trailer" type="S_SE"/&gt;
    &lt;/xsd:sequence&gt;
    &lt;xsd:attribute name="Type" type="xsd:string" default="Transaction"/&gt;
    &lt;xsd:attribute name="ID" type="xsd:string" default="940"/&gt;
    &lt;xsd:attribute name="Name" type="xsd:string" default="Warehouse Shipping Order"/&gt;
    &lt;xsd:attribute name="XDataVersion" type="xsd:string" fixed="2.0"/&gt;
    &lt;xsd:attribute name="Standard" type="xsd:string" fixed="X12"/&gt;
    &lt;xsd:attribute name="Version" type="xsd:string" default="V4030"/&gt;
    &lt;xsd:attribute name="GUID" type="xsd:string"/&gt;
    &lt;xsd:attribute name="CreatedBy" type="xsd:string"/&gt;
    &lt;xsd:attribute name="CreatedDate" type="xsd:dateTime"/&gt;
  &lt;/xsd:complexType&gt;
  &lt;xsd:complexType name="EDI-Element-String-Type"&gt;
    &lt;xsd:simpleContent&gt;
      &lt;xsd:extension base="xsd:string"&gt;
        &lt;xsd:attribute name="Type" type="xsd:string" default="Element"/&gt;
        &lt;xsd:attribute name="EDIDataType" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Macro" type="xsd:string" use="optional"/&gt;
        &lt;xsd:attribute name="ApplicationInfo" type="xsd:string"/&gt;
        &lt;xsd:attribute name="ID" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Name" type="xsd:string"/&gt;
      &lt;/xsd:extension&gt;
    &lt;/xsd:simpleContent&gt;
  &lt;/xsd:complexType&gt;
  &lt;xsd:complexType name="EDI-Element-Integer-Type"&gt;
    &lt;xsd:simpleContent&gt;
      &lt;xsd:extension base="xsd:integer"&gt;
        &lt;xsd:attribute name="Type" type="xsd:string" default="Element"/&gt;
        &lt;xsd:attribute name="EDIDataType" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Macro" type="xsd:string" use="optional"/&gt;
        &lt;xsd:attribute name="ApplicationInfo" type="xsd:string"/&gt;
        &lt;xsd:attribute name="ID" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Name" type="xsd:string"/&gt;
      &lt;/xsd:extension&gt;
    &lt;/xsd:simpleContent&gt;
  &lt;/xsd:complexType&gt;
  &lt;xsd:complexType name="EDI-Element-Decimal-Type"&gt;
    &lt;xsd:simpleContent&gt;
      &lt;xsd:extension base="xsd:decimal"&gt;
        &lt;xsd:attribute name="Type" type="xsd:string" default="Element"/&gt;
        &lt;xsd:attribute name="EDIDataType" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Macro" type="xsd:string" use="optional"/&gt;
        &lt;xsd:attribute name="ApplicationInfo" type="xsd:string"/&gt;
        &lt;xsd:attribute name="ID" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Name" type="xsd:string"/&gt;
      &lt;/xsd:extension&gt;
    &lt;/xsd:simpleContent&gt;
  &lt;/xsd:complexType&gt;
  &lt;xsd:complexType name="EDI-Element-hexBinary-Type"&gt;
    &lt;xsd:simpleContent&gt;
      &lt;xsd:extension base="xsd:hexBinary"&gt;
        &lt;xsd:attribute name="Type" type="xsd:string" default="Element"/&gt;
        &lt;xsd:attribute name="EDIDataType" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Macro" type="xsd:string" use="optional"/&gt;
        &lt;xsd:attribute name="ApplicationInfo" type="xsd:string"/&gt;
        &lt;xsd:attribute name="ID" type="xsd:string"/&gt;
        &lt;xsd:attribute name="Name" type="xsd:string"/&gt;
      &lt;/xsd:extension&gt;
    &lt;/xsd:simpleContent&gt;
  &lt;/xsd:complexType&gt;
</pre>
```

```
<xsd:complexType name="EDI-Element-base64Binary-Type">
  <xsd:simpleContent>
    <xsd:extension base="xsd:base64Binary">
      <xsd:attribute name="Type" type="xsd:string" default="Element"/>
      <xsd:attribute name="EDIDataType" type="xsd:string"/>
      <xsd:attribute name="Macro" type="xsd:string" use="optional"/>
      <xsd:attribute name="ApplicationInfo" type="xsd:string"/>
      <xsd:attribute name="ID" type="xsd:string"/>
      <xsd:attribute name="Name" type="xsd:string"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="EDI-Element-Any-Type">
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="Type" type="xsd:string" default="Element"/>
      <xsd:attribute name="EDIDataType" type="xsd:string"/>
      <xsd:attribute name="Macro" type="xsd:string" use="optional"/>
      <xsd:attribute name="ApplicationInfo" type="xsd:string"/>
      <xsd:attribute name="ID" type="xsd:string"/>
      <xsd:attribute name="Name" type="xsd:string"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="Internal-Properties">
  <xsd:sequence>
    <xsd:element name="Data-Structure" type="Data-Structure" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="Data-Structure">
  <xsd:sequence>
    <xsd:element name="Lookup" type="Lookup" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="Property" type="Property" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="Data-Structure" type="Data-Structure" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="Name" type="xsd:string"/>
  <xsd:attribute name="GUID" type="xsd:string"/>
</xsd:complexType>
<xsd:complexType name="Lookup">
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="Name" type="xsd:string"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="Property">
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="Name" type="xsd:string"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_ST">
  <xsd:annotation>
    <xsd:documentation>To indicate the start of a transaction set and to assign a control number</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Transaction_Set_Identifier_Code" type="E_143"/>
    <xsd:element name="E_Transaction_Set_Control_Number" type="E_329"/>
    <xsd:element name="E_Implementation_Convention_Reference" type="E_1705" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="ST"/>
  <xsd:attribute name="Name" type="xsd:string" default="Transaction Set Header"/>
</xsd:complexType>
<xsd:complexType name="E_143">
  <xsd:annotation>
    <xsd:documentation>Code uniquely identifying a Transaction Set</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="940"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="143"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Transaction Set Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
<xsd:complexType name="E_329">
  <xsd:annotation>
    <xsd:documentation>Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="4"/>
      <xsd:maxLength value="9"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="329"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Transaction Set Control Number"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_1705">
  <xsd:annotation>
    <xsd:documentation>Reference assigned to identify Implementation Convention</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="35"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="1705"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Implementation Convention Reference"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_W05">
  <xsd:annotation>
    <xsd:documentation>To transmit identifying numbers and other basic data for this transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Order_Status_Code" type="E_473"/>
    <xsd:element name="E_Depositor_Order_Number" type="E_285"/>
    <xsd:element name="E_Purchase_Order_Number" type="E_324" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Link_Sequence_Number" type="E_472" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Master_Reference_Link_Number" type="E_474" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Transaction_Type_Code" type="E_640"/>
    <xsd:element name="E_Action_Code" type="E_306" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="W05"/>
  <xsd:attribute name="Name" type="xsd:string" default="Shipping Order Identification"/>
</xsd:complexType>
<xsd:complexType name="E_473">
  <xsd:annotation>
    <xsd:documentation>Code identifying purpose of transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="N"/>
      <xsd:enumeration value="X"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="473"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Order Status Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_285">
  <xsd:annotation>
    <xsd:documentation>Identifying number for warehouse shipping order assigned by the depositor</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="22"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="285"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Depositor Order Number"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_324">
  <xsd:annotation>
    <xsd:documentation>Identifying number for Purchase Order assigned by the orderer/purchaser</xsd:documentation>
  </xsd:annotation>
</xsd:complexType>
```

```
<xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_472">
  <xsd:annotation>
    <xsd:documentation>A two-part number in the form "SSSSTTT" where "SSS" is a sequentially assigned number and "TTT" equals the highest sequential number being used within the associated (linked) group (Leading zeros are required for both "SSS" and "TTT")</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_474">
  <xsd:annotation>
    <xsd:documentation>Reference number assigned by the sender to relate a transaction set to a master transaction (When associating a group of purchase orders, invoices or other transaction sets, use the master reference (link) number to identify the group and the link sequence number to identify individual transaction sets within the group)</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_640">
  <xsd:annotation>
    <xsd:documentation>Code specifying the type of transaction</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="NA"/>
      <xsd:enumeration value="NB"/>
      <xsd:enumeration value="ND"/>
      <xsd:enumeration value="NE"/>
      <xsd:enumeration value="NF"/>
      <xsd:enumeration value="NG"/>
      <xsd:enumeration value="NH"/>
      <xsd:enumeration value="NI"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="640"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Transaction Type Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_306">
  <xsd:annotation>
    <xsd:documentation>Code indicating type of action</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="2"/>
      <xsd:enumeration value="CL"/>
      <xsd:enumeration value="EB"/>
      <xsd:enumeration value="PI"/>
      <xsd:enumeration value="RG"/>
      <xsd:enumeration value="W1"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="306"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Action Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_0100">
  <xsd:annotation>
    <xsd:documentation>To identify a party by type of organization, name, and code</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="S_Name" type="S_N1"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Loop"/>
  <xsd:attribute name="ID" type="xsd:string" default="0100"/>
  <xsd:attribute name="Name" type="xsd:string" default="Name"/>
</xsd:complexType>
<xsd:complexType name="S_N1">
  <xsd:annotation>
    <xsd:documentation>To identify a party by type of organization, name, and code</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Entity_Identifier_Code" type="E_98"/>
    <xsd:element name="E_Name" type="E_93" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Identification_Code_Qualifier" type="E_66"/>
    <xsd:element name="E_Identification_Code" type="E_67"/>
    <xsd:element name="E_Entity_Relationship_Code" type="E_706" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Entity_Identifier_Code_1" type="E_98_1" nillable="true" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
```

```
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Segment"/>
<xsd:attribute name="ID" type="xsd:string" default="N1"/>
<xsd:attribute name="Name" type="xsd:string" default="Name"/>
</xsd:complexType>
<xsd:complexType name="E_98">
  <xsd:annotation>
    <xsd:documentation>Code identifying an organizational entity, a physical location, property or an individual</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="GP"/>
      <xsd:enumeration value="KA"/>
      <xsd:enumeration value="Z1"/>
      <xsd:enumeration value="Z4"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="98"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Entity Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_93">
  <xsd:annotation>
    <xsd:documentation>Free-form name</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_66">
  <xsd:annotation>
    <xsd:documentation>Code designating the system/method of code structure used for Identification Code (67)</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="1"/>
      <xsd:enumeration value="9"/>
      <xsd:enumeration value="10"/>
      <xsd:enumeration value="M4"/>
      <xsd:enumeration value="UR"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="66"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Identification Code Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_67">
  <xsd:annotation>
    <xsd:documentation>Code identifying a party or other code</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="2"/>
      <xsd:maxLength value="80"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="67"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Identification Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_706">
  <xsd:annotation>
    <xsd:documentation>Code describing entity relationship</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_98_1">
  <xsd:annotation>
    <xsd:documentation>Code identifying an organizational entity, a physical location, property or an individual</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="FR"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="98"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Entity Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_G62">
```

```
<xsd:annotation>
  <xsd:documentation>To specify pertinent dates and times</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element name="E_Date_Qualifier" type="E_432"/>
  <xsd:element name="E_Date" type="E_373"/>
  <xsd:element name="E_Time_Qualifier" type="E_176"/>
  <xsd:element name="E_Time" type="E_337"/>
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Segment"/>
<xsd:attribute name="ID" type="xsd:string" default="G62"/>
<xsd:attribute name="Name" type="xsd:string" default="Date/Time"/>
</xsd:complexType>
<xsd:complexType name="E_432">
  <xsd:annotation>
    <xsd:documentation>Code specifying type of date</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="07"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="432"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Date Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_373">
  <xsd:annotation>
    <xsd:documentation>Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="8"/>
      <xsd:maxLength value="8"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="DT"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="373"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Date"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_176">
  <xsd:annotation>
    <xsd:documentation>Code specifying the reported time</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="W"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="176"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Time Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_337">
  <xsd:annotation>
    <xsd:documentation>Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="4"/>
      <xsd:maxLength value="8"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="TM"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="337"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Time"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_0300">
  <xsd:annotation>
    <xsd:documentation>To reference a line number in a transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="S_Assigned_Number" type="S_LX"/>
    <xsd:element name="L_Line_Item_Detail_-_Warehouse" type="L_0310" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Loop"/>
</xsd:complexType>
```

```
<xsd:attribute name="ID" type="xsd:string" default="0300"/>
<xsd:attribute name="Name" type="xsd:string" default="Assigned Number"/>
</xsd:complexType>
<xsd:complexType name="S_LX">
  <xsd:annotation>
    <xsd:documentation>To reference a line number in a transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Assigned_Number" type="E_554"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="LX"/>
  <xsd:attribute name="Name" type="xsd:string" default="Assigned Number"/>
</xsd:complexType>
<xsd:complexType name="E_554">
  <xsd:annotation>
    <xsd:documentation>Number assigned for differentiation within a transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-Integer-Type">
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="N0"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="554"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Assigned Number"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_0310">
  <xsd:annotation>
    <xsd:documentation>To transmit basic and most frequent shipment-related line-item data elements</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="S_Line_Item_Detail_-_Warehouse" type="S_W01"/>
    <xsd:element name="S_Reference_Identification" type="S_N9" nillable="true" minOccurs="0" maxOccurs="200"/>
    <xsd:element name="S_Note_Special_Instruction" type="S_NTE" nillable="true" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="S_Quantity" type="S_QTY" nillable="true" minOccurs="0" maxOccurs="10"/>
    <xsd:element name="S_Monetary_Amount" type="S_AMT" nillable="true" minOccurs="0"/>
    <xsd:element name="S_Date_Time" type="S_G62_1" nillable="true" minOccurs="0" maxOccurs="10"/>
    <xsd:element name="S_Transportation_Instructions" type="S_G66" nillable="true" minOccurs="0"/>
    <xsd:element name="L_Name" type="L_N1" nillable="true" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="L_Code_Source_Information" type="L_0320" maxOccurs="10"/>
    <xsd:element name="S_Loop_Header" type="S_LS" nillable="true" minOccurs="0"/>
    <xsd:element name="L_Assigned_Number" type="L_0330" nillable="true" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="S_Loop_Trailer" type="S_LE" nillable="true" minOccurs="0"/>
    <xsd:element name="L_Type_of_Financial_Accounting_Data" type="L_0340" nillable="true" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Loop"/>
  <xsd:attribute name="ID" type="xsd:string" default="0310"/>
  <xsd:attribute name="Name" type="xsd:string" default="Line Item Detail - Warehouse"/>
</xsd:complexType>
<xsd:complexType name="S_W01">
  <xsd:annotation>
    <xsd:documentation>To transmit basic and most frequent shipment-related line-item data elements</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Quantity_Ordered" type="E_330"/>
    <xsd:element name="E_Unit_or_Basis_for_Measurement_Code" type="E_355"/>
    <xsd:element name="E_U_P_C_Case_Code" type="E_438" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Product_Service_ID_Qualifier" type="E_235"/>
    <xsd:element name="E_Product_Service_ID" type="E_234"/>
    <xsd:element name="E_Product_Service_ID_Qualifier_1" type="E_235_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Product_Service_ID_1" type="E_234" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Freight_Class_Code" type="E_59" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Rate_Class_Code" type="E_121" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Commodity_Code_Qualifier" type="E_23" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Commodity_Code" type="E_22" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Pallet_Block_and_Tiers" type="E_416" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Warehouse_Lot_Number" type="E_451" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Product_Service_Condition_Code" type="E_286" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Product_Service_ID_Qualifier_2" type="E_235_2" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Product_Service_ID_2" type="E_234_1" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="W01"/>
  <xsd:attribute name="Name" type="xsd:string" default="Line Item Detail - Warehouse"/>
</xsd:complexType>
<xsd:complexType name="E_330">
  <xsd:annotation>
    <xsd:documentation>Quantity ordered</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:annotation>
<xsd:simpleContent>
  <xsd:restriction base="EDI-Element-Decimal-Type">
    <xsd:attribute name="EDIDataType" type="xsd:string" fixed="R"/>
    <xsd:attribute name="ID" type="xsd:string" fixed="330"/>
    <xsd:attribute name="Name" type="xsd:string" fixed="Quantity Ordered"/>
  </xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_355">
  <xsd:annotation>
    <xsd:documentation>Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="01">
        <xsd:annotation>
          <xsd:documentation>Actual Pounds</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="02">
        <xsd:annotation>
          <xsd:documentation>Statute Mile</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="03">
        <xsd:annotation>
          <xsd:documentation>Seconds</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="04">
        <xsd:annotation>
          <xsd:documentation>Small Spray</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="05">
        <xsd:annotation>
          <xsd:documentation>Lifts</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="06">
        <xsd:annotation>
          <xsd:documentation>Digits</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="07">
        <xsd:annotation>
          <xsd:documentation>Strand</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="08">
        <xsd:annotation>
          <xsd:documentation>Heat Lots</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="09">
        <xsd:annotation>
          <xsd:documentation>Tire</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="10">
        <xsd:annotation>
          <xsd:documentation>Group</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="11">
        <xsd:annotation>
          <xsd:documentation>Outfit</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="12">
        <xsd:annotation>
          <xsd:documentation>Packet</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="13">
        <xsd:annotation>
```



```
<xsd:documentation>Ration</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="14">
  <xsd:annotation>
    <xsd:documentation>Shot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="15">
  <xsd:annotation>
    <xsd:documentation>Stick</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="16">
  <xsd:annotation>
    <xsd:documentation>115 Kilogram Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="17">
  <xsd:annotation>
    <xsd:documentation>100 Pound Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="18">
  <xsd:annotation>
    <xsd:documentation>55 Gallon Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="19">
  <xsd:annotation>
    <xsd:documentation>Tank Truck</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1A">
  <xsd:annotation>
    <xsd:documentation>Car Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1B">
  <xsd:annotation>
    <xsd:documentation>Car Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1C">
  <xsd:annotation>
    <xsd:documentation>Locomotive Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1D">
  <xsd:annotation>
    <xsd:documentation>Caboose Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1E">
  <xsd:annotation>
    <xsd:documentation>Empty Car</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1F">
  <xsd:annotation>
    <xsd:documentation>Train Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1G">
  <xsd:annotation>
    <xsd:documentation>Fuel Usage (Gallons)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1H">
  <xsd:annotation>
    <xsd:documentation>Caboose Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1I">
  <xsd:annotation>
    <xsd:documentation>Fixed Rate</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="1J">
  <xsd:annotation>
    <xsd:documentation>Ton Miles</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1K">
  <xsd:annotation>
    <xsd:documentation>Locomotive Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1L">
  <xsd:annotation>
    <xsd:documentation>Total Car Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1M">
  <xsd:annotation>
    <xsd:documentation>Total Car Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1N">
  <xsd:annotation>
    <xsd:documentation>Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1O">
  <xsd:annotation>
    <xsd:documentation>Season</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1P">
  <xsd:annotation>
    <xsd:documentation>Tank Car</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1Q">
  <xsd:annotation>
    <xsd:documentation>Frames</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1R">
  <xsd:annotation>
    <xsd:documentation>Transactions</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="1X">
  <xsd:annotation>
    <xsd:documentation>Quarter Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="20">
  <xsd:annotation>
    <xsd:documentation>20 Foot Container</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="21">
  <xsd:annotation>
    <xsd:documentation>40 Foot Container</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="22">
  <xsd:annotation>
    <xsd:documentation>Deciliter per Gram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="23">
  <xsd:annotation>
    <xsd:documentation>Grams per Cubic Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="24">
  <xsd:annotation>
    <xsd:documentation>Theoretical Pounds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="25">
  <xsd:annotation>
    <xsd:documentation>Grams per Square Centimeter</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="26">
  <xsd:annotation>
    <xsd:documentation>Actual Tons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="27">
  <xsd:annotation>
    <xsd:documentation>Theoretical Tons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="28">
  <xsd:annotation>
    <xsd:documentation>Kilograms per Square Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="29">
  <xsd:annotation>
    <xsd:documentation>Pounds per 1000 Square Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2A">
  <xsd:annotation>
    <xsd:documentation>Radians Per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2B">
  <xsd:annotation>
    <xsd:documentation>Radians Per Second Squared</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2C">
  <xsd:annotation>
    <xsd:documentation>Roentgen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2D">
  <xsd:annotation>
    <xsd:documentation>Ship Set</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2F">
  <xsd:annotation>
    <xsd:documentation>Volts Per Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2G">
  <xsd:annotation>
    <xsd:documentation>Volts (Alternating Current)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2H">
  <xsd:annotation>
    <xsd:documentation>Volts (Direct Current)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2I">
  <xsd:annotation>
    <xsd:documentation>British Thermal Units (BTUs) Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2J">
  <xsd:annotation>
    <xsd:documentation>Cubic Centimeters Per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2K">
  <xsd:annotation>
    <xsd:documentation>Cubic Feet Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2L">
  <xsd:annotation>
    <xsd:documentation>Cubic Feet Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2M">
```

```
<xsd:annotation>
  <xsd:documentation>Centimeters Per Second</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2N">
  <xsd:annotation>
    <xsd:documentation>Decibels</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2P">
  <xsd:annotation>
    <xsd:documentation>Kilobyte</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2Q">
  <xsd:annotation>
    <xsd:documentation>Kilobecquerel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2R">
  <xsd:annotation>
    <xsd:documentation>Kilocurie</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2U">
  <xsd:annotation>
    <xsd:documentation>Megagram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2V">
  <xsd:annotation>
    <xsd:documentation>Megograms Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2W">
  <xsd:annotation>
    <xsd:documentation>Bin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2X">
  <xsd:annotation>
    <xsd:documentation>Meters Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2Y">
  <xsd:annotation>
    <xsd:documentation>Milliroentgen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="2Z">
  <xsd:annotation>
    <xsd:documentation>Millivolts</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="30">
  <xsd:annotation>
    <xsd:documentation>Horsepower Days per Air Dry Metric Tons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="31">
  <xsd:annotation>
    <xsd:documentation>Catchweight</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="32">
  <xsd:annotation>
    <xsd:documentation>Kilograms per Air Dry Metric Tons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="33">
  <xsd:annotation>
    <xsd:documentation>Kilopascal Square Meters per Gram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="34">
  <xsd:annotation>
    <xsd:documentation>Kilopascals per Millimeter</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="35">
  <xsd:annotation>
    <xsd:documentation>Milliliters per Square Centimeter Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="36">
  <xsd:annotation>
    <xsd:documentation>Cubic Feet per Minute per Square Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="37">
  <xsd:annotation>
    <xsd:documentation>Ounces per Square Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="38">
  <xsd:annotation>
    <xsd:documentation>Ounces per Square Foot per 0.01 Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="39">
  <xsd:annotation>
    <xsd:documentation>Basis Points</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3B">
  <xsd:annotation>
    <xsd:documentation>Megajoule</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3C">
  <xsd:annotation>
    <xsd:documentation>Manmonth</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3E">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Pound of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3F">
  <xsd:annotation>
    <xsd:documentation>Kilograms Per Liter of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3G">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Piece of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3H">
  <xsd:annotation>
    <xsd:documentation>Kilograms Per Kilogram of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="3I">
  <xsd:annotation>
    <xsd:documentation>Kilograms Per Piece of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="40">
  <xsd:annotation>
    <xsd:documentation>Milliliter per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="41">
  <xsd:annotation>
    <xsd:documentation>Milliliter per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="43">
  <xsd:annotation>
    <xsd:documentation>Super Bulk Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="44">
  <xsd:annotation>
```

```
<xsd:documentation>500 Kilogram Bulk Bag</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="45">
  <xsd:annotation>
    <xsd:documentation>300 Kilogram Bulk Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="46">
  <xsd:annotation>
    <xsd:documentation>25 Kilogram Bulk Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="47">
  <xsd:annotation>
    <xsd:documentation>50 Pound Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="48">
  <xsd:annotation>
    <xsd:documentation>Bulk Car Load</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4A">
  <xsd:annotation>
    <xsd:documentation>Bobbin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4B">
  <xsd:annotation>
    <xsd:documentation>Cap</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4C">
  <xsd:annotation>
    <xsd:documentation>Centistokes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4D">
  <xsd:annotation>
    <xsd:documentation>Curie</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4E">
  <xsd:annotation>
    <xsd:documentation>20-Pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4F">
  <xsd:annotation>
    <xsd:documentation>100-Pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4G">
  <xsd:annotation>
    <xsd:documentation>Microliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4I">
  <xsd:annotation>
    <xsd:documentation>Meters Per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4J">
  <xsd:annotation>
    <xsd:documentation>Meters Per Second Per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4K">
  <xsd:annotation>
    <xsd:documentation>Milliamperes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4L">
  <xsd:annotation>
    <xsd:documentation>Megabyte</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="4M">
  <xsd:annotation>
    <xsd:documentation>Milligrams Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4N">
  <xsd:annotation>
    <xsd:documentation>Megabecquerel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4O">
  <xsd:annotation>
    <xsd:documentation>Microfarad</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4P">
  <xsd:annotation>
    <xsd:documentation>Newtons Per Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4Q">
  <xsd:annotation>
    <xsd:documentation>Ounce Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4R">
  <xsd:annotation>
    <xsd:documentation>Ounce Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4S">
  <xsd:annotation>
    <xsd:documentation>Pascal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4T">
  <xsd:annotation>
    <xsd:documentation>Picofarad</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4U">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4V">
  <xsd:annotation>
    <xsd:documentation>Cubic Meter Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4W">
  <xsd:annotation>
    <xsd:documentation>Ton Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="4X">
  <xsd:annotation>
    <xsd:documentation>Kiloliter Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="50">
  <xsd:annotation>
    <xsd:documentation>Actual Kilograms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="51">
  <xsd:annotation>
    <xsd:documentation>Actual Tonnes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="52">
  <xsd:annotation>
    <xsd:documentation>Credits</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="53">
  <xsd:annotation>
    <xsd:documentation>Theoretical Kilograms</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="54">
  <xsd:annotation>
    <xsd:documentation>Theoretical Tonnes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="56">
  <xsd:annotation>
    <xsd:documentation>Sitas</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="57">
  <xsd:annotation>
    <xsd:documentation>Mesh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="58">
  <xsd:annotation>
    <xsd:documentation>Net Kilograms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="59">
  <xsd:annotation>
    <xsd:documentation>Parts Per Million</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5A">
  <xsd:annotation>
    <xsd:documentation>Barrels per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5B">
  <xsd:annotation>
    <xsd:documentation>Batch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5C">
  <xsd:annotation>
    <xsd:documentation>Gallons per Thousand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5D">
  <xsd:annotation>
    <xsd:documentation>Proof Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5E">
  <xsd:annotation>
    <xsd:documentation>MMSCF/Day</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5F">
  <xsd:annotation>
    <xsd:documentation>Pounds per Thousand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5G">
  <xsd:annotation>
    <xsd:documentation>Pump</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5H">
  <xsd:annotation>
    <xsd:documentation>Stage</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5I">
  <xsd:annotation>
    <xsd:documentation>Standard Cubic Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5J">
  <xsd:annotation>
    <xsd:documentation>Hydraulic Horse Power</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5K">
```



```
<xsd:annotation>
  <xsd:documentation>Count per Minute</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5P">
  <xsd:annotation>
    <xsd:documentation>Seismic Level</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="5Q">
  <xsd:annotation>
    <xsd:documentation>Seismic Line</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="60">
  <xsd:annotation>
    <xsd:documentation>Percent Weight</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="61">
  <xsd:annotation>
    <xsd:documentation>Parts Per Billion</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="62">
  <xsd:annotation>
    <xsd:documentation>Percent Per 1000 Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="63">
  <xsd:annotation>
    <xsd:documentation>Failure Rate In Time</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="64">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Square Inch Gauge</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="65">
  <xsd:annotation>
    <xsd:documentation>Coulomb</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="66">
  <xsd:annotation>
    <xsd:documentation>Oersteds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="67">
  <xsd:annotation>
    <xsd:documentation>Siemens</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="68">
  <xsd:annotation>
    <xsd:documentation>Ampere</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="69">
  <xsd:annotation>
    <xsd:documentation>Test Specific Scale</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="70">
  <xsd:annotation>
    <xsd:documentation>Volt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="71">
  <xsd:annotation>
    <xsd:documentation>Volt-Ampere Per Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="72">
  <xsd:annotation>
    <xsd:documentation>Watts Per Pound</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="73">
  <xsd:annotation>
    <xsd:documentation>Ampere Turn Per Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="74">
  <xsd:annotation>
    <xsd:documentation>Milli Pascals</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="76">
  <xsd:annotation>
    <xsd:documentation>Gauss</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="77">
  <xsd:annotation>
    <xsd:documentation>Milli</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="78">
  <xsd:annotation>
    <xsd:documentation>Kilogauss</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="79">
  <xsd:annotation>
    <xsd:documentation>Electron Volt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="80">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Square Inch Absolute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="81">
  <xsd:annotation>
    <xsd:documentation>Henry</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="82">
  <xsd:annotation>
    <xsd:documentation>Ohm</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="83">
  <xsd:annotation>
    <xsd:documentation>Farad</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="84">
  <xsd:annotation>
    <xsd:documentation>Kilo Pounds Per Square Inch (KSI)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="85">
  <xsd:annotation>
    <xsd:documentation>Foot Pounds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="86">
  <xsd:annotation>
    <xsd:documentation>Joules</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="87">
  <xsd:annotation>
    <xsd:documentation>Pounds per Cubic Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="89">
  <xsd:annotation>
    <xsd:documentation>Poise</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8C">
  <xsd:annotation>
```

```
<xsd:documentation>Cord</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8D">
  <xsd:annotation>
    <xsd:documentation>Duty</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8P">
  <xsd:annotation>
    <xsd:documentation>Project</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8R">
  <xsd:annotation>
    <xsd:documentation>Program</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8S">
  <xsd:annotation>
    <xsd:documentation>Session</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="8U">
  <xsd:annotation>
    <xsd:documentation>Square Kilometer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="90">
  <xsd:annotation>
    <xsd:documentation>Saybold Universal Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="91">
  <xsd:annotation>
    <xsd:documentation>Stokes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="92">
  <xsd:annotation>
    <xsd:documentation>Calories per Cubic Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="93">
  <xsd:annotation>
    <xsd:documentation>Calories per Gram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="94">
  <xsd:annotation>
    <xsd:documentation>Curl Units</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="95">
  <xsd:annotation>
    <xsd:documentation>20,000 Gallon Tankcar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="96">
  <xsd:annotation>
    <xsd:documentation>10,000 Gallon Tankcar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="97">
  <xsd:annotation>
    <xsd:documentation>10 Kilogram Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="98">
  <xsd:annotation>
    <xsd:documentation>15 Kilogram Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="99">
  <xsd:annotation>
    <xsd:documentation>Watt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="A8">
  <xsd:annotation>
    <xsd:documentation>Dollars per Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AA">
  <xsd:annotation>
    <xsd:documentation>Ball</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AB">
  <xsd:annotation>
    <xsd:documentation>Bulk Pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AC">
  <xsd:annotation>
    <xsd:documentation>Acre</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>Bytes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Amperes per Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Centigram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>Angstrom</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AH">
  <xsd:annotation>
    <xsd:documentation>Additional Minutes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
    <xsd:documentation>Average Minutes Per Call</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AJ">
  <xsd:annotation>
    <xsd:documentation>Cop</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Fathom</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>Access Lines</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Ampoule</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Minutes or Messages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>Ampere-turn</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AP">
  <xsd:annotation>
    <xsd:documentation>Aluminum Pounds Only</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>Anti-hemophilic Factor (AHF) Units</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Suppository</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assortment</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
  <xsd:annotation>
    <xsd:documentation>Atmosphere</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>Ocular Insert System</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Capsule</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>Powder-Filled Vials</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>Twenty</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Assembly</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>British Thermal Units (BTUs) per Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B0">
  <xsd:annotation>
    <xsd:documentation>British Thermal Units (BTUs) per Cubic Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B1">
  <xsd:annotation>
    <xsd:documentation>Barrels per Day</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B2">
  <xsd:annotation>
    <xsd:documentation>Bunks</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B3">
  <xsd:annotation>
    <xsd:documentation>Batting Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B4">
```

```
<xsd:annotation>
  <xsd:documentation>Barrel, Imperial</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B5">
  <xsd:annotation>
    <xsd:documentation>Billet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B6">
  <xsd:annotation>
    <xsd:documentation>Bun</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B7">
  <xsd:annotation>
    <xsd:documentation>Cycles</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B8">
  <xsd:annotation>
    <xsd:documentation>Board</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="B9">
  <xsd:annotation>
    <xsd:documentation>Batt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bale</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>Base Box</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BC">
  <xsd:annotation>
    <xsd:documentation>Bucket</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>Bundle</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Beam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>Board Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Brush</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BJ">
  <xsd:annotation>
    <xsd:documentation>Band</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="BK">
  <xsd:annotation>
    <xsd:documentation>Book</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>Block</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bolt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bulk</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Bottle</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BP">
  <xsd:annotation>
    <xsd:documentation>100 Board Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BQ">
  <xsd:annotation>
    <xsd:documentation>Brake horse power</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Barrel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Basket</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BT">
  <xsd:annotation>
    <xsd:documentation>Belt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BU">
  <xsd:annotation>
    <xsd:documentation>Bushel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>Bushel, Dry Imperial</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>Base Weight</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BX">
  <xsd:annotation>
    <xsd:documentation>Box</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>British Thermal Unit (BTU)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BZ">
  <xsd:annotation>
```

```
<xsd:documentation>Million BTU's</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C0">
  <xsd:annotation>
    <xsd:documentation>Calls</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C1">
  <xsd:annotation>
    <xsd:documentation>Composite Product Pounds (Total Weight)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C2">
  <xsd:annotation>
    <xsd:documentation>Carset</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C3">
  <xsd:annotation>
    <xsd:documentation>Centiliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C4">
  <xsd:annotation>
    <xsd:documentation>Carload</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C5">
  <xsd:annotation>
    <xsd:documentation>Cost</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C6">
  <xsd:annotation>
    <xsd:documentation>Cell</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C7">
  <xsd:annotation>
    <xsd:documentation>Centipoise (CPS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C8">
  <xsd:annotation>
    <xsd:documentation>Cubic Decimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="C9">
  <xsd:annotation>
    <xsd:documentation>Coil Group</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>Case</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CB">
  <xsd:annotation>
    <xsd:documentation>Carboy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>Cubic Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>Carat</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
  <xsd:annotation>
    <xsd:documentation>Centigrade, Celsius</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>Cubic Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>Card</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>Container</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>Cubic Inches</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CJ">
  <xsd:annotation>
    <xsd:documentation>Cone</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>Connector</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>Cylinder</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>Can</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>Cubic Meters (Net)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CP">
  <xsd:annotation>
    <xsd:documentation>Crate</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CQ">
  <xsd:annotation>
    <xsd:documentation>Cartridge</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>Cubic Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CS">
  <xsd:annotation>
    <xsd:documentation>Cassette</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CT">
  <xsd:annotation>
    <xsd:documentation>Carton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
    <xsd:documentation>Cup</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>Cover</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CW">
  <xsd:annotation>
    <xsd:documentation>Hundred Pounds (CWT)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>Coil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>Cubic Yard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>Combo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D1">
  <xsd:annotation>
    <xsd:documentation>Dollars, Canadian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D2">
  <xsd:annotation>
    <xsd:documentation>Shares</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D3">
  <xsd:annotation>
    <xsd:documentation>Square Decimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D5">
  <xsd:annotation>
    <xsd:documentation>Kilogram Per Square Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D8">
  <xsd:annotation>
    <xsd:documentation>Draize Score</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D9">
  <xsd:annotation>
    <xsd:documentation>Dyne per Square Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
  <xsd:annotation>
    <xsd:documentation>Days</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DB">
  <xsd:annotation>
    <xsd:documentation>Dry Pounds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DC">
  <xsd:annotation>
    <xsd:documentation>Disk (Disc)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DD">
  <xsd:annotation>
    <xsd:documentation>Degree</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
```

```
<xsd:annotation>
  <xsd:documentation>Deal</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DF">
  <xsd:annotation>
    <xsd:documentation>Dram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DG">
  <xsd:annotation>
    <xsd:documentation>Decigram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DH">
  <xsd:annotation>
    <xsd:documentation>Miles</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DI">
  <xsd:annotation>
    <xsd:documentation>Dispenser</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJ">
  <xsd:annotation>
    <xsd:documentation>Decagram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DK">
  <xsd:annotation>
    <xsd:documentation>Kilometers</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DL">
  <xsd:annotation>
    <xsd:documentation>Deciliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
  <xsd:annotation>
    <xsd:documentation>Decimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DN">
  <xsd:annotation>
    <xsd:documentation>Deci Newton-Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DO">
  <xsd:annotation>
    <xsd:documentation>Dollars, U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DP">
  <xsd:annotation>
    <xsd:documentation>Dozen Pair</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DQ">
  <xsd:annotation>
    <xsd:documentation>Data Records</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DR">
  <xsd:annotation>
    <xsd:documentation>Drum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DS">
  <xsd:annotation>
    <xsd:documentation>Display</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DT">
  <xsd:annotation>
    <xsd:documentation>Dry Ton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="DU">
  <xsd:annotation>
    <xsd:documentation>Dyne</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DW">
  <xsd:annotation>
    <xsd:documentation>Calendar Days</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DX">
  <xsd:annotation>
    <xsd:documentation>Dynes per Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DY">
  <xsd:annotation>
    <xsd:documentation>Directory Books</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dozen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E1">
  <xsd:annotation>
    <xsd:documentation>Hectometer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E3">
  <xsd:annotation>
    <xsd:documentation>Inches, Fraction--Average</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E4">
  <xsd:annotation>
    <xsd:documentation>Inches, Fraction--Minimum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E5">
  <xsd:annotation>
    <xsd:documentation>Inches, Fraction--Actual</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E7">
  <xsd:annotation>
    <xsd:documentation>Inches, Decimal--Average</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E8">
  <xsd:annotation>
    <xsd:documentation>Inches, Decimal--Actual</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E9">
  <xsd:annotation>
    <xsd:documentation>English, (Feet, Inches)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EA">
  <xsd:annotation>
    <xsd:documentation>Each</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EB">
  <xsd:annotation>
    <xsd:documentation>Electronic Mail Boxes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EC">
  <xsd:annotation>
    <xsd:documentation>Each per Month</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ED">
  <xsd:annotation>
```

```
<xsd:documentation>Inches, Decimal--Nominal</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Employees</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EF">
  <xsd:annotation>
    <xsd:documentation>Inches, Fraction-Nominal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EG">
  <xsd:annotation>
    <xsd:documentation>Double-time Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EH">
  <xsd:annotation>
    <xsd:documentation>Knots</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EJ">
  <xsd:annotation>
    <xsd:documentation>Locations</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EM">
  <xsd:annotation>
    <xsd:documentation>Inches, Decimal-Minimum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EP">
  <xsd:annotation>
    <xsd:documentation>Eleven pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EQ">
  <xsd:annotation>
    <xsd:documentation>Equivalent Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EV">
  <xsd:annotation>
    <xsd:documentation>Envelope</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EX">
  <xsd:annotation>
    <xsd:documentation>Feet, Inches and Fraction</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EY">
  <xsd:annotation>
    <xsd:documentation>Feet, Inches and Decimal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EZ">
  <xsd:annotation>
    <xsd:documentation>Feet and Decimal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F1">
  <xsd:annotation>
    <xsd:documentation>Thousand Cubic Feet Per Day</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F2">
  <xsd:annotation>
    <xsd:documentation>International Unit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F3">
  <xsd:annotation>
    <xsd:documentation>Equivalent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="F4">
  <xsd:annotation>
    <xsd:documentation>Minim</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F5">
  <xsd:annotation>
    <xsd:documentation>MOL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F6">
  <xsd:annotation>
    <xsd:documentation>Price Per Share</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F9">
  <xsd:annotation>
    <xsd:documentation>Fibers per Cubic Centimeter of Air</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Fahrenheit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FB">
  <xsd:annotation>
    <xsd:documentation>Fields</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FC">
  <xsd:annotation>
    <xsd:documentation>1000 Cubic Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FD">
  <xsd:annotation>
    <xsd:documentation>Million Particles per Cubic Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FE">
  <xsd:annotation>
    <xsd:documentation>Track Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Hundred Cubic Meters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FG">
  <xsd:annotation>
    <xsd:documentation>Transdermal Patch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FH">
  <xsd:annotation>
    <xsd:documentation>Micromolar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Sizing Factor</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>Fibers</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FL">
  <xsd:annotation>
    <xsd:documentation>Flake Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
    <xsd:documentation>Million Cubic Feet</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Fluid Ounce</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FP">
  <xsd:annotation>
    <xsd:documentation>Pounds per Sq. Ft.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>Feet Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FS">
  <xsd:annotation>
    <xsd:documentation>Feet Per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FT">
  <xsd:annotation>
    <xsd:documentation>Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FZ">
  <xsd:annotation>
    <xsd:documentation>Fluid Ounce (Imperial)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G2">
  <xsd:annotation>
    <xsd:documentation>U.S. Gallons Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G3">
  <xsd:annotation>
    <xsd:documentation>Imperial Gallons Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G4">
  <xsd:annotation>
    <xsd:documentation>Gigabecquerel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G5">
  <xsd:annotation>
    <xsd:documentation>Gill (Imperial)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G6">
  <xsd:annotation>
    <xsd:documentation>Bit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G7">
  <xsd:annotation>
    <xsd:documentation>Microfiche Sheet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G8">
  <xsd:annotation>
    <xsd:documentation>Gigacalories</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G9">
  <xsd:annotation>
    <xsd:documentation>Gigabyte</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Gallon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
```

```
<xsd:annotation>
  <xsd:documentation>Gallons/Day</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GC">
  <xsd:annotation>
    <xsd:documentation>Grams per 100 Grams</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gross Barrels</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GE">
  <xsd:annotation>
    <xsd:documentation>Pounds per Gallon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GF">
  <xsd:annotation>
    <xsd:documentation>Grams per 100 Centimeters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>Great Gross (Dozen Gross)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>Half Gallon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>Imperial Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GJ">
  <xsd:annotation>
    <xsd:documentation>Grams per Milliliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GK">
  <xsd:annotation>
    <xsd:documentation>Grams per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Grams per Liter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GM">
  <xsd:annotation>
    <xsd:documentation>Grams per Sq. Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Gross Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GO">
  <xsd:annotation>
    <xsd:documentation>Milligrams per Square Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>Milligrams per Cubic Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GQ">
  <xsd:annotation>
    <xsd:documentation>Micrograms per Cubic Meter</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>Gram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GS">
  <xsd:annotation>
    <xsd:documentation>Gross</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>Gross Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gauss per Oersteds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Gigajoules</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>Gallons Per Thousand Cubic Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GX">
  <xsd:annotation>
    <xsd:documentation>Grain</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>Gross Yard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GZ">
  <xsd:annotation>
    <xsd:documentation>Gage Systems</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="H1">
  <xsd:annotation>
    <xsd:documentation>Half Pages - Electronic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="H2">
  <xsd:annotation>
    <xsd:documentation>Half Liter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="H4">
  <xsd:annotation>
    <xsd:documentation>Hectoliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hank</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HB">
  <xsd:annotation>
    <xsd:documentation>Hundred Boxes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HC">
  <xsd:annotation>
    <xsd:documentation>Hundred Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HD">
  <xsd:annotation>
```

```
<xsd:documentation>Half Dozen</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hundredth of a Carat</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HF">
  <xsd:annotation>
    <xsd:documentation>Hundred Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HG">
  <xsd:annotation>
    <xsd:documentation>Hectogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HH">
  <xsd:annotation>
    <xsd:documentation>Hundred Cubic Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hundred Sheets</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HJ">
  <xsd:annotation>
    <xsd:documentation>Horsepower</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>Hundred Kilograms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HL">
  <xsd:annotation>
    <xsd:documentation>Hundred Feet - Linear</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
    <xsd:documentation>Miles Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>Millimeters of Mercury</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hundred Troy Ounces</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HP">
  <xsd:annotation>
    <xsd:documentation>Millimeter H20</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HQ">
  <xsd:annotation>
    <xsd:documentation>Hectare</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HS">
  <xsd:annotation>
    <xsd:documentation>Hundred Square Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Half Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hundred</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HV">
  <xsd:annotation>
    <xsd:documentation>Hundred Weight (Short)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HW">
  <xsd:annotation>
    <xsd:documentation>Hundred Weight (Long)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Hundred Yards</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Hertz</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Inch Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IB">
  <xsd:annotation>
    <xsd:documentation>Inches Per Second (Vibration Velocity)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IC">
  <xsd:annotation>
    <xsd:documentation>Counts per Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Person</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IF">
  <xsd:annotation>
    <xsd:documentation>Inches of Water</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Inner Package</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IH">
  <xsd:annotation>
    <xsd:documentation>Inhaler</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Column-Inches</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Peaks per Inch (PPI)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IL">
  <xsd:annotation>
    <xsd:documentation>Inches per Minute</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IM">
  <xsd:annotation>
    <xsd:documentation>Impressions</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IP">
  <xsd:annotation>
    <xsd:documentation>Insurance Policy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Stops</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Counts per Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inches Per Second (Linear Speed)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IV">
  <xsd:annotation>
    <xsd:documentation>Inches Per Second Per Second (Acceleration)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IW">
  <xsd:annotation>
    <xsd:documentation>Inches Per Second Per Second (Vibration Acceleration)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="J2">
  <xsd:annotation>
    <xsd:documentation>Joule Per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
    <xsd:documentation>Job</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JB">
  <xsd:annotation>
    <xsd:documentation>Jumbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>Joule Per Kelvin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JG">
  <xsd:annotation>
    <xsd:documentation>Joule per Gram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JK">
  <xsd:annotation>
    <xsd:documentation>Mega Joule per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>Megajoule/Cubic Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
```

```
<xsd:annotation>
  <xsd:documentation>Joint</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JR">
  <xsd:annotation>
    <xsd:documentation>Jar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JU">
  <xsd:annotation>
    <xsd:documentation>Jug</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K1">
  <xsd:annotation>
    <xsd:documentation>Kilowatt Demand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K2">
  <xsd:annotation>
    <xsd:documentation>Kilovolt Amperes Reactive Demand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K3">
  <xsd:annotation>
    <xsd:documentation>Kilovolt Amperes Reactive Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K4">
  <xsd:annotation>
    <xsd:documentation>Kilovolt Amperes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K5">
  <xsd:annotation>
    <xsd:documentation>Kilovolt Amperes Reactive</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K6">
  <xsd:annotation>
    <xsd:documentation>Kiloliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K7">
  <xsd:annotation>
    <xsd:documentation>Kilowatt</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K9">
  <xsd:annotation>
    <xsd:documentation>Kilograms per Millimeter Squared (KG/MM2)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Cake</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KB">
  <xsd:annotation>
    <xsd:documentation>Kilocharacters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KC">
  <xsd:annotation>
    <xsd:documentation>Kilograms per Cubic Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KD">
  <xsd:annotation>
    <xsd:documentation>Kilograms Decimal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>Keg</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="KF">
  <xsd:annotation>
    <xsd:documentation>Kilopackets</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>Kilowatt Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>Kilograms/Millimeter Width</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KJ">
  <xsd:annotation>
    <xsd:documentation>Kilosegments</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>100 Kilograms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kilograms/Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Kilograms per Square Meter, Kilograms, Decimal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KO">
  <xsd:annotation>
    <xsd:documentation>Millequivalence Caustic Potash per Gram of Product</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>Kilometers Per Hour</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KQ">
  <xsd:annotation>
    <xsd:documentation>Kilopascal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kiloroentgen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KT">
  <xsd:annotation>
    <xsd:documentation>Kit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Task</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KV">
  <xsd:annotation>
    <xsd:documentation>Kelvin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
```

```
<xsd:documentation>Kilograms per Millimeter</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KX">
<xsd:annotation>
<xsd:documentation>Milliliters per Kilogram</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="L2">
<xsd:annotation>
<xsd:documentation>Liters Per Minute</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
<xsd:annotation>
<xsd:documentation>Pounds Per Cubic Inch</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
<xsd:annotation>
<xsd:documentation>Pound</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LC">
<xsd:annotation>
<xsd:documentation>Linear Centimeter</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LE">
<xsd:annotation>
<xsd:documentation>Lite</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LF">
<xsd:annotation>
<xsd:documentation>Linear Foot</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
<xsd:annotation>
<xsd:documentation>Long Ton</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LH">
<xsd:annotation>
<xsd:documentation>Labor Hours</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
<xsd:annotation>
<xsd:documentation>Linear Inch</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LJ">
<xsd:annotation>
<xsd:documentation>Large Spray</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LK">
<xsd:annotation>
<xsd:documentation>Link</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LL">
<xsd:annotation>
<xsd:documentation>Lifetime</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LM">
<xsd:annotation>
<xsd:documentation>Linear Meter</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
<xsd:annotation>
<xsd:documentation>Length</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LP">
  <xsd:annotation>
    <xsd:documentation>Liquid Pounds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LQ">
  <xsd:annotation>
    <xsd:documentation>Liters Per Day</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>Layer(s)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>Lump Sum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Liter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LX">
  <xsd:annotation>
    <xsd:documentation>Linear Yards Per Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>Linear Yard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M0">
  <xsd:annotation>
    <xsd:documentation>Magnetic Tapes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M1">
  <xsd:annotation>
    <xsd:documentation>Milligrams per Liter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M2">
  <xsd:annotation>
    <xsd:documentation>Millimeter-Actual</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M3">
  <xsd:annotation>
    <xsd:documentation>Mat</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M4">
  <xsd:annotation>
    <xsd:documentation>Monetary Value</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M5">
  <xsd:annotation>
    <xsd:documentation>Microcurie</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M6">
  <xsd:annotation>
    <xsd:documentation>Millibar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M7">
  <xsd:annotation>
    <xsd:documentation>Micro Inch</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M8">
  <xsd:annotation>
    <xsd:documentation>Mega Pascals</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M9">
  <xsd:annotation>
    <xsd:documentation>Million British Thermal Units per One Thousand Cubic Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>Machine/Unit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MB">
  <xsd:annotation>
    <xsd:documentation>Millimeter-Nominal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>Microgram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>Air Dry Metric Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>Milligram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MF">
  <xsd:annotation>
    <xsd:documentation>Milligram per Sq. Ft. per Side</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Metric Gross Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Microns (Micrometers)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Metric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MJ">
  <xsd:annotation>
    <xsd:documentation>Minutes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Milligrams Per Square Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Milliliter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>Millimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
```

```
<xsd:annotation>
  <xsd:documentation>Metric Net Ton</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>Months</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MP">
  <xsd:annotation>
    <xsd:documentation>Metric Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>1000 Meters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Square Millimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Metric Long Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>Millicurie</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MV">
  <xsd:annotation>
    <xsd:documentation>Number of Mults</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MW">
  <xsd:annotation>
    <xsd:documentation>Metric Ton Kilograms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>Mixed</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>Millimeter-Average</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
  <xsd:annotation>
    <xsd:documentation>Millimeter-minimum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N1">
  <xsd:annotation>
    <xsd:documentation>Pen Calories</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N2">
  <xsd:annotation>
    <xsd:documentation>Number of Lines</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N3">
  <xsd:annotation>
    <xsd:documentation>Print Point</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="N4">
  <xsd:annotation>
    <xsd:documentation>Pen Grams (Protein)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N6">
  <xsd:annotation>
    <xsd:documentation>Megahertz</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N7">
  <xsd:annotation>
    <xsd:documentation>Parts</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N9">
  <xsd:annotation>
    <xsd:documentation>Cartridge Needle</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Milligrams per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Barge</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>Car</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Net Barrels</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Net Liters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NF">
  <xsd:annotation>
    <xsd:documentation>Messages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Net Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NH">
  <xsd:annotation>
    <xsd:documentation>Message Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NI">
  <xsd:annotation>
    <xsd:documentation>Net Imperial Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NJ">
  <xsd:annotation>
    <xsd:documentation>Number of Screens</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NK">
  <xsd:annotation>
    <xsd:documentation>Nights</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
```

```
<xsd:documentation>Load</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NM">
  <xsd:annotation>
    <xsd:documentation>Nautical Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Train</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NQ">
  <xsd:annotation>
    <xsd:documentation>Mho</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Micro Mho</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NS">
  <xsd:annotation>
    <xsd:documentation>Short Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NT">
  <xsd:annotation>
    <xsd:documentation>Trailer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NU">
  <xsd:annotation>
    <xsd:documentation>Newton-Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Vehicle</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NW">
  <xsd:annotation>
    <xsd:documentation>Newton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NX">
  <xsd:annotation>
    <xsd:documentation>Parts Per Thousand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Pounds Per Air-Dry Metric Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OA">
  <xsd:annotation>
    <xsd:documentation>Panel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Billboard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ON">
  <xsd:annotation>
    <xsd:documentation>Ounces per Square Yard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OP">
  <xsd:annotation>
    <xsd:documentation>Two pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="OT">
  <xsd:annotation>
    <xsd:documentation>Overtime Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OZ">
  <xsd:annotation>
    <xsd:documentation>Ounce - Av</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P0">
  <xsd:annotation>
    <xsd:documentation>Pages - Electronic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P1">
  <xsd:annotation>
    <xsd:documentation>Percent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P2">
  <xsd:annotation>
    <xsd:documentation>Pounds per Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P3">
  <xsd:annotation>
    <xsd:documentation>Three pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P4">
  <xsd:annotation>
    <xsd:documentation>Four-pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P5">
  <xsd:annotation>
    <xsd:documentation>Five-pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P6">
  <xsd:annotation>
    <xsd:documentation>Six pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P7">
  <xsd:annotation>
    <xsd:documentation>Seven pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P8">
  <xsd:annotation>
    <xsd:documentation>Eight-pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P9">
  <xsd:annotation>
    <xsd:documentation>Nine pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Pail</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PB">
  <xsd:annotation>
    <xsd:documentation>Pair Inches</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PC">
  <xsd:annotation>
    <xsd:documentation>Piece</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PD">
  <xsd:annotation>
    <xsd:documentation>Pad</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>Pounds Equivalent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PF">
  <xsd:annotation>
    <xsd:documentation>Pallet (Lift)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>Pounds Gross</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>Pack (PAK)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pitch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PJ">
  <xsd:annotation>
    <xsd:documentation>Pounds, Decimal - Pounds per Square Foot - Pound Gage</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>Package</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Pallet/Unit Load</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PM">
  <xsd:annotation>
    <xsd:documentation>Pounds-Percentage</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>Pounds Net</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PO">
  <xsd:annotation>
    <xsd:documentation>Pounds per Inch of Length</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PP">
  <xsd:annotation>
    <xsd:documentation>Plate</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PQ">
  <xsd:annotation>
    <xsd:documentation>Pages per Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>Pair</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pounds per Sq. Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
```

```
<xsd:annotation>
  <xsd:documentation>Pint</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PU">
  <xsd:annotation>
    <xsd:documentation>Mass Pounds</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PV">
  <xsd:annotation>
    <xsd:documentation>Half Pint</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>Pounds per Inch of Width</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PX">
  <xsd:annotation>
    <xsd:documentation>Pint, Imperial</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>Peck, Dry U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PZ">
  <xsd:annotation>
    <xsd:documentation>Peck, Dry Imperial</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q1">
  <xsd:annotation>
    <xsd:documentation>Quarter (Time)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q2">
  <xsd:annotation>
    <xsd:documentation>Pint U.S. Dry</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q3">
  <xsd:annotation>
    <xsd:documentation>Meal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q4">
  <xsd:annotation>
    <xsd:documentation>Fifty</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q5">
  <xsd:annotation>
    <xsd:documentation>Twenty-Five</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q6">
  <xsd:annotation>
    <xsd:documentation>Thirty-Six</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q7">
  <xsd:annotation>
    <xsd:documentation>Twenty-Four</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>Pages - Facsimile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QB">
  <xsd:annotation>
    <xsd:documentation>Pages - Hardcopy</xsd:documentation>
  </xsd:annotation>
```



```
</xsd:enumeration>
<xsd:enumeration value="QC">
  <xsd:annotation>
    <xsd:documentation>Channel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QD">
  <xsd:annotation>
    <xsd:documentation>Quarter Dozen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QE">
  <xsd:annotation>
    <xsd:documentation>Photographs</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QH">
  <xsd:annotation>
    <xsd:documentation>Quarter Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QK">
  <xsd:annotation>
    <xsd:documentation>Quarter Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QR">
  <xsd:annotation>
    <xsd:documentation>Quire</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QS">
  <xsd:annotation>
    <xsd:documentation>Quart, Dry U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QT">
  <xsd:annotation>
    <xsd:documentation>Quart</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quart, Imperial</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R1">
  <xsd:annotation>
    <xsd:documentation>Pica</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R2">
  <xsd:annotation>
    <xsd:documentation>Becquerel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R3">
  <xsd:annotation>
    <xsd:documentation>Revolutions Per Minute</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R4">
  <xsd:annotation>
    <xsd:documentation>Calorie</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R5">
  <xsd:annotation>
    <xsd:documentation>Thousands of Dollars</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R6">
  <xsd:annotation>
    <xsd:documentation>Millions of Dollars</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R7">
  <xsd:annotation>
```

```
<xsd:documentation>Billions of Dollars</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R8">
  <xsd:annotation>
    <xsd:documentation>Roentgen Equivalent in Man (REM)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R9">
  <xsd:annotation>
    <xsd:documentation>Thousand Cubic Meters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RA">
  <xsd:annotation>
    <xsd:documentation>Rack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RB">
  <xsd:annotation>
    <xsd:documentation>Radian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RC">
  <xsd:annotation>
    <xsd:documentation>Rod (area) - 16.25 Square Yards</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RD">
  <xsd:annotation>
    <xsd:documentation>Rod (length) - 5.5 Yards</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>Reel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RG">
  <xsd:annotation>
    <xsd:documentation>Ring</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RH">
  <xsd:annotation>
    <xsd:documentation>Running or Operating Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RK">
  <xsd:annotation>
    <xsd:documentation>Roll-Metric Measure</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RL">
  <xsd:annotation>
    <xsd:documentation>Roll</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Ream</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Ream-Metric Measure</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Round</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RP">
  <xsd:annotation>
    <xsd:documentation>Pounds per Ream</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>Resets</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RT">
  <xsd:annotation>
    <xsd:documentation>Revenue Ton Miles</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Run</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S1">
  <xsd:annotation>
    <xsd:documentation>Semester</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S2">
  <xsd:annotation>
    <xsd:documentation>Trimester</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S3">
  <xsd:annotation>
    <xsd:documentation>Square Feet per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S4">
  <xsd:annotation>
    <xsd:documentation>Square Meters per Second</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S5">
  <xsd:annotation>
    <xsd:documentation>Sixty-fourths of an Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S6">
  <xsd:annotation>
    <xsd:documentation>Sessions</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S7">
  <xsd:annotation>
    <xsd:documentation>Storage Units</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S8">
  <xsd:annotation>
    <xsd:documentation>Standard Advertising Units (SAUs)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="S9">
  <xsd:annotation>
    <xsd:documentation>Slip Sheet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sandwich</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>Square Mile</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Square Centimeter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Solid Pounds</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Section</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SF">
  <xsd:annotation>
    <xsd:documentation>Square Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Segment</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>Sheet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Square Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SJ">
  <xsd:annotation>
    <xsd:documentation>Sack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Split Tanktruck</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Sleeve</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Square Meter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Square Rod</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Spool</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SP">
  <xsd:annotation>
    <xsd:documentation>Shelf Package</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Square</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Strip</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Sheet-Metric Measure</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
```

```
<xsd:annotation>
  <xsd:documentation>Set</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Skid</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
    <xsd:documentation>Skein</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>Shipment</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>Square Yard</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>Syringe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T0">
  <xsd:annotation>
    <xsd:documentation>Telecommunications Lines in Service</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T1">
  <xsd:annotation>
    <xsd:documentation>Thousand pounds gross</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T2">
  <xsd:annotation>
    <xsd:documentation>Thousandths of an Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T3">
  <xsd:annotation>
    <xsd:documentation>Thousand Pieces</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T4">
  <xsd:annotation>
    <xsd:documentation>Thousand Bags</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T5">
  <xsd:annotation>
    <xsd:documentation>Thousand Casings</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T6">
  <xsd:annotation>
    <xsd:documentation>Thousand Gallons</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T7">
  <xsd:annotation>
    <xsd:documentation>Thousand Impressions</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T8">
  <xsd:annotation>
    <xsd:documentation>Thousand Linear Inches</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T9">
  <xsd:annotation>
    <xsd:documentation>Thousand Kilowatt Hours</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tenth Cubic Foot</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TB">
  <xsd:annotation>
    <xsd:documentation>Tube</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TC">
  <xsd:annotation>
    <xsd:documentation>Truckload</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>Therms</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Tote</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TF">
  <xsd:annotation>
    <xsd:documentation>Ten Square Yards</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Gross Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thousand</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Thousand Square Inches</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>Thousand Sq. Centimeters</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>Tank</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>Thousand Feet (Linear)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TM">
  <xsd:annotation>
    <xsd:documentation>Thousand Feet (Board)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Net Ton (2,000 LB).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Troy Ounce</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TP">
  <xsd:annotation>
```

```
<xsd:documentation>Ten-pack</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TQ">
<xsd:annotation>
<xsd:documentation>Thousand Feet</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TR">
<xsd:annotation>
<xsd:documentation>Ten Square Feet</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
<xsd:annotation>
<xsd:documentation>Thousand Square Feet</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
<xsd:annotation>
<xsd:documentation>Thousand Linear Meters</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TU">
<xsd:annotation>
<xsd:documentation>Thousand Linear Yards</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TV">
<xsd:annotation>
<xsd:documentation>Thousand Kilograms</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
<xsd:annotation>
<xsd:documentation>Thousand Sheets</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TX">
<xsd:annotation>
<xsd:documentation>Troy Pound</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
<xsd:annotation>
<xsd:documentation>Tray</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
<xsd:annotation>
<xsd:documentation>Thousand Cubic Feet</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="U1">
<xsd:annotation>
<xsd:documentation>Treatments</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="U2">
<xsd:annotation>
<xsd:documentation>Tablet</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="U3">
<xsd:annotation>
<xsd:documentation>Ten</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="U5">
<xsd:annotation>
<xsd:documentation>Two Hundred Fifty</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UA">
<xsd:annotation>
<xsd:documentation>Torr</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="UB">
  <xsd:annotation>
    <xsd:documentation>Telecommunications Lines in Service - Average</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UC">
  <xsd:annotation>
    <xsd:documentation>Telecommunications Ports</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UD">
  <xsd:annotation>
    <xsd:documentation>Tenth Minutes</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UE">
  <xsd:annotation>
    <xsd:documentation>Tenth Hours</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UF">
  <xsd:annotation>
    <xsd:documentation>Usage per Telecommunications Line - Average</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UH">
  <xsd:annotation>
    <xsd:documentation>Ten Thousand Yards</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UL">
  <xsd:annotation>
    <xsd:documentation>Unitless</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>Million Units</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UN">
  <xsd:annotation>
    <xsd:documentation>Unit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UP">
  <xsd:annotation>
    <xsd:documentation>Troche</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UQ">
  <xsd:annotation>
    <xsd:documentation>Wafer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UR">
  <xsd:annotation>
    <xsd:documentation>Application</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>Dosage Form</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UT">
  <xsd:annotation>
    <xsd:documentation>Inhalation</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UU">
  <xsd:annotation>
    <xsd:documentation>Lozenge</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UV">
  <xsd:annotation>
    <xsd:documentation>Percent Topical Only</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UW">
  <xsd:annotation>
    <xsd:documentation>Milliequivalent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UX">
  <xsd:annotation>
    <xsd:documentation>Dram (Minim)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>Fifty Square Feet</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>Fifty Count</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="V1">
  <xsd:annotation>
    <xsd:documentation>Flat</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="V2">
  <xsd:annotation>
    <xsd:documentation>Pouch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>Volt-ampere per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VC">
  <xsd:annotation>
    <xsd:documentation>Five Hundred</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>Vial</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VP">
  <xsd:annotation>
    <xsd:documentation>Percent Volume</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VR">
  <xsd:annotation>
    <xsd:documentation>Volt-ampere-reactive</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VS">
  <xsd:annotation>
    <xsd:documentation>Visit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="W2">
  <xsd:annotation>
    <xsd:documentation>Wet Kilo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>Watts per Kilogram</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WB">
  <xsd:annotation>
    <xsd:documentation>Wet Pound</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WD">
```



```
<xsd:annotation>
  <xsd:documentation>Work Days</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WE">
  <xsd:annotation>
    <xsd:documentation>Wet Ton</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WG">
  <xsd:annotation>
    <xsd:documentation>Wine Gallon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WH">
  <xsd:annotation>
    <xsd:documentation>Wheel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WI">
  <xsd:annotation>
    <xsd:documentation>Weight per Square Inch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WK">
  <xsd:annotation>
    <xsd:documentation>Week</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WM">
  <xsd:annotation>
    <xsd:documentation>Working Months</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WP">
  <xsd:annotation>
    <xsd:documentation>Pennyweight</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WR">
  <xsd:annotation>
    <xsd:documentation>Wrap</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WW">
  <xsd:annotation>
    <xsd:documentation>Milliliters of Water</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X1">
  <xsd:annotation>
    <xsd:documentation>Chains (Land Survey)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X2">
  <xsd:annotation>
    <xsd:documentation>Bunch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X3">
  <xsd:annotation>
    <xsd:documentation>Clove</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X4">
  <xsd:annotation>
    <xsd:documentation>Drop</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X5">
  <xsd:annotation>
    <xsd:documentation>Head</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X6">
  <xsd:annotation>
    <xsd:documentation>Heart</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="X7">
    <xsd:annotation>
        <xsd:documentation>Leaf</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X8">
    <xsd:annotation>
        <xsd:documentation>Loaf</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X9">
    <xsd:annotation>
        <xsd:documentation>Portion</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XP">
    <xsd:annotation>
        <xsd:documentation>Base Box per Pound</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y1">
    <xsd:annotation>
        <xsd:documentation>Slice</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y2">
    <xsd:annotation>
        <xsd:documentation>Tablespoon</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y3">
    <xsd:annotation>
        <xsd:documentation>Teaspoon</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y4">
    <xsd:annotation>
        <xsd:documentation>Tub</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YD">
    <xsd:annotation>
        <xsd:documentation>Yard</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YL">
    <xsd:annotation>
        <xsd:documentation>100 Lineal Yards</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YR">
    <xsd:annotation>
        <xsd:documentation>Years</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
    <xsd:annotation>
        <xsd:documentation>Ten Yards</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z1">
    <xsd:annotation>
        <xsd:documentation>Lift Van</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z2">
    <xsd:annotation>
        <xsd:documentation>Chest</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z3">
    <xsd:annotation>
        <xsd:documentation>Cask</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z4">
    <xsd:annotation>
```

```
<xsd:documentation>Hogshead</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z5">
<xsd:annotation>
<xsd:documentation>Lug</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z6">
<xsd:annotation>
<xsd:documentation>Conference Points</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Z8">
<xsd:annotation>
<xsd:documentation>Newspaper Agate Line</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
<xsd:annotation>
<xsd:documentation>Bimonthly</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZB">
<xsd:annotation>
<xsd:documentation>Biweekly</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZC">
<xsd:annotation>
<xsd:documentation>Semiannual</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZD">
<xsd:annotation>
<xsd:documentation>Kilojoule</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZE">
<xsd:annotation>
<xsd:documentation>Ping</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZP">
<xsd:annotation>
<xsd:documentation>Page</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZZ">
<xsd:annotation>
<xsd:documentation>Mutually Defined</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="355"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Unit or Basis for Measurement Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_438">
<xsd:annotation>
<xsd:documentation>Code (Universal Product Code - U.P.C.) including two high order digits identifying the "system" (U.S. Grocery = 00, 06 or 07; U.S. Drug = 03); using the U.S. Grocery system, the next ten digits are: Manufacturer (5) Case Code (5)</xsd:documentation>
</xsd:annotation>
<xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_235">
<xsd:annotation>
<xsd:documentation>Code identifying the type/source of the descriptive number used in Product/Service ID (234)</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:enumeration value="A1"/>
<xsd:enumeration value="A2"/>
<xsd:enumeration value="A4"/>
<xsd:enumeration value="FB"/>
<xsd:enumeration value="FS"/>
<xsd:enumeration value="FT"/>
```

```
<xsd:enumeration value="MG"/>
<xsd:enumeration value="YP"/>
<xsd:enumeration value="ZZ"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="235"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Product/Service ID Qualifier"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_234">
  <xsd:annotation>
    <xsd:documentation>Identifying number for a product or service</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="48"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="234"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Product/Service ID"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_235_1">
  <xsd:annotation>
    <xsd:documentation>Code identifying the type/source of the descriptive number used in Product/Service ID (234)</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="CN"/>
      <xsd:enumeration value="ZB"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="235"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Product/Service ID Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_59">
  <xsd:annotation>
    <xsd:documentation>Code indicating generalized classification that applies to one or more items in the shipment, i.e., class 70, 77.5, etc.</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_121">
  <xsd:annotation>
    <xsd:documentation>Code identifying specifically designated class of goods; Note: For international air shipments, see IATA Resolution 600k</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_23">
  <xsd:annotation>
    <xsd:documentation>Code identifying the commodity coding system used for Commodity Code</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_22">
  <xsd:annotation>
    <xsd:documentation>Code describing a commodity or group of commodities</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_416">
  <xsd:annotation>
    <xsd:documentation>Code indicating pallet and load structure; first three digits indicate the number of cases per layer, last three digits indicate the number of layers per pallet</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_451">
  <xsd:annotation>
    <xsd:documentation>Reference number assigned by the warehouse</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_286">
  <xsd:annotation>
```

```
<xsd:documentation>Code identifying condition of product/service</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
  <xsd:restriction base="EDI-Element-String-Type">
    <xsd:enumeration value="03"/>
    <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
    <xsd:attribute name="ID" type="xsd:string" fixed="286"/>
    <xsd:attribute name="Name" type="xsd:string" fixed="Product/Service Condition Code"/>
  </xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_235_2">
  <xsd:annotation>
    <xsd:documentation>Code identifying the type/source of the descriptive number used in Product/Service ID (234)</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_234_1">
  <xsd:annotation>
    <xsd:documentation>Identifying number for a product or service</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="S_N9">
  <xsd:annotation>
    <xsd:documentation>To transmit identifying information as specified by the Reference Identification Qualifier</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Reference_Identification_Qualifier" type="E_128"/>
    <xsd:element name="E_Reference_Identification" type="E_127"/>
    <xsd:element name="E_Free-form_Description" type="E_369" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Date" type="E_373_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Time" type="E_337_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Time_Code" type="E_623" nillable="true" minOccurs="0"/>
    <xsd:element name="C_Reference_Identifier" type="C_C040" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N9"/>
  <xsd:attribute name="Name" type="xsd:string" default="Reference Identification"/>
</xsd:complexType>
<xsd:complexType name="E_128">
  <xsd:annotation>
    <xsd:documentation>Code qualifying the Reference Identification</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="16"/>
      <xsd:enumeration value="1Y"/>
      <xsd:enumeration value="21"/>
      <xsd:enumeration value="4C"/>
      <xsd:enumeration value="87"/>
      <xsd:enumeration value="97"/>
      <xsd:enumeration value="AH"/>
      <xsd:enumeration value="CT"/>
      <xsd:enumeration value="PL"/>
      <xsd:enumeration value="TN"/>
      <xsd:enumeration value="W3"/>
      <xsd:enumeration value="WO"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="128"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Reference Identification Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_127">
  <xsd:annotation>
    <xsd:documentation>Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="50"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="127"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Reference Identification"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
</xsd:complexType>
<xsd:complexType name="E_369">
    <xsd:annotation>
        <xsd:documentation>Free-form descriptive text</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
        <xsd:restriction base="EDI-Element-String-Type">
            <xsd:minLength value="1"/>
            <xsd:maxLength value="45"/>
            <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
            <xsd:attribute name="ID" type="xsd:string" fixed="369"/>
            <xsd:attribute name="Name" type="xsd:string" fixed="Free-form Description"/>
        </xsd:restriction>
    </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_373_1">
    <xsd:annotation>
        <xsd:documentation>Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year</xsd:documentation>
    </xsd:annotation>
    <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_337_1">
    <xsd:annotation>
        <xsd:documentation>Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</xsd:documentation>
    </xsd:annotation>
    <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_623">
    <xsd:annotation>
        <xsd:documentation>Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow</xsd:documentation>
    </xsd:annotation>
    <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="C_C040">
    <xsd:annotation>
        <xsd:documentation>To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element name="E_Reference_Identification_Qualifier" type="E_128_1"/>
        <xsd:element name="E_Reference_Identification" type="E_127"/>
        <xsd:element name="E_Reference_Identification_Qualifier_1" type="E_128_2" nillable="true" minOccurs="0"/>
        <xsd:element name="E_Reference_Identification_1" type="E_127_1" nillable="true" minOccurs="0"/>
        <xsd:element name="E_Reference_Identification_Qualifier_2" type="E_128_2" nillable="true" minOccurs="0"/>
        <xsd:element name="E_Reference_Identification_2" type="E_127_1" nillable="true" minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute name="Type" type="xsd:string" default="Composite"/>
    <xsd:attribute name="ID" type="xsd:string" default="C040"/>
    <xsd:attribute name="Name" type="xsd:string" default="Reference Identifier"/>
</xsd:complexType>
<xsd:complexType name="E_128_1">
    <xsd:annotation>
        <xsd:documentation>Code qualifying the Reference Identification</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
        <xsd:restriction base="EDI-Element-String-Type">
            <xsd:enumeration value="1Y"/>
            <xsd:enumeration value="OQ"/>
            <xsd:enumeration value="W8"/>
            <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
            <xsd:attribute name="ID" type="xsd:string" fixed="128"/>
            <xsd:attribute name="Name" type="xsd:string" fixed="Reference Identification Qualifier"/>
        </xsd:restriction>
    </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_128_2">
    <xsd:annotation>
        <xsd:documentation>Code qualifying the Reference Identification</xsd:documentation>
    </xsd:annotation>
    <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_127_1">
    <xsd:annotation>
        <xsd:documentation>Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</xsd:documentation>
    </xsd:annotation>
```

```
</xsd:annotation>
<xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="S_NTE">
  <xsd:annotation>
    <xsd:documentation>To transmit information in a free-form format, if necessary, for comment or special instruction</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Note_Reference_Code" type="E_363" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Description" type="E_352"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="NTE"/>
  <xsd:attribute name="Name" type="xsd:string" default="Note/Special Instruction"/>
</xsd:complexType>
<xsd:complexType name="E_363">
  <xsd:annotation>
    <xsd:documentation>Code identifying the functional area or purpose for which the note applies</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="ORI"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="363"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Note Reference Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_352">
  <xsd:annotation>
    <xsd:documentation>A free-form description to clarify the related data elements and their content</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="80"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="352"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Description"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_QTY">
  <xsd:annotation>
    <xsd:documentation>To specify quantity information</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Quantity_Qualifier" type="E_673"/>
    <xsd:element name="E_Quantity" type="E_380"/>
    <xsd:element name="C_Composite_Unit_of_Measure" type="C_C001" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Free-Form_Message" type="E_61" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="QTY"/>
  <xsd:attribute name="Name" type="xsd:string" default="Quantity"/>
</xsd:complexType>
<xsd:complexType name="E_673">
  <xsd:annotation>
    <xsd:documentation>Code specifying the type of quantity</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="V1"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="673"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Quantity Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_380">
  <xsd:annotation>
    <xsd:documentation>Numeric value of quantity</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-Decimal-Type">
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="R"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="380"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Quantity"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="C_C001">
    <xsd:annotation>
        <xsd:documentation>To identify a composite unit of measure(See Figures Appendix for examples of use)</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element name="E_Unit_or_Basis_for_Measurement_Code" type="E_355_1"/>
        <xsd:element name="E_Exponent" type="E_1018"/>
    </xsd:sequence>
    <xsd:attribute name="Type" type="xsd:string" default="Composite"/>
    <xsd:attribute name="ID" type="xsd:string" default="C001"/>
    <xsd:attribute name="Name" type="xsd:string" default="Composite Unit of Measure"/>
</xsd:complexType>
<xsd:complexType name="E_355_1">
    <xsd:annotation>
        <xsd:documentation>Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken</xsd:documentation>
    </xsd:annotation>
</xsd:complexType>
<xsd:complexType name="E_1018">
    <xsd:annotation>
        <xsd:documentation>Power to which a unit is raised</xsd:documentation>
    </xsd:annotation>
</xsd:complexType>
<xsd:complexType name="E_61">
    <xsd:annotation>
        <xsd:documentation>Free-form information</xsd:documentation>
    </xsd:annotation>
    <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="S_AMT">
    <xsd:annotation>
        <xsd:documentation>To indicate the total monetary amount</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element name="E_Amount_Qualifier_Code" type="E_522"/>
        <xsd:element name="E_Monetary_Amount" type="E_782"/>
    </xsd:sequence>
    <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
    <xsd:attribute name="ID" type="xsd:string" default="AMT"/>
    <xsd:attribute name="Name" type="xsd:string" default="Monetary Amount"/>
</xsd:complexType>
<xsd:complexType name="E_522">
    <xsd:annotation>
        <xsd:documentation>Code to qualify amount</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
        <xsd:restriction base="EDI-Element-String-Type">
            <xsd:enumeration value="LI"/>
            <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
            <xsd:attribute name="ID" type="xsd:string" fixed="522"/>
            <xsd:attribute name="Name" type="xsd:string" fixed="Amount Qualifier Code"/>
        </xsd:restriction>
    </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_782">
    <xsd:annotation>
        <xsd:documentation>Monetary amount</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
        <xsd:restriction base="EDI-Element-Decimal-Type">
            <xsd:attribute name="EDIDataType" type="xsd:string" fixed="R"/>
            <xsd:attribute name="ID" type="xsd:string" fixed="782"/>
            <xsd:attribute name="Name" type="xsd:string" fixed="Monetary Amount"/>
        </xsd:restriction>
    </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_G62_1">
    <xsd:annotation>
        <xsd:documentation>To specify pertinent dates and times</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element name="E_Date_Qualifier" type="E_432_1"/>
        <xsd:element name="E_Date" type="E_373"/>
        <xsd:element name="E_Time_Qualifier" type="E_176_1" nillable="true" minOccurs="0"/>
        <xsd:element name="E_Time" type="E_337_1" nillable="true" minOccurs="0"/>
    </xsd:sequence>

```

```
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Segment"/>
<xsd:attribute name="ID" type="xsd:string" default="G62"/>
<xsd:attribute name="Name" type="xsd:string" default="Date/Time"/>
</xsd:complexType>
<xsd:complexType name="E_432_1">
  <xsd:annotation>
    <xsd:documentation>Code specifying type of date</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="09"/>
      <xsd:enumeration value="11"/>
      <xsd:enumeration value="36"/>
      <xsd:enumeration value="53"/>
      <xsd:enumeration value="54"/>
      <xsd:enumeration value="BD"/>
      <xsd:enumeration value="BF"/>
      <xsd:enumeration value="LD"/>
      <xsd:enumeration value="TR"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="432"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Date Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_176_1">
  <xsd:annotation>
    <xsd:documentation>Code specifying the reported time</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="S_G66">
  <xsd:annotation>
    <xsd:documentation>To specify transportation instructions relating to the shipment</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Shipment_Method_of_Payment" type="E_146" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Transportation_Method_Type_Code" type="E_91" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="G66"/>
  <xsd:attribute name="Name" type="xsd:string" default="Transportation Instructions"/>
</xsd:complexType>
<xsd:complexType name="E_146">
  <xsd:annotation>
    <xsd:documentation>Code identifying payment terms for transportation charges</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="E_91">
  <xsd:annotation>
    <xsd:documentation>Code specifying the method or type of transportation for the shipment</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="6">
        <xsd:annotation>
          <xsd:documentation>Military Official Mail</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="7">
        <xsd:annotation>
          <xsd:documentation>Mail</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="A">
        <xsd:annotation>
          <xsd:documentation>Air</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="B">
        <xsd:annotation>
          <xsd:documentation>Barge</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="C">
        <xsd:annotation>

```

```
<xsd:documentation>Consolidation</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="D">
  <xsd:annotation>
    <xsd:documentation>Parcel Post</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="E">
  <xsd:annotation>
    <xsd:documentation>Expedited Truck</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="F">
  <xsd:annotation>
    <xsd:documentation>Flyaway</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="G">
  <xsd:annotation>
    <xsd:documentation>Consignee Option</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="H">
  <xsd:annotation>
    <xsd:documentation>Customer Pickup</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="I">
  <xsd:annotation>
    <xsd:documentation>Common Irregular Carrier</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="J">
  <xsd:annotation>
    <xsd:documentation>Motor</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="K">
  <xsd:annotation>
    <xsd:documentation>Backhaul</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="L">
  <xsd:annotation>
    <xsd:documentation>Contract Carrier</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="M">
  <xsd:annotation>
    <xsd:documentation>Motor (Common Carrier)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="N">
  <xsd:annotation>
    <xsd:documentation>Private Vessel</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="O">
  <xsd:annotation>
    <xsd:documentation>Containerized Ocean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="P">
  <xsd:annotation>
    <xsd:documentation>Private Carrier</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Q">
  <xsd:annotation>
    <xsd:documentation>Conventional Ocean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="R">
  <xsd:annotation>
    <xsd:documentation>Rail</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="S">
  <xsd:annotation>
    <xsd:documentation>Ocean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="T">
  <xsd:annotation>
    <xsd:documentation>Best Way (Shippers Option)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="U">
  <xsd:annotation>
    <xsd:documentation>Private Parcel Service</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="W">
  <xsd:annotation>
    <xsd:documentation>Inland Waterway</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="X">
  <xsd:annotation>
    <xsd:documentation>Intermodal (Piggyback)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y">
  <xsd:annotation>
    <xsd:documentation>Military Intratheater Airlift Service</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AC">
  <xsd:annotation>
    <xsd:documentation>Air Charter</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Air Express</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Air Freight</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AH">
  <xsd:annotation>
    <xsd:documentation>Air Taxi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AP">
  <xsd:annotation>
    <xsd:documentation>Air (Package Carrier)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Armed Forces Courier Service (ARFCOS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>Breakbulk Ocean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BP">
  <xsd:annotation>
    <xsd:documentation>Book Postal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BU">
  <xsd:annotation>
    <xsd:documentation>Bus</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>Commingled Ocean</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
    <xsd:annotation>
        <xsd:documentation>Customer Pickup / Customer's Expense</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
    <xsd:annotation>
        <xsd:documentation>Driveaway Service</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DW">
    <xsd:annotation>
        <xsd:documentation>Driveaway, Truckaway, Towaway</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ED">
    <xsd:annotation>
        <xsd:documentation>Air Mobility Command (AMC) Channel and Special Assignment Airlift Mission</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
    <xsd:annotation>
        <xsd:documentation>Air Freight Forwarder</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FL">
    <xsd:annotation>
        <xsd:documentation>Motor (Flatbed)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
    <xsd:annotation>
        <xsd:documentation>Geographic Receiving/Shipping</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
    <xsd:annotation>
        <xsd:documentation>Geographic Receiving</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GS">
    <xsd:annotation>
        <xsd:documentation>Geographic Shipping</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HH">
    <xsd:annotation>
        <xsd:documentation>Household Goods Truck</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IP">
    <xsd:annotation>
        <xsd:documentation>Intermodal (Personal Property)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
    <xsd:annotation>
        <xsd:documentation>Military Air</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LD">
    <xsd:annotation>
        <xsd:documentation>Local Delivery</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
    <xsd:annotation>
        <xsd:documentation>Less Than Trailer Load (LTL)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MB">
    <xsd:annotation>
        <xsd:documentation>Motor (Bulk Carrier)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MP">
```

```
<xsd:annotation>
  <xsd:documentation>Motor (Package Carrier)</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Military Sealift Command (MSC)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Pooled Air</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>Pooled Piggyback</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Pipeline</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PP">
  <xsd:annotation>
    <xsd:documentation>Pool to Pool</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>Pooled Rail</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Pooled Truck</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RC">
  <xsd:annotation>
    <xsd:documentation>Rail, Less than Carload</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Ocean (Roll on - Roll off)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RR">
  <xsd:annotation>
    <xsd:documentation>Roadrailer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>Shipper Agent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Shipper Agent (Truck)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Shipper Association</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Sea/Air</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SF">
  <xsd:annotation>
    <xsd:documentation>Surface Freight Forwarder</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="SR">
    <xsd:annotation>
        <xsd:documentation>Supplier Truck</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
    <xsd:annotation>
        <xsd:documentation>Steamship</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
    <xsd:annotation>
        <xsd:documentation>Stack Train</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
    <xsd:annotation>
        <xsd:documentation>Towaway Service</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TC">
    <xsd:annotation>
        <xsd:documentation>Cab (Taxi)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
    <xsd:annotation>
        <xsd:documentation>Tank Truck</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
    <xsd:annotation>
        <xsd:documentation>Motor (Van)</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
    <xsd:annotation>
        <xsd:documentation>Vessel, Ocean</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VL">
    <xsd:annotation>
        <xsd:documentation>Vessel, Lake</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WP">
    <xsd:annotation>
        <xsd:documentation>Water or Pipeline Intermodal Movement</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y1">
    <xsd:annotation>
        <xsd:documentation>Ocean Conference Carrier</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Y2">
    <xsd:annotation>
        <xsd:documentation>Ocean Non-Conference Carrier</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZZ">
    <xsd:annotation>
        <xsd:documentation>Mutually defined</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="91"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Transportation Method/Type Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_N1">
    <xsd:annotation>
        <xsd:documentation>To identify a party by type of organization, name, and code</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element name="S_Name" type="S_N1_1"/>
```

```
<xsd:element name="S_Additional_Name_Information" type="S_N2" nillable="true" minOccurs="0"/>
<xsd:element name="S_Address_Information" type="S_N3" nillable="true" minOccurs="0"/>
<xsd:element name="S_Geographic_Location" type="S_N4" nillable="true" minOccurs="0"/>
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Loop"/>
<xsd:attribute name="ID" type="xsd:string" default="N1"/>
<xsd:attribute name="Name" type="xsd:string" default="Name"/>
</xsd:complexType>
<xsd:complexType name="S_N1_1">
  <xsd:annotation>
    <xsd:documentation>To identify a party by type of organization, name, and code</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Entity_Identifier_Code" type="E_98_2"/>
    <xsd:element name="E_Name" type="E_93_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Identification_Code_Qualifier" type="E_66_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Identification_Code" type="E_67" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Entity_Relationship_Code" type="E_706" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Entity_Identifier_Code_1" type="E_98_3" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N1"/>
  <xsd:attribute name="Name" type="xsd:string" default="Name"/>
</xsd:complexType>
<xsd:complexType name="E_98_2">
  <xsd:annotation>
    <xsd:documentation>Code identifying an organizational entity, a physical location, property or an individual</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="BS"/>
      <xsd:enumeration value="BT"/>
      <xsd:enumeration value="CN"/>
      <xsd:enumeration value="DA"/>
      <xsd:enumeration value="IF"/>
      <xsd:enumeration value="LG"/>
      <xsd:enumeration value="SB"/>
      <xsd:enumeration value="ST"/>
      <xsd:enumeration value="WL"/>
      <xsd:enumeration value="Z1"/>
      <xsd:enumeration value="Z7"/>
      <xsd:enumeration value="ID"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="98"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Entity Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_93_1">
  <xsd:annotation>
    <xsd:documentation>Free-form name</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="60"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="93"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Name"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_66_1">
  <xsd:annotation>
    <xsd:documentation>Code designating the system/method of code structure used for Identification Code (67)</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="1"/>
      <xsd:enumeration value="9"/>
      <xsd:enumeration value="10"/>
      <xsd:enumeration value="A2"/>
      <xsd:enumeration value="M4"/>
      <xsd:enumeration value="UR"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="66"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Identification Code Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_98_3">
  <xsd:annotation>
    <xsd:documentation>Code identifying an organizational entity, a physical location, property or an individual</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="TO"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="98"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Entity Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_N2">
  <xsd:annotation>
    <xsd:documentation>To specify additional names</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Name" type="E_93_1"/>
    <xsd:element name="E_Name_1" type="E_93_1" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N2"/>
  <xsd:attribute name="Name" type="xsd:string" default="Additional Name Information"/>
</xsd:complexType>
<xsd:complexType name="S_N3">
  <xsd:annotation>
    <xsd:documentation>To specify the location of the named party</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Address_Information" type="E_166"/>
    <xsd:element name="E_Address_Information_1" type="E_166" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N3"/>
  <xsd:attribute name="Name" type="xsd:string" default="Address Information"/>
</xsd:complexType>
<xsd:complexType name="E_166">
  <xsd:annotation>
    <xsd:documentation>Address information</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="55"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="166"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Address Information"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_N4">
  <xsd:annotation>
    <xsd:documentation>To specify the geographic place of the named party</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_City_Name" type="E_19" nillable="true" minOccurs="0"/>
    <xsd:element name="E_State_or_Province_Code" type="E_156" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Postal_Code" type="E_116" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Country_Code" type="E_26" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Location_Qualifier" type="E_309" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Location_Identifier" type="E_310" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N4"/>
  <xsd:attribute name="Name" type="xsd:string" default="Geographic Location"/>
</xsd:complexType>
<xsd:complexType name="E_19">
  <xsd:annotation>
    <xsd:documentation>Free-form text for city name</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="2"/>
      <xsd:maxLength value="30"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
<xsd:attribute name="ID" type="xsd:string" fixed="19"/>
<xsd:attribute name="Name" type="xsd:string" fixed="City Name"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_156">
<xsd:annotation>
<xsd:documentation>Code (Standard State/Province) as defined by appropriate government agency</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="2"/>
<xsd:maxLength value="2"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="156"/>
<xsd:attribute name="Name" type="xsd:string" fixed="State or Province Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_116">
<xsd:annotation>
<xsd:documentation>Code defining international postal zone code excluding punctuation and blanks (zip code for United States)</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="3"/>
<xsd:maxLength value="15"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="116"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Postal Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_26">
<xsd:annotation>
<xsd:documentation>Code identifying the country</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="2"/>
<xsd:maxLength value="3"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="26"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Country Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_309">
<xsd:annotation>
<xsd:documentation>Code identifying type of location</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:enumeration value="IP"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="309"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Location Qualifier"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_310">
<xsd:annotation>
<xsd:documentation>Code which identifies a specific location</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="1"/>
<xsd:maxLength value="30"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
<xsd:attribute name="ID" type="xsd:string" fixed="310"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Location Identifier"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_0320">
<xsd:annotation>
<xsd:documentation>To transmit standard code list identification information</xsd:documentation>
</xsd:annotation>
```

```
<xsd:sequence>
  <xsd:element name="S_Code_Source_Information" type="S_LM"/>
  <xsd:element name="S_Industry_Code" type="S_LQ" maxOccurs="100"/>
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Loop"/>
<xsd:attribute name="ID" type="xsd:string" default="0320"/>
<xsd:attribute name="Name" type="xsd:string" default="Code Source Information"/>
</xsd:complexType>
<xsd:complexType name="S_LM">
  <xsd:annotation>
    <xsd:documentation>To transmit standard code list identification information</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Agency_Qualifier_Code" type="E_559"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="LM"/>
  <xsd:attribute name="Name" type="xsd:string" default="Code Source Information"/>
</xsd:complexType>
<xsd:complexType name="E_559">
  <xsd:annotation>
    <xsd:documentation>Code identifying the agency assigning the code values</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="DF"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="559"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Agency Qualifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_LQ">
  <xsd:annotation>
    <xsd:documentation>Code to transmit standard industry codes</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Code_List_Qualifier_Code" type="E_1270"/>
    <xsd:element name="E_Industry_Code" type="E_1271"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="LQ"/>
  <xsd:attribute name="Name" type="xsd:string" default="Industry Code"/>
</xsd:complexType>
<xsd:complexType name="E_1270">
  <xsd:annotation>
    <xsd:documentation>Code identifying a specific industry code list</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="0"/>
      <xsd:enumeration value="67"/>
      <xsd:enumeration value="71"/>
      <xsd:enumeration value="78"/>
      <xsd:enumeration value="79"/>
      <xsd:enumeration value="80"/>
      <xsd:enumeration value="83"/>
      <xsd:enumeration value="84"/>
      <xsd:enumeration value="85"/>
      <xsd:enumeration value="87"/>
      <xsd:enumeration value="88"/>
      <xsd:enumeration value="90"/>
      <xsd:enumeration value="91"/>
      <xsd:enumeration value="92"/>
      <xsd:enumeration value="93"/>
      <xsd:enumeration value="94"/>
      <xsd:enumeration value="95"/>
      <xsd:enumeration value="97"/>
      <xsd:enumeration value="99"/>
      <xsd:enumeration value="A1"/>
      <xsd:enumeration value="A2"/>
      <xsd:enumeration value="A3"/>
      <xsd:enumeration value="A4"/>
      <xsd:enumeration value="A5"/>
      <xsd:enumeration value="A6"/>
      <xsd:enumeration value="A7"/>
      <xsd:enumeration value="A8"/>
      <xsd:enumeration value="A9"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
<xsd:enumeration value="AJ"/>
<xsd:enumeration value="AK"/>
<xsd:enumeration value="AL"/>
<xsd:enumeration value="BD"/>
<xsd:enumeration value="DE"/>
<xsd:enumeration value="DF"/>
<xsd:enumeration value="FD"/>
<xsd:enumeration value="GQ"/>
<xsd:enumeration value="HD"/>
<xsd:enumeration value="NP"/>
<xsd:enumeration value="RC"/>
<xsd:enumeration value="ZZ"/>
<xsd:enumeration value="COG"/>
<xsd:enumeration value="IMC"/>
<xsd:enumeration value="MCC"/>
<xsd:enumeration value="SMI"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="1270"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Code List Qualifier Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_1271">
  <xsd:annotation>
    <xsd:documentation>Code indicating a code from a specific industry code list</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="30"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="1271"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Industry Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_LS">
  <xsd:annotation>
    <xsd:documentation>To indicate that the next segment begins a loop</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Loop_Identifier_Code" type="E_447"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="LS"/>
  <xsd:attribute name="Name" type="xsd:string" default="Loop Header"/>
</xsd:complexType>
<xsd:complexType name="E_447">
  <xsd:annotation>
    <xsd:documentation>The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:minLength value="1"/>
      <xsd:maxLength value="6"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="447"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Loop Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="L_0330">
  <xsd:annotation>
    <xsd:documentation>To reference a line number in a transaction set</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="S_Assigned_Number" type="S_LX"/>
    <xsd:element name="S_Reference_Identification" type="S_N9_1" nillable="true" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="S_Date_Time" type="S_G62_2" nillable="true" minOccurs="0" maxOccurs="10"/>
    <xsd:element name="S_Name" type="S_N1_2" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Loop"/>
  <xsd:attribute name="ID" type="xsd:string" default="0330"/>
  <xsd:attribute name="Name" type="xsd:string" default="Assigned Number"/>
</xsd:complexType>
<xsd:complexType name="S_N9_1">
  <xsd:annotation>
```

```
<xsd:documentation>To transmit identifying information as specified by the Reference Identification Qualifier</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element name="E_Reference_Identification_Qualifier" type="E_128_3"/>
  <xsd:element name="E_Reference_Identification" type="E_127"/>
  <xsd:element name="E_Free-form_Description" type="E_369_1" nillable="true" minOccurs="0"/>
  <xsd:element name="E_Date" type="E_373_1" nillable="true" minOccurs="0"/>
  <xsd:element name="E_Time" type="E_337_1" nillable="true" minOccurs="0"/>
  <xsd:element name="E_Time_Code" type="E_623" nillable="true" minOccurs="0"/>
  <xsd:element name="C_Reference_Identifier" type="C_C040_1" nillable="true" minOccurs="0"/>
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Segment"/>
<xsd:attribute name="ID" type="xsd:string" default="N9"/>
<xsd:attribute name="Name" type="xsd:string" default="Reference Identification"/>
</xsd:complexType>
<xsd:complexType name="E_128_3">
  <xsd:annotation>
    <xsd:documentation>Code qualifying the Reference Identification</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="BT"/>
      <xsd:enumeration value="LT"/>
      <xsd:enumeration value="SE"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="128"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Reference Identification Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_369_1">
  <xsd:annotation>
    <xsd:documentation>Free-form descriptive text</xsd:documentation>
  </xsd:annotation>
  <xsd:attribute name="Type" type="xsd:string" default="Element"/>
</xsd:complexType>
<xsd:complexType name="C_C040_1">
  <xsd:annotation>
    <xsd:documentation>To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Reference_Identification_Qualifier" type="E_128_4"/>
    <xsd:element name="E_Reference_Identification" type="E_127_2"/>
    <xsd:element name="E_Reference_Identification_Qualifier_1" type="E_128_4"/>
    <xsd:element name="E_Reference_Identification_1" type="E_127_2"/>
    <xsd:element name="E_Reference_Identification_Qualifier_2" type="E_128_4"/>
    <xsd:element name="E_Reference_Identification_2" type="E_127_2"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Composite"/>
  <xsd:attribute name="ID" type="xsd:string" default="C040"/>
  <xsd:attribute name="Name" type="xsd:string" default="Reference Identifier"/>
</xsd:complexType>
<xsd:complexType name="E_128_4">
  <xsd:annotation>
    <xsd:documentation>Code qualifying the Reference Identification</xsd:documentation>
  </xsd:annotation>
</xsd:complexType>
<xsd:complexType name="E_127_2">
  <xsd:annotation>
    <xsd:documentation>Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</xsd:documentation>
  </xsd:annotation>
  </xsd:complexType>
<xsd:complexType name="S_G62_2">
  <xsd:annotation>
    <xsd:documentation>To specify pertinent dates and times</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Date_Qualifier" type="E_432_2"/>
    <xsd:element name="E_Date" type="E_373"/>
    <xsd:element name="E_Time_Qualifier" type="E_176_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Time" type="E_337_1" nillable="true" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="G62"/>
  <xsd:attribute name="Name" type="xsd:string" default="Date/Time"/>
</xsd:complexType>
<xsd:complexType name="E_432_2">
```

```
<xsd:annotation>
  <xsd:documentation>Code specifying type of date</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
  <xsd:restriction base="EDI-Element-String-Type">
    <xsd:enumeration value="36"/>
    <xsd:enumeration value="BF"/>
    <xsd:enumeration value="BK"/>
    <xsd:enumeration value="BL"/>
    <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
    <xsd:attribute name="ID" type="xsd:string" fixed="432"/>
    <xsd:attribute name="Name" type="xsd:string" fixed="Date Qualifier"/>
  </xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_N1_2">
  <xsd:annotation>
    <xsd:documentation>To identify a party by type of organization, name, and code</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Entity_Identifier_Code" type="E_98_4"/>
    <xsd:element name="E_Name" type="E_93_1" nillable="true" minOccurs="0"/>
    <xsd:element name="E_Identification_Code_Qualifier" type="E_66_2"/>
    <xsd:element name="E_Identification_Code" type="E_67"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="N1"/>
  <xsd:attribute name="Name" type="xsd:string" default="Name"/>
</xsd:complexType>
<xsd:complexType name="E_98_4">
  <xsd:annotation>
    <xsd:documentation>Code identifying an organizational entity, a physical location, property or an individual</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="MF"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="98"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Entity Identifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_66_2">
  <xsd:annotation>
    <xsd:documentation>Code designating the system/method of code structure used for Identification Code (67)</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="33"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="66"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Identification Code Qualifier"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_LE">
  <xsd:annotation>
    <xsd:documentation>To indicate that the loop immediately preceding this segment is complete</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Loop_Identifier_Code" type="E_447"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="LE"/>
  <xsd:attribute name="Name" type="xsd:string" default="Loop Trailer"/>
</xsd:complexType>
<xsd:complexType name="L_0340">
  <xsd:annotation>
    <xsd:documentation>To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="S_Type_of_Financial_Accounting_Data" type="S_FA1"/>
    <xsd:element name="S_Accounting_Data" type="S_FA2" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Loop"/>
  <xsd:attribute name="ID" type="xsd:string" default="0340"/>
  <xsd:attribute name="Name" type="xsd:string" default="Type of Financial Accounting Data"/>
</xsd:complexType>
```

```
</xsd:complexType>
<xsd:complexType name="S_FA1">
  <xsd:annotation>
    <xsd:documentation>To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Agency_Qualifier_Code" type="E_559_1"/>
    <xsd:element name="E_Service_Promotion_Allowance_or_Charge_Code" type="E_1300"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="FA1"/>
  <xsd:attribute name="Name" type="xsd:string" default="Type of Financial Accounting Data"/>
</xsd:complexType>
<xsd:complexType name="E_559_1">
  <xsd:annotation>
    <xsd:documentation>Code identifying the agency assigning the code values</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="DF"/>
      <xsd:enumeration value="DN"/>
      <xsd:enumeration value="DY"/>
      <xsd:enumeration value="DZ"/>
      <xsd:enumeration value="FG"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="559"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Agency Qualifier Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_1300">
  <xsd:annotation>
    <xsd:documentation>Code identifying the service, promotion, allowance, or charge</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="A170"/>
      <xsd:enumeration value="A520"/>
      <xsd:enumeration value="C930"/>
      <xsd:enumeration value="D340"/>
      <xsd:enumeration value="F060"/>
      <xsd:enumeration value="F560"/>
      <xsd:enumeration value="I260"/>
      <xsd:enumeration value="R060"/>
      <xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
      <xsd:attribute name="ID" type="xsd:string" fixed="1300"/>
      <xsd:attribute name="Name" type="xsd:string" fixed="Service, Promotion, Allowance, or Charge Code"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_FA2">
  <xsd:annotation>
    <xsd:documentation>To specify the detailed accounting data</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="E_Breakdown_Structure_Detail_Code" type="E_1196"/>
    <xsd:element name="E_Financial_Information_Code" type="E_1195"/>
  </xsd:sequence>
  <xsd:attribute name="Type" type="xsd:string" default="Segment"/>
  <xsd:attribute name="ID" type="xsd:string" default="FA2"/>
  <xsd:attribute name="Name" type="xsd:string" default="Accounting Data"/>
</xsd:complexType>
<xsd:complexType name="E_1196">
  <xsd:annotation>
    <xsd:documentation>Codes identifying details relating to a reporting breakdown structure tree</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:restriction base="EDI-Element-String-Type">
      <xsd:enumeration value="18"/>
      <xsd:enumeration value="A1"/>
      <xsd:enumeration value="A2"/>
      <xsd:enumeration value="A3"/>
      <xsd:enumeration value="A4"/>
      <xsd:enumeration value="A5"/>
      <xsd:enumeration value="A6"/>
      <xsd:enumeration value="B1"/>
      <xsd:enumeration value="B2"/>
    </xsd:restriction>
  </xsd:simpleContent>
</xsd:complexType>
```

```
<xsd:enumeration value="B5"/>
<xsd:enumeration value="BL"/>
<xsd:enumeration value="C1"/>
<xsd:enumeration value="C2"/>
<xsd:enumeration value="C3"/>
<xsd:enumeration value="D1"/>
<xsd:enumeration value="D2"/>
<xsd:enumeration value="D3"/>
<xsd:enumeration value="D4"/>
<xsd:enumeration value="D5"/>
<xsd:enumeration value="D6"/>
<xsd:enumeration value="D7"/>
<xsd:enumeration value="E1"/>
<xsd:enumeration value="E2"/>
<xsd:enumeration value="E3"/>
<xsd:enumeration value="F1"/>
<xsd:enumeration value="F2"/>
<xsd:enumeration value="F3"/>
<xsd:enumeration value="F4"/>
<xsd:enumeration value="G1"/>
<xsd:enumeration value="G2"/>
<xsd:enumeration value="H1"/>
<xsd:enumeration value="H2"/>
<xsd:enumeration value="H3"/>
<xsd:enumeration value="H4"/>
<xsd:enumeration value="I1"/>
<xsd:enumeration value="J1"/>
<xsd:enumeration value="L1"/>
<xsd:enumeration value="N1"/>
<xsd:enumeration value="P1"/>
<xsd:enumeration value="P2"/>
<xsd:enumeration value="P3"/>
<xsd:enumeration value="ZZ"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="ID"/>
<xsd:attribute name="ID" type="xsd:string" fixed="1196"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Breakdown Structure Detail Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="E_1195">
<xsd:annotation>
<xsd:documentation>Code representing financial accounting information</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="1"/>
<xsd:maxLength value="80"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="AN"/>
<xsd:attribute name="ID" type="xsd:string" fixed="1195"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Financial Information Code"/>
</xsd:restriction>
</xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="S_SE">
<xsd:annotation>
<xsd:documentation>To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
<xsd:element name="E_Number_of_Included_Segments" type="E_96"/>
<xsd:element name="E_Transaction_Set_Control_Number" type="E_329"/>
</xsd:sequence>
<xsd:attribute name="Type" type="xsd:string" default="Segment"/>
<xsd:attribute name="ID" type="xsd:string" default="SE"/>
<xsd:attribute name="Name" type="xsd:string" default="Transaction Set Trailer"/>
</xsd:complexType>
<xsd:complexType name="E_96">
<xsd:annotation>
<xsd:documentation>Total number of segments included in a transaction set including ST and SE segments</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
<xsd:restriction base="EDI-Element-String-Type">
<xsd:minLength value="1"/>
<xsd:maxLength value="10"/>
<xsd:attribute name="EDIDataType" type="xsd:string" fixed="N0"/>
<xsd:attribute name="ID" type="xsd:string" fixed="96"/>
<xsd:attribute name="Name" type="xsd:string" fixed="Number of Included Segments"/>
</xsd:restriction>
```

```
</xsd:simpleContent>
</xsd:complexType>
</xsd:schema>
```