830 Planning Schedule with Release Capability

Functional Group=**PS**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Planning Schedule with Release Capability Transaction Set (830) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business practice relative to the transfer of forecasting/material release information between organizations. The planning schedule transaction may be used in various ways or in a combination of ways, such as: (1) a simple forecast; (2) a forecast with the buyer's authorization for the seller to commit to resources, such as labor or material; (3) a forecast that is also used as an order release mechanism, containing such elements as resource authorizations, period-to-date cumulative quantities, and specific ship/delivery patterns for requirements that have been represented in "buckets," such as weekly, monthly, or quarterly. The order release forecast may also contain all data related to purchase orders, as required, because the order release capability eliminates the need for discrete generation of purchase orders.

DLMS Note:

1. Organizations use this transaction set to transmit Special Program Requirements (SPRs) to Inventory Control Points (ICPs)/Integrated Material Managers (IMMs). In using this transaction set, use a single occurrence of this transaction set to transmit SPR transactions to one or more ICPs/IMMs. This transaction encompasses the functionality of MILSTRAP Document Identifier Codes (DIC) DYA, DYB, DYC, DYD, DYG, DYH, DYJ, DYL, and DYM. Additionally, use one occurrence of this transaction set to transmit a single or multiple transactions.

2. DLSS functionality allows for Service or Agency data in various RP(s). Data conveyed therein will require Service or Agency identification to Defense Logistics Management Standards and incorporation into the DLMS.

3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at www.dla.mil/does/DLMS.

4. This DLMS Implementation Convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

5. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Changes (ADCs) listed. PDCs and ADCs are available from the DEDSO Web site: http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/

- ADC 287, Administrative Update to DLMS Supplement 830R (Version 4010), Special Program Requirements (SPR), 870L SPR/LASE Status, and DLMS Manual (Supply/MILSTRAP)

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on August 04, 2015

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on December 28, 2016

- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates

- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on October 31, 2018

- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions

- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on March 1, 2022

- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow

Heading:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	М	1			Must use
20	BFR	Beginning Segment for Planning Schedule	Μ	1			Must use
* 25	XPO	Preassigned Purchase Order Numbers	0	>1			Not Used

DLMS Implementation Convention (IC) 830R Special Program Requirements

ADC 287, 436, 1043C, 1287, 1367 and 1412 DLM 4000.25

<u>Pos</u>	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 40	CUR	Currency	0	1			Not Used
* 50	REF	Reference Identification	0	12			Not Used
* 60	PER	Administrative Communications Contact	0	3			Not Used
* 70	TAX	Tax Reference	0	3			Not Used
* 80	FOB	F.O.B. Related Instructions	0	1			Not Used
* 90	CTP	Pricing Information	0	25			Not Used
* 100	SAC	Service, Promotion, Allowance, or Charge Information	0	25			Not Used
* 110	CSH	Sales Requirements	0	1			Not Used
* 120	ITD	Terms of Sale/Deferred Terms of Sale	0	2			Not Used
* 130	DTM	Date/Time Reference	0	10			Not Used
* 140	PID	Product/Item Description	0	200			Not Used
* 150	MEA	Measurements	0	40			Not Used
* 160	PWK	Paperwork	0	25			Not Used
* 170	PKG	Marking, Packaging, Loading	0	25			Not Used
* 180	TD1	Carrier Details (Quantity and Weight)	0	2			Not Used
* 190	TD5	Carrier Details (Routing Sequence/Transit Time)	0	12			Not Used
* 200	TD3	Carrier Details (Equipment)	0	12			Not Used
* 210	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	0	5			Not Used
* 220	MAN	Marks and Numbers	0	10			Not Used
LOOP II	<u>D - N1</u>				<u>200</u>		
230	N1	Name	0	1			Must use
* 240	N2	Additional Name Information	0	2			Not Used
* 250	N3	Address Information	0	2			Not Used
* 260	N4	Geographic Location	0	1			Not Used
* 270	REF	Reference Identification	0	12			Not Used
* 280	PER	Administrative Communications Contact	0	3			Not Used
* 290	FOB	F.O.B. Related Instructions	0	1			Not Used
<u>* LOOP</u>	ID - LM				<u>>1</u>		
* 300	LM	Code Source Information	0	1			Not Used
310	LQ	Industry Code	М	100			Must use

Detail:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID) - LIN				<u>>1</u>		
10	LIN	Item Identification	М	1			Must use
* 20	UIT	Unit Detail	0	1			Not Used
* 21	DTM	Date/Time Reference	0	10			Not Used
* 30	CUR	Currency	0	1			Not Used
* 60	PO3	Additional Item Detail	0	25			Not Used
* 70	CTP	Pricing Information	0	25			Not Used
* 80	PID	Product/Item Description	0	1000			Not Used
* 90	MEA	Measurements	0	40			Not Used
100	PWK	Paperwork	0	25			Used
* 110	PKG	Marking, Packaging, Loading	0	25			Not Used
* 120	PO4	Item Physical Details	0	1			Not Used
* 130	PRS	Part Release Status	0	1			Not Used
140	REF	Reference Identification	0	12			Must use
* 150	PER	Administrative Communications	0	3			Not Used

DLMS Implementation Convention (IC) 830R Special Program Requirements

ADC 287, 436, 1043C, 1287, 1367 and 1412 DLM 4000.25

<u>Pos</u>	<u>ld</u>	<u>Segment Name</u> Contact	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 170	SAC	Service, Promotion, Allowance, or Charge Information	0	25			Not Used
* 180	ITD	Terms of Sale/Deferred Terms of Sale	0	2			Not Used
* 190	TAX	Tax Reference	0	3			Not Used
* 200	FOB	F.O.B. Related Instructions	0	1			Not Used
* 210	LDT	Lead Time	0	12			Not Used
* 220	QTY	Quantity	0	>1		N2/220	Not Used
* 230	ATH	Resource Authorization	0	20			Not Used
* 240	TD1	Carrier Details (Quantity and Weight)	0	1			Not Used
* 250	TD5	Carrier Details (Routing Sequence/Transit Time)	0	12			Not Used
* 260	TD3	Carrier Details (Equipment)	0	12			Not Used
* 270	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	0	5			Not Used
* 280	MAN	Marks and Numbers	0	10			Not Used
* 290	DD	Demand Detail	0	10			Not Used
<u>* LOOP</u>	ID - SLN				<u>100</u>		
* 300	SLN	Subline Item Detail	0	1			Not Used
* 310	PID	Product/Item Description	0	1000			Not Used
* 315	NM1	Individual or Organizational Name	0	10			Not Used
LOOP II) - N1				200		
320	 N1	Name	0	1			Must use
* 330	N2	Additional Name Information	0	2			Not Used
* 340	N3	Address Information	0	2			Not Used
* 350	N4	Geographic Location	0	1			Not Used
* 360	REF	Reference Identification	0	12			Not Used
* 370	PER	Administrative Communications Contact	0	3			Not Used
* 380	FOB	F.O.B. Related Instructions	0	1			Not Used
LOOP II	D - LM				<u>>1</u>		
390	LM	Code Source Information	0	1			Must use
400	LQ	Industry Code	M	100			Must use
	•	,				N0/4401	
LOOP II		E	0		<u>>1</u>	<u>N2/410L</u>	M (
410	FST	Forecast Schedule	0	1		N2/410	Must use
* 415	QTY	Quantity	0	>1			Not Used
420	SDQ	Destination Quantity	0	50	<u></u>		Used
LOOP II		Code Source Information	0	4	<u>>1</u>		Used
430 440	LM LQ	Industry Code	M	1 100			Must use
			IVI	100			
-	ID - SDP				<u>260</u>		
* 450	SDP	Ship/Delivery Pattern	0	1			Not Used
* 460	FST	Forecast Schedule	0	260	·		Not Used
<u>* LOOP</u>	ID - SHP				<u>25</u>		
* 470	SHP	Shipped/Received Information	0	1			Not Used
* 480	REF	Reference Identification	0	5			Not Used
Summar	/ :						
Pos	ld	Segment Name	Req	<u>Max Use</u>	Repeat	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	0	1		N3/10	Not Used
20	SE	Transaction Set Trailer	М	1			Must use

004010F830R1RA07

Notes:

- 2/220 QTY is used to specify supplemental quantities relevant to the forecast function. However, QTY is not related to the actual forecast quantity in the FST segments.
- 2/410L At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
- 2/410 At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
- 3/10 Number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (FST01) for each FST segment.

ST Transaction Set Header

Pos: 10	Max: 1
Heading - I	Mandatory
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Ref	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	1
		Description: Code uniquely identifying a Transaction Set					
		CodeName830Planning Schedule with Release Capa	ability				
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					

Beginning Segment for Planning BFR **Schedule**

Pos: 20 Max: 1 Heading - Mandatory Loop: N/A Elements: 9

User Option (Usage): Must use

Purpose: To indicate the beginning of a planning schedule transaction set; whether a ship or delivery based forecast; and related forecast envelope dates

Syntax Rules:

1. R0203 - At least one of BFR02 or BFR03 is required.

Semantics:

- 1. If BFR01 contains the value "04" (Net Change), BFR09 is required.
- 2. BFR02 is the identifying number for a forecast assigned by the orderer/purchaser.
- 3. BFR06 is the forecast horizon start date: The date when the forecast horizon (envelope) begins.
- 4. BFR07 is the forecast horizon end date: The date when the forecast horizon (envelope) ends.
- 5. BFR08 is the date forecast generated: The date the forecast data was generated.
- 6. BFR09 is the date forecast updated: The date the forecast was updated with "net change" data. (Used only when data element 353 in BFR01 contains the value "04", meaning net change.)

DLMS Note:

DLMS enhancement; see DLMS introductory note 4a.

<u>ld</u>	<u>d</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
353	53	Transaction Set Purpose Code	М	ID	2/2	Must use	1
		Description: Code identifying purpose of transaction set					
		CodeName00Original77Simulation ExerciseDLMS Note:Use to identify a simulated mobilization exercises must ensure recipients must use extreme cautio	complete	coordinatio	n with all activitie	s involved. All trans	
407	07	documents which affect accountable	le records.				
127	27	Reference Identification	Х	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DLMS Note: Use code "Z" for this data element to satisfy mandatory X12 syntax requirements.					
675	75	Schedule Type Qualifier	М	ID	2/2	Must use	1
		Description: Code identifying the type of dates used when defining a shipping or delivery time in a schedule or forecast					
		Code Name					
		PR Planned Requirement Based					
		DLMS Note:					
		Use to indicate requirements data in historical demand.	reflecting pl	lanned pro	gram requirement	projections not base	ed on
676	76	Schedule Quantity Qualifier	М	ID	1/1	Must use	1
676 1RA07	76	Schedule Quantity Qualifier 6	М	ID	1/1	Must use	ar

Ref	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Code identifying the type quantities used when defining a sched or forecast					
		CodeNameAActual Discrete Quantities					
		DLMS Note:					
		Use to indicate that quantities	reflect discrete	requireme	nts.		
BFR06	373	Date	М	DT	8/8	Must use	1
		Description: Date expressed as CCYYMMDD					
		DLMS Note: 1. Must use to identify the forecast period start date for which all identified materiel support should be available. This date represents the outside start date for all table 2 iterations.					
		2. DLMS enhancement; see introducto DLMS note 4a.	ory				
BFR07	373	Date	0	DT	8/8	Used	1
		Description: Date expressed as CCYYMMDD					
		DLMS Note: 1. Use to identify the fore period end date for which all identified materiel support should be available. date represents the outside end date f table 2 iterations.	This				
		2. DLMS enhancement; see introducto DLMS note 4a.	ory				
BFR08	373	Date	М	DT	8/8	Must use	1
		Description: Date expressed as CCYYMMDD DLMS Note: 1. Use to identify the transaction set preparation date. This corresponds to the Universal Time Coordinate (UTC).	date				
		2. DLMS enhancement; see introducto DLMS note 4a.	ory				
BFR12	783	Planning Schedule Type Code	0	ID	2/2	Must use	1
		Description: Code identifying type of planning schedule used					
		CodeNameXARequirement ForecastDLMS Note:					
		Must use to indicate the trans	action is an SPI	R forecast.			
BFR13	306	Action Code	0	ID	1/2	Used	1
		Description: Code indicating type of a	action				
		Code Name OT Other Unlisted Action					
		DLMS Note: Exception Data. Use only with provided. (Associated with M Associated with DIC DYM fun	h 2/LIN01/010 c ILSTRAP DIC D	odes "A" ar VB functior	nd "B". Use only nality when used	when exception data with LIN01 code "A".	is to be

N1 Name

Pos: 230	Max: 1
Heading - (Optional
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 1/N1/230 loop to identify the organization originating the transaction set.

<u>Ref</u> N101	<u>Id</u> 98	<u>Element Name</u> Entity Identifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use	<u>Rер</u> 1				
		 Description: Code identifying an organizational entity, a physical location, property or an individual DLMS Note: The following codes are authorized. 									
		Code Name									
		41 Submitter									
		DLMS Note:									
		Must use to identify the submitter of	of the SPR I	requirement	t.						
N103	66	Identification Code Qualifier	х	ID	1/2	Must use	1				
		Description: Code designating the system/method of code structure used for Identification Code (67)									
		Code Name									
		10 Department of Defense Activity Add	Department of Defense Activity Address Code (DODAAC)								
		DLMS Note:									
		DLMS enhancement; see DLMS in	DLMS enhancement; see DLMS introductory note 4a.								
		M4 Department of Defense Routing Ider	ntifier Code	(RIC)							
N104	67	Identification Code	Х	AN	2/80	Must use	1				
		Description: Code identifying a party or other code									
N106	98	Entity Identifier Code	0	ID	2/3	Must use	1				
		Description: Code identifying an organizational entity, a physical location, property or an individual									
		Code Name									
		FR Message From									
		DLMS Note:									
		Must use to indicate the organization	on cited in l	V104 is orig	inating the trans	action set.					

LIN Item Identification

Pos: 10	Max: 1
Detail -	Mandatory
Loop: LIN	Elements: 5

User Option (Usage): Must use Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

Must use the 2/LIN/010 loop to identify the type of transaction, materiel, transaction number, and information associated with the projected requirement

<u>Ref</u> LIN01	<u>Id</u> 350	Element Name Assigned Identification	Req O	<u>Type</u> AN	<u>Min/Max</u> 1/20	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Alphanumeric characters assigned for differentiation within a transaction set					
		DLMS Note: The corresponding MILSTRAP DIC functionality is shown after each code for information in a mixed DLSS/DLMS environment.					
		A - SPR request (DIC DYA/DYB)					
		B - SPR Security Assistance (SPR SA) request (DIC DYL/DYM)					
		C - Cancellation of previously submitted SPR request. Use indicates cancellation of the entire open SPR quantity. (DIC DYC)					
		D - Modification of a previously submitted SPR (DIC DYD)					
		E - Inquiry on status of previously submitted SPR (DIC DYJ)					
		F - Acceptance of offer to provide substitute Materiel (DIC DYG)					

LMS Impleme	ntation Conve	ntion (IC) 8	330R Special Program Requirements		ADC	287, 436, 1043C, 1	287, 1367 and 1412 D	LM 4000.25			
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
			ejection of offer to provide substitute iel (DIC DYH)								
LIN02	235	Produ	uct/Service ID Qualifier	М	ID	2/2	Must use	1			
		type/s	iption: Code identifying the ource of the descriptive number used duct/Service ID (234)								
		A4, Fl mater Numb excep subsis	5 Note: 1. Use only one of codes A2, B, FS, MG, or YP to identify the iel. Must use the National Stock per (NSN) (code FS) when known, at when appropriate brand name stence items are identified by the stence Identification Number (code								
		2. The	e following codes are authorized.								
		Code	Name								
		A2	Department of Defense Identification	Code (Do	DIC)						
			DLMS Note:	0000 (20	,						
			1. Use to identify ammunition items.								
			2. DLMS enhancement; see DLMS i	introducto	ry note 4a.						
		A4	Subsistence Identification Number								
			DLMS Note:								
			Use to identify subsistence items.								
		F4	Series Identifier								
			DLMS Note:								
			Use to identify the manufacturer's se	eries numi	ber of the e	end item.					
		FB	Form Number								
			DLMS Note:								
			1. Use to identify the form stock nun	nber.							
			2. DLMS enhancement; see DLMS i	introducto	ry note 4a.						
		FS	National Stock Number								
		MG	Manufacturer's Part Number								
			DLMS Note:								
			1. Use to identify nonstandard mater	riel.							
			2. DLMS enhancement; see DLMS i	introducto	ry note 4a.						
		MN	Model Number								
			DLMS Note:								
			Use to identify the manufacturer's model number of the end item.								
		SN	Serial Number								
			DLMS Note:								
			Use to identify the manufacturer's se	erial numb	er of the e	nd item.					
		TP	Product Type Code								
			DLMS Note:								
			For clothing and footwear, use to ide requirement for which the quantity s					leneric			
		ΥP	Publication Number								
			DLMS Note:								
			1. Use to identify the publication store								
			2. DLMS enhancement; see DLMS i	introducto	ry note 4a.						
LIN03	234	Produ	uct/Service ID	М	AN	1/48	Must use	1			

DLMS Implementation Convention (I	(C) 830R Spe	cial Program Requirements
	(e) 000ep0	olar i legiani i lequi enterne

ADC 287, 436, 1043C, 1287, 1367 and 1412 DLM 4000.25

<u>Ref</u>	<u>ld</u>	Element Name Description: Identifying number for a product or service	<u>Req</u>	<u> </u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN04	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)DLMS Note: The following codes are authorized.CodeName 	CAGE) Co	ode			
		DLMS Note: 1. Use with LIN02 code MG to unique 2. DLMS enhancement; see DLMS	uely identii	fy a manufa	acturer's part numb	per.	
LIN05	234	Product/Service ID	х	AN	1/48	Used	1
		Description: Identifying number for a product or service					

PWK Paperwork

Pos: 100	Max: 25
Detail -	Optional
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify the type or transmission or both of paperwork or supporting information

Syntax Rules:

1. P0506 - If either PWK05 or PWK06 is present, then the other is required.

Comments:

- 1. PWK05 and PWK06 may be used to identify the addressee by a code number.
- 2. PWK07 may be used to indicate special information to be shown on the specified report.
- 3. PWK08 may be used to indicate action pertaining to a report.

DLMS Note:

- 1. Use of this segment requires manual intervention and should only be used in extraordinary circumstances.
- 2. Use only with 1/BFR13/020 code "OT" to provide exception data.
- 3. DLMS enhancement. See introductory DLMS note 4a.

	····· ,	-					
<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PWK01	755	Report Type Code	М	ID	2/2	Must use	1
		Description: Code indicating the title or contents of a document, report or supporting item					
		<u>Code</u> <u>Name</u>					
		R6 Miscellaneous Information					
PWK07	352	Description	0	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					

REF Reference Identification

User Option (Usage): Must use

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

Must use to identify the transaction number associated with the SPR forecast.

Element Summary:

Ref	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	Μ	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification					
		DLMS Note: The following codes are authorized.					
		<u>Code</u> <u>Name</u>					
		TN Transaction Reference Number					
		DLMS Note:					
		This is the document number.					
REF02	127	Reference Identification	Х	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

Pos: 140 Max: 12 Detail - Optional Loop: LIN Elements: 2

N1 Name

Pos: 320	Max: 1			
Detail - Optional				
Loop: N1	Elements: 4			

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

1. Must use one iteration of this 2/N1/320 loop to identify the organization to receive the transaction.

2. Use additional iterations to identify other organizations associated with the transaction.

Ref	<u>ld</u>		ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entit	y Identifier Code	М	ID	2/3	Must use	1
		organ prope DLM	Description: Code identifying an organizational entity, a physical location, property or an individual DLMS Note: <i>The following codes are authorized.</i>					
		Code	<u>Name</u>					
		KA	Item Manager					
			DLMS Note:					
			Must use to identify the ICP/IMM.					
		P1	Preparer					
			DLMS Note:					
			Use to identify the originator of the S 1/N101/230 code 41.	SPR when	different fr	rom the submitting	g activity identified by	
		ST	Ship To					
			 DLMS Note: 1. Use in SPR transactions, except the materiel. 2. Use in SPR modification transact materiel. 				·	
		ZD	Party to Receive Reports					
N103	66	Ident	tification Code Qualifier	Х	ID	1/2	Must use	1
		syste	ription: Code designating the m/method of code structure used for ification Code (67)					
		Code	<u>Name</u>					
		10	Department of Defense Activity Addre	ss Code ((DODAAC)			
		A2	Military Assistance Program Address	Code (MA	APAC)			
			DLMS Note:					
			Use to indicate the Security Assistan	nce structi	ured addre	ss data.		
		M4	Department of Defense Routing Ident	ifier Code	(RIC)			

DLMS Implementation Convention (IC) 830R Special Program Requirements

N104	67	Identification Code	х	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Used	1
		Description: Code identifying an organizational entity, a physical location, property or an individual Code Name					
		TO Message To					
		DLMS Note:					
		Must use with 2/N101/320 code KA transaction.	to identify	the organiz	ation cited in N	1104 is receiving the	

LM Code Source Information

Pos: 390	Max: 1			
Detail - Optional				
Loop: LM	Elements: 1			

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use the 2/LM/390 loop to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					
		<u>Code</u> <u>Name</u>					

DF Department of Defense (DoD)

LQ Industry Code

Pos: 400	Max: 100
Detail - N	landatory
Loop: LM	Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

<u>Ref</u>	<u>ld</u>	Elem	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
LQ01	1270	Code	e List Qualifier Code	0	ID	1/3	Must use	1		
		indus DLM	ription: Code identifying a specific try code list S Note: <i>The following codes are</i> <i>prized.</i>							
		Code	Name							
		0	Document Identification Code							
		Ū	DLMS Note:							
			1. Future Streamlined data; see DLN		-					
			2. The DLSS DIC is retained in the L environment. Continued support of t date.							
		78	Project Code							
			DLMS Note:							
			Use only in SPR cancellation, SPR i transactions.	inquiry, SF	PR substitut	e acceptance an	nd SPR substitute reje	ction		
		79	Priority Designator Code							
			DLMS Note:							
			Recommend using in all requisitions							
		80	Advice Code							
			DLMS Note:							
			Use only in SPR cancellation, SPR i transactions.	inquiry, SF	PR substitut	e acceptance an	nd SPR substitute reje	ction		
		83	Supply Condition Code							
			DLMS Note:							
			Use only in SPR cancellation, SPR i transactions.	inquiry, SF	PR substitut	e acceptance an	nd SPR substitute reje	ction		
		99	Purpose Code							
			DLMS Note:							
			Use only in SPR cancellation, SPR i transactions.	inquiry, SF	PR substitut	e acceptance an	nd SPR substitute reje	ction		
		A6	Freight Forwarder Number							
			DLMS Note:							
			Use with SPR SA transactions in con identify the country representative of documentation.					to		
		A9	Supplemental Data							
			DLMS Note:							
			1. Use to identify supplemental addr	ess/data.						

Code Name

2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplementary Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.

AJ Utilization Code

DLMS Note:

1. Under DLSS, this is the first position of the document serial number.

- 2. DLMS enhancement; see introductory DLMS note 4a.
- ED Coast Designation Code

DLMS Note:

Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.

GQ Group Qualifier Code

DLMS Note:

Use to identify the Material Management Aggregation Code MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

COG Cognizance Symbol

DLMS Note:

Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

AN

1/30

Must use

Х

LQ02 1271 Industry Code

Description: Code indicating a code from a specific industry code list

1

FST Forecast Schedule

Pos: 410	Max: 1
Detail - Optic	onal
Loop: FST	Elements: 6

User Option (Usage): Must use

Purpose: To specify the forecasted dates and quantities

Syntax Rules:

- 1. P0607 If either FST06 or FST07 is present, then the other is required.
- 2. P0809 If either FST08 or FST09 is present, then the other is required.

Semantics:

1. If FST03 equals "F" (indicating flexible interval), then FST04 and FST05 are required. FST04 would be used for the start date of the flexible interval and FST05 would be used for the end date of the flexible interval.

Comments:

- 1. As qualified by FST02 and FST03, FST04 represents either a discrete forecast date, the first date of a forecasted bucket (weekly, monthly, quarterly, etc.) or the start date of a flexible interval.
- FST06 qualifies the time in FST07. The purpose of the FST07 element is to express the specific time of day in a 24-hour clock to satisfy "just-in-time" requirements. As an alternative, the ship/delivery pattern segment (SDP) may be used to define an approximate time, such as a.m. or p.m.

DLMS Note:

1. Use one or multiple repetitions of the 2/FST/410 segment for SPR cancellation, SPR substitute acceptance, SPR substitute rejection, and SPR inquiry transactions to identify the quantity, support date, and suffix code, as needed, for the transaction.

2. Use one or multiple 2/FST/410 loop iterations for SPR, SPR SA and SPR modification transactions to identify and, as needed, stratify applicable SPR forecast quantities by related support dates and suffix code.

Ref ld **Element Name** Req Type Min/Max Usage Rep FST01 380 R 1/15 Quantity Μ Must use 1 Description: Numeric value of quantity DLMS Note: 1. Express as a number with no decimal. 2. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by recipient's automated processing system. See DLMS introductory note 4d. 3. Use in SPR, SPR SA and SPR inquiry transactions to identify the forecast quantity. 4. Use in SPR substitute acceptance transactions to identify the quantity for which a substitute is acceptable. 5. Use in SPR rejection transactions to identify the quantity for which a substitute is not acceptable. 6. Use in SPR modification transactions to identify the revised SPR forecast quantity. 7. Use in SPR cancellation transactions to identify the forecast quantity to be cancelled. FST02 680 **Forecast Qualifier** ID 1/1Μ 1 Must use Description: Code specifying the sender's confidence level of the forecast data or an action associated with a forecast

		<u>Code</u>	Name							
		D	Planning							
			DLMS Note:							
			Use only for SPR, SPR SA, SPR sul transactions.	ostitute acco	eptance, SPF	R substitute rejection	on, and SPR inquiry			
		W	Cancellation							
			DLMS Note:							
			Use only for SPR cancellation transa	actions.						
		Х	Modification							
			DLMS Note:							
			Use only for SPR modification transa	actions.						
FST03	681	Forec	ast Timing Qualifier	Μ	ID	1/1	Must use	1		
			iption: Code specifying interval ing of the forecast							
		<u>Code</u>	Name							
		D	Discrete							
			DLMS Note:							
			Use to indicate all forecast quantities are discrete quantities.							
FST04	373	Date		М	DT	8/8	Must use	1		
			iption: Date expressed as MMDD							
		DLMS substi rejecti inquin suppo progra initiate transa date.	Note: 1. Use in SPR, SPR SA, SPR itute acceptance, SPR substitute ion, SPR cancellations and SPR y transactions to identify the specific ort date (i.e., the date on which am related requisitions will be ed). Use in SPR modification factions to identify the revised support							
			MS enhancement; see DLMS uctory note 4a.							
FST08	128	Refer	ence Identification Qualifier	Х	ID	2/3	Used	1		
			iption: Code qualifying the ence Identification							
		<u>Code</u>	Name							
		W8	Suffix							
			DLMS Note:							
			 Use to identify the suffix code associated with the 2/REF/140 transaction number and quantity. Future Streamlined data; see DLMS introductory note 4c. 							
FST09	127	Pofor	ence Identification	X	AN	1/30	Used	1		
10108	121			^		1/50	0360	I		
		define	iption: Reference information as d for a particular Transaction Set or ecified by the Reference Identification ier							

SDQ Destination Quantity

Pos: 420	Max: 50
Detail -	Optional
Loop: FST	Elements: 3

User Option (Usage): Used

Purpose: To specify destination and quantity detail

Syntax Rules:

- 1. P0506 If either SDQ05 or SDQ06 is present, then the other is required.
- 2. P0708 If either SDQ07 or SDQ08 is present, then the other is required.
- 3. P0910 If either SDQ09 or SDQ10 is present, then the other is required.
- 4. P1112 If either SDQ11 or SDQ12 is present, then the other is required.
- 5. P1314 If either SDQ13 or SDQ14 is present, then the other is required.
- 6. P1516 If either SDQ15 or SDQ16 is present, then the other is required.
- 7. P1718 If either SDQ17 or SDQ18 is present, then the other is required.
- 8. P1920 If either SDQ19 or SDQ20 is present, then the other is required.
- 9. P2122 If either SDQ21 or SDQ22 is present, then the other is required.

Semantics:

1. SDQ23 identifies the area within the location identified in SDQ03, SDQ05, SDQ07, SDQ09, SDQ11, SDQ13, SDQ15, SDQ17, SDQ19, and SDQ21.

Comments:

- 1. SDQ02 is used only if different than previously defined in the transaction set.
- 2. SDQ03 is the store number.
- 3. SDQ23 may be used to identify areas within a store, e.g., front room, back room, selling outpost, end aisle display, etc. The value is agreed to by trading partners or industry conventions.

<u>Ref</u> SDQ01	<u>Id</u> 355	<u>Element Name</u> Unit or Basis for Measurement Code	<u>Req</u> М	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		DLMS Note: 1. DLMS users see the Unit of Issue and Purchase Unit Conversion Table for applicable codes.					
		2. Future Streamlined data; see DLMS introductory note 4c.					
SDQ03	67	Identification Code	М	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
		DLMS Note: Use any acceptable value to satisfy mandatory X12 syntax requirements.					
SDQ04	380	Quantity	М	R	1/15	Must use	1
		Description: Numeric value of quantity					
		DLMS Note: Use any acceptable value to satisfy mandatory X12 syntax requirements.					

LM Code Source Information

Pos: 430	Max: 1			
Detail - Optional				
Loop: LM	Elements: 1			

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

1. Use this 2/LM/430 loop to identify coded information maintained in departmental or agency documentation.

2. Use this 2/LM/430 loop only in SPR, SPR SA, and SPR modification transactions to identify data associated with the forecast quantities provided in the 2/FST/410 segment.

<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	Μ	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					
		<u>Code</u> <u>Name</u>					
		DF Department of Defense (DoD)					

LQ Industry Code

Pos: 440	Max: 100			
Detail - Mandatory				
Loop: LM	Elements: 2			

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

<u>Ref</u>	ld	Elem	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	Rep		
LQ01	1270	Code	List Qualifier Code	0	ID	1/3	Must use	1		
		Description: Code identifying a specific industry code list								
		<u>Code</u>	<u>Name</u>							
		78	Project Code							
			DLMS Note:							
			Must use for original SPR and SPR S the revised project code.	SA transa	actions. Us	e in SPR modifica	ation transactions to	identify		
		79	Priority Designator Code							
			DLMS Note:							
			Recommend using in all requisitions.							
		80	Advice Code							
			DLMS Note:							
			Use as needed for SPR and SPR SA	transact	tions.					
		83	Supply Condition Code							
			DLMS Note:							
			Use for SPR and SPR SA transactior otherwise, do not use.	ns to ider	ntify the sup	oply condition of t	he required materiel;			
		99	Purpose Code							
			DLMS Note:							
			Use for SPR and SPR SA transaction	ns to ider	ntify the pur	pose of the requi	red materiel.			
		A9	Supplemental Data							
			DLMS Note:							
			1. Use to identify supplemental addre	ess/data.						
			2. During the DLSS/DLMS transition, Supplementary Address (SUPAAD) fi introductory DLMS note 4d.					see		
			3. Expanded use of this field for supp introductory DLMS note 4a.	lemental	l data witho	ut size restriction	is a DLMS enhance	ment; see		
			4. Under full DLMS, the requirement a field will be streamlined. Activity addr exclusively in the N1 segment. Future	ess data	previously	contained in the	SUPAAD will be refle			
		AJ	Utilization Code							
			DLMS Note:							
			1. Under DLSS, this is the first position	on of the	document	serial number.				
			2. DLMS enhancement; see introduct	ory DLM	IS note 4a.					
		ED	Coast Designation Code							

DLMS Note:

Code Name

Use for original SPR and SPR SA transactions to identify the relative consignee location. Use in SPR modification transactions to identify the revised relative consignee location.

GQ Group Qualifier Code

DLMS Note:

Use to identify the Material Management Aggregation Code MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

COG Cognizance Symbol

DLMS Note:

Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

AN

1/30

Must use

1

Х

LQ02 1271 Industry Code

Description: Code indicating a code from a specific industry code list

SE Transaction Set Trailer

Pos: 20	Max: 1				
Summary - Mandatory					
Loop: N/A	Elements: 2				

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

<u>Ref</u> SE01	<u>Id</u> 96	<u>Element Name</u> Number of Included Segments	<u>Req</u> M	<u>Type</u> N0	<u>Min/Max</u> 1/10	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: <i>Cite the same number as the one cited in ST02.</i>					