

# 846 Inventory Inquiry/Advice

## Functional Group=IB

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Inventory Inquiry/Advice Transaction Set (846) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used in the following ways: (1) for a seller of goods and services to provide inventory information to a prospective purchaser, with no obligation to the purchaser to acquire these goods or services; (2) for a representative of a seller of goods and services to supply inventory information to that seller; (3) for one location to supply another location with inventory information; and (4) for an inquiry as to the availability of inventory with no obligation on the seller of goods and services to reserve that inventory.

### DLMS Note:

1. Organizations use this transaction set to advise storage organizations of freeze or unfreeze actions on conventional ammunition. Use one occurrence of this transaction set to transmit a single or multiple transactions.

a. The Single Manager for Conventional Ammunition (SMCA) uses this transaction set to advise storage organizations of freeze or unfreeze actions on conventional ammunition. This transaction encompasses functionality of MILSTRAP Document Identifier Code (DIC) DA1 and DA2

2. Use a single occurrence of this transaction set to exchange transactions between the SMCA and a single or multiple storage organizations.

3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at [www.dla.mil/does/DLMS](http://www.dla.mil/does/DLMS).

4. This 846F DLMS Implementation Convention (IC) contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent to, modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

5. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the DEDSO Web site: <http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/>

- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
- ADC 155, Inclusion of Data Supporting UID of Items in DLMS Supplements 846A, Asset Reclassification, 846F, Ammunition Freeze/Unfreeze and 846I, Asset Status Inquiry/ Report
- ADC 249, Administrative Updates to DLMS 140A, 846A, and 846F to Include Updates for Batch/Lot and Unique Item Identifier (UII) Field Length Limitations
- ADC 292, Administrative Update to DLMS, Volume 2, Chapter 14 and DLMS Supplement 846F, Ammunition Freeze/Unfreeze Action (Supply/ MILSTRAP)
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on October 07, 2014.
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on January 04, 2017
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on August 09, 2018
- ADC 1254, Remove Unit of Measure Code Validation from DLMS XML Schemas
- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions
- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on March 3, 2022
- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow

## Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIA	Beginning Segment for Inventory Inquiry/Advice	M	1			Must use
* 040	CUR	Currency	O	1			Not Used
* 050	DTM	Date/Time Reference	O	10			Not Used
* 060	REF	Reference Identification	O	12			Not Used
* 070	PER	Administrative Communications Contact	O	3			Not Used
* 075	MEA	Measurements	O	20			Not Used
<b><u>LOOP ID - N1</u></b>					<b><u>5</u></b>		
080	N1	Name	O	1			Used
* 090	N2	Additional Name Information	O	2			Not Used
* 100	N3	Address Information	O	2			Not Used
* 110	N4	Geographic Location	O	1			Not Used
* 120	REF	Reference Identification	O	12			Not Used
* 130	PER	Administrative Communications Contact	O	3			Not Used
<b><u>LOOP ID - LM</u></b>					<b><u>10</u></b>		
140	LM	Code Source Information	O	1			Used
150	LQ	Industry Code	M	100			Must use

## Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b><u>LOOP ID - LIN</u></b>					<b><u>10000</u></b>		
010	LIN	Item Identification	M	1			Must use
* 030	PID	Product/Item Description	O	200			Not Used
* 040	MEA	Measurements	O	40			Not Used
* 050	PKG	Marking, Packaging, Loading	O	25			Not Used
100	DTM	Date/Time Reference	O	10			Used
* 110	CTP	Pricing Information	O	25			Not Used
* 120	CUR	Currency	O	1			Not Used
* 130	SAC	Service, Promotion, Allowance, or Charge Information	O	25			Not Used
140	REF	Reference Identification	O	>1			Used
* 150	PER	Administrative Communications Contact	O	3			Not Used
* 220	SDQ	Destination Quantity	O	500			Not Used
* 230	MAN	Marks and Numbers	O	1			Not Used
* 235	UIT	Unit Detail	O	5			Not Used
* 240	CS	Contract Summary	O	1			Not Used
* 250	DD	Demand Detail	O	>1			Not Used
* 255	G53	Maintenance Type	O	1			Not Used
* 256	PCT	Percent Amounts	O	>1			Not Used
* 257	LDT	Lead Time	O	12			Not Used
<b><u>LOOP ID - LM</u></b>					<b><u>10</u></b>		
260	LM	Code Source Information	O	1			Used
270	LQ	Industry Code	M	100			Must use
<b><u>* LOOP ID - SLN</u></b>					<b><u>1000</u></b>		
* 280	SLN	Subline Item Detail	O	1			Not Used
* 290	PID	Product/Item Description	O	200			Not Used
* 300	MEA	Measurements	O	40			Not Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 310	PKG	Marking, Packaging, Loading	O	25			Not Used
<b>* LOOP ID - MAN</b>					<b>100</b>		
* 312	MAN	Marks and Numbers	O	1			Not Used
* 314	MEA	Measurements	O	40			Not Used
<b>LOOP ID - QTY</b>					<b>99</b>		
320	QTY	Quantity	O	1			Used
* 330	UIT	Unit Detail	O	12			Not Used
* 340	MEA	Measurements	O	25			Not Used
* 350	LDT	Lead Time	O	12			Not Used
* 355	DTM	Date/Time Reference	O	10			Not Used
<b>* LOOP ID - SCH</b>					<b>25</b>		
* 360	SCH	Line Item Schedule	O	1			Not Used
* 370	MEA	Measurements	O	25			Not Used
<b>LOOP ID - LM</b>					<b>≥1</b>		
375	LM	Code Source Information	O	1			Used
376	LQ	Industry Code	M	100			Must use
<b>* LOOP ID - LS</b>					<b>1</b>		
* 380	LS	Loop Header	O	1			Not Used
<b>* LOOP ID - REF</b>					<b>≥1</b>	<b>N2/390L</b>	
* 390	REF	Reference Identification	O	1		N2/390	Not Used
* 400	DTM	Date/Time Reference	O	>1			Not Used
* 410	N1	Name	O	1			Not Used
<b>* LOOP ID - LM</b>					<b>10</b>		
* 420	LM	Code Source Information	O	1			Not Used
* 430	LQ	Industry Code	M	100			Not Used
* 440	LE	Loop Trailer	M	1			Not Used
<b>LOOP ID - N1</b>					<b>200</b>		
450	N1	Name	O	1			Used
* 460	N2	Additional Name Information	O	2			Not Used
* 470	N3	Address Information	O	2			Not Used
* 480	N4	Geographic Location	O	1			Not Used
* 490	REF	Reference Identification	O	12			Not Used
* 500	PER	Administrative Communications Contact	O	3			Not Used

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 010	CTT	Transaction Totals	O	1		N3/010	Not Used
020	SE	Transaction Set Trailer	M	1			Must use

**Notes:**

2/390L The REF loop conveys serial number, lot number, and inventory data.

2/390 The REF loop conveys serial number, lot number, and inventory data.

3/010 Number of line items (CTT01) is the accumulation of number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (QTY02) of each QTY segment.

STTransaction Set Header

Pos: 010Max: 1

Heading - Mandatory

Loop: N/AElements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

- Semantics:
- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use	1
		Description: Code uniquely identifying a Transaction Set					
		Code Name					
		846 Inventory Inquiry/Advice					
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					

BIA

Beginning Segment for Inventory Inquiry/Advice

Pos: 020

Max: 1

Heading - Mandatory

Loop: N/A

Elements: 5

User Option (Usage): Must use

Purpose: To indicate the beginning of an Inventory Inquiry/Advice Transaction Set

- Semantics:
- 1. BIA03 identifies the number of the inquiry/advice that is transferred.
  - 2. BIA04 identifies the date of the inquiry/advice that is transferred.
  - 3. BIA05 identifies the time of the inquiry/advice that is transferred.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
BIA01	353	Transaction Set Purpose Code	M	ID	2/2	Must use	1
<b>Description:</b> Code identifying purpose of transaction set							
<b>Code Name</b>							
00 Original							
77 Simulation Exercise							
<b>DLMS Note:</b>							
Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.							
BIA02	755	Report Type Code	M	ID	2/2	Must use	1
<b>Description:</b> Code indicating the title or contents of a document, report or supporting item							
<b>Code Name</b>							
ZB Conventional Ammunition Suspension Report							
<b>DLMS Note:</b>							
Use to identify a Single Manager for Conventional Ammunition (SMCA) freeze/unfreeze action transaction. (MILSTRAP DIC DA1/DA2 functionality)							
BIA03	127	Reference Identification	M	AN	1/30	Must use	1
<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
<b>DLMS Note:</b> Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements.							
BIA04	373	Date	M	DT	8/8	Must use	1
<b>Description:</b> Date expressed as CCYYMMDD							
<b>DLMS Note:</b> 1. This is the date of transaction set preparation. This date corresponds to the Universal Time Coordinate (UTC).							
2. DLMS enhancement; see Introductory DLMS note 4a.							
BIA05	337	Time	O	TM	4/8	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<p><b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</p> <p><b>DLMS Note:</b> 1. <i>Express the originating activity's time of transaction set preparation in UTC.</i></p> <p>2. <i>Express time in a four-position (HHMM) format.</i></p> <p>3. <i>DLMS enhancement; see Introductory DLMS note 4a.</i></p>					

N1Name

Pos: 080

Max: 1

Heading - Optional

Loop: N1

Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

- Syntax Rules:
- 1. R0203 - At least one of N102 or N103 is required.
  - 2. P0304 - If either N103 or N104 is present, then the other is required.

- Comments:
- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
  - 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 1/N1/080 loop to identify the organization originating the transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep								
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1								
<p><b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual</p> <p><b>DLMS Note:</b> <i>The following code is authorized.</i></p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>KA</td><td>Item Manager</td></tr></table> <p><b>DLMS Note:</b></p> <p>1. <i>Must use to identify the SMCA.</i></p> <p>2. <i>DLMS enhancement; see See DLMS Introductory note 4a.</i></p>								Code	Name	KA	Item Manager				
Code	Name														
KA	Item Manager														
N103	66	Identification Code Qualifier	X	ID	1/2	Used	1								
<p><b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)</p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>10</td><td>Department of Defense Activity Address Code (DODAAC)</td></tr></table> <p><b>DLMS Note:</b></p> <p><i>DLMS enhancement; see DLMS Introductory note 4a.</i></p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>M4</td><td>Department of Defense Routing Identifier Code (RIC)</td></tr></table>								Code	Name	10	Department of Defense Activity Address Code (DODAAC)	Code	Name	M4	Department of Defense Routing Identifier Code (RIC)
Code	Name														
10	Department of Defense Activity Address Code (DODAAC)														
Code	Name														
M4	Department of Defense Routing Identifier Code (RIC)														
N104	67	Identification Code	X	AN	2/80	Used	1								
<p><b>Description:</b> Code identifying a party or other code</p>															
N106	98	Entity Identifier Code	O	ID	2/3	Used	1								
<p><b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual</p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>FR</td><td>Message From</td></tr></table> <p><b>DLMS Note:</b></p>								Code	Name	FR	Message From				
Code	Name														
FR	Message From														

**Code** **Name**

*Must use to indicate the organization cited in N104 is originating the transaction set.*



LM

Code Source Information

Pos: 140

Max: 1

Heading - Optional

Loop: LM

Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Must use this 1/LM/140 loop to identify coded information maintained in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 150

Max: 100

Heading - Mandatory

Loop: LM

Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep																										
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1																										
<p><b>Description:</b> Code identifying a specific industry code list</p> <p><b>DLMS Note:</b> <i>The following codes are authorized.</i></p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>0</td><td>Document Identification Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2">1. <i>Future Streamlined data; see DLMS Introductory note 4c.</i></td></tr><tr><td colspan="2">2. <i>The DLSS DIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i></td></tr><tr><td>A9</td><td>Supplemental Data</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2">1. <i>Use to identify supplemental address/data.</i></td></tr><tr><td colspan="2">2. <i>Future streamlined data; see introductory DLMS note 4c.</i></td></tr><tr><td>AJ</td><td>Utilization Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2">1. <i>Under DLSS, this is the first position of the document serial number.</i></td></tr><tr><td colspan="2">2. <i>DLMS enhancement; see introductory DLMS note 4a.</i></td></tr></table>								Code	Name	0	Document Identification Code	<b>DLMS Note:</b>		1. <i>Future Streamlined data; see DLMS Introductory note 4c.</i>		2. <i>The DLSS DIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i>		A9	Supplemental Data	<b>DLMS Note:</b>		1. <i>Use to identify supplemental address/data.</i>		2. <i>Future streamlined data; see introductory DLMS note 4c.</i>		AJ	Utilization Code	<b>DLMS Note:</b>		1. <i>Under DLSS, this is the first position of the document serial number.</i>		2. <i>DLMS enhancement; see introductory DLMS note 4a.</i>	
Code	Name																																
0	Document Identification Code																																
<b>DLMS Note:</b>																																	
1. <i>Future Streamlined data; see DLMS Introductory note 4c.</i>																																	
2. <i>The DLSS DIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i>																																	
A9	Supplemental Data																																
<b>DLMS Note:</b>																																	
1. <i>Use to identify supplemental address/data.</i>																																	
2. <i>Future streamlined data; see introductory DLMS note 4c.</i>																																	
AJ	Utilization Code																																
<b>DLMS Note:</b>																																	
1. <i>Under DLSS, this is the first position of the document serial number.</i>																																	
2. <i>DLMS enhancement; see introductory DLMS note 4a.</i>																																	
LQ02	1271	Industry Code	X	AN	1/30	Used	1																										
<p><b>Description:</b> Code indicating a code from a specific industry code list</p>																																	

LINItem Identification

Pos: 010Max: 1

Detail - Mandatory

Loop: LINElements: 4

User Option (Usage): Must use

Purpose: To specify basic item identification data

- Syntax Rules:
1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
  2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
  3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
  4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
  5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
  6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
  7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
  8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
  9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
  10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
  11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
  12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
  13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
  14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

- Semantics:
1. LIN01 is the line item identification

- Comments:
1. See the Data Dictionary for a complete list of IDs.
  2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

Must use the 2/LIN/010 loop to identify the materiel, transaction number, and inventory information associated with the freeze/unfreeze action.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>												
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use	1												
<p><b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)</p> <p><b>DLMS Note:</b> 1. Use only one of codes A2, FS or MG to identify the ammunition item. Must use National Stock Number (NSN) (code FS) when known.</p> <p>2. The following codes are authorized.</p> <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>A2</td><td>Department of Defense Identification Code (DoDIC)</td></tr><tr><td colspan="2"><p><b>DLMS Note:</b></p><p>Use to identify ammunition items.</p></td></tr><tr><td>F4</td><td>Series Identifier</td></tr><tr><td colspan="2"><p><b>DLMS Note:</b></p><p>Use to identify the manufacturer's series number of the end item.</p></td></tr><tr><td>FS</td><td>National Stock Number</td></tr></table>								<u>Code</u>	<u>Name</u>	A2	Department of Defense Identification Code (DoDIC)	<p><b>DLMS Note:</b></p> <p>Use to identify ammunition items.</p>		F4	Series Identifier	<p><b>DLMS Note:</b></p> <p>Use to identify the manufacturer's series number of the end item.</p>		FS	National Stock Number
<u>Code</u>	<u>Name</u>																		
A2	Department of Defense Identification Code (DoDIC)																		
<p><b>DLMS Note:</b></p> <p>Use to identify ammunition items.</p>																			
F4	Series Identifier																		
<p><b>DLMS Note:</b></p> <p>Use to identify the manufacturer's series number of the end item.</p>																			
FS	National Stock Number																		

Code	Name
	<b>DLMS Note:</b> <i>Use if no DoDIC assigned to the item.</i>
MG	Manufacturer's Part Number
	<b>DLMS Note:</b> <i>Use to identify the ammunition manufacturer's part number when no DoDIC is assigned.</i>
MN	Model Number
	<b>DLMS Note:</b> <i>Use to identify the manufacturer's model number of the end item.</i>
SN	Serial Number
	<b>DLMS Note:</b> <i>Use to identify the manufacturer's serial number of the end item.</i>

LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use	1
		<b>Description:</b> Identifying number for a product or service					
LIN04	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<b>Code</b>	<b>Name</b>				
		ZB	Commercial and Government Entity (CAGE) Code				
			<b>DLMS Note:</b> <i>Use with LIN02 code MG to uniquely identify the ammunition manufacturer's part number.</i>				
LIN05	234	<b>Product/Service ID</b>	X	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					

DTM    Date/Time Reference

Pos: 100

Max: 10

Detail - Optional

Loop: LIN

Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

- Syntax Rules:
- 1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
  - 2. C0403 - If DTM04 is present, then DTM03 is required.
  - 3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

Must use 2/DTM/100 to identify dates associated with the transaction.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1
<p><b>Description:</b> Code specifying type of date or time, or both date and time</p> <p><b>DLMS Note:</b> <i>The following codes are authorized.</i></p>							
<p><b><u>Code</u> <u>Name</u></b></p>							
168    Release							
<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is released from suspension.</i></p> <p>2. <i>DLMS enhancement; see DLMS Introductory note 4a.</i></p>							
600    As Of							
<p><b>DLMS Note:</b></p> <p>1. <i>Use to identify the effective date ammunition is to be suspended from use or issue.</i></p> <p>2. <i>DLMS enhancement; see DLMS Introductory note 4a.</i></p>							
DTM02	373	Date	X	DT	8/8	Used	1
<p><b>Description:</b> Date expressed as CCYYMMDD</p>							

REFReference Identification

Pos: 140

Max: >1

Detail - Optional

Loop: LIN

Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
<div><div>Description: Code qualifying the Reference Identification</div><div>DLMS Note: The following code is authorized.</div><div><div>Code</div><div>Name</div><div>TNTransaction Reference Number</div><div>DLMS Note: Must use to identify the transaction number assigned to the transaction.</div></div></div>							
REF02	127	Reference Identification	X	AN	1/30	Used	1
<div><div>Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</div></div>							

LM

Code Source Information

Pos: 260

Max: 1

Detail - Optional

Loop: LM

Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use this 2/LM/260 loop to identify coded information in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 270Max: 100

Detail - Mandatory

Loop: LMElements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

- Syntax Rules:
- 1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep																												
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1																												
<p><b>Description:</b> Code identifying a specific industry code list</p> <p><b>DLMS Note:</b> <i>The following codes are authorized.</i></p>																																			
<table><tr><th>Code</th><th>Name</th></tr><tr><td>84</td><td>Management Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2"><i>Use to identify supplemental management information associated with the freeze/unfreeze action.</i></td></tr><tr><td>A9</td><td>Supplemental Data</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2"><i>1. Use to identify supplemental address/data.</i></td></tr><tr><td colspan="2"><i>2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.</i></td></tr><tr><td colspan="2"><i>3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.</i></td></tr><tr><td colspan="2"><i>4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.</i></td></tr><tr><td>AJ</td><td>Utilization Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr><tr><td colspan="2"><i>1. Under DLSS, this is the first position of the document serial number.</i></td></tr><tr><td colspan="2"><i>2. DLMS enhancement; see introductory DLMS note 4a.</i></td></tr></table>								Code	Name	84	Management Code	<b>DLMS Note:</b>		<i>Use to identify supplemental management information associated with the freeze/unfreeze action.</i>		A9	Supplemental Data	<b>DLMS Note:</b>		<i>1. Use to identify supplemental address/data.</i>		<i>2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.</i>		<i>3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.</i>		<i>4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.</i>		AJ	Utilization Code	<b>DLMS Note:</b>		<i>1. Under DLSS, this is the first position of the document serial number.</i>		<i>2. DLMS enhancement; see introductory DLMS note 4a.</i>	
Code	Name																																		
84	Management Code																																		
<b>DLMS Note:</b>																																			
<i>Use to identify supplemental management information associated with the freeze/unfreeze action.</i>																																			
A9	Supplemental Data																																		
<b>DLMS Note:</b>																																			
<i>1. Use to identify supplemental address/data.</i>																																			
<i>2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.</i>																																			
<i>3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.</i>																																			
<i>4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.</i>																																			
AJ	Utilization Code																																		
<b>DLMS Note:</b>																																			
<i>1. Under DLSS, this is the first position of the document serial number.</i>																																			
<i>2. DLMS enhancement; see introductory DLMS note 4a.</i>																																			
LQ02	1271	Industry Code	X	AN	1/30	Used	1																												
<p><b>Description:</b> Code indicating a code from a specific industry code list</p>																																			



QTY

Quantity

Pos: 320

Max: 1

Detail - Optional

Loop: QTY

Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

- Syntax Rules:
- 1. R0204 - At least one of QTY02 or QTY04 is required.
  - 2. E0204 - Only one of QTY02 or QTY04 may be present.

- Semantics:
- 1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

Use multiple iterations of the 2/QTY/320 loop to stratify quantity by materiel classification.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep				
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1				
<p><b>Description:</b> Code specifying the type of quantity</p> <p><b>DLMS Note:</b> <i>The following codes are authorized.</i></p> <table><tr><th>Code</th><th>Name</th></tr><tr><td>01</td><td>Discrete Quantity</td></tr></table> <p><b>DLMS Note:</b> <i>Use to identify the quantity suspended or released from suspension.</i></p>								Code	Name	01	Discrete Quantity
Code	Name										
01	Discrete Quantity										
QTY02	380	Quantity	X	R	1/15	Used	1				
<p><b>Description:</b> Numeric value of quantity</p> <p><b>DLMS Note:</b> <i>1. Express as a whole number with no decimals.</i></p> <p><i>2. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by recipient's automated processing system. See Introductory DLMS note 4d.</i></p>											
QTY03	C001	Composite Unit of Measure	O	Comp		Used	1				
<p><b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of use)</p>											
QTY03-01	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use	1				
<p><b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken</p> <p><b>DLMS Note:</b> <i>DLMS users see the DLMS Unit of Issue and Purchase Unit Conversion Table for available codes.</i></p>											

LM

Code Source Information

Pos: 375

Max: 1

Detail - Optional

Loop: LM

Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use the 2/LM/375 loop to identify coded information maintained in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 376Max: 100

Detail - Mandatory

Loop: LMElements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

- Syntax Rules:
1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep																										
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1																										
<p><b>Description:</b> Code identifying a specific industry code list</p> <p><b>DLMS Note:</b> 1. Use either code 99 or A1 (but not both), except for ammunition where both codes may be used. (Use of both codes for ammunition is a DLMS enhancement (see introductory DLMS note 4a.)</p> <p>2. The following codes are authorized.</p>																																	
<table><tr><th>Code</th><th>Name</th></tr><tr><td>83</td><td>Supply Condition Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b> Use to identify supply condition of the materiel.</td></tr><tr><td>99</td><td>Purpose Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b> Use to identify the purpose of the materiel.</td></tr><tr><td>A1</td><td>Ownership Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b> Use to identify ownership of the materiel.</td></tr><tr><td>A9</td><td>Supplemental Data</td></tr><tr><td colspan="2"><b>DLMS Note:</b> 1. Use to identify supplemental address/data.  2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.  3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.  4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.</td></tr><tr><td>AJ</td><td>Utilization Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b> 1. Under DLSS, this is the first position of the document serial number.  2. DLMS enhancement; see introductory DLMS note 4a.</td></tr><tr><td>GQ</td><td>Group Qualifier Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b></td></tr></table>								Code	Name	83	Supply Condition Code	<b>DLMS Note:</b> Use to identify supply condition of the materiel.		99	Purpose Code	<b>DLMS Note:</b> Use to identify the purpose of the materiel.		A1	Ownership Code	<b>DLMS Note:</b> Use to identify ownership of the materiel.		A9	Supplemental Data	<b>DLMS Note:</b> 1. Use to identify supplemental address/data.  2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.  3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.  4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.		AJ	Utilization Code	<b>DLMS Note:</b> 1. Under DLSS, this is the first position of the document serial number.  2. DLMS enhancement; see introductory DLMS note 4a.		GQ	Group Qualifier Code	<b>DLMS Note:</b>	
Code	Name																																
83	Supply Condition Code																																
<b>DLMS Note:</b> Use to identify supply condition of the materiel.																																	
99	Purpose Code																																
<b>DLMS Note:</b> Use to identify the purpose of the materiel.																																	
A1	Ownership Code																																
<b>DLMS Note:</b> Use to identify ownership of the materiel.																																	
A9	Supplemental Data																																
<b>DLMS Note:</b> 1. Use to identify supplemental address/data.  2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplemental Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.  3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.  4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.																																	
AJ	Utilization Code																																
<b>DLMS Note:</b> 1. Under DLSS, this is the first position of the document serial number.  2. DLMS enhancement; see introductory DLMS note 4a.																																	
GQ	Group Qualifier Code																																
<b>DLMS Note:</b>																																	

Code	Name
	<p>Use to identify the MMAC for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.</p> <p>A data maintenance action was approved in version 5010. The approved code/name is "MAC-Materiel Management Aggregation code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.</p>
COG	<p>Cognizance Symbol</p> <p><b>DLMS Note:</b></p> <p>Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</p>
IMC	<p>Item Management Code</p> <p><b>DLMS Note:</b></p> <p>Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</p>
MCC	<p>Material Control Code</p> <p><b>DLMS Note:</b></p> <p>Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</p>
SMI	<p>Special Material Identification Code</p> <p><b>DLMS Note:</b></p> <p>Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</p>

LQ02	1271	Industry Code	X	AN	1/30	Used	1
<p><b>Description:</b> Code indicating a code from a specific industry code list</p>							

N1Name

Pos: 450

Max: 1

Detail - Optional

Loop: N1

Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

- Syntax Rules:
- 1. R0203 - At least one of N102 or N103 is required.
  - 2. P0304 - If either N103 or N104 is present, then the other is required.

- Comments:
- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
  - 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 2/N1/450 loop to identify the organization to receive the transaction.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>				
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1				
<p><b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual</p> <p><b>DLMS Note:</b> <i>The following code is authorized.</i></p> <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>SB</td><td>Storage Area</td></tr></table> <p><b>DLMS Note:</b></p> <p><i>Must use to indicate the storage organization.</i></p>								<u>Code</u>	<u>Name</u>	SB	Storage Area
<u>Code</u>	<u>Name</u>										
SB	Storage Area										
N103	66	Identification Code Qualifier	X	ID	1/2	Used	1				
<p><b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)</p> <p><b>Code</b> <b>Name</b></p> <table><tr><td>10</td><td>Department of Defense Activity Address Code (DODAAC)</td></tr></table> <p><b>DLMS Note:</b></p> <p><i>DLMS enhancement; see DLMS Introductory note 4a.</i></p> <p>M4 Department of Defense Routing Identifier Code (RIC)</p>								10	Department of Defense Activity Address Code (DODAAC)		
10	Department of Defense Activity Address Code (DODAAC)										
N104	67	Identification Code	X	AN	2/80	Used	1				
<p><b>Description:</b> Code identifying a party or other code</p>											
N106	98	Entity Identifier Code	O	ID	2/3	Used	1				
<p><b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual</p> <p><b>Code</b> <b>Name</b></p> <table><tr><td>TO</td><td>Message To</td></tr></table> <p><b>DLMS Note:</b></p> <p><i>Must use to indicate that the organization cited in N104 is receiving the transaction.</i></p>								TO	Message To		
TO	Message To										

SE Transaction Set Trailer

Pos: 020

Max: 1

Summary - Mandatory

Loop: N/A

Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

- Comments:**
- 1. SE is the last segment of each transaction set.

**Element Summary:**

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
SE01	96	Number of Included Segments	M	N0	1/10	Must use	1
Description: Total number of segments included in a transaction set including ST and SE segments							
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							
DLMS Note: Cite the same number as the one cited in ST02							