

869

Order Status Inquiry

Functional Group=RS

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Inquiry Transaction Set (869) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to request all pertinent information relative to an entire purchase order, selected line items on a purchase order, or selected products/services on a purchase order. Inquiry can also be made for all or a selected portion of the customer's ordered items, all or a selected portion of the customer's unshipped items, or all or a selected portion of the customer's shipped items.

DLMS Note:

1. Organizations use this transaction set to follow-up on the status of previously submitted requisitions. In using this transaction set, use a single occurrence of this transaction set to exchange transactions between a single activity and a single or multiple supply sources. Use one occurrence of this transaction set to transmit a single or multiple transactions.

a. Organizations may not stratify the requisitioned quantity by weapon systems when using this transaction set.

2. Organizations receiving this transaction set may process it as an original requisition when the requisition inquiry is unmatched in the Integrated Materiel Manager's system.

3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at www.dla.mil/does/DLMS.

4. This DLMS Implementation Convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded field size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

e. Repetition of data (using multiple iterations or loops) which is not compatible with existing legacy MILSTRIP capability. Although supported by the use of the ANSI X12 standard, such data is not compatible with legacy MILSTRIP/DLMS conversion and may not be supported by the recipient's automated processing system. Components must coordinate implementation of enhanced capability with DEDSO prior to use.

f. Data required to accommodate Component-unique transaction requirements (example: C-series transactions). Data does not apply to legacy MILSTRIP transactions.

g. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

5. Effective April 1, 2014, refer to ADC 1075. Users must reference the GENC Standard for country codes (<https://geo.aitcnet.org/NSGREG/genc/discovery>) for a listing of authorized values. Under DLMS, use the GENC Digraph (two-character) code values.

6. This transaction includes placeholders for DLMS enhancements to provide item unique identification (IUID) information pending development of DLMS procedures and overarching OSD Supply Policy. Refer to the item unique identification (IUID) web at URL: <http://www.acq.osd.mil/dpap/pdi/uid/> for DoD policy.

7. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDC/ADCs are available from the DEDSO Web site: <http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/>

- ADC 45, Use Both Ownership Code and Purpose Code in DLMS for Ammunition
- ADC 53, Revision to DS 869F, Requisition Follow-up
- ADC 53A, Addendum for Revision to DS 869F, Requisition Follow-up
- ADC 69A, DLMS Mapping to IC/DS 511M and 869F for Requisition Exception Data Transaction, DI Code YRZ

- ADC 75, DLA Unique Identification of Internal Customer Date in Requisitions
- ADC 76, Air Force Unique Management Coding for NMCS/MICAP
- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
- ADC 90, Revision to DLMS Supplement 869F for Inclusion of Special Unit Price for U.S. Marine Corps Coding
- ADC 186, DLMS Requisition Revisions to Support Theater Enterprise-Wide Logistics System (TEWLS)
- ADC 221, Communication of Unit Price and Total Price under DLMS
- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price
- ADC 243, Identification of Army Single Stock Fund (SSF) Requisitioning Actions and Edit Action Code (EAC) Authorization
- ADC 264, DLMS Enhancement for Part-Numbered Requisition Format and USAF Unique Rules for Descriptive Information including Technical Order (T.O.) Number
- ADC 274, DLMS and DLSS Changes to Support Army Exchange Pricing
- ADC 276, Addition of Party to Receive Copy to Support Requirements for Theater Enterprise-Wide Logistics System (TEWLS) Requisitions
- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 322, Addition of Local Catalog ID qualifier to Support Requirements for Theater Enterprise-Wide Logistics System (TEWLS) Requisitions (Supply)
- ADC 328, "Off-Line" Requisition Processing: Internet Ordering Application Request for Component Verification of Funds Availability and Recording of the Financial Obligation
- ADC 352, Request for Management Code for PQDR Replacement Requisitions
- ADC 359, Perpetuation of the Denial Management Code to the DLMS Requisition and Modification of Air Force BRAC IMSP SDR Procedures (Supply/SDR)
- ADC 375, New Management Code for Navy-Funded Non-Production Support Materiel Ordered under BRAC SS&D/IMSP
- ADC 377, Transaction Copies Required for DLA Support of Navy BRAC SS&D/IMSP DLRs, Navy Program-Managed Materiel, and Nuclear Consumable Support Materiel
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- Approved Administrative Addendum ADC 381B, Administrative Revision to Identify Delivery Location Position
- ADC 435, DLMS Revisions for SFIS Compliance
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 473, DLMS Revisions to Add the Associated Purchase Order Number in Support of the DLA Interface with the Exchange
- ADC 473A, DLMS Revisions to Add the Associated Purchase Order Number (Supports DLA Interface with the Exchange, Navy Exchange Service Command (NEXCOM), and Marine Corps Exchange (MCX) Non-Appropriated Funds (NAF) Activities and Non-DoD Customers)
- ADC 1009A, DLMS Enhancements for Requisitioning to Improve Use of Mark-for Addressing, Expand Authorized Priority Designator Validation, Correct EMALL Purchase/Credit Card Format Rules, and Require Distribution of Status for Requisitions associated with Purchase/Credit Card Payment
- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions
- ADC 1014A, Revised Procedures for Inclusion of GFP/CFM Contract Data in DLMS Transactions – Updated Mapping for Concurrent Identification of the Manufacturing Directive Number (MDN) and the Contract Line Item Number (CLIN)
- ADC 1020, Inter-Service Ownership Transfer of Ammunition/ Ammunition Related Materiel
- ADC 1023, Administrative Updates to Remove MILSTRIP References to Requisitioning from Plant Clearance Automated Reutilization Screening System (PCARSS)
- ADC 1043, DLMS Revisions for Department of Defense (DoD) Standard Line of Accounting (SLOA)/Accounting Classification
- ADC 1043A, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Support Transaction Rejection Requirements
- ADC 1043B, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Modify Business Rules for Beginning Period of Availability
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1050, New DOD EMALL DoDAAC and Supply Status Cancellation Codes for DOD EMALL Credit Card Billing
- ADC 1068, Enhanced Procedures for Requisitioning via DOD EMALL and GSA Internet Ordering: Component Verification of Funds Availability and Materiel Identification using the Supplier-Assigned Part Number and/or Supplier Commercial and Government Entity (CAGE) Code
- ADC 1075, Implementation of Geopolitical Entities, Names, and Codes (GENC) Standard by DoD Components for the Identification of Countries and their Subdivisions
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on May 30, 2014.
- ADC 1110, Administrative Update to Identify Code DPC Delivery Priority Code as an Approved X12 Migration Code and Associated DLMS Documentation; Identifies Additional Data Elements Authorized for Modification in the Requisition Modification Process
- ADC 1123, Revised Procedures for Management Control Activity (MCA) Validation of Government Furnished Material (GFM)/Contractor Furnished Material (CFM) Requisitions and Contractor DoDAAC Assignment
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)

- ADC 1161A, Update Uniform Procurement Instrument Identifier (PIID) Numbering System in the Federal/DLMS Implementation Conventions and DLMS Manuals
- ADC 1176, Revised Procedures for Requisitioning under Inter-Service Maintenance Agreement (Project Codes 3AB, 3AD, 3BB) and Revised DLMS 832N Catalog Data Support for Defense Logistics Agency (DLA) support of Navy Fleet Readiness Centers (FRCs)
- ADC 1184, Removal of the Internal Order Number from the 511R Requisition Submitted via FEDMALL
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on February 01, 2017
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on October 09, 2018
- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates
- ADC 1306, Carrier Identification and In-Transit Visibility Enhancements for the Federal Emergency Management Agency (FEMA)
- ADC 1307, Update Requisition-Related DLMS Transactions to Include GS1 Barcode Information for the Navy Exchange Service Command (NEXCOM))
- ADC 1307A, Add Global Trade Item Number (GTIN) Identifiers to the DLMS 810L Logistics Bill for Non-Appropriated Fund Activities and Non-DoD Customers
- ADC 1321, Revise DLMS Requisition-Related Transactions to Include Customer Point of Contact Information
- ADC 1343, Missing Materiel Receipt Acknowledgement (MRA) Closeout (Supply)
- ADC 1360, Remove References to Disposal Condition Codes in DLA 4000.25 and DLMS Transactions 511M, 511R, and 869F
- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions
- ADC 1390, Use of Management Codes in DLMS 511R Requisition, 511M Requisition Modification and 869F Requisition Follow-Up
- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on April 13, 2022
- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow
- ADC 1420, Other Transaction (OT) Agreements Instrument Type and Procurement Instrument Identifier (PIID) Construct (Supply/Contract Administration)
- ADC 1454, Expand Use of Shop Service Center Codes in Defense Logistics Management Standards Transactions
- ADC 1465, G-Invoicing Federal Intragovernmental Data Standards
- ADC 1465B, G-Invoicing General Terms & Conditions Applied to Order by Seller
- ADC 1503, DLMS Implementation Convention Notes Updates_MFR
- ADC 1512, DLMS Implementation Convention Data Element Name Updates_MFR

Heading:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
10	ST	Transaction Set Header	M	1			Must use
20	BSI	Beginning Segment for Order Status Inquiry	M	1			Must use
* 30	NTE	Note/Special Instruction	O	100			Not Used

Detail:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
LOOP ID - HL					>1		
10	HL	Hierarchical Level	M	1			Must use
* 20	PRF	Purchase Order Reference	O	1			Not Used
30	DTM	Date/Time Reference	O	10			Used
50	LIN	Item Identification	O	>1			Used
60	PID	Product/Item Description	O	1000			Used
70	MEA	Measurements	O	40			Used
80	QTY	Quantity	O	1			Used
100	GF	Furnished Goods and Services	O	1			Used
LOOP ID - REF					>1		
105	REF	Reference Identification	O	1			Used
* 108	DTM	Date/Time Reference	O	>1			Not Used
LOOP ID - N1					>1		
110	N1	Name	O	1			Used
120	N2	Additional Name Information	O	2			Used
130	N3	Address Information	O	2			Used
140	N4	Geographic Location	O	1			Used
* 150	REF	Reference Identification	O	12			Not Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
160	PER	Administrative Communications Contact	O	3			Used
<u>LOOP ID - LM</u>					<u>>1</u>		
170	LM	Code Source Information	O	1			Used
180	LQ	Industry Code	M	>1			Must use
<u>LOOP ID - FA1</u>					<u>>1</u>		
190	FA1	Type of Financial Accounting Data	O	1			Used
200	FA2	Accounting Data	M	>1			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	O	1		N3/10	Not Used
20	SE	Transaction Set Trailer	M	1			Must use

Notes:

3/10

CTT01 is the number of HL segments.

ST Transaction Set Header

Pos: 10Max: 1

Heading - Mandatory

Loop: N/AElements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

- Semantics:**
- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use	1
Description: Code uniquely identifying a Transaction Set							
Code Name							
869 Order Status Inquiry							
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							

BSI Beginning Segment for Order Status Inquiry

Pos: 20Max: 1

Heading - Mandatory

Loop: N/AElements: 7

User Option (Usage): Must use

Purpose: To indicate the beginning of an order status inquiry and provide the type of customer status inquiry

Semantics:

- 1. BSI01 is a status inquiry reference number.
- 2. BSI02 is date of the inquiry.
- 3. BSI06 is time of the inquiry.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
BSI01	127	Reference Identification	M	AN	1/30	Must use	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DLMS Note: Use code "Z" for this data element when no other data code applies.							
BSI02	373	Date	M	DT	8/8	Must use	1
Description: Date expressed as CCYYMMDD DLMS Note: This date corresponds to the date of transaction set preparation in Universal Time Coordinate (UTC).							
BSI03	847	Order/Item Code	M	ID	1/2	Must use	1
Description: Code identifying a group of orders and items Code Name PO Selected Orders - Unshipped Items DLMS Note: Use to indicate that the transaction set contains transactions that apply to open requisitions for which shipment status has not been received.							
BSI06	337	Time	O	TM	4/8	Must use	1
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) DLMS Note: 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format.							
BSI07	353	Transaction Set Purpose Code	O	ID	2/2	Must use	1
Description: Code identifying purpose of transaction set							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
<u>Code</u> <u>Name</u>							
00 Original							
77 Simulation Exercise							
DLMS Note:							
<i>Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use caution to ensure that transactions do not process as action documents which affect accountable records.</i>							
ZZ Mutually Defined							
DLMS Note:							
<i>1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use.</i>							
<i>2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</i>							
BSI08	640	Transaction Type Code	O	ID	2/2	Used	1
Description: Code specifying the type of transaction							
<u>Code</u> <u>Name</u>							
IN Inquiry							
DLMS Note:							
<i>Use to identify status inquiries on previously submitted requisitions when no positive supply status has been received from the supply source.</i>							
BSI09	306	Action Code	O	ID	1/2	Used	0
Description: Code indicating type of action							
<u>Code</u> <u>Name</u>							
83 Future							
DLMS Note:							
<i>1. Used by Navy industrial activities (IAs) to identify a follow-up on a Requisition Alert allowing stock positioning or procurement action in response to the forecasted future funded requirement. The requisition alert is an unfunded requirement.</i>							
<i>2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</i>							
FI File							
DLMS Note:							
<i>1. Use with BSI08 Code IN to identify a requisition follow-up image transaction. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.</i>							
<i>2. Used on image transactions provided to DLA for Navy requisitions submitted directly to other Component SoS, so that DLA will be able to support follow-on actions on behalf of the Navy industrial activity (IA) under a DLA industrial activity support agreement. Refer to ADC 377.</i>							

HL Hierarchical Level

Pos: 10Max: 1

Detail - Mandatory

Loop: HLElements: 3

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

1. The transaction set hierarchical data structure is address information followed by transaction specific information followed by unique item tracking (UIT) information.
2. Use a single 2/HL/010 address loop iteration to identify organization information.
3. Use multiple 2/HL/010 transaction loops as needed for each 2/HL/010 address loop to identify individual transactions subject to inquiry and their associated data.
4. Use multiple 2/HL/010 UIT loops as needed for each 2/HL/010 transaction loop to identify controlled materiel information.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use	1
Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure DLMS Note: In the first 2/HL/010 loop iteration, cite 1. In each subsequent loop iteration, increase incrementally by 1.							
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Used	1
Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to DLMS Note: 1. Use in every 2/HL/010 transaction loop iteration to identify the address loop with which the current loop is associated. Data element content is the sequential number assigned to the 2/HL/010 address loop iteration and serves as the cross-reference between transaction set level address data and associated transactions. 2. Use in 2/HL/010 UIT loops to identify the transaction loop iteration with which the current loop is associated. Data element content is the sequential number assigned							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		to the 2/HL/010 transaction loop iteration and serves as the cross-reference between transaction set level transaction data and associated UIT information.					
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use	1
		Description: Code defining the characteristic of a level in a hierarchical structure					
		<u>Code</u> <u>Name</u>					
		V Address Information					
		DLMS Note: Use in every address loop iteration.					
		W Transaction Reference Number					
		DLMS Note: Use in every transaction loop iteration.					
		X Serial Number					
		DLMS Note: Use in every unique item tracking (UIT) loop iteration.					

DTM Date/Time Reference

Pos: 30	Max: 10
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used
Purpose: To specify pertinent dates and times

- Syntax Rules:
1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
 2. C0403 - If DTM04 is present, then DTM03 is required.
 3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:
Use only in the 2/HL/010 transaction loops. Use multiple repetitions to identify dates or delivery periods associated with the requisitioner's requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1
Description: Code specifying type of date or time, or both date and time							
Code Name							
002	Delivery Requested						
DLMS Note:							
For DLA use only to identify the DLA-calculated delivery date used for internal processing of a customer order.							
043	Publication						
DLMS Note:							
Use only when requisitioning nonstandard materiel to cite the manufacturer's catalog publication date when a catalog is identified in the 2/LIN/050 segment.							
063	Do Not Deliver After						
DLMS Note:							
Use to identify the latest acceptable delivery date for the materiel requisitioned. For conventional ammunition requirements, it defines the latest acceptable delivery date for the required delivery period.							
064	Do Not Deliver Before						
DLMS Note:							
Use to identify the earliest acceptable delivery date for the materiel requisitioned. For conventional ammunition requirements, it defines the earliest acceptable delivery date for the required delivery period.							
802	Date of Action						
DLMS Note:							
Authorized for use on an Intra-Army basis to identify the date stamp of when the Army retail activity generated the action. Date required in order to accurately process transactions relative to image, post-post and working requisitions submitted by Army Single Stock Fund activities.							
996	Required Delivery						
DLMS Note:							
For Foreign Military Sales (FMS) and MAP/GA requirements, use to identify the required availability date. For all other users it is the required deliver date.							
999	Document Date						
DLMS Note:							
Use only when requisitioning nonstandard materiel. Cite the effective date of the drawing number (when using code PT) or the drawing revision number (when using code DR with code PT) identified in 2/LIN/050.							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM02	373	Date	X	DT	8/8	Used	1
		Description: Date expressed as CCYYMMDD					

LINItem Identification

Pos: 50Max: >1

Detail - Optional

Loop: HLElements: 30

User Option (Usage): Used

Purpose: To specify basic item identification data

- Syntax Rules:
- P0405 - If either LIN04 or LIN05 is present, then the other is required.
 - P0607 - If either LIN06 or LIN07 is present, then the other is required.
 - P0809 - If either LIN08 or LIN09 is present, then the other is required.
 - P1011 - If either LIN10 or LIN11 is present, then the other is required.
 - P1213 - If either LIN12 or LIN13 is present, then the other is required.
 - P1415 - If either LIN14 or LIN15 is present, then the other is required.
 - P1617 - If either LIN16 or LIN17 is present, then the other is required.
 - P1819 - If either LIN18 or LIN19 is present, then the other is required.
 - P2021 - If either LIN20 or LIN21 is present, then the other is required.
 - P2223 - If either LIN22 or LIN23 is present, then the other is required.
 - P2425 - If either LIN24 or LIN25 is present, then the other is required.
 - P2627 - If either LIN26 or LIN27 is present, then the other is required.
 - P2829 - If either LIN28 or LIN29 is present, then the other is required.
 - P3031 - If either LIN30 or LIN31 is present, then the other is required.

- Semantics:
- LIN01 is the line item identification

- Comments:
- See the Data Dictionary for a complete list of IDs.
 - LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

1. Use in 2/HL/010 transaction loop iterations to identify the nonstandard materiel. Use with the MEA, DTM, N1 and PID segments to fully identify the nonstandard materiel.

2. Use data element 235/234 pairs to identify data pertinent to the transaction. Present the information in any selected order. Unless otherwise specified, the multiple codes listed for a single qualifier data element identify the range of possible data requirements. When needed, use the next available combination of data element 235/234 pairs to provide the necessary data.

3. At this time, this transaction is not authorized for use to provide IUID information. A PDC must be submitted and approved, documenting the requirement and procedures before using this transaction for transmitting IUID. All references to IUID data are placeholders for future use.

4. Use in 2/HL/010 to identify either the Unique Item Identifier (UII), batch number, or lot number. Then use the 2/REF/105 segment for the other characteristics as needed.

5. Must use when requisitioning nonstandard materiel.

6. DLMS enhancement. The following nonstandard materiel identification includes data derived from the DD Form 1348-6.

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use	1
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) DLMS Note: 1. Use only one of code B8,							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<i>LT or ZR to identify the UIT information.</i>					
		<i>2. Use only one of codes EN, UK, or UP to identify items by Global Trade Item Number. DLMS enhancements. Authorized for use by non-DOD customers. Refer to ADC 1307 and ADC 1307A.</i>					
		<u>Code</u>	<u>Name</u>				
	AB	Assembly					
		DLMS Note:					
		<i>Use to identify the assembly associated with the materiel.</i>					
	B8	Batch Number					
		DLMS Note:					
		<i>Use in UIT loops to indicate the manufacturer's batch number or the number identifying the production run.</i>					
	BH	Finish/Hand Standard Reference					
		DLMS Note:					
		<i>Use to identify the fabric of the nonstandard materiel ordered under Federal Supply Schedule.</i>					
	CL	Color					
	CN	Commodity Name					
		DLMS Note:					
		<i>1. Use to identify the nomenclature of the non-NSN materiel.</i>					
		<i>2. Use to identify the FEMA Logistics Supply Chain Management System (LSCMS) Item Name. Refer to ADC 1306.</i>					
	DR	Drawing Revision Number					
	EN	GTIN-13					
		DLMS Note:					
		<i>1. This is the Global Trade Item Number (GTIN)-13.</i>					
		<i>2. DLMS enhancement. See introductory DLMS note 4a.</i>					
	F1	Catalog Number					
		DLMS Note:					
		<i>Use to identify the manufacturer's catalog which references the nonstandard materiel. Cite the effective catalog publication date, if applicable, in 2/DTM/030 segment.</i>					
	F2	Technical Order Number					
		DLMS Note:					
		<i>Used to provide the Technical Order Number/Technical Manual Number identified on part-numbered requisitions.</i>					
	F3	Technical Manual Number					
	F4	Series Identifier					
		DLMS Note:					
		<i>Use to identify the manufacturer's series number of the end item.</i>					
	F7	End-Item Description					
		DLMS Note:					
		<i>Use to identify the applicable end item which applies to the non-NSN materiel. Description may include the NSN of the end item and/or nomenclature.</i>					
	GS	General Specification Number					
		DLMS Note:					
		<i>Use to identify a specification number, other than a Military Specification (MILSPEC), associated with the nonstandard materiel.</i>					
	LT	Lot Number					
		DLMS Note:					
		<i>Use in UIT loops to indicate the manufacturer's lot number.</i>					

Code Name

MF Manufacturer

DLMS Note:

Use to identify the make of the applicable end item for the nonstandard materiel.

MN Model Number

DLMS Note:

Use to identify the manufacturer's model number of the end item.

MS Military Specification (MILSPEC) Number

PR Process Number

DLMS Note:

Use to identify a general operating specification which cannot be identified by use of the 2/MEA/070 segment. For example, the MEA segment use is primarily to identify physical sizes and dimensions of nonstandard materiel. Code PR use is to indicate specifications similar to output rated wattage and horsepower.

PT Print or Drawing

DLMS Note:

- 1. Use to identify the applicable drawing numbers for the nonstandard materiel.*
- 2. During the legacy MILSTRIP/DLMS transition, this field will be used to perpetuate/populate the Drawing or Specification Number on MILSTRIP part-numbered requisition (corresponds to A02/A0B with Identification Code D (rp 70)). During this time, a field length greater than 10 positions may be truncated or dropped by the receiving application.*
- 3. Under full DLMS, the field length shall be expanded to conform to this standard which allows 48 positions. DLMS-capable applications should plan to support this expanded field length as a DLMS enhancement. See introductory DLMS 4f.*

PW Part Drawing

DLMS Note:

Use to identify the applicable figure numbers for the nonstandard materiel.

SF Surface Finish

DLMS Note:

Use to identify the finish of the nonstandard materiel ordered under Federal Supply Schedule.

SN Serial Number

DLMS Note:

Use to identify the manufacturer's serial number of the end item.

UK GTIN-14

DLMS Note:

- 1. This is the Global Trade Item Number (GTIN)-14.*
- 2. DLMS enhancement. See introductory note 4a.*

UP GTIN-12

DLMS Note:

- 1. This Global Trade Item Number (GTIN)-12.*
- 2. DLMS enhancement. See introductory note 4a.*

VN Vendor's (Seller's) Item Number

YP Publication Number

DLMS Note:

- 1. Use to identify the publications or catalogs.*
- 2. DLMS enhancement; see introductory DLMS note 4a.*

ZR Service Control Identification

DLMS Note:

Use in UIT loops to indicate the Unique Item Identifier (UII).

ZZ Mutually Defined

		<u>Code</u>	<u>Name</u>				
		DLMS Note: Use to identify nonstandard materiel when all other authorized codes do not apply or cannot be determined.					
LIN03	234	Product/Service ID	M	AN	1/48	Must use	1
		Description: Identifying number for a product or service					
LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN05	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN06	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN07	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN08	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN09	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN10	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN11	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN12	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN13	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN14	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN15	234	Product/Service ID	X	AN	1/48	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Identifying number for a product or service					
LIN16	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN17	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN18	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN19	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN20	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN21	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN22	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN23	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN24	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN25	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN26	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN27	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN28	235	Product/Service ID Qualifier	X	ID	2/2	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN29	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
LIN30	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN31	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					

PID Product/Item Description

Pos: 60Max: 1000

Detail - Optional

Loop: HLElements: 3

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

- Syntax Rules:
- 1. C0403 - If PID04 is present, then PID03 is required.
 - 2. R0405 - At least one of PID04 or PID05 is required.
 - 3. C0703 - If PID07 is present, then PID03 is required.
 - 4. C0804 - If PID08 is present, then PID04 is required.
 - 5. C0905 - If PID09 is present, then PID05 is required.

- Semantics:
- 1. Use PID03 to indicate the organization that publishes the code list being referred to.
 - 2. PID04 should be used for industry-specific product description codes.
 - 3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
 - 4. PID09 is used to identify the language being used in PID05.

- Comments:
- 1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
 - 2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
 - 3. PID07 specifies the individual code list of the agency specified in PID03.

DLMS Note:

1. Use in 2/HL/010 transaction loop iterations to describe nonstandard materiel when the 2/LIN/050 and 2/MEA/070 segments do not provide adequate descriptive capability. Use multiple repetitions to provide the narrative descriptive information.

2. Use in 2/HL/010 transaction loop iterations to identify exception data associated with the transaction. Use during extraordinary situations requiring manual intervention in the requisition processing routine.

3. Exception data associated with the requisition is a DLMS enhancement; see introductory DLMS note 4a.

4. Use with Requisition Exception Data Transaction (DLA DIC YRZ) to indicate technical/descriptive exception information or pick, pack/special delivery instructions or extended part number. See introductory DLMS note 4f.

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
PID01	349	Item Description Type	M	ID	1/1	Must use	1
Description: Code indicating the format of a description Code Name F Free-form							
PID02	750	Product/Process Characteristic Code	O	ID	2/3	Must use	1
Description: Code identifying the general class of a product or process characteristic Code Name 08 Product DLMS Note: Use with Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code PN) to indicate an extended part number. Only a single instance of the segment is used with this PID02 qualifier. A							

Code	Name				
		maximum of 60 positions of text (including spaces) may be sent. See introductory DLMS note 4f.			
GEN	General Description				
	DLMS Note:				
	1. Use in conjunction with nonstandard materiel descriptions.				
	2. Use with Requisition Exception Data Transaction (DLA DIC YRZ-Line Counters 01-20) to indicate technical/ descriptive exception information for procurement purposes. Segment may be repeated up to 20 times with same PID02 qualifier. A maximum of 60 positions (including spaces) may be sent for each occurrence of the PID02. A maximum of 1200 positions of text (including spaces) may be sent. Pick, pack, and special delivery type instructions (DLA DIC YRZ-Line Counters 01-06) may also be entered as exception data to be forwarded to a DSS storage activity, as part of an exception MRO. This type of data is limited to 360 positions (including spaces) which would be the segment repeated up to 6 times with the same PID02 qualifier. See introductory DLMS note 4f.				
Description		X	AN	1/80	Must use 1
Description: A free-form description to clarify the related data elements and their content					
DLMS Note: 1. Use in conjunction with PID01 code F to describe the nonstandard materiel.					
2. The field size is limited to a maximum of 60 positions (including spaces) in each occurrence of PID05. The total positions allowed is limited to 1200 (including spaces) which is a maximum of 20 occurrences of the PID05. See introductory DLMS note 4d.					

MEA Measurements

Pos: 70Max: 40

Detail - Optional

Loop: HLElements: 3

User Option (Usage): Used

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

- Syntax Rules:**
- 1. R03050608 - At least one of MEA03, MEA05, MEA06 or MEA08 is required.
 - 2. C0504 - If MEA05 is present, then MEA04 is required.
 - 3. C0604 - If MEA06 is present, then MEA04 is required.
 - 4. L07030506 - If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
 - 5. E0803 - Only one of MEA08 or MEA03 may be present.

- Semantics:**
- 1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

- Comments:**
- 1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

DLMS Note:

Use in 2/HL/010 transaction loop iterations to identify any measurement/dimensions related to the nonstandard materiel being requisitioned.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>																																						
MEA02	738	Measurement Qualifier	O	ID	1/3	Must use	1																																						
Description: Code identifying a specific product or process characteristic to which a measurement applies																																													
DLMS Note: Use to identify the specific dimension/measurement in MEA03 and MEA04.																																													
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>G</td><td>Gross Weight</td></tr><tr><td>DI</td><td>Diameter</td></tr><tr><td>DN</td><td>Density</td></tr><tr><td>DP</td><td>Depth</td></tr><tr><td>FQ</td><td>Frequency</td></tr><tr><td>GL</td><td>Gloss</td></tr><tr><td>HT</td><td>Height</td></tr><tr><td>ID</td><td>Inside Diameter</td></tr><tr><td>LN</td><td>Length</td></tr><tr><td>MD</td><td>Measurement Voltage</td></tr><tr><td>OD</td><td>Outside Diameter</td></tr><tr><td>PB</td><td>Pressure</td></tr><tr><td>TF</td><td>Tensile</td></tr><tr><td>TH</td><td>Thickness</td></tr><tr><td>VO</td><td>Voltage</td></tr><tr><td>WD</td><td>Width</td></tr><tr><td>WT</td><td>Weight</td></tr><tr><td>LPR</td><td>Line Pressure</td></tr></table>								<u>Code</u>	<u>Name</u>	G	Gross Weight	DI	Diameter	DN	Density	DP	Depth	FQ	Frequency	GL	Gloss	HT	Height	ID	Inside Diameter	LN	Length	MD	Measurement Voltage	OD	Outside Diameter	PB	Pressure	TF	Tensile	TH	Thickness	VO	Voltage	WD	Width	WT	Weight	LPR	Line Pressure
<u>Code</u>	<u>Name</u>																																												
G	Gross Weight																																												
DI	Diameter																																												
DN	Density																																												
DP	Depth																																												
FQ	Frequency																																												
GL	Gloss																																												
HT	Height																																												
ID	Inside Diameter																																												
LN	Length																																												
MD	Measurement Voltage																																												
OD	Outside Diameter																																												
PB	Pressure																																												
TF	Tensile																																												
TH	Thickness																																												
VO	Voltage																																												
WD	Width																																												
WT	Weight																																												
LPR	Line Pressure																																												

		<u>Code</u>	<u>Name</u>					
		UCB	Cube					
		VOL	Volume					
MEA03	739	Measurement Value		X	R	1/20	Must use	1
		Description: The value of the measurement						
MEA04	C001	Composite Unit of Measure		X	Comp		Must use	1
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use)						
		DLMS Note: Use to identify the value of the units expressed in MEA03. For example, if the height of the nonstandard materiel was six feet, cite 6 in MEA03 and FT in MEA04.						
MEA04-01	355	Unit or Basis for Measurement Code		M	ID	2/2	Must use	1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
		<u>Code</u>	<u>Name</u>					
		2G	Volts (Alternating Current)					
		2H	Volts (Direct Current)					
		2I	British Thermal Units (BTUs) Per Hour					
		2N	Decibels					
		70	Volt					
		82	Ohm					
		AD	Bytes					
		AZ	British Thermal Units (BTUs) per Pound					
		B0	British Thermal Units (BTUs) per Cubic Foot					
		B7	Cycles					
		CI	Cubic Inches					
		CM	Centimeter					
		CR	Cubic Meter					
		CY	Cubic Yard					
		FT	Foot					
		GA	Gallon					
		HJ	Horsepower					
		IN	Inch					
		KG	Kilogram					
		LB	Pound					
		LT	Liter					
		MR	Meter					
		OZ	Ounce - Av					
		P1	Percent					
		P2	Pounds per Foot					
		PT	Pint					
		QT	Quart					
		R4	Calorie					
		SF	Square Foot					
		SM	Square Meter					
		SY	Square Yard					
		TG	Gross Ton					

DLMS Implementation Convention (IC) 869F
Requisition Follow-Up

ADCs 45, 53, 53A, 69A, 75, 76, 77, 90, 186, 221, 221A, 243, 264, 274, 276, 284, 284A, 322, 328, 352, 359, 375, 377, 381, 381B, 435, 436, 448, 448B, 466, 473, 473A, 1009A, 1014, 1014A, 1020, 1023, 1043, 1043A, 1043B, 1043C, 1050, 1068, 1075, 1110, 1123, 1136, 1161A, 1176, 1184, 1287, 1306, 1307, 1307A, 1321, 1343, 1360, 1367, 1390, 1412, 1420, 1454, 1465, 1465B, MFR 1503 and MFR 1512 DLM 4000.25

<u>Code</u>	<u>Name</u>
TN	Net Ton (2,000 LB).
VA	Volt-ampere per Kilogram
WA	Watts per Kilogram
YD	Yard

QTY Quantity

Pos: 80

Max: 1

Detail - Optional

Loop: HL

Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

- Syntax Rules:
- 1. R0204 - At least one of QTY02 or QTY04 is required.
 - 2. E0204 - Only one of QTY02 or QTY04 may be present.

Semantics:

- 1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

Must use in 2/HL/010 transaction loops to identify the quantity of materiel requisitioned.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1
Description: Code specifying the type of quantity <u>Code</u> <u>Name</u> 01 Discrete Quantity DLMS Note: Use to indicate the quantity requisitioned.							
QTY02	380	Quantity	X	R	1/15	Must use	1
Description: Numeric value of quantity DLMS Note: 1. Express as a whole number with no decimal. 2. A field size exceeding 5 positions (7 positions for FSG 13, ammunition) may not be received or understood by the recipient's automated processing system. See introductory DLMS note 4d.							
QTY03	C001	Composite Unit of Measure	O	Comp		Must use	1
Description: To identify a composite unit of measure(See Figures Appendix for examples of use)							
QTY03-01	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use	1
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken DLMS Note: 1. Use to identify the unit of issue for the materiel requisitioned. 2. DLMS users see the DLMS Unit of Issue and Purchase Unit Conversion Table for available codes.							

GF

Furnished Goods and Services

Pos: 100

Max: 1

Detail - Optional

Loop: HL

Elements: 9

User Option (Usage): Used

Purpose: To specify information related to furnished material, equipment, property, information, and services

- Syntax Rules:
- 1. P0102 - If either GF01 or GF02 is present, then the other is required.
 - 2. P0506 - If either GF05 or GF06 is present, then the other is required.
 - 3. P0809 - If either GF08 or GF09 is present, then the other is required.

- Semantics:
- 1. GF04 is the value of government-furnished property.

DLMS Note:

- 1. Use in the 2/HL/010 transaction loop iterations for Government Furnished Materiel (GFM) transactions.
- 2. Use in 2/HL/010 transaction loop iterations for nonstandard and nonreimbursable materiel to identify the unit price and the basis of unit price of the item being requisitioned.
- 3. Must use to provide contract information applicable to the procurement source under which the contractor is authorized to receive GFP.
- 4. May be used to provide contract information applicable to the procurement source under which the contractor is authorized to purchase from a Government source when directed by the authorizing Service/Agency under CFM procedures.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
GF01	128	Reference Identification Qualifier	X	ID	2/3	Used	1
Description: Code qualifying the Reference Identification							
Code Name							
C7 Contract Line Item Number							
DLMS Note:							
1. Use with the procurement instrument identifier (PIID).							
2. Use as directed by the authorizing Service/Agency.							
3. When both the CLIN and the MDN are applicable, identify the CLIN in GF09. Refer to ADC 1014A.							
W3 Manufacturing Directive Number							
DLMS Note:							
1. Use in addition to the PIID.							
2. Use as directed by the authorizing Service/Agency. Refer to ADC 1014.							
3. When both the CLIN and the MDN are applicable, identify the CLIN in GF09. Refer to ADC 1014A.							
GF02	127	Reference Identification	X	AN	1/30	Used	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
GF03	367	Contract Number	O	AN	1/30	Used	1
Description: Contract number							
DLMS Note: Use to identify the procurement instrument identifier (PIID)							

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
		authorizing the contractor to receive materiel. Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When materiel is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field. For Other Transaction (OT) agreements, the type of instrument (9th position of PIID) will be a 3 for Research OTs or 9 for Prototype and Production OTs. Refer to ADC 1161A or ADC 1420.					
GF04	782	Monetary Amount Description: Monetary amount DLMS Note: 1. Use for nonstandard and nonreimbursable materiel. For nonstandard materiel, express the estimated dollar amount in whole dollars. Do not include decimals or cents. 2. For nonreimbursable (free issue) materiel, indicate "0" dollars. Use with P0105 Code NC, No Charge. DLMS migration enhancement. This usage is comparable to Signal Code D or M. 3. Estimated unit price for nonstandard materiel is a DLMS enhancement, see introductory DLMS note 4a. 4. Use in Commercial Asset Visibility (CAV) transactions to indicate the item unit price. 5. Use for USMC contractor provided maintenance program to indicate the special unit pricing. 6. For other than estimated price for nonstandard materiel, the DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Refer to ADC 221A.	O	R	1/18	Used	1
GF05	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification Code Name PV Product change information number DLMS Note: Use for nonstandard nonreimbursable materiel. For nonstandard materiel (free issue) use to identify an estimated unit price.	X	ID	2/3	Used	1
GF06	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN	1/30	Used	1

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
		DLMS Note: When used, enter "ES" to indicate an estimated unit price is being provided for the materiel or "NC" to indicate the materiel is nonreimbursable (free issue). DLMS enhancement. Use of NC is comparable to Signal Code D or M.					
GF07	328	Release Number Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction DLMS Note: 1. Use to identify the four-position legacy call/order number associated with the PIIN. 2. Do not use for the PIID call/order number. The PIID call/order number is mapped to GF03. Refer to ADC 1161A.	O	AN	1/30	Used	1
GF08	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification Code Name C7 Contract Line Item Number DLMS Note: 1. Use when also identifying an MDN (at GF01). 2. Use as directed by the authorizing Service/Agency. Refer to ADC 1014A.	X	ID	2/3	Used	1
GF09	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN	1/30	Used	1

REFReference Identification

Pos: 105Max: 1

Detail - Optional

Loop: REFElements: 4

User Option (Usage): Used
Purpose: To specify identifying information

Syntax Rules:

- R0203 - At least one of REF02 or REF03 is required.

Semantics:

- REF04 contains data relating to the value cited in REF02.

DLMS Note:

1. Use additional repetitions to identify ancillary information related to the transaction.

2. Must use in all 2/HL/010 transaction loop iterations to identify the transaction number and suffix.

3. Must use in 2/HL/010 transaction loop iterations to identify the transaction number of the requisition. The composition of each transaction number within the transaction set is as follows: (1) DODAAC (or Security Assistance (SA) identification data), (2) a four position date consisting of the last digit of the calendar year and the ordinal day of the calendar year, and (3) the requisition serial number.

4. For Military Assistance Program/Grant Aid (MAP/GA) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, zero in the fifth position, and Type of Assistance and Financing Code in the sixth position. Do not repeat any of this identification data in 2/LQ/180.

5. For Foreign Military Sales (FMS) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, Delivery Terms Code in the fifth position, and Type of Assistance and Financing Code in the sixth position. For Canada only, identify the customer-within-country with a two position code in the fourth and fifth positions.

6. Use in 2/HL/010 UIT loop iterations to identify characteristics not defined in the 2/LIN/050 segment.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
Description: Code qualifying the Reference Identification DLMS Note: 1. In 2/HL/010 transaction loops, use only one of codes 1I, FQ, MF, NS, S6, WL, ABV, or XD to identify the materiel requisitioned. Must use the National Stock Number (NSN) when known, except, when appropriate for brand name subsistence items identified by a Subsistence Identification Number. 2. For 2/HL/010 UIT loops, use multiple repetitions with codes BT, LT and SE only, to identify the characteristics(s) not defined in the 2/LIN/050 segment. The 2/N1/110 segment may be used to identify the manufacturer associated with the UIT information. When the manufacturer differs, a new 2/HL/010 loop is required. 3. Supply sources only use one of codes CT or W4 to advise a procurement activity of the contract or procurement request (PR) information.							

Code Name

1I Department of Defense Identification Code (DoDIC)

DLMS Note:

Use in 2/HL/010 transaction loops to identify ammunition items.

60 Account Suffix Code

DLMS Note:

Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Suffix Code, when applicable. DLMS enhancement, see ADC 466.

86 Operation Number

DLMS Note:

1. Use to identify the Key Operation (KO) Number associated with the JO.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

98 Container/Packaging Specification Number

DLMS Note:

DLA Disposition Services uses to identify the Disposition Services Container Identification (ID). DLA Disposition Services uses container ID on requisitions to link the DTID Number to the applicable container. DLMS enhancement; refer to ADC 466.

9R Job Order Number

DLMS Note:

1. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

2. For DoD SLOA/Accounting Classification compliance the Job Order Number may be repeated as a Work Order Number (FA201 Qualifier WO). Refer to ADC 1043.

AN Associated Purchase Orders

DLMS Note:

1. Use for cross-reference to the customer's internal Purchase Order (PO) Number (one PO Number per requisition document number) or other internal reference number. When submitted, this value will be perpetuated to subsequent transactions. Authorized for DLA interface with the Exchange, NEXCOM, MCX, and non-DoD customers as required. (See ADC 473A and ADC 1465)

2. Use to identify the FEMA Logistics Supply Chain Management System (LSCMS) Distribution Order Number. Refer to ADC 1306.

BT Batch Number

DLMS Note:

Use in UIT loops to indicate the manufacturer's batch number or other number identifying the production run.

CO Customer Order Number

DLMS Note:

1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).

CT Contract Number

DLMS Note:

Use to identify the contract number PIID or obligation Agreement number associated with the requisition. When procurement is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field. For Other Transaction (OT) agreements, the type of instrument (9th position of PIID) will be a 3 for Research OTs or 9 for Prototype and Production OTs. Refer to ADC 1161A or ADC 1420.

F8 Original Reference Number

DLMS Note:

1. Use to identify the Prior Requisition Document Number when re-requisitioning materiel subsequent to purchase of materiel from DLA. Applicable when re-requisitioning is due to storage activity denial or receipt of quality deficient materiel.

2. Authorized DLMS enhancement for BRAC IMSP only. Refer to ADC 352 and ADC 359.

Code Name

FQ Form Number

DLMS Note:

1. Use in 2/HL/010 transaction loops to identify the form stock number.
2. Enter the form number in REF03. Refer to ADC 1287.

LT Lot Number

DLMS Note:

- Use in UIT loops to indicate the manufacturer's lot number.

MF Manufacturers Part Number

DLMS Note:

1. Use in 2/HL/010 transaction loops to identify nonstandard materiel. Use code W7 in REF04 to identify the CAGE code.
2. May be used to identify the supplier-assigned part number when applicable to a DoD EMALL or GSA Advantage/Global internet order from a vendor catalog. Refer to ADC 1068.
3. Enter the manufacturer's part number in REF03. Refer to ADC 1287.

NS National Stock Number

DLMS Note:

- When the unit of use indicator is included (1/BSI07/20=ZZ), the NSN ordered will be interpreted as a unit of use requirement so that the order may be processed against the associated DLA-assigned LSN. The requested quantity is expressed in the unit of use for the LSN in lieu of the unit of issue for the identified NSN. Authorized DLMS enhancement under DLA industrial activity support agreement.

S6 Stock Number

DLMS Note:

1. Use to identify the local stock number (LSN).
2. Applicable to Navy IAs requisitions and requisition alerts. May be used for identification of LSNs for part-numbered items in lieu of a part-numbered requisition.
3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

SE Serial Number

DLMS Note:

- Use in UIT loops to indicate the unique item identifier (UII).

TN Transaction Reference Number

DLMS Note:

1. Must use in 2/HL/010 transaction loops to identify a transaction number assigned to the transaction. This is the document number.
2. When used in the requisition alert follow-up (BSI09=83), this will be the requisition alert document number. The requisition alert is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

W4 Procurement Request Number

DLMS Note:

- Use to identify a procurement request associated with the requisition when no contract number is assigned.

W6 Federal Supply Schedule Number

WL Federal Supply Classification Code

DLMS Note:

- Use to identify the Federal Supply Classification of nonstandard materiel when a part number is not available and materiel can only be identified by description (e.g., non-NSN lumber products).

WO Work Order Number

DLMS Note:

1. Use to identify a maintenance work order number.
2. DLMS enhancement; see introductory DLMS note 4g.

Code Name

3. For DoD SLOA/Accounting Classification compliance the Work Order Number may be repeated at FA201 Qualifier WO. Refer to ADC 1043.

WP Warehouse Pick Ticket Number

DLMS Note:

1. Use to identify the picklist control number assigned to identify a specific job for which materials are being requisitioned and assembled together in support of planned maintenance.

2. Cite the picklist control number in REF03 due to field length.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

XD Subsistence Identification Number

DLMS Note:

Use in 2/HL/010 transaction loops to identify subsistence items.

ZZ Mutually Defined

DLMS Note:

Use to identify nonstandard materiel when all other authorized codes do not apply or cannot be determined (includes management control numbers and locally assigned control numbers). May be used for legacy MILSTRIP-to-DLMS conversion when the translator cannot determine a more appropriate code.

ABV Book Number

DLMS Note:

Use for publication stock number. This is a DLMS enhancement for future use.

PWC Preliminary Work Candidate Number

DLMS Note:

1. Use to identify a Requisition Alert Document Number.

2. Used by Navy Shipyards to associate the funded requisition follow-up with a previously submitted requisition alert.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

REF02	127	Reference Identification	X	AN	1/30	Used	1
-------	-----	---------------------------------	---	----	------	------	---

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF03	352	Description	X	AN	1/80	Used	1
-------	-----	--------------------	---	----	------	------	---

Description: A free-form description to clarify the related data elements and their content

DLMS Note: Use with REF01 codes FQ and MF. Refer to ADC 1287.

REF04	C040	Reference Identifier	O	Comp		Used	1
-------	------	-----------------------------	---	------	--	------	---

Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Syntax:

1. P0304 - If either C04003 or C04004 is present, then the other is required.

2. P0506 - If either C04005 or C04006 is present, then the other is required.

REF04-01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
----------	-----	---	---	----	-----	----------	---

Description: Code qualifying the Reference Identification

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DLMS Note: 1. Use only one of code PG or W7 to identify the materiel. 2. Use code PGC with the code used to identify the materiel.							
Code Name							
43		Supporting Document Number					
DLMS Note: 1. Use with REF01 code TN to identify the Special Program Requirement (SPR) transaction number. 2. Use to establish an audit trail between the draw-down requisition and the original SPR against which the requirement was established. 3. DLMS enhancement; see introductory DLMS note 4a.							
55		Sequence Number					
DLMS Note: DLA Disposition Services uses in conjunction with the Disposition Services Container ID (REF01 Code 98) to identify the Disposition Services Container DTID Sequence Number. This is a sequential number assigned for the requisitioned DTIDs that make up a container. Only applicable if an entire container is requisitioned. Refer to ADC 466.							
C7		Contract Line Item Number					
DLMS Note: Use with 2/REF/105 REF01 code CT, to identify the associated Contract Line Item Number (CLIN), including the SUB Contract Line Item Number (SUBCLIN), or Agreement Line Item Number (ALIN) as appropriate.							
IX		Item Number					
DLMS Note: 1. Use with REF01 code W6 to indicate the Federal Supply Schedule Special Item Number. 2. DLMS enhancement; see introductory DLMS note 4a.							
PG		Product Group					
DLMS Note: Use only with REF01 code WL to identify the materiel name or description.							
W1		Disposal Turn-In Document Number					
DLMS Note: 1. Use in conjunction with the controlling requisition document number for the transaction (REF01 Code TN) when requisitioning a specific item from DLA Disposition Services. 2. DLMS enhancement; see introductory DLMS note 4a.							
W7		Commercial and Government Entity (CAGE) Code					
DLMS Note: 1. Use with REF01 code MF to uniquely identify a manufacturer's (or supplier's) part number. 2. May be used to identify the supplier CAGE when applicable to a DoD EMALL or GSA Advantage/Global internet order from a vendor catalog.							
W8		Suffix					
DLMS Note: 1. Use with 2/REF/105 REF01 code TN to identify the document number suffix. Use when initial 511R is a referral order identified with BR02 transaction type code BN. 2. Also authorized on an Intra-Army basis for identification of the post-post partial issue of materiel by Army Single Stock Fund activities. This use is allowed when the initial 511R is a requisition identified with BR02 transaction type code A0 and BR06 action code is "J". 3. Use with REF01 Code F8 to identify the prior requisition document number suffix if applicable. Authorized DLMS enhancement for BRAC IMSP only. Refer to ADC 352 and ADC 359. 4. When used in the requisition alert follow-up (BSI09=83), or when used in association with the							

Code **Name**

Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. The Requisition Alert Document Number Suffix is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

5. DLA Disposition Services uses on an intra-DLA basis for requisitions processed between the RTD Web Application and DLA Disposition Services. The RTD Web-sequentially assigned suffix code is used for open requisition quantity on externally submitted requisitions when required to establish separate requisition transactions to DLA Disposition Services by DTID Number and, when applicable, the associated DTID Suffix Code. Refer to ADC 466.

PGC Packing Group Code

DLMS Note:

Must use to indicate Outside Continental United States (OCONUS) shipment. When used, the paired data element 127 will cite 1 indicating that the packaging number must meet OCONUS specifications.

REF04-02	127	Reference Identification	M	AN	1/30	Must use	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
REF04-03	128	Reference Identification Qualifier	X	ID	2/3	Used	1
Description: Code qualifying the Reference Identification							

Code **Name**

60 Account Suffix Code

DLMS Note:

1. Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Number Suffix Code, when applicable.

2. When the DTID Number is provided in REF04-02, enter the correlating DTID Suffix using this location. DLMS enhancement, see ADC 466.

PO Purchase Order Number

DLMS Note:

Use in CAV transactions with 2/REF01/105/CT to identify an associated purchase order number for the item being validated,

W1 Disposal Turn-In Document Number

DLMS Note:

1. Use in conjunction with the requisition document number (REF01 Code TN) when requisitioning a specific item from DLA Disposition Services.

2. When there is no Suffix Code (REF04 Code W8), associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04. DLMS enhancement, see ADC 466.

WF Locally Assigned Control Number

DLMS Note:

1. Defense Medical Logistics Standard Support (DMLSS)/Theater Enterprise-Wide Logistics System (TEWLS) use to cite their Local Catalog Identification for subsequent use as the stock number applicable to receipt and inventory processing. Must be used with the manufacturer's part number and associated CAGE cited above.

2. DLMS enhancement; see introductory DLMS Note 4a. Refer to ADC 322.

3. Under DLMS, field length is restricted to a maximum of 30 positions.

REF04-04	127	Reference Identification	X	AN	1/30	Used	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF04-05	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification <u>Code</u> <u>Name</u> 60 Account Suffix Code DLMS Note: 1. Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Number Suffix Code, when applicable. 2. When the DTID Number is provided in REF04-04, enter the correlating DTID Suffix using this location. DLMS enhancement, see ADC 466.	X	ID	2/3	Used	1
REF04-06	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN	1/30	Used	1

Pos: 110	Max: 1
Detail - Optional	
Loop: N1	Elements: 5

Purpose: To identify a party by type of organization, name, and code

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

1. Must use one iteration of this 2/N1/110 loop in every 2/HL/010 address loop to identify the organizations originating the transaction set.
2. Use multiple iterations as needed for each transaction loop to identify the transaction recipients and other organizations associated with the transaction.
3. Use one iteration as needed for each UIT loop to identify the manufacturer of the UIT item(s).

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

BG Buying Group

DLMS Note:

1. Use to identify the G-Invoicing Group Name Description. Refer ADC 1465.
2. DLMS enhancement; see introductory DLMS note 3a.

BS Bill and Ship To

DLMS Note:

Use either this code, or both codes BT and ST, for reimbursable materiel. Use to identify the organization which receives both the materiel and the billing for the materiel.

BT Bill-to-Party

DLMS Note:

1. Use with code ST for reimbursable materiel. Use to identify the organization to receive billing for materiel when different from the organization receiving the materiel. Use precludes the use of code BS for the Bill-to DoDAAC.
2. Use for SFIS compliant systems to identify the BPN of the party to receive the bill. BPN may only be used when the corresponding DoDAAC is also provided. This will require a second iteration of the N1 loop with the same qualifier.
3. Authorized DLMS enhancement; see introductory DLMS note 4g.

DA Delivery Address

DLMS Note:

1. Use with 2/N2/120, 2/N3/130 and 2/N4/140 to fully identify in-the-clear exception ship-to address information.
2. Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code ST) for exception

Code	Name
	<i>ship-to address information. See introductory DLMS note 4f.</i>
DZ	Delivery Zone
	DLMS Note:
	1. Use to provide the DELIVERY LOCATION indicating where the materiel is to be staged/stored.
	2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
IF	International Freight Forwarder
	DLMS Note:
	Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code NA) Notice of Availability (NOA) address information. See introductory DLMS note 4f.
MF	Manufacturer of Goods
	DLMS Note:
	1. Use in 2/HL/010 transaction loops to identify the manufacturer's name for nonstandard materiel.
	2. Use in each 2/HL/010 UIT loop to identify the manufacturer.
OB	Ordered By
	DLMS Note:
	Must use to identify the requisitioner.
PK	Party to Receive Copy
	DLMS Note:
	1. Use as needed to identify an organization to be provided a copy of this transaction. Use with N103, qualifier M4 (Routing Identifier); and, N106, qualifier To (Message To).
	2. Must be used between Army and DLA for their integrated set assembly program, when an assembly component part being ordered by the Army is not managed by DLA, and DLA is acquiring it in support of the Army medical mission. Refer ADC 276.
	3. Used between Navy and DLA for Navy requisitions submitted directly to other Component SoS, so that DLA will be able to support follow-on actions on behalf of the Navy industrial activity (IA) under a DLA industrial activity support agreement. Refer to ADC 377.
	4. DLMS enhancement; see introductory DLMS Note 4a.
ST	Ship To
	DLMS Note:
	Use with code BT for reimbursable materiel. Use to identify the organization to receive the materiel when different from the activity being billed for the materiel. Use precludes the use of code BS.
UK	System
	DLMS Note:
	Use to identify the originating Communication Routing Identifier (COMMRI).
UQ	Subsequent Owner
	DLMS Note:
	Use only on a referral order follow-up to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the RIC to which ownership is being transferred (the New Owner RIC). DLMS enhancement. Refer to ADC 1020.
XN	Planning/Maintenance Organization
	DLMS Note:
	1. Used to identify a Shop Service Center/Shop Store.
	2. Use in conjunction with N103 Identification Code Qualifier 92.
	3. Refer to ADCs 284A, 381, and 1454 for known applications.
Z1	Party to Receive Status
	DLMS Note:
	1. Use when different from Service/Agency prescribed status recipient. Use multiple iterations to identify all status recipients, as required.
	2. The DLMS provides the capability to carry additional status recipients beyond those identified by the

Code	Name
	<i>legacy MILSTRIP. The Media and Status Code and the Distribution Code will be retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Additional status recipients identified here cannot be passed to legacy MILSTRIP users.</i>
Z3	Potential Source of Supply DLMS Note: <i>Use when requisitioning nonstandard materiel to identify potential supply sources.</i>
Z5	Management Control Activity DLMS Note: <i>Use for submission of GFM and CFM transactions.</i>
Z7	Mark-for Party DLMS Note: <i>1. Use to identify an entity located within the ship-to address that is to actually receive the materiel.</i> <i>2. May be identified by DoDAAC, RIC, clear text, or a combination of these. Only one of DoDAAC or RIC may be used.</i> <i>3. Maximum length is 24 positions: mark-for clear text (with no DoDAAC or RIC) displays on DoD shipment documents as two lines of 12 characters each. If text is combined with a DoDAAC, up to 17 clear text characters will be allowed. If text is combined with a RIC, up to 20 clear text characters will be allowed. A slash (/) will be inserted during printing of shipment documentation to separate the DoDAAC or RIC from clear text; do not perpetuate the slash (/) in the DLMS transaction.</i> <i>4. Authorized DLMS enhancement; see introductory DLMS note 4g. Refer to ADC 1009A.</i> <i>5. Also use for Requisition Exception Data Transaction (DLA Code YRZ-Transaction Code MF) to identify delivery information. See introductory DLMS note 4f.</i>
Z8	Last Known Source of Supply DLMS Note: <i>Use to identify the supply source to receive the transaction set.</i>
ZL	Party Passing the Transaction DLMS Note: <i>Use to identify the processing point passing the requisition followup to another supply source for continued processing.</i>
003	Application Party DLMS Note: <i>Used with Supply Status CX to identify the Routing Identifier of the internet ordering application in notification to DAAS that the requisition follow-up failed to receive authorization for continued processing under funds verification procedures. DAAS shall prepare CX Supply Status on behalf of the identified internet ordering application rather than continue processing the follow-up. Refer to ADC 328.</i>
IAD	Foreign Office DLMS Note: <i>1. Use for clear-text exception data FMS in-country address.</i> <i>2. Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code MA) FOR FMS in-country mark-for address. See introductory DLMS note 4f.</i>

N102	93	Name	X	AN	1/60	Used	1
Description: Free-form name							
DLMS Note: 1. Use with 2/N1/110 N101 code DA to identify the ship-to organization. Also use 2/N2/120 if additional information is required.							
2. Use in 2/HL/010 transaction loops with N101 code MF to identify the manufacturer's name when the CAGE code is not available. When the CAGE code is available, use N103 and N104.							

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
		3. Use with N101 Code Z7 to identify the recipient of materiel. Total field length is restricted to 24 clear text characters, when not used in combination with a DoDAAC or RIC. If combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory DLMS note 4g. Refer to ADC 1009A.					
		4. Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA, NA and MF) with N101 code DA, IAD, IF and Z7 to identify the exception address line 1. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS notes 4f.					
		5. Use to identify the delivery location (Qualifier DZ, 2/N101/110). Field length is 30 positions maximum.					
		6. Use with N101 Code BG to identify the G-Invoicing Group Name Description. The format for DoD Components is the DoDAAC followed by a hyphen; followed by the DoDAAC description. Refer to ADC 1465.					
N103	66	Identification Code Qualifier	X	ID	1/2	Used	1
		Description: Code designating the system/method of code structure used for Identification Code (67)					
		Code Name					
	10	Department of Defense Activity Address Code (DODAAC)					
		DLMS Note: DLMS enhancement; see introductory DLMS note 4a.					
	33	Commercial and Government Entity (CAGE)					
		DLMS Note: Use when the organization is a contractor not assigned a DODAAC.					
	50	Business License Number					
		DLMS Note: 1. Use for SFIS to map to SFIS Data element "Business Partner Number TP3". Enter the buyer's BPN in N104. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.					
	92	Assigned by Buyer or Buyer's Agent					
		DLMS Note: Use with N101 Entity Identifier Code XN to identify the user assigned Shop Service Center/Shop Store Identifier. Refer to ADCs 284A, 381, and 1454.					
	A2	Military Assistance Program Address Code (MAPAC)					
		DLMS Note: Use to indicate the SA structured address data.					
	C4	Department of Defense Communication Routing Identifier (COMMRI)					
		DLMS Note: 1. Use only when N101 is UK. 2. A data maintenance action was approved in version 8060. The approved code/name is 'C4 -					

<u>Code</u>	<u>Name</u>					
		Department of Defense Communication Routing Identifier (COMMRI)'. M4 Department of Defense Routing Identifier Code (RIC)				
	Identification Code	X	AN	2/80	Used	1
Description: Code identifying a party or other code						
	Entity Identifier Code	O	ID	2/3	Used	1
Description: Code identifying an organizational entity, a physical location, property or an individual						
<u>Code</u>	<u>Name</u>					
FR	Message From	DLMS Note: <i>Must use with the appropriate 2/N1/110 code to indicate the organization cited in N104 is originating the transaction set.</i>				
TO	Message To	DLMS Note: <i>Must use with appropriate 2/N1/110 codes to indicate the organization cited in N104 is receiving the transaction.</i>				

N2 Additional Name Information

Pos: 120 Max: 2

Detail - Optional

Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

DLMS Note:

1. Use to identify additional name information as authorized.

2. Use with 2/N1/110 code DA to identify additional in-the-clear exception ship-to name information, with code MF (for 2/HL/010 transaction loops only) to identify the manufacturer's name information and with code Z7 to identify the in-the-clear recipient when coded data is not available.

3. Use for Requisition Exception Data Transaction (DLA DIC YRZ) for mark-for, ship-to, FMS in-country mark-for and notice of availability address information. See introductory DLMS note 4f.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
N201	93	Name	M	AN	1/60	Must use	1
Description: Free-form name DLMS Note: Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 2, if not the final line and with Z7 for address line 2. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 4f.							
N202	93	Name	O	AN	1/60	Used	1
Description: Free-form name DLMS Note: Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 3, if not the final line and with Z7 for address line 3. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 4f.							

N3 Address Information

Pos: 130 Max: 2

Detail - Optional

Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

- DLMS Note:**
1. Use to identify additional address information as authorized.

2. Use with 2/N1/110 code DA to identify additional in-the-clear exception ship-to address information, with code MF (for 2/HL/010 transaction loops only) to identify the manufacturer's address information, and with code Z7 to identify the ship-to address that is to actually receive the materiel.

3. Use for Requisition Exception Data Transaction (DLA DIC YRZ) for mark-for delivery data. See introductory DLMS note 4f.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
N301	166	Address Information	M	AN	1/55	Must use	1
		Description: Address information DLMS Note: Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code MF) with N101 code Z7 to reflect line 4 of the mark-for delivery data. A maximum of 30 positions (including spaces) is allowed.					
N302	166	Address Information	O	AN	1/55	Used	1
		Description: Address information					

N4 Geographic Location

Pos: 140 Max: 1

Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

- Syntax Rules:
- 1. C0605 - If N406 is present, then N405 is required.

- Comments:
- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 - 2. N402 is required only if city name (N401) is in the U.S. or Canada.

DLMS Note:

1. Use with 2/N1/110 code DA to identify in-the-clear exception ship-to geographical location information, with code MF (for 2/HL/010 transaction loops only) to identify the manufacturer's geographical location information, and with code Z7 to provide the geographical location ship-to information that is to actually receive the materiel.

2. Use for Requisition Exception Data Transaction to reflect address information. See introductory DLMS note 4f.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
N401	19	City Name	O	AN	2/30	Used	1
Description: Free-form text for city name							
DLMS Note: Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA and NA) with N101 Codes DA, IF, and IAD for final address line to reflect the city name. (DLA DIC YRZ-City Name in field positions 22-41). A maximum of 20 positions (including spaces) is allowed. See introductory DLMS note 4f.							
N402	156	State or Province Code	O	ID	2/2	Used	1
Description: Code (Standard State/Province) as defined by appropriate government agency							
DLMS Note: Use for Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Code ST) with N101 code DA and IF for final address line to indicate the state code associated with the ship-to address, when applicable. (DLA DIC YRZ-State Code in field positions 43-44).							
N403	116	Postal Code	O	ID	3/15	Used	1
Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)							
DLMS Note: Use for the Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA, and NA) with the N101 Codes DA, IF, and IAD for final address line to reflect the postal code. (DLA DIC YRZ-Postal Code in field positions 46-56). A maximum of 11 positions (including spaces) is allowed.							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		See introductory DLMS note 4f.					
N404	26	Country Code	O	ID	2/3	Used	1
		Description: Code identifying the country					
		DLMS Note: 1. Use to identify the country. See DLMS introductory note 5 (Refer to ADC 1075 for implementation).					
		2. Use for the Requisition Exception Data Transaction (DLA DIC YRZ-Transaction Codes ST, MA and NA) with the N101 Codes DA and IF (when other than U.S.), and IAD for final address line to reflect the country code. May reflect DLA 3-position country code, until ADC 1075 is implemented (April 1, 2014). (DLA DIC YRZ-Country Code in field position.					

PER

Administrative Communications
Contact

Pos: 160

Max: 3

Detail - Optional

Loop: N1

Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Rules:
- 1. P0304 - If either PER03 or PER04 is present, then the other is required.
 - 2. P0506 - If either PER05 or PER06 is present, then the other is required.
 - 3. P0708 - If either PER07 or PER08 is present, then the other is required.

DLMS Note:

- 1. Use when requiring direct communications with the party originating the transaction set.
- 2. Use multiple repetitions to identify multiple communications numbers.
- 3. Use for General Services Administration (GSA) requisitions. Refer to ADC 1321.
- 4. DLMS enhancement; see introductory DLMS note 4a.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
PER01	366	Contact Function Code	M	ID	2/2	Must use	1
Description: Code identifying the major duty or responsibility of the person or group named Code Name ICInformation Contact DLMS Note: Use to identify the point of contact.							
PER02	93	Name	O	AN	1/60	Used	1
Description: Free-form name DLMS Note: Use a job title or description instead of an individual's name if security or privacy concerns do not permit the use of a name. Refer to ADC 1321.							
PER03	365	Communication Number Qualifier	X	ID	2/2	Used	1
Description: Code identifying the type of communication number DLMS Note: 1. Use to identify the preferred method of communication in the first repetition. Use additional repetitions when identifying alternate communication methods. 2. Use to provide a commercial phone number and/or e-mail address to facilitate carrier deliveries or source of supply inquiries. Refer to ADC 1321. Code Name AUDefense Switched Network DLMS Note: Use to identify the DSN telephone number.							

		<u>Code</u>	<u>Name</u>					
		EM	Electronic Mail					
		EX	Telephone Extension					
		DLMS Note: <i>Use immediately following codes AU, IT, or TE.</i>						
		FX	Facsimile					
		IT	International Telephone					
		DLMS Note: <i>Include country and city code.</i>						
		TE	Telephone					
		DLMS Note: <i>Use to identify the commercial telephone number. Include the area code and number.</i>						
		TL	Telex					
		TX	TWX					
PER04	364	Communication Number		X	AN	1/80	Used	1
		Description: Complete communications number including country or area code when applicable						
		DLMS Note: <i>Do not include blank spaces, dashes or parenthesis between numbers.</i>						
PER05	365	Communication Number Qualifier		X	ID	2/2	Used	1
		Description: Code identifying the type of communication number						
		<u>Code</u>	<u>Name</u>					
		AU	Defense Switched Network					
		DLMS Note: <i>Use to identify the DSN telephone number.</i>						
		EM	Electronic Mail					
		EX	Telephone Extension					
		DLMS Note: <i>Use immediately following codes AU, IT or TE.</i>						
		FX	Facsimile					
		IT	International Telephone					
		DLMS Note: <i>Include country and city code.</i>						
		TE	Telephone					
		DLMS Note: <i>Use to identify the commercial telephone number. Include the area code and number.</i>						
		TL	Telex					
		TX	TWX					
PER06	364	Communication Number		X	AN	1/80	Used	1
		Description: Complete communications number including country or area code when applicable						
PER07	365	Communication Number Qualifier		X	ID	2/2	Used	1
		Description: Code identifying the type of communication number						
		<u>Code</u>	<u>Name</u>					
		AU	Defense Switched Network					

Code	Name					
		DLMS Note: <i>Use to identify the DSN telephone number.</i>				
EM	Electronic Mail					
EX	Telephone Extension	DLMS Note: <i>Use immediately following codes AU, IT or TE.</i>				
FX	Facsimile					
IT	International Telephone	DLMS Note: <i>Include country and city code.</i>				
TE	Telephone	DLMS Note: <i>Use to identify the commercial telephone number. Include the area code and number.</i>				
TL	Telex					
TX	TWX					
PER08	364	Communication Number	X	AN	1/80	Used 1
		Description: Complete communications number including country or area code when applicable				
PER09	443	Contact Inquiry Reference	O	AN	1/20	Used 1
		Description: Additional reference number or description to clarify a contact number				
		DLMS Note: <i>Use to indicate the office symbol or activity code for the party identified.</i>				

LM Code Source Information

Pos: 170 Max: 1

Detail - Optional

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use this 2/LM/170 loop to identify coded information maintained in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 180Max: >1

Detail - Mandatory

Loop: LMElements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

- Syntax Rules:
1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep		
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used	1		
Description: Code identifying a specific industry code list DLMS Note: 1. Use to identify codes, as appropriate, consistent with management information requirements. 2. Use code 99 or A1, but not both, except for ammunition where both codes may be used. Use of both codes for ammunition is a DLMS enhancement. If communicating with a legacy MILSTRIP system only one of the codes may be received by the recipient's automated processing system.									
Code Name <table><tr><td>0</td><td>Document Identification Code</td></tr></table> DLMS Note: 1. The legacy MILSTRIP DIC is retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date. 2. Use two iterations to identify requisition DIC and Requisition Exception Data Transaction (DLA DIC YRZ), when applicable. 3. Future streamlined data; see introductory DLMS note 4c.								0	Document Identification Code
0	Document Identification Code								
67	Type of Assistance Code	DLMS Note: 1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing. 2. DLMS enhancement; see introductory DLMS note 4a.							
74	Demand Code								
78	Project Code	DLMS Note: 1. Use to identify special programs, exercises, projects, operations, and other purposes. 2. For DoD SLOA/Accounting Classification compliance the Project Code may be repeated as a Project Identifier (FA201 Qualifier 90). Refer to ADC 1043.							
79	Priority Designator Code								
80	Advice Code	DLMS Note: Use to convey information to the supply source which is considered essential to the supply system.							

Code Name

81 Status Code

DLMS Note:

Used by internet ordering applications to notify DAAS that the requisition follow-up failed to receive authorization for continued processing under funds verification procedures. Only Supply Status CX is applicable. This is an authorized DLMS enhancement. Refer to ADC 328.

83 Supply Condition Code

DLMS Note:

1. Use to indicate the lowest acceptable condition of materiel when requisitioning from DLA Disposition Services.

2. When requisitioning specific reparables for induction under Depot Maintenance Inter-Service Agreement (DMISA) or comparable inter-Service agreement, cite the supply condition code (SCC) applicable to the reparable item requested. Authorized SCCs include D, F, G, and Q. Requisitions for induction of a Product Quality Deficiency Report (PQDR) exhibit for warrantied maintenance will cite SCC Q. Refer to ADC 1176.

84 Management Code

DLMS Note:

1. Authorized on an Intra-Army basis to provide required management code information in order to accurately process transactions relative to image and post-post requisitions submitted by Army Single Stock Fund activities. (Refer to ADC 243)

2. Authorized DLMS enhancement under DLA industrial activity support agreement. (Refer to ADC 352, ADC 359 and ADC 375).

3. Authorized on an Intra-Air Force basis to provided required management code information on the reason for the requisition. (Refer to ADC 1390)

87 Subsistence Type of Pack Code

DLMS Note:

Use with subsistence items.

89 Cooperative Logistics Program Support Code

DLMS Note:

For FMS transactions, must use to identify programmed, nonprogrammed, and termination/drawdown requirements.

94 Identification Code

DLMS Note:

Must use in FMS transactions to identify the customer country's requisitioning Service Code: B, D, K, P, or T. This is the SA program Customer Service Designator (codes derived from Qualifier 71, Service and Agency Code). A DM will be submitted to create a new qualifier for this data element.

95 Offer and Release Option Code

DLMS Note:

For FMS transactions, must use to advise the supply source of the type of notice required prior to shipping the materiel.

97 Ultimate Recipient Code

DLMS Note:

1. Use to identify the buyer of DoD materiel to allow full payment for materiel supplied to a non-DoD customer.

2. DLMS enhancement; see introductory DLMS note 4a.

98 Reason for Requisitioning Code

DLMS Note:

1. Use to identify Reason for Requisitioning Code identifying the use of the materiel.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

99 Purpose Code

DLMS Note:

1. Use in CAV transactions.

Code Name

2. DLMS enhancement; see introductory DLMS note 4a.

A1 Ownership Code

DLMS Note:

1. Use in requisition or referral order to identify the ownership of previously purchased materiel. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1BR06/020, Code RI).

2. Use on a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the new/gaining (to) ownership code. DLMS enhancement. Refer to ADC 1020.

3. Also authorized on an intra-Army basis with BR02 Transaction Type Code A0 and BR06 Action Code J for identification of the ownership of materiel post-post issued by Army Single Stock Fund activities.

A2 Customer Within Country Code

DLMS Note:

1. For SA customers, use when the coded address in the transaction number does not identify the customer-within-country.

2. DLMS enhancement; see introductory DLMS note 4a.

A3 Delivery Term Code

DLMS Note:

1. For FMS, transactions, use when the coded address in the transaction number does not identify the delivery term.

2. DLMS enhancement; see introductory DLMS note 4a.

A5 Subcase Number

DLMS Note:

1. Use in FMS transactions based on Service requirements.

2. DLMS enhancement; see introductory DLMS note 4a.

A6 Freight Forwarder Number

DLMS Note:

Must use in FMS transactions to identify the country representative or freight forwarder to receive shipments and documentation.

A7 Record Control Number

DLMS Note:

Must use in MAP/GA transactions to identify the program line item number.

A8 Program Year Code

DLMS Note:

Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded.

A9 Supplemental Data

DLMS Note:

1. Use to identify supplementary address/supplemental data.

2. During the legacy MILSTRIP/DLMS transition, this field will be used to perpetuate/populate the MILSTRIP Supplementary Address (SUPADD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPADD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.

5. During legacy MILSTRIP/DLMS transition, use on a referral order follow-up to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel and no billing. Cite Signal Code M and Project Code CYK in conjunction with the supplemental data field

Code Name

constructed as follows: Service/Agency Code Y followed by the old (from) ownership code, the RIC to which ownership is transferred, and the new/gaining (to) ownership code. Refer to ADC 1020.

AJ Utilization Code

DLMS Note:

1. Use to identify a specialized purpose for which the requisition is submitted.
2. Under legacy MILSTRIP, this is the first position of the document serial number within the document number.
3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
4. DLMS enhancement; see introductory DLMS note 4a.

AK Distribution Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

AL Special Requirements Code

DLMS Note:

1. Under legacy MILSTRIP, this is carried in the required delivery date field.
2. DLMS enhancement; see introductory DLMS note 4a.
3. Use in conjunction with 2/LQ01/Code RC, Requirement Code, to complete the Air Force unique NMCS/MICAP data requirement.

BD Transportation Priority Code

DLMS Note:

1. Use to identify a transportation priority which is different than that associated with the requisition priority.
2. DLMS enhancement; see introductory DLMS note 4a.

DE Signal Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

DF Media and Status Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

DJ Remedial Action Code

DLMS Note:

Use temporary qualifier DJ - Remedial Action Code to identify Army Edit Action Code indicating the actions required by the receiving system in order to accurately process transactions and direct the types of follow-on actions authorized to occur. This is an Army unique data element, and is meaningful to the Army only. The code source is identified as the U.S. Army Materiel Command Single Stock Fund Functional User Manual, 3rd Edition. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Army Edit Action Code.

GQ Group Qualifier Code

DLMS Note:

Use to identify the Materiel Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

KJ Assured Delivery Indicator

DLMS Note:

1. Use to identify, or modify, the Delivery Priority/Special Processing Code for materiel that has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable.

Code Name

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
3. A data maintenance action was approved in version 5030. The approved code/name is DPC – Delivery Priority Code. DoD systems will continue to use Qualifier KJ to represent the Delivery Priority/Special Processing Code until such time as a new ADC directs otherwise.

RC Requirement Code

DLMS Note:

1. Use to identify the Air Force Urgency Justification Code indicating the urgency of need and type of requirement (justification) related to a Not Mission Capable Supply/Mission Impaired Capability Awaiting Parts (NMCS/MICAP) condition.
2. Use in conjunction with Special Requirements Code N (2/LQ01/Code AL or perpetuated from legacy MILSTRIP Required Delivery Date field). This is an Air Force unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action. The code source is identified as the Air Force Manual (AFMAN) 23-110, Volume 1 and 2.
- A data maintenance action was approved in version 5010. The approved code/name is "UJC - Urgency Justification Code".

RD Property Ownership Type Code

DLMS Note:

- Use only on a referral order follow-up to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify, or to modify, the old (from) ownership code. DLMS enhancement. Refer to ADC 1020.

COG Cognizance Symbol

DLMS Note:

1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for nonstock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
2. DLMS enhancement.

DSI Disposition Services Indicator Code

DLMS Note:

1. DLA Disposition Services uses to provide relevant information applicable to the DLA Disposition Services business process supported by this transaction on an intra-DLA basis. Use multiple repetitions of the LQ Segment to include all applicable codes. Authorized DLMS enhancement for use by DLA Disposition Services. Refer to ADC 466.
2. The following Disposition Services Indicator values are available for use in the requisition transaction:
MRA – Materiel Receipt Acknowledgment Required.
DMIL – DEMIL Certification Required.
MUTL – Mutilation Certification Required.
RCYL – Certificate of Recycling Required.
CIF – Container Issued in Full.
WALK – Walk-in Customer.
PICK – Customer Pick-up Required.
3. Approved for use in X12 version 6050.

EWR Evaluate Work Candidate Reason Lookup

DLMS Note:

1. Use to identify Requirement Churn Reason Code to identify materiel orders required by the industrial site to complete planned work above what was originally identified during the pre-planned process ordered and delivered after the start of the availability.
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

IMC Item Management Code

DLMS Note:

1. Use for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
2. DLMS enhancement.

Code	Name
MCC	Material Control Code
DLMS Note: <i>1. Use for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</i> <i>2. DLMS enhancement.</i>	
SEC	Stock Exchange Code
DLMS Note: <i>Use to identify the Exchange Pricing Indicator for intra-Army transactions to identify that the Customer and NIIN on the transaction are Exchange Pricing relevant. When applicable, cite code value EP (Exchange Pricing). Refer to ADC 274.</i> <i>A data maintenance action was approved in version 6010. The approved code/name is "EPI – Exchange Pricing Indicator".</i>	
SMI	Special Material Identification Code
DLMS Note: <i>1. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.</i> <i>2. DLMS enhancement.</i>	
T05	Inspection Parameters
DLMS Note: <i>1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.</i> <i>2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</i>	
Industry Code	X AN 1/30 Used 1
Description: Code indicating a code from a specific industry code list	

FA1 Type of Financial Accounting Data

Pos: 190Max: 1

Detail - Optional

Loop: FA1Elements: 2

User Option (Usage): Used

Purpose: To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep																												
FA101	559	Agency Qualifier Code	M	ID	2/2	Must use	1																												
Description: Code identifying the agency assigning the code values																																			
DLMS Note: This data element is required for X12 syntax. Select the code that corresponds to the organization that is responsible for the assignment of the DoDAAC used to construct the controlling document number for the transaction.																																			
<table><tr><th>Code</th><th>Name</th></tr><tr><td>DF</td><td>Department of Defense (DoD)</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use to indicate that the Component is a Department of Defense agency, including Defense Logistics Agency. Refer to ADC 1043.</td></tr><tr><td>DN</td><td>Department of the Navy</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Includes the United States Marine Corps.</td></tr><tr><td>DY</td><td>Department of Air Force</td></tr><tr><td>DZ</td><td>Department of Army</td></tr><tr><td>FG</td><td>Federal Government</td></tr></table>								Code	Name	DF	Department of Defense (DoD)	DLMS Note:		Use to indicate that the Component is a Department of Defense agency, including Defense Logistics Agency. Refer to ADC 1043.		DN	Department of the Navy	DLMS Note:		Includes the United States Marine Corps.		DY	Department of Air Force	DZ	Department of Army	FG	Federal Government								
Code	Name																																		
DF	Department of Defense (DoD)																																		
DLMS Note:																																			
Use to indicate that the Component is a Department of Defense agency, including Defense Logistics Agency. Refer to ADC 1043.																																			
DN	Department of the Navy																																		
DLMS Note:																																			
Includes the United States Marine Corps.																																			
DY	Department of Air Force																																		
DZ	Department of Army																																		
FG	Federal Government																																		
FA102	1300	Service, Promotion, Allowance, or Charge Code	O	ID	4/4	Used	1																												
Description: Code identifying the service, promotion, allowance, or charge																																			
<table><tr><th>Code</th><th>Name</th></tr><tr><td>A170</td><td>Adjustments</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use only for adjustments not specified by any other code.</td></tr><tr><td>A520</td><td>Base Charge</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use for materiel charges only.</td></tr><tr><td>C930</td><td>Export Shipping Charge</td></tr><tr><td>D340</td><td>Goods and Services Charge</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use for both materiel and related services.</td></tr><tr><td>F060</td><td>Other Accessorial Service Charge</td></tr><tr><td>F560</td><td>Premium Transportation</td></tr><tr><td>I260</td><td>Transportation Direct Billing</td></tr></table>								Code	Name	A170	Adjustments	DLMS Note:		Use only for adjustments not specified by any other code.		A520	Base Charge	DLMS Note:		Use for materiel charges only.		C930	Export Shipping Charge	D340	Goods and Services Charge	DLMS Note:		Use for both materiel and related services.		F060	Other Accessorial Service Charge	F560	Premium Transportation	I260	Transportation Direct Billing
Code	Name																																		
A170	Adjustments																																		
DLMS Note:																																			
Use only for adjustments not specified by any other code.																																			
A520	Base Charge																																		
DLMS Note:																																			
Use for materiel charges only.																																			
C930	Export Shipping Charge																																		
D340	Goods and Services Charge																																		
DLMS Note:																																			
Use for both materiel and related services.																																			
F060	Other Accessorial Service Charge																																		
F560	Premium Transportation																																		
I260	Transportation Direct Billing																																		

DLMS Implementation Convention (IC) 869F
Requisition Follow-Up

ADCs 45, 53, 53A, 69A, 75, 76, 77, 90, 186, 221, 221A, 243, 264, 274, 276, 284, 284A, 322, 328, 352, 359, 375, 377, 381, 381B, 435, 436, 448, 448B, 466, 473, 473A, 1009A, 1014, 1014A, 1020, 1023, 1043, 1043A, 1043B, 1043C, 1050, 1068, 1075, 1110, 1123, 1136, 1161A, 1176, 1184, 1287, 1306, 1307, 1307A, 1321, 1343, 1360, 1367, 1390, 1412, 1420, 1454, 1465, 1465B, MFR 1503 and MFR 1512 DLM 4000.25

Code **Name**

DLMS Note:
Use for non-premium transportation.

R060 Packing, Crating, and Handling Charge

FA2 Accounting Data

Pos: 200Max: >1

Detail - Mandatory

Loop: FA1Elements: 2

User Option (Usage): Must use

Purpose: To specify the detailed accounting data

DLMS Note:

1. Use this segment to identify G-Invoicing 7600EZ Federal Intragovernmental Data Standards (FIDS) data elements.

2. Use this segment to identify the various components of the line of accounting.

3. Use this segment to comply with the DoD SLOA/Accounting Classification. Cost object elements Project Identifier, Funding Center, Identifier, Functional Area, Cost Element Code, Cost Center Identifier, Activity Identifier, and Work Order Number are used as appropriate for the system. Refer to ADC 1043.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
FA201	1196	Breakdown Structure Detail Code	M	ID	2/2	Must use	1
Description: Codes identifying details relating to a reporting breakdown structure tree							
Code Name							
18Funds Appropriation							
DLMS Note: 1. Use to indicate the basic appropriation number. 2. Authorized DLMS enhancement for DLA Disposition Services to provide fund cite for FMS transportation billing. Refer to ADC 466. 3. Components are advised that the DoD is in the process of implementing Standard Financial Information Structure (SFIS) for all systems carrying/processing financial information (e.g., lines of accounting, fund codes). DLMS Qualifier 18 will be authorized at this time to support RBI legacy processes during transition to SFIS.							
89Budget Line Item Identification							
DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Budget Line Item". 2. Refer to ADC 1043. 3. Authorized DLMS enhancement; see introductory DLMS note 4g.							
90Project/Task							
DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Project Identifier". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.							
A1Department Indicator							
DLMS Note: 1. Use to identify the Requesting Agency Component TAS AID (Agency Identifier) in G-Invoicing related transactions. Refer to ADC 1465. 2. For DoD SLOA/Accounting Classification use to identify "Department Regular". Refer to ADC 1043. 3. Authorized DLMS enhancement; see introductory DLMS note 4g.							
A2Transfer from Department							
DLMS Note: 1. Use to identify the Requesting Agency Component TAS ATA (Agency Allocation Transfer Agency							

Code Name

Identifier) in G- Invoicing related transactions. Refer to ADC 1465.

2. For DoD SLOA/Accounting Classification use to identify "Department Transfer". Refer to ADC 1043.

3. Authorized DLMS enhancement; see introductory DLMS note 4g.

A4 Basic Symbol Number

DLMS Note:

1. Use to identify the Requesting Agency Component TAS Main (Main Account Code) in G-Invoicing related transactions. Refer to ADC 1465.

2. For DoD SLOA/Accounting Classification use to identify "Main Account". Refer to ADC 1043.

3. Authorized DLMS enhancement; see introductory DLMS note 4g.

A5 Sub-class

DLMS Note:

1. Use to identify the Requesting Agency Component TAS SP (Sub- Level Prefix Code) in G-Invoicing related transactions. Refer to ADC 1465.

2. Reserved for DoD SLOA/Accounting Classification use to identify "Sub Class". Refer to ADC 1043.

3. Sub Class is a potential future DLMS enhancement; see introductory DLMS note 4a.

A6 Sub-Account Symbol

DLMS Note:

1. Use to identify the Requesting Agency Component TAS SUB (Sub- Account Code) in G-Invoicing related transactions. Refer to ADC 1465.

2. For DoD SLOA/Accounting Classification use to identify "Sub Account". Refer to ADC 1043.

3. Authorized DLMS enhancement; see introductory DLMS note 4g.

AI Activity Indicator

DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify "Activity Identifier". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4g.

3. Qualifier AI is a migration code approved for use in X12 version 7020.

B2 Budget Sub-activity Number

DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify "Sub-Allocation (formerly known as Limit/Subhead)". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4g.

B5 Fund Code

BE Business Event Type Code

DLMS Note:

1. Use to identify the Business Event Type Code (BETC) in G- Invoicing related transactions. Refer to ADC 1465.

2. Reserved for DoD SLOA/Accounting Classification use to identify "Business Event Type Code". Refer to ADC 1043.

C3 Budget Restriction

DLMS Note:

1. Use to identify the Business Event Type Code (BETC) in G- Invoicing related transactions. Refer to ADC 1465.

2. For DoD SLOA/Accounting Classification use to identify "Availability Type". Refer to ADC 1043.

3. Authorized DLMS enhancement; see introductory DLMS note 4g.

CC Cost Center Identifier

Code Name

	DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Cost Center Identifier". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
F1	Object Class DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Object Class". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
FA	Functional Area DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Functional Area". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
FC	Funding Center Identifier DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Funding Center Identifier". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
FT	Funding Type DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Reimbursable Flag". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
H1	Cost Code DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Cost Element Code". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
IA	Security Cooperation Implementing Agency DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Implementing Agency". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
L1	Accounting Installation Number DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Agency Accounting Identifier". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.
P1	Disbursing Station Number DLMS Note: 1. Use to identify the Agency Location Code (ALC) in G-Invoicing related transactions. Refer to ADC 1465. 2. For DoD SLOA/Accounting Classification use to identify "Agency Disbursing Identifier Code". Refer to ADC 1043. 3. Authorized DLMS enhancement; see introductory DLMS note 4g.
P5	Security Cooperation Case Line Item Identifier DLMS Note: 1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Case Line Item Identifier". Refer to ADC 1043. 2. Authorized DLMS enhancement; see introductory DLMS note 4g.

Code	Name
S1	Security Cooperation Customer Code
	DLMS Note: <i>1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Customer Code". Refer to ADC 1043.</i> <i>2. DLMS enhancement; see introductory DLMS note 4d. A field size exceeding 2 positions is not supportable under current MILSTRIP and MAPAC processes. Three character codes are not authorized at this time.</i>
S2	Security Cooperation Case Designator
	DLMS Note: <i>1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Case Designator". Refer to ADC 1043.</i> <i>2. Authorized DLMS enhancement; see introductory DLMS note 4g. A field size exceeding 3 positions is not supportable under current MILSTRIP processes. Four character codes are not authorized at this time.</i>
WO	Work Order Number
	DLMS Note: <i>1. For DoD SLOA/Accounting Classification use to identify "Work Order Number". Refer to ADC 1043.</i> <i>2. Authorized DLMS enhancement; see introductory DLMS note 4g.</i>
YB	Beginning Period of Availability
	DLMS Note: <i>1. Use to identify the Requesting Agency Component TAS BPOA (Beginning Period of Availability) in G-Invoicing related transactions. Refer to ADC 1465.</i> <i>2. For DoD SLOA/Accounting Classification use to identify "Beginning Period of Availability Fiscal Year Date". Refer to ADC 1043.</i> <i>3. Use as appropriate to represent Program Year. Availability Type Code must be "X". Refer to ADC 1043B.</i> <i>4. Authorized DLMS enhancement; see introductory DLMS not 4g.</i>
YE	Ending Period of Availability
	DLMS Note: <i>1. Use to identify the Requesting Agency Component TAS EPOA (Ending Period of Availability) in G-Invoicing related transactions. Refer to ADC 1465.</i> <i>2. For DoD SLOA/Accounting Classification use to identify "Ending Period of Availability Fiscal Year Date". Refer to ADC 1043.</i> <i>3. Authorized DLMS enhancement; see introductory DLMS note 4g.</i>

FA202	1195	Financial Information Code	M	AN	1/80	Must use	1
Description: Code representing financial accounting information							

SE Transaction Set Trailer

Pos: 20Max: 1

Summary - Mandatory

Loop: N/AElements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

- 1. SE is the last segment of each transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
SE01	96	Number of Included Segments	M	N0	1/10	Must use	1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: Cite the same number as the one cited in ST02.					