870 Order Status Report Functional Group=RS

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Report Transaction Set (870) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report on the current status of a requirement forecast, an entire purchase order, selected line items on a purchase order, selected products/services on a purchase order, or purchase orders for a specific customer in their entirety or on a selection basis. The transaction set can also be used to report on the current status of single or multiple requisitions. The report format allows for the inclusion of "reasons" relative to the status. This transaction set may also be used to update the supplier's scheduled shipment or delivery dates. This transaction set can result from either an inquiry or a prearranged schedule agreed to by the trading partners.

DLMS Note:

1. Organizations use this transaction set to provide status on Special Program Requirements and to notify the organization originating the transaction that the Federal Supply Classification (FSC) provided on the original transaction was incorrect. Use a single occurrence of this transaction set to transmit supply status to one or more organizations. Use one occurrence of this transaction set to transmit a single or multiple transactions.

a. Inventory Control Points (ICPs) or Integrated Material Managers (IMMs) use this transaction set to provide Special Program Requirements (SPR) status on SPR requests (corresponds to MILSTRAP Document Identifier Code (DIC) DYK functionality). Defense Automatic Addressing System (DAAS) uses this transaction set to notify the organization originating the SPR transaction that the transaction was rerouted or that the Federal Supply Classification (FSC) in the original transaction was revised (corresponds to MILSTRAP DIC DZ9 functionality).

b. ICPs or IMMs (source of supply) also use this transaction to provide status to a forecasting requirement (accept or reject) for a Demand Data Exchange (DDE) Projected Gross Demand Plan (GDP), or Army Supply Plan (ASP) (DLMS 830D transaction).

2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at www.dla.mil/does/DLMS.

3. This DLMS Implementation Convention (IC) contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

4. This revision to the DLMS IC incorporates Proposed DLMS Changes (PDC) and Approved DLMS Changes (ADC) listed. PDCs/ADCs listed are available from the DEDSO Web site http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/.

- ADC 287, Administrative Update to DLMS Supplement 830R (Version 4010), Special Program Requirements (SPR), 870L SPR/LASE Status, and DLMS Manual (Supply/MILSTRAP)

- ADC 333, Revision to DLMS, Volume 2, Chapter for Logistics Asset Support Estimate (LASE); and Administrative Updates to DLMS 846L, 870L, LASE Request Codes and Reject Advice Codes (Supply/MILSTRAP)

- ADC 400, Elimination of the DLMS-MILSTRAP Logistics Asset Support Estimate (LASE) Process no Longer Required by the DOD Components (DLMS/MILSTRAP/MILSTRIP)

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on April 07, 2015.

- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on February 01, 2017

- ADC 1267, Revise DLMS 830D to Accommodate Navy Fleet Readiness Centers (FRC) Gross Demand Plan (GDP) for Implementation by all DOD Components

- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on April 09, 2019

- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates

- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions

- ADC 1370, Administrative Update to Change Data Element N106 Usage from Must Use to Used

- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on March 14, 2022

1

- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow

Heading:							
Pos	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	Μ	1			Must use
20	BSR	Beginning Segment for Order Status Report	Μ	1			Must use
* 42	TD3	Carrier Details (Equipment)	0	1			Not Used
* 43	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	0	1			Not Used
* 44	TD5	Carrier Details (Routing Sequence/Transit Time)	0	1			Not Used
* 45	DTM	Date/Time Reference	0	10			Not Used
* LOOP I	D - REF				<u>>1</u>		
* 46	REF	Reference Identification	0	1			Not Used
* 47	DTM	Date/Time Reference	0	>1			Not Used
LOOP ID	<u>- N1</u>				<u>200</u>		
50	N1	Name	0	1			Must use
* 60	N2	Additional Name Information	0	2			Not Used
* 70	N3	Address Information	0	2			Not Used
* 80	N4	Geographic Location	0	1			Not Used
* 90	REF	Reference Identification	0	12			Not Used
* 100	PER	Administrative Communications Contact	0	3			Not Used
* 105	PWK	Paperwork	0	1			Not Used
<u>* LOOP I</u>	D - LM				<u>10</u>		
* 120	LM	Code Source Information	0	1			Not Used
* 130	LQ	Industry Code	Μ	100			Not Used

Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP IE) - HL				<u>1000</u>		
10	HL	Hierarchical Level	М	1			Must use
* 20	PRF	Purchase Order Reference	0	1			Not Used
<u>* LOOP</u>	<u>ID - ISR</u>				<u>104</u>		
* 30	ISR	Item Status Report	0	1			Not Used
* 40	PID	Product/Item Description	0	6			Not Used
* 50	QTY	Quantity	0	4			Not Used
* 70	PER	Administrative Communications Contact	0	3			Not Used
80	DTM	Date/Time Reference	0	10			Used
* 86	CS	Contract Summary	0	3		N2/86	Not Used
LOOP IE) - REF				<u>>1</u>		
87	REF	Reference Identification	0	1			Must use
* 88	DTM	Date/Time Reference	0	>1			Not Used
LOOP IE) - N1				<u>200</u>		
90	N1	Name	0	1			Must use
* 100	N2	Additional Name Information	0	2			Not Used
* 110	N3	Address Information	0	2			Not Used
* 120	N4	Geographic Location	0	1			Not Used
* 130	REF	Reference Identification	0	12			Not Used
* 140	PER	Administrative Communications Contact	0	3			Not Used

ADC 287, 333, 400, 436, 1043C, 1267, 1287, 1367, 1370 and 1412 DLM 4000.25

							4000
Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP IE	D - LM				<u>10</u>		
144	LM	Code Source Information	0	1			Used
145	LQ	Industry Code	Μ	100			Must use
) - PO1				<u>1000</u>		
150	PO1	Baseline Item Data	0	1			Used
* 155	CUR	Currency	0	1			Not Used
* 160	SLN	Subline Item Detail	0	100			Not Used
* 170	PO3	Additional Item Detail	0	1			Not Used
180	PID	Product/Item Description	0	1000			Used
* 190	MEA	Measurements	0	40			Not Used
* 200	PKG	Marking, Packaging, Loading	0	25			Not Used
LOOP IE) - ISR				<u>104</u>		
210	ISR	Item Status Report	0	1			Used
* 220	PID	Product/Item Description	0	6			Not Used
230	QTY	Quantity	0	4			Used
240	DTM	Date/Time Reference	0	10			Used
* 250	N1	Name	0	1			Not Used
* 251	N2	Additional Name Information	0	2			Not Used
* 252	N3	Address Information	0	2			Not Used
* 253	N4	Geographic Location	0	1			Not Used
* 260	TD1	Carrier Details (Quantity and Weight)	0	1			Not Used
* 270	TD5	Carrier Details (Routing Sequence/Transit Time)	0	1			Not Used
* 280	TD3	Carrier Details (Equipment)	0	1			Not Used
* 290	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	0	1			Not Used
* 300	REF	Reference Identification	0	12			Not Used
* 310	SAC	Service, Promotion, Allowance, or Charge Information	0	25			Not Used
LOOP IE	D - LM				<u>10</u>		
320	LM	Code Source Information	0	1			Used
330	LQ	Industry Code	М	100			Must use
* LOOP	ID - LX				<u>>1</u>	<u>N2/340L</u>	
* 340	LX	Assigned Number	0	1	<u> </u>	N2/340	Not Used
* 350	REF	Reference Identification	0	>1			Not Used
* 360	N1	Name	0	1			Not Used
* 370	DTM	Date/Time Reference	0	10			Not Used
* LOOP				-	<u>10</u>		
* 380	LM	Code Source Information	0	1	_		Not Used
* 390	LQ	Industry Code	M	100			Not Used

Summary:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	0	1		N3/10	Not Used
20	SE	Transaction Set Trailer	М	1			Must use

Notes:

2/86	Use is limited to intra-organizational transactions.
------	--

2/340L The LX loop conveys serial number, lot number, and inventory data.

2/340 The LX loop conveys serial number, lot number, and inventory data.

3/10 The number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

ST Transaction Set Header

Pos: 10 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	Μ	ID	3/3	Must use	1
		Description: Code uniquely identifying a Transaction Set					
		<u>Code</u> <u>Name</u>					
		870 Order Status Report					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					

BSR Beginning Segment for Order Status Report

Pos: 20 Max: 1 Heading - Mandatory Loop: N/A Elements: 6

User Option (Usage): Must use

Purpose: To indicate the beginning of an Order Status Report Transaction Set

Semantics:

- 1. BSR03 indicates a status report document number assigned by the sender.
- 2. BSR04 indicates the date of this report from the sender.
- 3. BSR07 indicates the time of this report from the sender.
- 4. BSR08 indicates a status report document number assigned by the inquirer.
- 5. BSR09 indicates the date this report was requested from the sender by the inquirer.
- 6. BSR10 indicates the time this report was requested from the sender by the inquirer.

<u>Ref</u> BSR01	<u>Id</u> 850	<u>Element Name</u> Status Report Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 1/2	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Code indicating the reason for sending the report					
		Code Name					
		3 Unsolicited Report					
		DLMS Note:					
		Status Notification. DLA Transaction submitter that an SPR transaction w functionality.)					
		9 Response to a Requirement Forecas	t				
		DLMS Note:					
		1. SPR Status. ICP/IMM uses SPR response to a DLMS 830R SPR trai					activity in
		2. For DDE, GDP, ASP status, use 830D Demand Data Exchange Proj				irement in response t	o DLMS
BSR02	847	Order/Item Code	М	ID	1/2	Must use	1
		Description: Code identifying a group of orders and items					
		Code Name					
		CA All Orders - All Items					
		DLMS Note:					
		Use to indicate the response applied	s to all spe	ecified items	:.		
BSR03	127	Reference Identification	М	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
		DLMS Note: Use code "Z" for this data element to satisfy a mandatory X12 syntax requirement.					
BSR04	373	Date	М	DT	8/8	Must use	1
		Description: Date expressed as CCYYMMDD					
		DLMS Note: This date is the date of					

o la	lounouton						1000.20
<u>Ref</u>	<u>ld</u>	<u>Element Name</u> transaction set preparation and corresponds to the Universal Time Coordinate (UTC).	<u>Req</u>	<u>Түре</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
BSR	07 337	Time	0	ТМ	4/8	Used	1
		Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
		DLMS Note: 1. Use to identify the originator's time of transaction set preparation time in UTC.					
	2. Express time in a four-position (HHMM) format.						
BSR	11 353	Transaction Set Purpose Code	0	ID	2/2	Used	1
		Description: Code identifying purpose of transaction set					
		<u>Code</u> <u>Name</u>					
		00 Original					
		77 Simulation Exercise					
		DLMS Note:					
		Use to identify a simulated mobilization exercises must ensure recipients must use extreme caution	complete	coordinatio	n with all activities	involved. All trans	

documents which affect accountable records.

N1 Name

Pos: 50	Max: 1
Heading	- Optional
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

1. Must use this N1 loop to identify the organization originating the transaction set.

2. Use additional iterations to identify other organizations associated with the transaction.

Ref	ld	Elem	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
N101	98	Entit	y Identifier Code	М	ID	2/3	Must use	1		
			Description: Code identifying an organizational entity, a physical location, property or an individual DLMS Note: <i>1. Use only one of codes GP, Z4, or ZN.</i>							
		2. Th	e following codes are authorized.							
		<u>Code</u> GP	 <u>Name</u> Gateway Provider DLMS Note: 							
			This is DLA Transaction Services. D that an SPR transaction was rerouted							
		Z4	Owning Inventory Control Point							
			DLMS Note:							
			 Use to identify the ICP or IMM pro Use to identify the source of suppl 9). 	Ū.			,	ort Code		
		ZN	Losing Inventory Manager							
			DLMS Note:							
			Use with BSR01 Status Report Code 9 when the LIM is providing SPR status.							
N103	66	Ident	ification Code Qualifier	х	ID	1/2	Must use	1		
		syste	ription: Code designating the m/method of code structure used for ification Code (67)							
		<u>Code</u>	<u>Name</u>							
		10	Department of Defense Activity Addres	ss Code (DODAAC)					
			DLMS Note:							
			DLMS enhancement. See introducto	ory DLMS	note 3a.					
		M4 Department of Defense Routing Identifier Code (RIC)								

<u>Ref</u> N104	<u>ld</u> 67		ent Name ification Code	<u>Req</u> X	<u>Type</u> AN	<u>Min/Max</u> 2/80	<u>Usage</u> Must use	<u>Rep</u> 1
		Desc other	ription: Code identifying a party or code					
N106	98	Entity	/ Identifier Code	0	ID	2/3	Used	1
		organ	r iption: Code identifying an izational entity, a physical location, rty or an individual					
		<u>Code</u>	Name					
		FR	Message From					
			DLMS Note:					
			Must use with the appropriate 1/N10 transaction set.)1/050 cod	le to indica	te the organizatio	n cited in N104 origin	nating the

HL I	Hierarchica	al Level
------	-------------	----------

Pos: 10 Max: 1 Detail - Mandatory Loop: HL Elements: 2

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

The transaction set hierarchical data structure is for SPR transaction status only.

Ref	<u>Id</u>		nt Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
HL01	628	Hierard	chical ID Number	М	AN	1/12	Must use	1		
		the sen	ption: A unique number assigned by ider to identify a particular data int in a hierarchical structure							
		iteration subseq	Note: In the first 2/HL/010 loop n, cite numeric 1. In each luent loop iteration, increase entally by 1.							
HL03	735	Hierard	chical Level Code	М	ID	1/2	Must use	1		
		-	ption: Code defining the teristic of a level in a hierarchical re							
		<u>Code</u>	Name							
		W	Transaction Reference Number							
			DLMS Note:							
			Use to identify the individual SPR transaction status loops.							

DTM Date/Time Reference

Pos: 80 Max: 10 Detail - Optional Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

Use in SPR status transactions.

	,									
<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
DTM01	374	Date/Time Qualifier	М	ID	3/3	Must use	1			
		Description: Code specifying type of date or time, or both date and time								
		<u>Code</u> <u>Name</u>								
		097 Transaction Creation								
		DLMS Note:								
		Use to indicate the date of trans	Use to indicate the date of transaction preparation.							
DTM02	373	Date	х	DT	8/8	Used	1			
		Description: Date expressed as CCYYMMDD								

REF Reference Identification

Pos: 87 Max: 1 Detail - Optional Loop: REF Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

Must use to identify the customer assigned transaction number.

<u>Ref</u>	<u>Id</u>	<u>Elem</u>	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
REF01	128	Reference Identification Qualifier		М	ID	2/3	Must use	1		
			ription: Code qualifying the rence Identification							
			S Note: The following codes are prized.							
		<u>Code</u>	<u>Name</u>							
		FG	Fund Identification Number							
			DLMS Note:							
			For Navy use, this is the Program For ADC 1267.	unding Ind	licator asso	ociated to a Gross	s Demand Plan (GDP)	. See		
		ΤN	Transaction Reference Number							
			DLMS Note:							
			Must use to identify the customer assigned transaction number. This is the document number.							
		WL	Federal Supply Classification Code							
			DLMS Note:							
			Use for Status Notification transaction an SPR transaction.	ons to ider	ntify the co	rrect FSC associa	ated with the materiel	cited in		
REF02	127	Refe	rence Identification	х	AN	1/30	Must use	1		
		define	ription: Reference information as ed for a particular Transaction Set or pecified by the Reference Identification fier							

N1 Name

Pos: 90	Max: 1
Detail -	Optional
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

1. Must use one iteration of this 2/N1/090 loop to identify the organization to receive the transaction.

2. Use additional iterations to identify other organizations associated with the transaction.

Ref	<u>Id</u>	Elem	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>	
N101	98	Entity	y Identifier Code	М	ID	2/3	Must use	1	
		orgar prope DLM :	ription: Code identifying an nizational entity, a physical location, erty or an individual S Note: <i>The following codes are</i> prized.						
		Code	Name						
		78	Service Requester						
			DLMS Note:						
			Must use to indicate the activity subm	nitting the	original Si	PR transaction.			
		ZA	Corrected Address	0	U				
			DLMS Note:						
			Use to identify the source of supply to	o whom E	DLA Transa	action Services ha	as rerouted the transa	action.	
		ZP	Gaining Inventory Manager						
			DLMS Note:						
			Use for SPR Status transactions to id involved in logistics reassignment.	lentify the	e Gaining It	em Manager (GII	M) for those items of	supply	
N103	66	Ident	ification Code Qualifier	х	ID	1/2	Must use	1	
		Description: Code designating the system/method of code structure used for Identification Code (67)							
		<u>Code</u>	<u>Name</u>						
		10	Department of Defense Activity Addres	s Code (l	DODAAC)				
			DLMS Note:						
			DLMS enhancement. See introducto	ry DLMS	note 3a.				
		M4	Department of Defense Routing Identif	ier Code	(RIC)				
N104	67	Ident	ification Code	Х	AN	2/80	Must use	1	
			ription: Code identifying a party or code						

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N106	98	Entity Identifier Code	0	ID	2/3	Used	1

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

TO Message To

DLMS Note:

Must use with 2/N101/090 code 78 to indicate the organization cited in N104 is receiving the transaction set.

LM Code Source Information

Pos: 144 Max: 1 Detail - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use this 2/LM/144 loop to identify coded information maintained in departmental or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	Μ	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					

Code Name

DF Department of Defense (DoD)



Pos: 145	Max: 100
Detail - M	andatory
Loop: LM	Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

	In Ind	Elom	ent Name	Pog	Type	Min/Max	lleago	Pop			
<u>Ref</u> LQ01	<u>ld</u> 1270		List Qualifier Code	<u>Req</u> O	<u>Type</u> ID	<u>1/3</u>	<u>Usage</u> Must use	<u>Rep</u> 1			
LQUI	1270			0	ID.	1/5	Must use	I			
			ription: Code identifying a specific try code list								
		DLMS autho	S Note: The following codes are rized.								
		Code	Name								
		0	Document Identification Code								
			DLMS Note:								
			Use a second iteration with BSR01 c is being provided.	code 3 to i	identify the	DIC of the origina	al transaction for wh	ich status			
		78	Project Code								
		79	Priority Designator Code								
			DLMS Note:								
			Recommend using in all requisitions.								
		81	Status Code								
			DLMS Note:								
			Use multiple repetitions when neede of an FSC change (Status Code BG, transaction (Status Code BM); other code 3).) and/or th	nat DLA Tra	nsaction Services	s rerouted an SPR				
		83	Supply Condition Code								
		A9	Supplemental Data								
			DLMS Note:								
			1. Use to identify supplemental addr	ess/data.							
			2. During the DLSS/DLMS transition, Supplementary Address (SUPAAD) introductory DLMS note 3d.					see			
			3. Expanded use of this field for support introductory DLMS note 3a.	olemental	data withou	It size restriction	is a DLMS enhance	ment; see			
			4. Under full DLMS, the requirement field will be streamlined. Activity add exclusively in the N1 segment. Futur	ress data	previously	contained in the	SUPAAD will be refle				
		AJ	Utilization Code								
			DLMS Note:								
			1. Under DLSS, this is the first positi	on of the	document s	erial number.					
			2. DLMS enhancement; see introduc	tory DLM	S note 3a						

- ED Coast Designation Code
- GQ Group Qualifier Code

Code Name

DLMS Note:

Use to identify the Material Management Aggregation Code MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

AN

1/30

Must use

1

Х

LQ02 1271 Industry Code

Description: Code indicating a code from a specific industry code list

PO1 Baseline Item Data

Pos: 150 Max: 1 Detail - Optional Loop: PO1 Elements: 4

User Option (Usage): Used

Purpose: To specify basic and most frequently used line item data

Syntax Rules:

- 1. C0302 If PO103 is present, then PO102 is required.
- 2. C0504 If PO105 is present, then PO104 is required.
- 3. P0607 If either PO106 or PO107 is present, then the other is required.
- 4. P0809 If either PO108 or PO109 is present, then the other is required.
- 5. P1011 If either PO110 or PO111 is present, then the other is required.
- 6. P1213 If either PO112 or PO113 is present, then the other is required.
- 7. P1415 If either PO114 or PO115 is present, then the other is required.
- 8. P1617 If either PO116 or PO117 is present, then the other is required.
- 9. P1819 If either PO118 or PO119 is present, then the other is required.
- 10. P2021 If either PO120 or PO121 is present, then the other is required.
- 11. P2223 If either PO122 or PO123 is present, then the other is required.
- 12. P2425 If either PO124 or PO125 is present, then the other is required.

Comments:

- 1. See the Data Element Dictionary for a complete list of IDs.
- 2. PO101 is the line item identification.
- 3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

Use the 2/P01/150 loop for SPR response transactions to identify the materiel and status associated with the transaction number.

<u>Ref</u>	ld	Elem	ent Name	Req	Type	Min/Max	<u>Usage</u>	<u>Rep</u>
PO106	235	Prod	uct/Service ID Qualifier	Х	ID	2/2	Must use	1
		type/s	ription: Code identifying the source of the descriptive number used oduct/Service ID (234)					
		A4, F YP to Natio excep subsi	S Note: 1. Use only one of codes A2, B, FS, KD, MG, PR, RR, SR, SW, or identify the materiel. Must use the nal Stock number (NSN) when known of when appropriate brand name stence items are identified by the istence Identification Number.					
		2. Th	e following codes are authorized.					
		Code	Name					
		A2	Department of Defense Identification C	ode (Do	DIC)			
			DLMS Note:					
			1. Use to identify ammunition items.					
			2. DLMS enhancement. See introduc	ctory DLN	IS note 3a.			
		A4	Subsistence Identification Number					
		,,,,	DLMS Note:					
			1. Use to identify subsistence items.					
			2. DLMS enhancement. See introduc	ctory DLN	IS note 3a.			
		FB	Form Number					

nvention (IC)	870L Demand and Supply Planning	ADC 287,	333, 400, 436	δ, 1043C, 1267, 1	287, 1367, 1370 and 14	12 DLM 4000.25
Code	<u>Name</u>					
<u></u>	DLMS Note:					
	1. Use to identify the form stock nu	mber.				
	2. DLMS enhancement. See introd	luctory DLM	S note 3a.			
FS	National Stock Number					
KD	Replacement National Stock Number	r				
	DLMS Note:					
	Use to identify the substitute or sup obsolete.	erseding NS	SN when the	erequested mat	teriel is either not ava	ilable or
MG	Manufacturer's Part Number					
	DLMS Note:					
	1. Use to identify nonstandard mat	eriel.				
	2. DLMS enhancement. See introd	ductory DLN	//S note 3a.			
PR	Process Number					
	DLMS Note:					
	1. Use to identify the substitute or s either not available or obsolete.	uperseding	publication	number when ti	he requested materie	l is
	2. DLMS enhancement. See introd	luctory DLM	S note 3a.			
RR	Replacement Product Number					
	DLMS Note:					
	1. Use to identify the substitute or s not available or obsolete.	uperseding	form stock	number when th	ne requested materiel	is either
	2. DLMS enhancement. See introd	luctory DLM	IS note 3a.			
SR	Substitute Product Number					
	DLMS Note:					
	1. Use to identify the substitute or s not available or obsolete.	uperseding	ammunition	item when the	requested materiel is	; either
	2. DLMS enhancement. See introd	luctory DLM	IS note 3a.			
SW	Stock Number		•			
-	DLMS Note:					
	1. Use to identify the substitute or s not available or obsolete.	uperseding	subsistence	e item when the	requested materiel is	s either
	2. DLMS enhancement. See introd	luctory DLM	IS note 3a.			
TP	Product Type Code		O note can			
	DLMS Note:					
	1. For clothing and footwear, use to	o identify th	e NSN wher	n the materiel re	equested represents a	a generic
	requirement for which the quantity s					gonen
	2 DLMS ophoncoment See intro	ductory DLA	15 noto 3a			
YP	2. DLMS enhancement. See introc Publication Number	JUCIOTY DEIV	IS HULE Sa.			
۱r	Publication Number					
	1. Use to identify the publication sto	ook number				
	2. DLMS enhancement. See introd					
Brod	uct/Service ID	X	AN	1/48	Must use	1
Desc	ription: Identifying number for a uct or service	^	AIN	1/40		I
		Ň		- /	,	4
Proa	uct/Service ID Qualifier	Х	ID	2/2	Used	1
Desc	ription: Code identifying the					

type/source of the descriptive number used in Product/Service ID (234)

PO107

PO108

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		DLMS Note: 1. When P0106 is qualifier MG, must use P0108 qualifier ZB.					
		2. The following codes are authorized.					
		<u>Code</u> <u>Name</u>					
		ZB Commercial and Government Entity	(CAGE) Co	ode			
		DLMS Note:					
		1. Use with P0106 code MG to unio	quely identi	ify a manufa	acturer's part numb	per.	
		2. DLMS enhancement. See introd	ductory DL	MS note 3a			
PO109	234	Product/Service ID	Х	AN	1/48	Used	1
		Description: Identifying number for a product or service					

PID Product/Item Description

Pos: 180 Max: 1000 Detail - Optional Loop: PO1 Elements: 2

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Syntax Rules:

- 1. C0403 If PID04 is present, then PID03 is required.
- 2. R0405 At least one of PID04 or PID05 is required.
- 3. C0703 If PID07 is present, then PID03 is required.
- 4. C0804 If PID08 is present, then PID04 is required.
- 5. C0905 If PID09 is present, then PID05 is required.

Semantics:

- 1. Use PID03 to indicate the organization that publishes the code list being referred to.
- 2. PID04 should be used for industry-specific product description codes.
- 3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
- 4. PID09 is used to identify the language being used in PID05.

Comments:

- 1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
- 2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
- 3. PID07 specifies the individual code list of the agency specified in PID03.

DLMS Note:

1. This segment contains free form text which the DDE submitter may use to provide information of value to the collaboration participants. The submitter may also use this segment to provide information deemed useful to their planners during collaboration as it will be available for their viewing in the Collaborate tool. This segment is optional and informational in nature and can be viewed by all participants in the collaboration process.

2. Use to perpetuate optional field information provided by the originator via DLMS 830D. See ADC 1267.

3. On an interim basis, to accommodate DLA's DIC CDD format in a mixed DLMS/non-DLMS CDD environment, the free form text in the PID segment is limited to a total of 110 characters which maps to DIC CDD Optional fields 1 through 4 in record positions 953-1062. To accommodate DLA DIC CDD fixed format, this requires restricting use of 2/PID/180 segment to a maximum of 4 iterations, with maximum 20 characters each in 3 iterations and maximum of 50 characters in one iteration. This supports DLA DIC CDD which has 3 optional fields of 20 characters and 1 optional field of 50 characters. Use of PID segment, other than as described by this note, is a DLMS enhancement. See introductory DLMS note 3a.

Element S	ummary:						
<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PID01	349	Item Description Type	М	ID	1/1	Must use	1
		Description: Code indicating the format of a description					
		<u>Code</u> <u>Name</u>					
		F Free-form					
		DLMS Note:					
		Use to perpetuate optional information	on provide	ed by the o	riginator via DLM	S 830D. See ADC 12	67.
PID05	352	Description	0	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					
		DLMS Note: Use with PID01 to provide narrative information to the collaboration					

DLMS Implementation Convention (IC) 870L Demand and Supply Planning Status/Notification			ADC 287	, 333, 400, 4	36, 1043C, 1267, 1	287, 1367, 1370 and 14	412 DLM 4000.25
<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		participants.					

21

ISR Item Status Report

Pos: 210 Max: 1 Detail - Optional Loop: ISR Elements: 1

User Option (Usage): Used

Purpose: To specify detailed purchase order/item status

Semantics:

1. If ISR01 specifies a date, ISR02 is required.

DLMS Note:

Use the 2/ISR/210 loop to provide detailed status information.

<u>Ref</u> ISR01	<u>Id</u> 368		<u>ent Name</u> nent/Order Status Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rep</u> 1		
		an oro any di ordere	ription: Code indicating the status of der or shipment or the disposition of ifference between the quantity ed and the quantity shipped for a line or transaction							
		<u>Code</u>	Name							
		СО	Customer Inquiry - Unshipped Items C	only						
			DLMS Note:							
	UR		Use to indicate status is provided in response to a customer inquiry.							
			Unsolicited Report							
			DLMS Note:							
			Use to indicate status is provided in a	accordanc	e with nor	mal status respo	nse parameters.			

QTY Quantity

Pos: 230	Max: 4
Detail - O	ptional
Loop: ISR	Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

Syntax Rules:

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

1. Must use one repetition with responses to SPR forecasts to identify the quantity for which the SPR status code in the 2/LM/320 loop applies. May use a second repetition in response to an SPR forecast to indicate the procurement leadtime.

2. Do not use with transactions notifying of errors in SPR transactions.

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	Usage	<u>Rep</u>				
QTY01	673	Quantity Qualifier	М	ID	2/2	Must use	1				
		Description: Code specifying the type of quantity									
		<u>Code</u> <u>Name</u>									
		1G Lead Time (in calendar units)									
		DLMS Note:									
		Use to indicate the number of pro- associated status code.	curement (o	or assembly) lead time days v	when required by the					
		AY Forecast									
		DLMS Note:									
		Use to identify the SPR forecast q	Use to identify the SPR forecast quantity associated with the support date in the 2/DTM/240 segment.								
QTY02	380	Quantity	Х	R	1/15	Must use	1				
		Description: Numeric value of quantity									
		DLMS Note: 1. Express as a whole number with no decimals.									
		2. A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 3d.									
QTY03	C001	Composite Unit of Measure	0	Comp		Used	1				
		Description: To identify a composite unit measure(See Figures Appendix for examples of use)	of								
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1				
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	I								
		DLMS Note: <i>DLMS users see the Unit of</i> <i>Issue and Purchase Unit Conversion Table</i> <i>for available codes.</i>									

DTM Date/Time Reference

Pos: 240 Max: 10 Detail - Optional Loop: ISR Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

1. Must use with responses to SPR forecasts to identify the support date associated with the forecast quantity in the 2/QTY/230 segment for which the status in the 2/LM/320 loop is provided.

2. Do not use with transactions notifying of errors in SPR transactions.

<u>Ref</u> DTM01	<u>Id</u> 374	<u>Element Name</u> Date/Time Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 3/3	<u>Usage</u> Must use	<u>Rep</u> 1
		Description: Code specifying type of date or time, or both date and time					
		<u>Code</u> <u>Name</u> 106 Required By					
		DLMS Note:	data far w	high CDD a	tatua ia providad		
		Use to identify the specific support	uale for wh	nich spr s	alus is provided.		
DTM02	373	Date	Х	DT	8/8	Must use	1
		Description: Date expressed as CCYYMMDD					

LM Code Source Information

Pos: 320 Max: 1 Detail - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use the 2/LM/320 loop to identify status related to the forecast quantity in the 2/QTY/230 segment and the date in the 2/DTM/240 segment.

Element Summary:

<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	Μ	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 330	Max: 100
Detail -	Mandatory
Loop: LM	Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

1. Use to identify codes, as appropriate, consistent with management information requirements.

2. Use multiple repetitions to identify SPR status associated with the transaction number.

<u>Ref</u>	ld	Eleme	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01 1270		Code	List Qualifier Code	0	ID	1/3	Must use	1
			ription: Code identifying a specific ry code list					
		DLMS autho	S Note: The following codes are rized.					
		<u>Code</u>	Name					
		79	Priority Designator Code					
			DLMS Note:					
			Recommend using in all requisitions	S.				
		A9	Supplemental Data					
			DLMS Note:					
			1. Use to identify supplemental add	ress/data.				
			2. During the DLSS/DLMS transition Supplementary Address (SUPAAD) introductory DLMS note 3d.					; see
			3. Expanded use of this field for sup introductory DLMS note 3a.	plemental	data witho	out size restriction	is a DLMS enhance	ement; se
			4. Under full DLMS, the requirement field will be streamlined. Activity add exclusively in the N1 segment. Futu	lress data	previously	contained in the	SUPAAD will be refl	
		AJ	Utilization Code					
			DLMS Note:					
			1. Under DLSS, this is the first posit	ion of the	document	serial number.		
			2. DLMS enhancement; see introduc	ctory DLM	S note 3a.			
		DV	Demand Planning Status Code					
			DLMS Note:					
			1. A data maintenance action was a Demand Planning Status Code'.	pproved ii	n version 8	010. The approve	d code/name is 'DV	-
			2. Use to identify the status of a Der Supply Plan (ASP). See DLMS Volu 1267.					
		EY	Special Program Requirement Status	Code				
LQ02	1271	Indus	try Code	х	AN	1/30	Must use	1
			ription: Code indicating a code from a ic industry code list					

27

SE Transaction Set Trailer

Pos: 20 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	Μ	N0	1/10	Must use	1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: <i>Cite the same number as the one cited in ST02.</i>					