

870 Order Status Report

Functional Group=**RS**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Report Transaction Set (870) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report on the current status of a requirement forecast, an entire purchase order, selected line items on a purchase order, selected products/services on a purchase order, or purchase orders for a specific customer in their entirety or on a selection basis. The transaction set can also be used to report on the current status of single or multiple requisitions. The report format allows for the inclusion of "reasons" relative to the status. This transaction set may also be used to update the supplier's scheduled shipment or delivery dates. This transaction set can result from either an inquiry or a prearranged schedule agreed to by the trading partners.

DLMS Note:

1. Organizations use this transaction set to report the current status of an entire order or a portion thereof. Use a single occurrence of this transaction set to transmit single or multiple supply status transactions to one or more organizations.

a. DoD distinguishes among requisition status, notices of a direct vendor delivery, and responses to a supply assistance request.

2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at www.dla.mil/does/DLMS.

3. This DLMS Implementation Convention (IC) contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded files size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

e. Repetition of data (using multiple iterations or loops) which is not compatible with existing legacy MILSTRIP capability. Although supported by the use of the ANSI X12 standard, such data is not compatible with legacy MILSTRIP/DLMS conversion and may not be supported by the recipient's automated processing system. Components must coordinate implementation of enhanced capability with DEDSO prior to use.

f. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

4. This transaction may only be used to provide item unique identification (IUID) information in accordance with DLMS procedures for the Unique Item Tracking (UIT) program for the Retail Transportation and Supply Receipt and Acknowledgement Interchange for Positive Inventory Control (PIC) Nuclear Weapon Related Materiel (NWRM). Refer to the IUID web at URL: <http://www.acq.osd.mil/dpap/pdi/uid/> for DoD policy.

5. This revision to the DLMS IC incorporates the following Proposed DLMS Changes (PDC) and Approved DLMS Changes (ADC) listed. PDC/ADCs are available from the DEDSO Web site:

<http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/>

- ADC 77, Air Force Unique Management Coding for Material Management Aggregation Code (MMAC)
- ADC 95, Revision to DS 870S, Supply Status, for UI
- ADC 191, Management Codes on Supply Status Transaction
- ADC 193, Administrative Revision to DLMS Supplements 4030 856S and 4010 870S
- ADC 221, Communication of Unit Price and Total Price under DLMS
- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price
- ADC 229, Material Processing Center (MPC) Material Receipt and Delivery Supply Status
- ADC 274, DLMS and DLSS Changes to Support Army Exchange Pricing
- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 279, Automated Downgrade for Priority Abuse and Reporting Procedures (Supply/MILSTRIP)

- ADC 312, Denial Management Code in a Supply Status Transaction
- Administrative update completed on October 14, 2009 – 2/PO106/150 – Changed from “Used” to “Must use”.
- ADC 352, Request for Management Code for PQDR Replacement Requisitions
- ADC 375, New Management Code for Navy-Funded Non-Production Support Material Ordered under BRAC SS&D/IMSP
- ADC 379, New and Revised Supply Status Procedures to Support “Virtual Receipt” and Requisition Alert Processes under Navy BRAC SS&D/IMSP
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- ADC 388, Automated Method of Detecting System Downtime or Excessive Processing Times in Air Force BRAC SS&D/IMSP Expedited Requisition Process and Associated Dual Function Material Release Order (MRO) Process
- ADC 407, Requirements for Unique Item Tracking (UIT) for positive Inventory Control (PIC) Nuclear Weapons related Material (NWRM) in the DLMS Supply Status (870S) Supporting the Cargo Movement Operations System (CMOS) Interface
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) “Streamline” Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- ADC 441, Exception Rules to Accommodate Communication of Ammunition/Ammunition Related Quantities in Excess of Five Digits (Supply/MILSTRIP/MILSTRAP)
- ADC 441A (Addendum to ADC 441) Clarification to Exception Rules to Accommodate Communication of Ammunition/Ammunition Related Quantities in Excess of Five Digits (Supply/MILSTRIP/MILSTRAP)
- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 455A, Revisions to Procedures and DLMS 870S, Supply Status, from DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 465, Additional Contract-Related Data for 870S with BV Status
- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 1009A, DLMS Enhancements for Requisitioning to Improve Use of Mark-for Addressing, Expand Authorized Priority Designator Validation, Correct EMALL Purchase/Credit Card Format Rules, and Require Distribution of Status for Requisitions associated with Purchase/Credit Card Payment
- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions
- ADC 1020, Inter-Service Ownership Transfer of Ammunition/ Ammunition Related Materiel
- ADC 1031, Foreign Military Sales (FMS) Repair Value
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1049, New Supply Status Code for Backorders Awaiting Engineering Support Activity (ESA) Support
- ADC 1068, Enhanced Procedures for Requisitioning via DOD EMALL and GSA Internet Ordering: Component Verification of Funds Availability and Materiel Identification using the Supplier-Assigned Part Number and/or Supplier Commercial and Government Entity (CAGE) Code
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on May 30, 2014
- ADC 1110, Administrative Update to Identify Code DPC Delivery Priority Code as an Approved X12 Migration Code and Associated DLMS Documentation; Identifies Additional Data Elements Authorized for Modification in the Requisition Modification Process
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)
- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)
- ADC 1279, Material Processing Center (MPC) Transshipment Status
- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on April 16, 2019
- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions
- ADC 1370, Administrative Update to Change Data Element N106 Usage from Must Use to Used
- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on April 13, 2022
- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow
- ADC 1420, Other Transaction (OT) Agreements Instrument Type and Procurement Instrument Identifier (PIID) Construct (Supply/Contract Administration)
- ADC 1454, Expand Use of Shop Service Center Codes in Defense Logistics Management Standards Transactions
- ADC 1460A, Pre-Positioned Release Orders Process with Supporting Maintenance Document Number (Supply/SDR)
- ADC 1465B, G-Invoicing General Terms & Conditions Applied to Order by Seller
- ADC 1503, DLMS Implementation Convention Notes Updates_MFR
- ADC 1507, DLMS 870S Implementation Convention Reference Segment Clarification
- ADC 1524, Quarterly Administrative Update

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	M	1			Must use

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
20	BSR	Beginning Segment for Order Status Report	M	1			Must use
* 42	TD3	Carrier Details (Equipment)	O	1			Not Used
* 43	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	1			Not Used
* 44	TD5	Carrier Details (Routing Sequence/Transit Time)	O	1			Not Used
* 45	DTM	Date/Time Reference	O	10			Not Used
* LOOP ID - REF					>1		
* 46	REF	Reference Identification	O	1			Not Used
* 47	DTM	Date/Time Reference	O	>1			Not Used
LOOP ID - N1					200		
50	N1	Name	O	1			Used
* 60	N2	Additional Name Information	O	2			Not Used
* 70	N3	Address Information	O	2			Not Used
* 80	N4	Geographic Location	O	1			Not Used
* 90	REF	Reference Identification	O	12			Not Used
* 100	PER	Administrative Communications Contact	O	3			Not Used
* 105	PWK	Paperwork	O	1			Not Used
* LOOP ID - LM					10		
* 120	LM	Code Source Information	O	1			Not Used
130	LQ	Industry Code	M	100			Must use

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - HL					1000		
10	HL	Hierarchical Level	M	1			Must use
* 20	PRF	Purchase Order Reference	O	1			Not Used
* LOOP ID - ISR					104		
* 30	ISR	Item Status Report	O	1			Not Used
* 40	PID	Product/Item Description	O	6			Not Used
* 50	QTY	Quantity	O	4			Not Used
* 70	PER	Administrative Communications Contact	O	3			Not Used
80	DTM	Date/Time Reference	O	10			Used
86	CS	Contract Summary	O	3		N2/86	Used
LOOP ID - REF					>1		
87	REF	Reference Identification	O	1			Used
* 88	DTM	Date/Time Reference	O	>1			Not Used
LOOP ID - N1					200		
90	N1	Name	O	1			Used
* 100	N2	Additional Name Information	O	2			Not Used
* 110	N3	Address Information	O	2			Not Used
* 120	N4	Geographic Location	O	1			Not Used
* 130	REF	Reference Identification	O	12			Not Used
* 140	PER	Administrative Communications Contact	O	3			Not Used
LOOP ID - LM					10		
144	LM	Code Source Information	O	1			Used
145	LQ	Industry Code	M	100			Must use

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<u>LOOP ID - PO1</u>					<u>1000</u>		
150	PO1	Baseline Item Data	O	1			Must use
* 155	CUR	Currency	O	1			Not Used
* 160	SLN	Subline Item Detail	O	100			Not Used
* 170	PO3	Additional Item Detail	O	1			Not Used
* 180	PID	Product/Item Description	O	1000			Not Used
* 190	MEA	Measurements	O	40			Not Used
* 200	PKG	Marking, Packaging, Loading	O	25			Not Used
<u>LOOP ID - ISR</u>					<u>104</u>		
210	ISR	Item Status Report	O	1			Must use
* 220	PID	Product/Item Description	O	6			Not Used
230	QTY	Quantity	O	4			Used
240	DTM	Date/Time Reference	O	10			Used
* 250	N1	Name	O	1			Not Used
* 251	N2	Additional Name Information	O	2			Not Used
* 252	N3	Address Information	O	2			Not Used
* 253	N4	Geographic Location	O	1			Not Used
* 260	TD1	Carrier Details (Quantity and Weight)	O	1			Not Used
* 270	TD5	Carrier Details (Routing Sequence/Transit Time)	O	1			Not Used
* 280	TD3	Carrier Details (Equipment)	O	1			Not Used
* 290	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	1			Not Used
300	REF	Reference Identification	O	12			Used
* 310	SAC	Service, Promotion, Allowance, or Charge Information	O	25			Not Used
<u>LOOP ID - LM</u>					<u>10</u>		
320	LM	Code Source Information	O	1			Used
330	LQ	Industry Code	M	100			Must use
<u>LOOP ID - LX</u>					<u>>1</u>	<u>N2/340L</u>	
340	LX	Assigned Number	O	1		N2/340	Used
350	REF	Reference Identification	O	>1			Used
* 360	N1	Name	O	1			Not Used
* 370	DTM	Date/Time Reference	O	10			Not Used
<u>* LOOP ID - LM</u>					<u>10</u>		
* 380	LM	Code Source Information	O	1			Not Used
390	LQ	Industry Code	M	100			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	O	1		N3/10	Not Used
20	SE	Transaction Set Trailer	M	1			Must use

Notes:

2/86 Use is limited to intra-organizational transactions.

2/340L The LX loop conveys serial number, lot number, and inventory data.

2/340 The LX loop conveys serial number, lot number, and inventory data.

3/10 The number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

ST Transaction Set Header

Pos: 10Max: 1

Heading - Mandatory

Loop: N/AElements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

- Semantics:
- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use	1
Description: Code uniquely identifying a Transaction Set							
Code Name							
870 Order Status Report							
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							

BSR Beginning Segment for Order Status Report

Pos: 20Max: 1

Heading - Mandatory

Loop: N/AElements: 6

User Option (Usage): Must use

Purpose: To indicate the beginning of an Order Status Report Transaction Set

Semantics:

- 1. BSR03 indicates a status report document number assigned by the sender.
- 2. BSR04 indicates the date of this report from the sender.
- 3. BSR07 indicates the time of this report from the sender.
- 4. BSR08 indicates a status report document number assigned by the inquirer.
- 5. BSR09 indicates the date this report was requested from the sender by the inquirer.
- 6. BSR10 indicates the time this report was requested from the sender by the inquirer.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
BSR01	850	Status Report Code	M	ID	1/2	Must use	1
Description: Code indicating the reason for sending the report							
Code Name							
4 Response to Requisition							
DLMS Note:							
1. Use to indicate requisition supply status.							
2. Also used to provide detailed contract information in combination with Supply Status BV (combined MILSTRIP DIC AE_ and AB_). (Refer to ADC 465.)							
5 Notice of Response to Direct Vendor Delivery							
DLMS Note:							
Use to indicate that the supply source is providing the required materiel directly from a commercial source. Use when direct vendor delivery notice is provided as a separate transaction (MILSTRIP DIC AB_) pending transition to enhanced BV Status under ADC 465.							
6 Notice of Response to Supply Assistance							
BSR02	847	Order/Item Code	M	ID	1/2	Must use	1
Description: Code identifying a group of orders and items							
Code Name							
CO All Orders - Unshipped Items							
DLMS Note:							
Use to indicate that all orders remain open.							
BSR03	127	Reference Identification	M	AN	1/30	Must use	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
DLMS Note: Use code "Z" for this data element to satisfy mandatory X12 syntax requirements.							
BSR04	373	Date	M	DT	8/8	Must use	1
Description: Date expressed as CCYYMMDD							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DLMS Note: This date corresponds to the Universal Time Coordinate (UTC).							
BSR07	337	Time	O	TM	4/8	Must use	1
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)							
DLMS Note: 1. Express the originating activity's time in UTC.							
2. Express time in a four-position (HHMM) format.							
BSR11	353	Transaction Set Purpose Code	O	ID	2/2	Must use	1
Description: Code identifying purpose of transaction set							
Code Name							
00 Original							
42 Temporary Record							
DLMS Note:							
Use as a Downtime Detection Indicator to alert processing systems that this supply status is used for system testing to determine elapsed response time between the query and the responding supply status. This transaction contains a pseudo document number. Authorized DLMS enhancement by agreement with DLA only. Refer to ADC 388.							
77 Simulation Exercise							
DLMS Note:							
Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use caution to ensure that transactions do not process as action documents which affect accountable records.							
ZZ Mutually Defined							
DLMS Note:							
1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use.							
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.							

N1Name

Pos: 50Max: 1

Heading - Optional

Loop: N1Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

- Syntax Rules:
1. R0203 - At least one of N102 or N103 is required.
 2. P0304 - If either N103 or N104 is present, then the other is required.

- Comments:
1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

1. Must use this N1 loop to identify the organization originating the transaction set.

2. Use additional iterations to identify other organizations associated with the transaction.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep																																						
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1																																						
Description: Code identifying an organizational entity, a physical location, property or an individual DLMS Note: 1. Use only one of codes GP, Z4, Z5 or ZS. 2. The following codes are authorized.																																													
<table><tr><th>Code</th><th>Name</th></tr><tr><td>1Q</td><td>Military Facility</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">For intra-AF supply status for lateral movements, to identify the activity shipping the materiel and providing supply status.</td></tr><tr><td>GP</td><td>Gateway Provider</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use to indicate DLA Transaction Services is providing rerouting of status.</td></tr><tr><td>SB</td><td>Storage Area</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">1. Use to identify the distribution center generating the supply status.</td></tr><tr><td colspan="2">2. Used when providing Materiel Processing Center (MPC) status.</td></tr><tr><td colspan="2">3. Use to identify the storage activity when the storage activity is the originator of the transaction implemented. This is applicable as a DLMS enhancement to allow specific separate identification of owner/manager and storage activity RIC for ammunition and ammunition related transactions. Refer to Approved Addendum to ADC 441A.</td></tr><tr><td>Z4</td><td>Owning Inventory Control Point</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use to indicate the source of supply furnishing status.</td></tr><tr><td>Z5</td><td>Management Control Activity</td></tr><tr><td colspan="2">DLMS Note:</td></tr><tr><td colspan="2">Use to identify the MCA furnishing the status.</td></tr><tr><td>ZS</td><td>Monitoring Party</td></tr></table>								Code	Name	1Q	Military Facility	DLMS Note:		For intra-AF supply status for lateral movements, to identify the activity shipping the materiel and providing supply status.		GP	Gateway Provider	DLMS Note:		Use to indicate DLA Transaction Services is providing rerouting of status.		SB	Storage Area	DLMS Note:		1. Use to identify the distribution center generating the supply status.		2. Used when providing Materiel Processing Center (MPC) status.		3. Use to identify the storage activity when the storage activity is the originator of the transaction implemented. This is applicable as a DLMS enhancement to allow specific separate identification of owner/manager and storage activity RIC for ammunition and ammunition related transactions. Refer to Approved Addendum to ADC 441A.		Z4	Owning Inventory Control Point	DLMS Note:		Use to indicate the source of supply furnishing status.		Z5	Management Control Activity	DLMS Note:		Use to identify the MCA furnishing the status.		ZS	Monitoring Party
Code	Name																																												
1Q	Military Facility																																												
DLMS Note:																																													
For intra-AF supply status for lateral movements, to identify the activity shipping the materiel and providing supply status.																																													
GP	Gateway Provider																																												
DLMS Note:																																													
Use to indicate DLA Transaction Services is providing rerouting of status.																																													
SB	Storage Area																																												
DLMS Note:																																													
1. Use to identify the distribution center generating the supply status.																																													
2. Used when providing Materiel Processing Center (MPC) status.																																													
3. Use to identify the storage activity when the storage activity is the originator of the transaction implemented. This is applicable as a DLMS enhancement to allow specific separate identification of owner/manager and storage activity RIC for ammunition and ammunition related transactions. Refer to Approved Addendum to ADC 441A.																																													
Z4	Owning Inventory Control Point																																												
DLMS Note:																																													
Use to indicate the source of supply furnishing status.																																													
Z5	Management Control Activity																																												
DLMS Note:																																													
Use to identify the MCA furnishing the status.																																													
ZS	Monitoring Party																																												

Code Name

DLMS Note:

Use to identify the International Logistics Control Office furnishing the status.

N103	66	Identification Code Qualifier	X	ID	1/2	Must use	1
------	----	-------------------------------	---	----	-----	----------	---

Description: Code designating the system/method of code structure used for Identification Code (67)

Code Name

- 10 Department of Defense Activity Address Code (DODAAC)
- M4 Department of Defense Routing Identifier Code (RIC)

N104	67	Identification Code	X	AN	2/80	Must use	1
------	----	---------------------	---	----	------	----------	---

Description: Code identifying a party or other code

N106	98	Entity Identifier Code	O	ID	2/3	Used	1
------	----	------------------------	---	----	-----	------	---

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

- FR Message From

DLMS Note:

Must use with the appropriate 1/N101/050 code to indicate the organization cited in N104 is originating the transaction set.

HL Hierarchical Level

Pos: 10Max: 1

Detail - Mandatory

Loop: HLElements: 2

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

- Comments:
- The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
 - The HL segment defines a top-down/left-right ordered structure.
 - HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
 - HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
 - HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
 - HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

The transaction set hierarchical data structure is transaction number only.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use	1
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure DLMS Note: In the first 2/HL/010 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.					
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use	1
		Description: Code defining the characteristic of a level in a hierarchical structure Code Name W Transaction Reference Number DLMS Note: Use to identify the individual transaction supply status loops.					

DTM Date/Time Reference

Pos: 80 Max: 10

Detail - Optional

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

- Syntax Rules:
- 1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
 - 2. C0403 - If DTM04 is present, then DTM03 is required.
 - 3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

Use to indicate the transaction preparation date.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1
Description: Code specifying type of date or time, or both date and time Code Name 097 Transaction Creation DLMS Note: Use to indicate the date of transaction preparation.							
DTM02	373	Date	X	DT	8/8	Must use	1
Description: Date expressed as CCYYMMDD							

CS Contract Summary

Pos: 86Max: 3

Detail - Optional

Loop: HLElements: 14

User Option (Usage): Used

Purpose: To provide information about a contract

- Syntax Rules:
1. P0405 - If either CS04 or CS05 is present, then the other is required.

- Semantics:
1. CS09 is the permissible overage as a percentage of the total contract line item number (CLIN) quantity.
 2. CS10 is the permissible shortage as a percentage of the total contract line item number (CLIN) quantity.
 3. CS11 is the permissible overage dollar value specified by the contract above which discrepancy action is taken.
 4. CS14 is the Unit of Measure stipulated in the contract.
 5. CS15 is the contract line item number (CLIN) unit price specified in the contract.
 6. CS17 conveys the Critical Application Indicator. A "Y" indicates that a Critical Application Indicator is specified in the contract; an "N" indicates that no Critical Application Indicator is specified in the contract.
 7. CS18 conveys the Special Requirements Indicator. A "Y" indicates that a Special Requirements Indicator (requiring special testing and or evaluation) is specified in the contract; an "N" indicates that no Special Requirements Indicator is specified in the contract.

- Comments:
1. CS04 may be used to identify the Contract Line Item Number (CLIN) or Extended (or Exhibit) Line Item Number (ELIN).
 2. CS07 and CS13 can be used to indicate two different types of special services required.

DLMS Note:

Use in direct vendor delivery transactions to identify basic contract information related to the acquisition action.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
CS01	367	Contract Number	O	AN	1/30	Must use	1
Description: Contract number DLMS Note: Use to identify the procurement instrument identifier (PIID). Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When procurement is authorized under a PIID call/order number (F or M in 9th position), provide the value in the PIID field. For Other Transaction (OT) agreements, the type of instrument (9th position of PIID) will be a 3 for Research OTs or 9 for Prototype and Production OTs. Refer to ADC 1161A or ADC 1420.							
CS02	327	Change Order Sequence Number	O	AN	1/8	Used	1
Description: Number assigned by the orderer identifying a specific change or revision to a previously transmitted transaction set DLMS Note: Use to identify a modification number to the cited contract.							
CS03	328	Release Number	O	AN	1/30	Used	1
Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DLMS Note: 1. Use to identify the Delivery Order number.							
2. Do not use for the PIID call/order number. The PIID call/order number is mapped to CS01. Refer to ADC 1161A.							
CS04	128	Reference Identification Qualifier	X	ID	2/3	Used	1
Description: Code qualifying the Reference Identification							
DLMS Note: Use the appropriate code, based on the CS01 information, when the Exhibit Line Item Number (ELIN) or Contract Line Item Number (CLIN) are known.							
Code Name							
83 Extended (or Exhibit) Line Item Number (ELIN)							
DLMS Note:							
Use to identify the ELIN, or the ELIN including the Sub Exhibit Line Item Number (SUBELIN), as appropriate.							
C7 Contract Line Item Number							
DLMS Note:							
Use to identify the CLIN, or the CLIN including the Sub Contract Line Item Number (SUBCLIN), as appropriate.							
CS05	127	Reference Identification	X	AN	1/30	Used	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
CS07	560	Special Services Code	O	ID	2/10	Used	1
Description: Code identifying the special service							
DLMS Note: 1. Use to identify the contract specification for materiel acceptance.							
2. Use with Supply Status BV to identify the acceptance point. (Refer to ADC 465)							
Code Name							
AD Accept at Destination							
AO Accept at Origin							
ZZ Mutually Defined							
DLMS Note:							
Use ZZ to indicate Acceptance by Other when destination acceptance shall be performed by an activity other than the ship-to activity.							
CS09	954	Percent	O	R	1/10	Used	1
Description: Percentage expressed as a decimal							
DLMS Note: Use with Supply Status BV to identify the allowable overage by percent. (Refer to ADC 465)							
CS10	954	Percent	O	R	1/10	Used	1
Description: Percentage expressed as a decimal							
DLMS Note: Use with Supply Status BV to							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<i>identify the allowable shortage by percent. (Refer to ADC 465)</i>					
CS11	782	Monetary Amount Description: Monetary amount DLMS Note: 1. Use the dollar amount from the excess quantity clause. Express as a whole number with no decimal. 2. Use with Supply Status BV to identify the allowable dollar amount specified in the excess quantity clause when applicable. (Refer to ADC 465)	O	R	1/18	Used	1
CS13	560	Special Services Code Description: Code identifying the special service DLMS Note: 1. Use to identify the contract specification for materiel inspection. 2. Use with Supply Status BV to identify when contract terms specify inspection requirements. (Refer to ADC 465) Code Name IM Inspect at Destination DLMS Note: Use when origin inspection does not apply and inspection requirements shall be satisfied by the ship-to activity. IO Inspect at Origin G0052 Government Inspection DLMS Note: Use code G0052 to indicate Inspection Performed by Other when origin inspection does not apply and inspection requirements shall be satisfied by an activity other than the ship-to activity.	O	ID	2/10	Used	1
CS14	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken DLMS Note: 1. Use to identify the purchase unit of issue, if different from the standard unit of issue. 2. Use with Supply Status BV to identify the purchase unit if different from the unit of issue. (Refer to ADC 465) 3. DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.	O	ID	2/2	Used	1
CS15	212	Unit Price Description: Price per unit of product, service, commodity, etc. DLMS Note: Use to identify the CLIN unit price when CS11 contains a value.	O	R	1/17	Used	1
CS17	1073	Yes/No Condition or Response Code Description: Code indicating a Yes or No condition or response DLMS Note: Use with Supply Status BV to identify when the contract specifies a	O	ID	1/1	Used	1

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Certificate of Conformance (CoC) is applicable. (Refer to ADC 465)					
		<u>Code</u> <u>Name</u>					
		N No					
		Y Yes					
CS18	1073	Yes/No Condition or Response Code	O	ID	1/1	Used	1
		Description: Code indicating a Yes or No condition or response					
		DLMS Note: Use with Supply Status BV to identify when the contract specifies a Certificate of Quality Conformance (CoQC) is applicable. (Refer to ADC 465)					
		<u>Code</u> <u>Name</u>					
		N No					
		Y Yes					

REFReference Identification

Pos: 87Max: 1

Detail - Optional

Loop: REFElements: 4

User Option (Usage): Used
Purpose: To specify identifying information

Syntax Rules:

- R0203 - At least one of REF02 or REF03 is required.

Semantics:

- REF04 contains data relating to the value cited in REF02.

DLMS Note:

1. To provide financial data: cite the fund purpose code and either or both of the fund code and the long-line accounting data. When citing long-line accounting data use REF03 and components of REF04.

2. Use multiple repetitions to identify the customer assigned transaction number, Government Furnished Materiel (GFM) related information, and funding data.

3. DLMS users see the Accounting Classification Appendix for specific entries for the basic appropriation number and supplemental accounting classification data.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
Description: Code qualifying the Reference Identification							
Code Name							
43 Supporting Document Number							
DLMS Note: Used to perpetuate/convey a Supporting Maintenance Document Number as necessary. The content in this field may only be meaningful to the receiver of this transaction. May be used to convey maintenance control/document numbers.							
86 Operation Number							
DLMS Note: 1. Use to identify the Key Operation (KO) Number associated with the JO. 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.							
9R Job Order Number							
DLMS Note: Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.							
CO Customer Order Number							
DLMS Note: 1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number. 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).							
FG Fund Identification Number							
DLMS Note: Use to identify the fund purpose code. Cite any fund purpose code in REF02 except CR or DR.							
TN Transaction Reference Number							
DLMS Note: 1. Must use to identify the customer assigned transaction number.							

Code Name

2. This is the document number.

3. When status is applicable to a requisition alert, this field will perpetuate the alert document number. The requisition alert is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

WO Work Order Number

DLMS Note:

1. Use to identify a maintenance work order number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 379

BDG Badge Number

DLMS Note:

Use with local industrial activity worksite delivery status of the artisan to whom the materiel was delivered. Refer to ADC 379

PWC Preliminary Work Candidate Number

DLMS Note:

1. Use to identify a Requisition Alert Document Number.

2. Used in support of Navy Shipyards to associate the funded requisition with a previously submitted requisition alert.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

X17 General Terms and Conditions Identifier

DLMS Note:

1. Use to identify the Fiscal Service (FS) Form 7600A General Terms and Conditions (GT&C) number when taking on an order from a government customer covered by a G-Invoicing agreement. Refer to PDC 1465B.

2. DLMS enhancement; see introductory DLMS note 3a.

3. Approved for use in X12 version 8060.

REF02	127	Reference Identification	X	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF03	352	Description	X	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					
		DLMS Note: Use only with REF01 code FG and REF04 code AT to cite the supplemental accounting classification data.					
REF04	C040	Reference Identifier	O	Comp		Used	1
		Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier					
		DLMS Note: When providing financial data (REF01 code FG):					
		If providing only the fund code use REF04-01 code FU and cite the fund code in REF04-02.					
		If providing the long-line accounting data use REF04-01 code AT and cite the basic appropriation data in REF04-02. Use REF04-03 code 10 and cite the accounting station number in REF04-04.					

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
<i>If providing both use REF04-01 code FU, REF04-03 code AT and REF04-05 code 10 citing the related data in the following data element of the pair.</i>							
Syntax:							
1. P0304 - If either C04003 or C04004 is present, then the other is required.							
2. P0506 - If either C04005 or C04006 is present, then the other is required.							
REF04-01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
Description: Code qualifying the Reference Identification							
Code Name							
10 Account Managers Code							
DLMS Note:							
<i>Use in one of REF04-03 or REF04-05 to identify the authorized accounting activity (AAA)/accounting disbursing station number (ADSN)/fiscal station number (FSN).</i>							
AT Appropriation Number							
DLMS Note:							
<i>Use in one of REF04-01 or REF04-03 to identify the basic appropriation data.</i>							
FU Fund Code							
DLMS Note:							
<i>Use with REF01 code FG.</i>							
W1 Disposal Turn-In Document Number							
DLMS Note:							
1. Use in conjunction with the controlling document number for the transaction cited in REF01 Code TN.							
2. Use for DLA Disposition Services requisition supply status to identify the specific DTID number shipped under the controlling document number/suffix code. Authorized DLMS enhancement. Refer to ADC 455A.							
W8 Suffix							
DLMS Note:							
1. When used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix.							
2. The Requisition Alert Document Number Suffix is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.							
REF04-02	127	Reference Identification	M	AN	1/30	Must use	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
REF04-03	128	Reference Identification Qualifier	X	ID	2/3	Used	1
Description: Code qualifying the Reference Identification							
Code Name							
10 Account Managers Code							
DLMS Note:							
<i>Use to identify the authorized accounting activity (AAA)/accounting disbursing station number (ADSN)/fiscal station number (FSN).</i>							
60 Account Suffix Code							
DLMS Note:							
<i>Use in conjunction with the DTID Number (REF04 Qualifier W1) to identify the DTID Suffix Code, when</i>							

Code	Name
	<i>applicable. DLMS enhancement, see ADC 466.</i>
AT	Appropriation Number
	DLMS Note: <i>Use to identify the basic appropriation data.</i>

REF04-04	127	Reference Identification	X	AN	1/30	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF04-05	128	Reference Identification Qualifier	X	ID	2/3	Used	1
		Description: Code qualifying the Reference Identification					
REF04-06	127	Reference Identification	X	AN	1/30	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

N1Name

Pos: 90Max: 1

Detail - Optional

Loop: N1Elements: 5

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

- Syntax Rules:
1. R0203 - At least one of N102 or N103 is required.
 2. P0304 - If either N103 or N104 is present, then the other is required.

- Comments:
1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

1. Must use this 2/N1/090 loop to identify the organization to receive the transaction.

2. Use additional iterations to identify other organizations associated with the transaction.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1
Description: Code identifying an organizational entity, a physical location, property or an individual							
<u>Code</u> <u>Name</u>							
	C4	Contract Administration Office					
			DLMS Note: <i>Use with Supply Status BV for direct vendor deliveries. (Refer to ADC 465)</i>				
	GP	Gateway Provider					
			DLMS Note: <i>Use to identify Defense Automatic Addressing System (DAAS) as the "TO" organization for Component-generated supply status forwarded for DAAS distribution to status recipients under MILSTRIP/DLMS distribution rules (DLMS equivalent of AE8).</i>				
	KK	Registering Party					
			DLMS Note: <i>1. Use to identify the Component UIT registry. May be used by a Component when their UIT process requires that a copy of the transaction should also be sent to a UIT registry for information purposes. Must be used with 2/N106/90 code 'PK-Party to Receive Copy' to identify that this is only an information copy of the transaction, for use with the Component UIT registry. Cite the applicable Routing Identifier in 2/N104.</i> <i>2. Authorized DLMS enhancement for Air Force use with PIC NWRM UIT program. For PIC UIT, must use in conjunction with 2/N106 code PK and cite the applicable Routing Identifier in 2/N104.</i>				
	PR	Payer					
			DLMS Note: <i>Use for direct vendor deliveries to identify the paying office for the related acquisition action.</i>				
	SB	Storage Area					
			DLMS Note: <i>1. Use to identify the storage activity applicable to the status provided.</i> <i>2. When implemented as a DLMS enhancement to allow specific separate identification of Owning Inventory Control Point and Storage Activity RIC for and ammunition related transactions, the storage activity may be the actual initiator of the status on behalf of the ICP identified at 1/N101/50 Code Z4</i>				

Code	Name
	(N106=FR). Refer to ADC 441.
SH	Shipper
	DLMS Note: Use for direct vendor deliveries to identify the organization that will initiate the materiel shipment for the related acquisition action.
SU	Supplier/Manufacturer
	DLMS Note: Use with Supply Status BV for direct vendor deliveries to identify the contractor providing the materiel for the related acquisition order. (Refer to ADC 465)
UQ	Subsequent Owner
	DLMS Note: Use only on supply status subsequent to a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the RIC to which ownership is being transferred (the New Owner RIC). DLMS enhancement. Refer to ADC 1020.
WD	Storage Facility at Destination
	DLMS Note: 1. Use to identify the Material Processing Center (MPC). 2. When used with Status Code NY, this will identify the MPC to which materiel is transshipped. Identify the shipping MPC as the transaction originator. Refer to ADC 1279.
XN	Planning/Maintenance Organization
	DLMS Note: 1. Used to identify a Shop Service Center/Shop Store. 2. Use in conjunction with N103 Identification Code Qualifier 92. 3. Refer to ADCs 284A, 381, and 1454 for known applications.
Z1	Party to Receive Status
	DLMS Note: Use multiple iterations to identify all status recipients.
Z4	Owning Inventory Control Point
	DLMS Note: Use to identify the owner/manager when implemented as a DLMS enhancement to allow specific separate identification of owner/manager and storage activity RIC for ammunition and ammunition related transactions. Refer to Approved Addendum to ADC 441A.
Z7	Mark-for Party
	DLMS Note: 1. Use to identify an entity located within the ship-to address that is to actually receive the materiel. 2. May be identified by DoDAAC, RIC, clear text, or a combination of these. Only one of DoDAAC or RIC may be used. 3. Authorized DLMS enhancement; see introductory DLMS note 3f. Refer to ADC 1009A.
Z8	Last Known Source of Supply
	DLMS Note: 1. Use for requisition supply status transactions to identify the supply source to which any future inquires should be addressed. 2. For intra-AF supply status for lateral movements, may be used to identify the shipping activity to which any future inquires should be addressed. Refer to ADC 407.

N102	93	Name	X	AN	1/60	Used	1
		Description: Free-form name					
		DLMS Note: Use with N101 Code Z7 to identify the recipient of materiel. Total field length is restricted to 24 characters. If					

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
		combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory DLMS note 3f. Refer to ADC 1009A.					
N103	66	Identification Code Qualifier	X	ID	1/2	Must use	1
		Description: Code designating the system/method of code structure used for Identification Code (67)					
		<u>Code</u> <u>Name</u>					
		10 Department of Defense Activity Address Code (DODAAC)					
		33 Commercial and Government Entity (CAGE)					
		DLMS Note: Use with Supply Status BV for direct vendor delivery 2/N1/090 supplier (Code SU) to identify the contractor providing the materiel.					
		92 Assigned by Buyer or Buyer's Agent					
		DLMS Note: Use with N101 Entity Identifier Code XN to identify the user assigned Shop Service Center/Shop Store Identifier. Refer to ADCs 284A, 381, and 1454.					
		A2 Military Assistance Program Address Code (MAPAC)					
		M4 Department of Defense Routing Identifier Code (RIC)					
N104	67	Identification Code	X	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	O	ID	2/3	Used	1
		Description: Code identifying an organizational entity, a physical location, property or an individual					
		<u>Code</u> <u>Name</u>					
		PK Party to Receive Copy					
		DLMS Note: 1. Use when appropriate to send an information copy to a Component UIT registry. For use with N101 code 'KK'. 2. Authorized DLMS enhancement for Air Force use with PIC NWRM UIT program. For PIC UIT, must use in conjunction with 2/N101 code 'KK' and cite the applicable Routing Identifier in 2/N104. 3. Except as noted above, DLMS enhancement; Refer to ADC 407.					
		TO Message To					
		DLMS Note: Must use with 2/N101/090 code Z1 to indicate the organization cited in N104 is receiving the transaction.					

LMCode Source Information

Pos: 144Max: 1

Detail - Optional

Loop: LMElements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use this 2/LM/144 loop to identify coded information maintained in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 145Max: 100

Detail - Mandatory

Loop: LMElements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

- Syntax Rules:
1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

1. Use to identify codes, as appropriate, consistent with management information requirements.

2. Code lists at this level are intended to be applicable to the document number level (i.e. do not differ by suffix for split shipments). This is intended to support a future DLMS enhancement which would accommodate multiple supply status transactions within a single transmission of the 870S. At this time, only a single supply status may be transmitted per transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Must use	1
Description: Code identifying a specific industry code list							
Code Name							
0 Document Identification Code							
DLMS Note:							
Use a second iteration to indicate multiple DICs are applicable for combination supply status with direct delivery notice (DIC AE_ and DIC AB_). (Refer to ADC 465)							
67 Type of Assistance Code							
DLMS Note:							
1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing.							
2. DLMS enhancement; see introductory DLMS note 3a.							
78 Project Code							
79 Priority Designator Code							
DLMS Note:							
Recommend using in all requisitions.							
85 Country and Activity Code							
DLMS Note:							
1. Use to identify the Security Cooperation Customer Code.							
2. DLMS enhancement; see introductory DLMS note 3a.							
89 Cooperative Logistics Program Support Code							
DLMS Note:							
1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing.							
2. DLMS enhancement; see introductory DLMS note 3a.							
95 Offer and Release Option Code							
DLMS Note:							
1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing.							
2. DLMS enhancement; see introductory DLMS note 3a.							
98 Reason for Requisitioning Code							
DLMS Note:							

Code Name

	1. Use to identifying the use of the materiel. 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
A1	Ownership Code DLMS Note: Use only on supply status subsequent to a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the new/gaining (to) ownership code. DLMS enhancement. Refer to ADC 1020.
A2	Customer Within Country Code DLMS Note: 1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing. 2. DLMS enhancement; see introductory DLMS note 3a.
A3	Delivery Term Code DLMS Note: 1. For Security Assistance (SA) transactions, use when the coded address in the transaction number does not identify the type of assistance and financing. 2. DLMS enhancement; see introductory DLMS note 3a.
A4	Case Designator Number DLMS Note: Must use in FMS transactions to identify the FMS case number. For Cooperative Logistics Supply Support Arrangements (CLSSAs), repeat up to two times to identify the FMS Foreign Military Services Order (FMSO) I and FMSO II case numbers. In this instance, the first occurrence will cite the FMSO I case number, and a second occurrence, if applicable, will reflect the FMSO II case number. 2. DLMS enhancement; see introductory DLMS note 3a.
A5	Subcase Number DLMS Note: 1. Use in FMS transactions based on Service requirements. 2. DLMS enhancement; see introductory DLMS note 3a.
A6	Freight Forwarder Number DLMS Note: 1. Must use in FMS transactions to identify the country representative or freight forwarder to receive shipments and documentation. 2. DLMS enhancement; see introductory DLMS note 3a.
A7	Record Control Number DLMS Note: 1. Must use in MAP/GA transactions to identify the program line item number. 2. DLMS enhancement; see introductory DLMS note 3a.
A8	Program Year Code DLMS Note: 1. Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded. 2. DLMS enhancement; see introductory DLMS note 3a.
A9	Supplemental Data DLMS Note: 1. Use to identify supplementary address/supplemental data. 2. During the legacy MILSTRIP/DLMS transition, this field will be used to perpetuate/populate the MILSTRIP Supplementary Address (SUPADD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 3d.

Code Name

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 3a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPADD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 3c.

5. During legacy MILSTRIP/DLMS transition, use on a supply status for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel and no billing. Cite Signal Code M in conjunction with the supplemental data field constructed as follows: Service/Agency Code Y followed by the old (from) ownership code, the RIC to which ownership is transferred, and the new/gaining (to) ownership code. Refer to ADC 1020.

AJ Utilization Code

DLMS Note:

- 1. Use to identify a specialized purpose for which the requisition is submitted.*
- 2. Under legacy MILSTRIP, this is the first position of the document serial number within the document number.*
- 3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.*
- 4. DLMS enhancement; see introductory DLMS note 3a.*

AK Distribution Code

AL Special Requirements Code

DLMS Note:

- 1. Use to identify the precedence, special handling, and processing requirements.*
- 2. Under legacy MILSTRIP, this is carried in the required delivery date field.*
- 3. DLMS enhancement; see introductory DLMS note 3a.*

DE Signal Code

DF Media and Status Code

EC Certification Requirements Code

DLMS Note:

- 1. Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded.*
- 2. DLMS enhancement; see introductory DLMS note 3a.*

GQ Group Qualifier Code

DLMS Note:

- 1. Use to identify the Materiel Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group).*
- 2. This is an AirForce-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.*
- 3. The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.*

KJ Assured Delivery Indicator

DLMS Note:

- 1. Use to identify, or modify, the Delivery Priority/Special Processing Code for materiel that has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable.*
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.*

RD Property Ownership Type Code

DLMS Note:

Use only on supply status subsequent to a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the old (from) ownership code. DLMS enhancement. Refer to ADC 1020.

ALP Alteration Lookup

Code Name

DLMS Note:

Use for the second occurrence of the Priority Designator (PD) by DAAS/GSA when providing BK status identifying unauthorized use of the PD. The second occurrence will be the original (higher) PD as assigned by the customer. When used, the PD (qualifier 79) must be present. (Refer to ADC 279)

COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

EWR Evaluate Work Candidate Reason Lookup

DLMS Note:

- 1. Use to identify Requirement Churn Reason Code to identify materiel orders required by the industrial site to complete planned work above what was originally identified during the pre-planned process ordered and delivered after the start of the availability.*
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.*

IMC Item Management Code

DLMS Note:

Use for integrated materiel management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SEC Stock Exchange Code

DLMS Note:

Use to identify the Exchange Pricing Indicator for intra-Army transactions to identify that the Customer and NIIN on the transaction are Exchange Pricing relevant. When applicable, cite code value EP (Exchange Pricing). Refer to ADC 274.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

T05 Inspection Parameters

DLMS Note:

- 1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.*
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.*

LQ02	1271	Industry Code	X	AN	1/30	Must use	1
Description: Code indicating a code from a specific industry code list							

PO1

Baseline Item Data

Pos: 150

Max: 1

Detail - Optional

Loop: PO1

Elements: 15

User Option (Usage): Must use

Purpose: To specify basic and most frequently used line item data

- Syntax Rules:
1. C0302 - If PO103 is present, then PO102 is required.
 2. C0504 - If PO105 is present, then PO104 is required.
 3. P0607 - If either PO106 or PO107 is present, then the other is required.
 4. P0809 - If either PO108 or PO109 is present, then the other is required.
 5. P1011 - If either PO110 or PO111 is present, then the other is required.
 6. P1213 - If either PO112 or PO113 is present, then the other is required.
 7. P1415 - If either PO114 or PO115 is present, then the other is required.
 8. P1617 - If either PO116 or PO117 is present, then the other is required.
 9. P1819 - If either PO118 or PO119 is present, then the other is required.
 10. P2021 - If either PO120 or PO121 is present, then the other is required.
 11. P2223 - If either PO122 or PO123 is present, then the other is required.
 12. P2425 - If either PO124 or PO125 is present, then the other is required.

- Comments:
1. See the Data Element Dictionary for a complete list of IDs.
 2. PO101 is the line item identification.
 3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

- DLMS Note:
1. Must use this 2/PO1/150 loop to identify the materiel and status associated with the transaction number.
 2. Use multiple iterations of the 2/PO1/150 loop to identify multiple actions taken on a single transaction. Use a suffix code to differentiate each loop.
 3. Multiple iterations differentiated by status code is a DLMS enhancement which is not supported at this time.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
PO101	350	Assigned Identification	O	AN	1/20	Used	1
		Description: Alphanumeric characters assigned for differentiation within a transaction set DLMS Note: Use to identify a suffix code associated with the materiel and quantity for which status is provided. Use alphabetic characters based on suffix code assignment rules.					
PO102	330	Quantity Ordered	X	R	1/15	Must use	1
		Description: Quantity ordered DLMS Note: 1. Must use to identify the quantity for which status is being provided. 2. Express as a whole number with no decimal. 3. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by recipient's automated processing system. See					

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<i>introductory DLMS note 3d.</i>					
PO103	355	Unit or Basis for Measurement Code	O	ID	2/2	Used	1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		DLMS Note: 1. Use to identify the correct unit of issue associated with the status provided.					
		2. DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.					
PO104	212	Unit Price	X	R	1/17	Used	1
		Description: Price per unit of product, service, commodity, etc.					
PO105	639	Basis of Unit Price Code	O	ID	2/2	Used	1
		Description: Code identifying the type of unit price for an item					
		DLMS Note: 1. Use to identify the correct unit price associated with the status provided.					
		2. A field size exceeding 7 positions (5 digits dollars and 2 digits cents) may not be received or understood by the recipient's automated processing system.					
		3. DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Authorized DLMS migration enhancement; see introductory DLMS 3f. Refer to ADC 221A.					

Code Name

ES Estimated

DLMS Note:*Use to indicate the estimated unit price billed when Code ST does not apply.*

QT Quoted

DLMS Note:*1. Use to provide the estimated or actual unit cost for the repair service provided for FMS items repaired/replaced under a repair/return or repair/replace program. Authorized DLMS enhancement. See ADC 1031.**2. The Repair Service Value is structured as 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction.*

ST Standard

DLMS Note:*Use to identify the standard unit price billed for the materiel.*

UM Price per Unit of Measure

DLMS Note:*1. Use with Unit of Use Indicator (BSR11=ZZ) to identify the unit price applicable to the unit of use.**2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.*

PO106	235	Product/Service ID Qualifier	X	ID	2/2	Must use	1
-------	-----	-------------------------------------	---	----	-----	----------	---

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

DLMS Note: Use one of codes A2, A4, FB, FS, FT, MG, SW, YP, ZR or ZZ to identify the materiae which will be provided as indicated by the status code. Must use the National Stock Number (NSN) when known, except when appropriate brand name subsistence items are identified by the Subsistence Identification Number or when maintenance/industrial activity materiel is identified by Local Stock Number or Material Control Tracking (MCT) Tag Number.

Code Name

A2 Department of Defense Identification Code (DoDIC)

DLMS Note:

1. Use to identify ammunition items.
2. DLMS enhancement

A4 Subsistence Identification Number

FB Form Number

DLMS Note:

- Use to identify the form stock number.
- DLMS enhancement

FS National Stock Number

FT Federal Supply Classification

DLMS Note:

- Use for nonstandard materiel when a part number is not available and materiel can only be ordered by description (e.g., non-NSN lumber products).

MG Manufacturer's Part Number

DLMS Note:

1. Use to identify nonstandard materiel.
2. May be used to identify the supplier-assigned part number when applicable to a DoD FEDMALL or GSA Advantage/Global internet order from a vendor catalog. Refer to ADC 1068.
3. During legacy MILSTRIP/DLMS transition this field will be used to perpetuate/populate the MILS stock number field. During this time, field length is restricted to 15 positions; field size is expanded to 32 positions for DoD FEDMALL/part-numbered catalog orders.

SW Stock Number

DLMS Note:

1. Use to identify the local stock number (LSN).
2. When used for a unit of use LSN (with 1/BSR11/20=ZZ), the applicable NSN will be included for cross-reference (at P0110-11). May also be used for identification of LSNs assigned for part-numbered item requisitioning.
3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

YP Publication Number

DLMS Note:

- Use to identify the publication stock number.
- DLMS enhancement

ZR Service Control Identification

DLMS Note:

Code Name

1. Use to identify Material Control Tracking (MCT) Tag Number.
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

ZZ Mutually Defined

DLMS Note:

Use to identify nonstandard materiel when all other authorized codes do not apply (includes management control numbers and locally assigned control numbers). May be used for legacy MILSTRIP-to-DLMS conversion when the translator cannot determine a more appropriate code.

PO107	234	Product/Service ID	X	AN	1/48	Must use	1
Description: Identifying number for a product or service							

PO108	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)							

Code Name

CN Commodity Name

DLMS Note:

Use with PO106 code FT to identify the materiel name or description.

MB Measurement Type Code

DLMS Note:

1. Use to identify the original requested unit of issue associated with the status provided.
2. Use in next available product/service pair.

ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

1. Use with PO106 code MG to uniquely identify a manufacturer's (or supplier's) part number.
2. May be used to identify the supplier CAGE when applicable to a DoD FedMall or GSA Advantage/Global internet order from a vendor catalog.

PO109	234	Product/Service ID	X	AN	1/48	Used	1
Description: Identifying number for a product or service							

PO110	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)							

Code Name

FS National Stock Number

DLMS Note:

The NSN is provided as a cross-reference when unit of use indicator is included (1/BSR11/20=ZZ) and the Local Stock Number (LSN) is identified as the primary materiel identification. Authorized DLMS enhancement under DLA industrial activity support agreement.

PO111	234	Product/Service ID	X	AN	1/48	Used	1
Description: Identifying number for a product or service							

PO112	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<u>Code</u> <u>Name</u>					
		MG Manufacturer's Part Number					
		DLMS Note: <i>Use with Supply Status BV when the primary materiel identification is by NSN (P0106, Code FS). (Refer to ADC 465)</i>					
PO113	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					
PO114	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<u>Code</u> <u>Name</u>					
		ZB Commercial and Government Entity (CAGE) Code					
		DLMS Note: <i>Use with manufacturer's part number (P0112, Code MG) to provide the manufacturer's CAGE.</i>					
PO115	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					

ISR Item Status Report

Pos: 210Max: 1

Detail - Optional

Loop: ISRElements: 1

User Option (Usage): Must use

Purpose: To specify detailed purchase order/item status

Semantics:

1. If ISR01 specifies a date, ISR02 is required.

DLMS Note:

Must use the 2/ISR/210 loop to provide detailed status information.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ISR01	368	Shipment/Order Status Code	M	ID	2/2	Must use	1
Description: Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction							
<u>Code</u> <u>Name</u>							
CO		Customer Inquiry - Unshipped Items Only					
DLMS Note: <i>Use to indicate status in response to a customer follow up or cancellation.</i>							
UR		Unsolicited Report					
DLMS Note: <i>Use to indicate supply source initiated status not produced in response to customer follow up or cancellation.</i>							

QTY

Quantity

Pos: 230

Max: 4

Detail - Optional

Loop: ISR

Elements: 2

User Option (Usage): Used

Purpose: To specify quantity information

- Syntax Rules:
- 1. R0204 - At least one of QTY02 or QTY04 is required.
 - 2. E0204 - Only one of QTY02 or QTY04 may be present.

- Semantics:
- 1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

Use in 1/BSR01/020 Code 5 supply status transactions to identify the vendor's minimum order quantity.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1
Description: Code specifying the type of quantity							
Code Name							
57 Minimum Order Quantity							
QTY02	380	Quantity	X	R	1/15	Must use	1
Description: Numeric value of quantity							
DLMS Note: 1. Express as a whole number with no decimal.							
2. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by recipient's automated processing system. See introductory DLMS note 3d.							

Pos: 240	Max: 10
Detail - Optional	
Loop: ISR	Elements: 3

Purpose: To specify pertinent dates and times

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

Use to identify dates associated with the transaction.

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1

Code Name

035 Delivered

DLMS Note:

1. Use with Status Code NW to identify the date materiel is delivered from the Materiel Processing Center (MPC) to the Navy vessel (signature date).
2. Use with Status Code PD to identify the date materiel is delivered to the artisan by the local industrial activity worksite. Applies to DLA/Navy industrial activity support agreement. Refer to ADC 379.

050 Received

DLMS Note:

Use with Status Code NL to identify the date materiel is received at the Materiel Processing Center (MPC) for temporary storage pending delivery to the Navy vessel.

169 Product Availability Date

DLMS Note:

Use with status code BL to identify the date the Notice of Availability was forwarded to the country representative or freight forwarder.

268 End Date of Support

DLMS Note:

1. Use to identify the Engineering Support Activity Response Due Date.
2. Use in conjunction with Supply Status PW to indicate the date established by the IMM/ICP waiting for a response from the Engineering Support Activity. A revised date may be provided in a second transmission of Supply Status PW if additional time is required to coordinate with the ESA.
3. Authorized DLMS enhancement; refer to ADC 1049.

369 Estimated Departure Date

DLMS Note:

Use to identify the Estimated Shipping Date (ESD) associated with the transaction.

372 Actual Arrival Date

DLMS Note:

Use with Status Code PA to identify the date materiel has arrived at the local industrial activity worksite and is ready for delivery to artisan. Applies to DLA/Navy industrial activity support agreement. Refer to ADC 379

373 Order Start

DLMS Note:

Code		Name					
			Use with status code CV to indicate the effective date for requisitioning.				
514	Transferred		DLMS Note: Use with Status Code NY to identify the date that a Material Processing Center (MPC) transships materiel to another MPC.				
996	Required Delivery		DLMS Note: Use with Supply Status BV to indicate Contract Required Delivery Date. This date may differ from the customer's required delivery date. (Refer to ADC 465)				
DTM02	373	Date	X	DT	8/8	Must use	1
Description: Date expressed as CCYYMMDD							
DTM03	337	Time	X	TM	4/8	Used	1
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)							
DLMS Note: 1. Use when providing MPC receipt or delivery status to provide the associated time.							
2. Use when providing local industrial activity worksite arrival and delivery status to provide the associated time.							
3. Express the originating activity's time in UTC.							
4. Express time in a four-position (HHMM) format.							

REFReference Identification

Pos: 300Max: 12

Detail - Optional

Loop: ISRElements: 3

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

1. Use for supply status transactions to identify the federal supply schedule number associated with the status provided.

2. Use to provide the narrative explanation associated with the status provided.

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
Description: Code qualifying the Reference Identification							
Code Name							
L1 Letters or Notes							
DLMS Note: Use to provide the narrative explanation associated with the status provided.							
W6 Federal Supply Schedule Number							
REF02	127	Reference Identification	X	AN	1/30	Used	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
REF03	352	Description	X	AN	1/80	Used	1
Description: A free-form description to clarify the related data elements and their content							
DLMS Note: Use with code L1 and status code CA to indicate the reason for rejection.							

LM Code Source Information

Pos: 320 Max: 1

Detail - Optional

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use the 2/LM/320 loop to identify status and other coded information related to the transaction number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1
Description: Code identifying the agency assigning the code values							
Code Name							
DF Department of Defense (DoD)							

LQ Industry Code

Pos: 330	Max: 100
Detail - Mandatory	
Loop: LM	Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

- Syntax Rules:
- 1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

- 1. Use to identify codes, as appropriate, consistent with management information requirements.
- 2. Code lists at this level are intended to be applicable to the suffix code level (i.e. may differ by suffix for split shipments). This is intended to support a future DLMS enhancement which would accommodate multiple supply status transactions within a single transmission of the 870S. At this time, only a single supply status may be transmitted per transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Must use	1
Description: Code identifying a specific industry code list							
Code Name							
79		Priority Designator Code	DLMS Note: <i>Not used at this level at this time. This data element may differ by suffix, and so will be available at a future date when multiple supply status by suffix is provided within a single transmission.</i>				
81		Status Code	DLMS Note: <i>1. Use to identify the supply status associated with the transaction document number/suffix.</i> <i>2. Multiple repetitions to identify all applicable supply status codes is a DLMS enhancement; see introductory DLMS note 3a.</i>				
83		Supply Condition Code					
84		Management Code	DLMS Note: <i>1. Use for associated with the status code.</i> <i>2. Cite Management Code R with Status Code BD when communicating to the customer that a storage site denial has occurred against an MRO. The status transaction will be for the denied quantity and suffix. Authorized for use on an intra-Army basis (ADC 191), and subsequently expanded for inter-Service/Agency use (ADC 312).</i> <i>3. Authorized DLMS enhancement under DLA industrial activity support agreement. (Refer to ADC 352, ADC 359 and ADC 375).</i> <i>4. Use of multiple repetitions to identify all applicable supply status codes is a prospective future DLMS enhancement; see introductory DLMS note 3a.</i>				
A9		Supplemental Data	DLMS Note: <i>1. Use to identify supplemental address/data.</i> <i>2. Supplemental address/data is not used at this level at this time. This data element may differ by suffix, and so will be available at a future date when multiple supply status by suffix is provided within a single transmission.</i> <i>3. Supplemental data is a DLMS enhancement; see introductory DLMS note 3a.</i>				
AL		Special Requirements Code					

Code Name

DLMS Note:

1. Under MILSTRIP, this is carried in the required delivery date field.

2. Not used at this level at this time. This data element may differ by suffix, and so will be available at a future date when multiple supply status by suffix is provided within a single transmission.

3. DLMS enhancement; see introductory DLMS note 3a.

LQ02	1271	Industry Code	X	AN	1/30	Must use	1
Description: Code indicating a code from a specific industry code list							

LX Assigned Number

Pos: 340 Max: 1

Detail - Optional

Loop: LX Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

DLMS Note:

1. Use the LX segment as a counter to identify the number of 2/LX/340 loop iterations in the transaction set.

2. Use the 2/LX/340 loop only when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange Standard Base Supply System (SBSS) interface with CMOS to provide the unique item identifier (UII) and/ or serial number under the Positive Inventory Control (PIC) Nuclear Weapon Related Materiel (NWRM) UIT program. Refer to ADC 407.

3. The 2/LX/340 loop is repeated for each item to be uniquely identified and provides flexibility to accommodate tracking by UII or serial number.

4. The entire 2/LX//340 loop is a DLMS enhancement.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
LX01	554	Assigned Number	M	N0	1/6	Must use	1
Description: Number assigned for differentiation within a transaction set DLMS Note: In the first 2/LX/340 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.							

REFReference Identification

Pos: 350Max: >1

Detail - Optional

Loop: LXElements: 3

User Option (Usage): Used

Purpose: To specify identifying information

- Syntax Rules:
- R0203 - At least one of REF02 or REF03 is required.

- Semantics:
- REF04 contains data relating to the value cited in REF02.

DLMS Note:

- Use only when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide the UII and/or serial number under the PIC NWRM UIT program
- This transaction will support item identification based upon the UII or the serial number.
- Use multiple iterations of 2/REF/350 segment within the 2/LX/340 loop, to provide identifying information for an item as needed.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1
Description: Code qualifying the Reference Identification							
Code Name							
SE Serial Number							
DLMS Note:							
1. May not exceed 30 characters in accordance with IUID policy.							
2. Serial number may be used alone for legacy items when UII is not assigned, otherwise use two occurrences of this segment to identify both the serial number and the UII. A maximum of 60 items may be identified for the CMOS interface. Refer to ADC 407.							
U3 Unique Supplier Identification Number (USIN)							
DLMS Note:							
1. Use to identify the UII. The UII may not exceed 50 characters in accordance with IUID policy.							
2. A maximum of 60 items may be identified for the CMOS interface. Refer to ADC 407.							
REF02	127	Reference Identification	O	AN	1/30	Used	1
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
DLMS Note: Use to indicate serial number when REF01=SE.							
REF03	352	Description	O	AN	1/80	Used	1
Description: A free-form description to clarify the related data elements and their content							
DLMS Note: Use to indicate UII value when REF01=U3.							

SE Transaction Set Trailer

Pos: 20Max: 1

Summary - Mandatory

Loop: N/AElements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
SE01	96	Number of Included Segments	M	N0	1/10	Must use	1
Description: Total number of segments included in a transaction set including ST and SE segments							
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							
DLMS Note: Cite the same number as the one cited in ST02.							