650 Maintenance Service Order

Functional Group=**MO**

Purpose: This Draft Standard for Trial Use contains the format and establishes then data contents of the Maintenance Service Order Transaction Set (650) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set provides a uniform, singular medium for the exchange of maintenance related information among organizations involved in the reporting, requesting, scheduling, planning, estimating, coordinating and performing of maintenance actions. It provides the structure to convey maintenance-related information, including maintenance action directives, maintenance actions, cost estimates, maintenance action assignments, maintenance action status, and completion reports. This transaction set can be used in a bi-directional environment alone or in conjunction with the Project Schedule Reporting Transaction Set (806) to link schedule and maintenance action information as well as with the Specifications/Technical Information Transaction Set (841) to link maintenance-related, media independent, technical data.

DLMS Note:

1. This transaction set is used by the Assembly Activity to notify the Assembly Manager that packing has been completed at the Assembly Activity for the designated component within the specified parameters.

a. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Defense Enterprise Data Standards Office (DEDSO) Web site at www.dla.mil/does/DLMS.

2. This DLMS IC is an enhancement over the current Defense Logistics Standard System (DLSS), and provides functionality not available in the DLSS. This DLMS IC supports functionality of the non-DLSS C-series Document Identifier Code C2F, Component Packing Confirmation.

3. This DLMS Implementation Convention (IC) contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.

b. Data which is retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS(and non-DLSS C-series)/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

c. Data elements which have an expanded field size above existing DLSS (or non-DLSS C-series) capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.

4. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the DEDSO Web site http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/

- ADC 145, New DLMS Supplement (DS) and Federal Implementation Convention 650C, Component Packing Confirmation in Support of Medical Requirements (Supply)

- ADC 189, Revise DLMS Supplement (DS) 650C, Component Packing Confirmation, to Allow for Functionality of Decimal Capability in Quantity Packed

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on June 26, 2014

- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on December 21, 2016

- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on August 09, 2018

- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions

- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on February 24, 2022

- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow

- ADC 1503, DLMS Implementation Convention Notes Updates_MFR

Not Defined:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
*	ISA	Interchange Control Header	М	1			
*	GS	Functional Group Header	М	1			

Heading:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	М	1			Must use
0200	BGN	Beginning Segment	М	1			Must use

DLMS Implementation Convention (IC) - 650C Component Packing Confirmation

DLM 4000.25

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0300	REF	Reference Identification	0	>1			Used
* 0400	DTM	Date/Time Reference	0	>1			
LOOP ID) - N1				<u>>1</u>	<u>N1/0500L</u>	
0500	N1	Name	0	1		N1/0500	Used
* 0600	N2	Additional Name Information	0	2			
* 0700	N3	Address Information	0	2			
* 0800	N4	Geographic Location	0	1			
* 0900	PER	Administrative Communications Contact	0	>1			
* 1000	REF	Reference Identification	0	>1			
LOOP ID) - LM				<u>>1</u>		
1100	LM	Code Source Information	0	1			Used
1200	LQ	Industry Code	М	>1			Must use
* 1300	PER	Administrative Communications Contact	0	>1			
* 1400	REF	Reference Identification	0	>1			

Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID	- HL				<u>>1</u>	N2/0100L	
0100	HL	Hierarchical Level	М	1		N2/0100	Must use
* 0200	SPI	Specification Identifier	0	1			
0300	REF	Reference Identification	0	>1			Used
0400	LIN	Item Identification	0	>1			Used
* 0500	DTM	Date/Time Reference	0	>1			
0600	QTY	Quantity	0	>1			Used
* 0700	YNQ	Yes/No Question	0	>1		N2/0700	
* 0800	AMT	Monetary Amount	0	>1			
* 0900	PCT	Percent Amounts	0	>1			
* 1000	MEA	Measurements	0	>1			
<u>* LOOP I</u>	D - CLI				<u>>1</u>		
* 1100	CLI	Cost Line Item	0	1			
* 1200	QTY	Quantity	0	>1			
* 1300	AMT	Monetary Amount	0	>1			
* 1400	RPA	Rate Amounts or Percents	0	>1			
<u>* LOOP I</u>	D - LM				<u>>1</u>	<u>N2/1500L</u>	
* 1500	LM	Code Source Information	0	1		N2/1500	
* 1600	LQ	Industry Code	М	>1			
* 1700	REF	Reference Identification	0	>1			
* 1800	DTM	Date/Time Reference	0	>1			
<u>* LOOP I</u>	D - NM1				<u>>1</u>	N2/1900L	
* 1900	NM1	Individual or Organizational Name	0	1	_	N2/1900	
* 2000	N2	Additional Name Information	0	2			
* 2100	N3	Address Information	0	2			
* 2200	N4	Geographic Location	0	- 1			
* 2300	COM	Communication Contact Information	0	>1			
* 2400	REF	Reference Identification	0	>1			
* LOOP I	D - MTX				<u>>1</u>		
* 2500	MTX	Text	0	1	_		
* 2600	DTM	Date/Time Reference	0	>1			

DLMS Implementation Convention (IC) - 650C Component Packing Confirmation

ADC 145, 189, 436, 1043C, 1367, 1412 and MFR 1503

DLM 4000.25

Pos	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 2700	NM1	Individual or Organizational Name	0	>1			
* 2800	REF	Reference Identification	0	>1			
2900	SE	Transaction Set Trailer	М	1			Must use
Not Defir	ned:						
Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
*	GE	Functional Group Trailer	Μ	1			
*	IEΔ	Interchange Control Trailer	M	1			

1

Μ

Notes:

IEA

1/0500L The N1 segment identifies the organization originating and receiving the transaction set.

Interchange Control Trailer

1/0500 The N1 segment identifies the organization originating and receiving the transaction set.

2/0100L The HL levels are group work candidate and work candidate. Valid HL parent-child relationships are 1) group work candidate-group work candidate and 2) group work candidate-work candidate.

The HL levels are group work candidate and work candidate. Valid HL parent-child relationships are 1) group work 2/0100 candidate-group work candidate and 2) group work candidate-work candidate.

2/0700 The YNQ segment identifies conditions related to a maintenance or repair requirement.

2/1500L The LM loop identifies management data that pertains to each use of the HL loop.

2/1500 The LM loop identifies management data that pertains to each use of the HL loop.

2/1900L The NM1 segment identifies individuals and organizations involved in identifying, coordinating or performing maintenance.

2/1900 The NM1 segment identifies individuals and organizations involved in identifying, coordinating or performing maintenance.

ST Transaction Set Header

Pos: 0100 Max: 1 Heading - Mandatory Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use
		Description: Code uniquely identifying a Transaction Set				
		<u>Code</u> <u>Name</u>				
		650 Maintenance Service Order				
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.				
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used
		Description: Reference assigned to identify Implementation Convention				

Pos: 0200

Loop: N/A

Heading - Mandatory

Max: 1

Elements: 4

BGN Beginning Segment

User Option (Usage): Must use

 $\label{eq:purpose: To indicate the beginning of a transaction set} \end{tabular}$

Syntax Rules:

1. C0504 - If BGN05 is present, then BGN04 is required.

Semantics:

- 1. BGN02 is the transaction set reference number.
- 2. BGN03 is the transaction set date.
- 3. BGN04 is the transaction set time.
- 4. BGN05 is the transaction set time qualifier.
- 5. BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

<u>Ref</u> BGN01	<u>Id</u> 353	<u>Element Name</u> Transaction Set Purpose Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use
		Description: Code identifying purpose of transaction set				
		CodeName00Original77Simulation ExerciseDLMS Note:Activities initiating simulated mobilization exerciseinvolved. All transaction set recipients must be action documents which affect accountable recent	use cautio			
BGN02	127	Reference Identification	М	AN	1/50	Must use
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DLMS Note: Use code 'Z' for this data element to satisfy mandatory X12 Requirements.				
BGN03	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the		DT	8/8	Must use
		calendar year DLMS Note: This date corresponds to the Universal Time Coordinate (UTC).				
BGN07	640	Transaction Type Code Description: Code specifying the type of transaction	0	ID	2/2	Used
		Code Name ZB Report of Work Candidate DLMS Note: Use for component packing confirmation. (no. be taken to obtain a more appropriate code for version/release.				

REF Reference Identification

Pos: 0300 Max: >1 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

Must use this 1/REF/0300 to identify the Build Directive Number for this transaction.

<u>Ref</u> REF01	<u>Id</u> 128	Element Name Reference Identification Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use
		Description: Code qualifying the Reference Identification				
		<u>Code</u> <u>Name</u>				
		WO Work Order Number				
		DLMS Note:				
		Use to identify the Build Directive Number maintenance action was approved in vers Number).		0		J
REF02	127	Reference Identification	Х	AN	1/50	Used
		Description: Reference information as defined for particular Transaction Set or as specified by the Reference Identification Qualifier	ra			

N1 Name

Pos: 0500 Max: 1 Heading - Optional Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 1/N1/0500 loop to identify the organizations originating the transaction set and to receive the transaction set.

Element S	ummary:								
<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>			
N101	98	Entity Identifier Code	М	ID	2/3	Must use			
		Description: Code identifying an organizational entity, a physical location, property or an individu	al						
		Code Name WZ Final Maintenance Organization DLMS Note: Use to identify [final] assembly/maintenal organization will complete kit assemblies				nt assembly. This			
		Z4 Owning Inventory Control Point DLMS Note:		inai destina	uon acuvuy.				
		Use to identify the supply source/Assem	bly Manager.						
N103	66	Identification Code Qualifier	Х	ID	1/2	Used			
		Description: Code designating the system/meth of code structure used for Identification Code (67							
		Code Name 10 Department of Defense Activity Address O DLMS Note: DLMS enhancement; see introductory D M4 Department of Defense Routing Identifier	LMS note 3a.	C)					
NACA	07			A N I	0/00	l la sal			
N104	67	Identification Code Description: Code identifying a party or other co	X de	AN	2/80	Used			
N106	98	Entity Identifier Code	0	ID	2/3	Used			
		Description: Code identifying an organizational entity, a physical location, property or an individual							
		<u>Code</u> <u>Name</u>							
		FR Message From							
		DLMS Note: Use with 1/N101/0500 code WZ to indic transaction set.	ate that the o	rganization	cited in N104 is o	riginating the			
		TO Message To							

Code Name

DLMS Note:

Use with 1/N101/0500 code Z4 to indicate that the organization cited in N104 is the action organization receiving the transaction set.

LM Code Source Information

Pos: 1100 Max: 1 Heading - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Use this 1/LM/1100 loop to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
LM01	559	Agency Qualifier Code	Μ	ID	2/2	Must use
		Description: Code identifying the agency assigning the code values				

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 1200 Max: >1 Heading - Mandatory Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

<u>Ref</u>	ld	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>			
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Used			
		Description: Code identifying a specific industry code list							
		Code Name							
		0 Document Identification Code							
		DLMS Note:							
		1. The DIC is retained in the DLMS to fact environment. Continued support of the Di- date.							
		2. Future streamlined data; see introducto	ory DLMS not	e 3b.					
LQ02	1271	Industry Code	х	AN	1/30	Used			
		Description: Code indicating a code from a specific industry code list							

HL Hierarchical Level

Pos: 0100 Max: 1 Detail - Mandatory Loop: HL Elements: 4

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

For use in Component Packing Confirmation loop.

	annary.						
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierar	rchical ID Number	М	AN	1/12	Must use
		sende	iption: A unique number assigned by the r to identify a particular data segment in a chical structure				
		cite nu	Note: In the first 2/HL/0100 loop iteration, umeric 1. In each subsequent loop iteration, se incrementally by 1.				
HL02	734	Hierarchical Parent ID Number			AN	1/12	Used
		higher	iption: Identification number of the next hierarchical data segment that the data ent being described is subordinate to				
HL03	735	Hierar	rchical Level Code	М	ID	1/2	Must use
			iption: Code defining the characteristic of a n a hierarchical structure				
		<u>Code</u>	Name				
		F	Component				
			DLMS Note:				
			For Medical use in Component Packing Cont	firmation lo	гор.		
HL04	736	Hierar	rchical Child Code	0	ID	1/1	Used
		hieraro level b	iption: Code indicating if there are chical child data segments subordinate to the being described lid standard codes are used.				

REF Reference Identification

Pos: 0300 Max: >1 Detail - Optional Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

Use in Component Packing Confirmation loop.

Element Summary:

<u>Ref</u>	ld	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use
		Description: Code qualifying the Reference Identification				
		<u>Code</u> <u>Name</u>				
		55 Sequence Number				
		DLMS Note:				
		Use to identify the Sort Sequence Numbe	r.			
		SQ Container Sequence Number				
REF02	127	Reference Identification	Х	AN	1/50	Used
		Description: Reference information as defined for particular Transaction Set or as specified by the Reference Identification Qualifier	ra			

004030F650C1CA06

Pos: 0400

Loop: HL

Detail - Optional

Max: >1

Elements: 4

LIN Item Identification

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

1. Use in 2/HL/0100 transaction loops to identify the materiel.

2. For Medical use in Component Packing Confirmation loop.

<u>Ref</u> LIN02	<u>ld</u> 235		<u>ent Name</u> uct/Service ID Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<mark>Code</mark> A3	Name Locally Assigned Control Number				
			DLMS Note: Must use with the Component Packing Confor Number (AIN).	rmation lo	oop, to iden	tify the Assembl	age Identification
		FS	National Stock Number				
LIN03	234	Produ	uct/Service ID	М	AN	1/48	Must use
		Desc servic	ription: Identifying number for a product or ee				
LIN04	235	Produ	uct/Service ID Qualifier	Х	ID	2/2	Used
			ription: Code identifying the type/source of the iptive number used in Product/Service ID (234)				

DLMS Implementation Convention (IC) - 650C Component Packing Confirmation

Communication						4000.20			
<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>			
		<u>Code</u> <u>Name</u>							
		OE Original Equipment Number							
		DLMS Note:							
		Use to identify the Original Component S	Use to identify the Original Component Stock Number for medical/surgical component assembly.						
LIN05	234	Product/Service ID	х	AN	1/48	Used			
		Description: Identifying number for a product or service							

QTY Quantity

Pos: 0600 Max: >1 Detail - Optional Loop: HL Elements: 3

User	Option	(Usage):	Used
	• • • • • • •	(0000

Purpose: To specify quantity information

Syntax Rules:

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

1. Use in 2/HL/0100 transaction loops to identify the quantity being requested.

2. For Medical use in Component Packing Confirmation loop.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>				
QTY01	673	Quantity Qualifier	М	ID	2/2	Must use				
		Description: Code specifying the type of quantity								
		Code Name								
		63 On Order Quantity								
		DLMS Note:								
		Use to identify the number of assemblies being requested (Total Number of Assemblages).								
		UA Units Completed								
		DLMS Note:								
		Use to identify the component quantity page in front of the quantity to be reversed.	ked. To rev	erse all or p	part of a transacti	ion, use a minus sign				
QTY02	380	Quantity	Х	R	1/15	Used				
		Description: Numeric value of quantity								
		DLMS Note: 1. For QTY01 Code 63, express as whole number with no decimals. A field size exceeding 5 positions may not be received or understood by the recipient's automated processin system. See introductory DLMS note 3c.	2							
		2. For QTY01 Code UA, express number with up t two decimal positions. A field size exceeding 8 positions (three of which are the decimal point and two decimal positions), may not be received or understood by the recipient's automated processin system. The non-DLSS DIC C2F carried 2 decima places in the quantity packed field (rp 25-31). See introductory DLMS note 3c.	2							
QTY03	C001	Composite Unit of Measure	0	Comp		Used				
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use)								
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use				
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken								

DLM
4000.25

<u>Ref</u>	<u>ld</u>	Element Name DLMS Note: 1. Use to identify the unit of issue for materiel requested.	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		2. For use with QTY01 code UA.				
		3. DLMS users see the Unit of Issue and Purchase				

Unit Conversion Table for available codes.

SE Transaction Set Trailer

Pos: 2900	Max: 1
Detail - Ma	andatory
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	Μ	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	Μ	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		DLMS Note: <i>Cite the same number as the one cited in ST02.</i>				