

# 856 Ship Notice/Manifest

## Functional Group=SH

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

### DLMS Note:

*1. Organizations use this transaction set to provide shipment status information, lateral redistribution shipment status information, or pseudo shipment status information on all shipped orders. Use a single occurrence of this transaction set to transmit a single requisition-level shipment status to a single organization.*

*a. This transaction may be used to provide passive Radio Frequency Identification (RFID) tag identification as applicable to interior and exterior packaging.*

*b. Users operating under the Defense Logistics Management Standards (DLMS) must reference DoD/ASC X12 Conversion Guides for Unit of Materiel Measure, Type of Pack and Transportation Method/Type Code, which can be found on the Defense Enterprise Data Standards Office (DEDSO) Website at [www.dla.mil/does/DLMS](http://www.dla.mil/does/DLMS). For Army Total Package Fielding (TPF), Unit Materiel Fielding Points and staging sites use this transaction set to acknowledge, to the Fielding Command, shipment of the packages.*

*2. The following introductory notes are applicable to the contents of this DLMS Implementation Convention (IC). Cross-references to these notes appear throughout this document to clarify relevant data requirements; however, absence of such a note does not explicitly mean that none are applicable.*

*a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DEDSO prior to use.*

*b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must implement in accordance with the approved change implementation schedule or coordinate implementation with DEDSO prior to use.*

*c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed MILSTRIP/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DEDSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.*

*d. Data elements which have an expanded files size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DEDSO prior to use.*

*e. Data required to accommodate Component-unique transaction requirements (ex. C or B-series transactions). Data does not apply to legacy MILSTRIP transactions.*

*f. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.*

*g. Repetition of data (using multiple iterations or loops) which is not compatible with existing legacy MILSTRIP capability. Although supported by the use of the ANSI X12 standard, such data is not compatible with MILSTRIP/DLMS conversion and may not be supported by the recipient's automated processing system. Components must coordinate implementation of enhanced capability with DEDSO prior to use.*

*3. Effective April 1, 2014, refer to ADC 1075. Users must reference the GENC Standard for country codes (<https://nsgreg.nga.mil/overview.jsp>) for a listing of authorized values. Under DLMS, use the GENC Digraph (two-character) code values.*

*4. This transaction may be used to provide item unique identification (IUID) information in accordance with DLMS procedures and OSD Supply Policy. Refer to the item unique identification (IUID) web at URL: <http://www.acq.osd.mil/dpap/pdi/uid/> for DoD policy.*

*5. This revision to the DLMS IC incorporates Proposed DLMS Changes (PDC) and Approved DLMS Change (ADC) listed. PDCs and ADCs are available from the DEDSO Web site: <http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/>*

- ADC 55, Revision to DLMS Supplement (DS) 856S, Shipment Status
- ADC 127, UID of Items and RFID in DLMS Shipment Status

- ADC 130, Army/DLA Unique Changes to 527R, Material Receipt, and 856S, Shipment Status, to Support Shipment and Receipt of TPF Assets by UMFP
- ADC 165, Optional Capability for Sending Information Copy of DLMS Supplements 856, 856S, 861, 867I, 870M, 945A, and 947I to a Component Unique Item Tracking (UIT) Registry (Supply)
- ADC 192, Administrative Revision to DS 4030 856S, Shipment Status
- ADC 193, Administrative Revision to DLMS Supplements 4030 856S and 4010 870S
- ADC 221, Communication of Unit Price and Total Price under DLMS
- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price
- ADC 223, DLMS Shipment Status Enhancements: Secondary Transportation Number, Initial Shipping Activity, Carrier Identification, and Port of Embarkation (POE)
- ADC 242, Shipment Status (DS 856S) in Support of MPCs: PD, TP, Project Code, Special Requirements Code
- ADC 242A, Approved Addendum to DLMS ADC 242A, Inclusion of Unit Price on DLMS Shipment Status (DS 856S)
- ADC 257, DLMS Shipment Status Generated by the CCP
- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 288, DSS Local Delivery Manifesting Shipment Status
- ADC 299, Clarification of DLMS Shipment Status Supporting MILSTRIP AS6 to Identify Party to Receive Credit
- ADC 344, Revised DLMS Shipment Status (856S) in Support of Navy Enterprise Resource Program (ERP) and Commercial Asset Visibility (CAV) II. The CAV Shipment Status enables the Navy Proof of Shipment (POS) process by supporting Navy CAV-unique data and process requirements via the DLMS 856S on an interim basis pending full DLMS compliance. Refer to ADC 344 for details
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- ADC 411, Update Functionality for DS 856S Shipment Status and DS 945A Material Release Advice
- ADC 417, Shipment Status for Local Delivery Manifested, Outbound MILS Shipments on Behalf of On-Base Customers, Re-Warehousing Actions between Distribution Depots, and non-MILS Shipments to Off-Base Customers, with Passive RFID
- ADC 422, Revises DLMS Supplement 856S, Shipment Status, in Support of Reutilization Business Integration (RBI)
- ADC 433, Requirements for estimated Shipment Date in the DS 856S Supporting Shipments to DLA Disposition Service Field Offices
- ADC 435, DLMS Revisions for SFIS Compliance
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- ADC 441, Exception Rules to Accommodate Communication of Ammunition/Ammunition Related Quantities in Excess of Five Digits (Supply/MILSTRIP/MILSTRAP)
- ADC 441A (Addendum to ADC 441) Clarification to Exception Rules to Accommodate Communication of Ammunition/Ammunition Related Quantities in Excess of Five Digits (Supply/MILSTRIP/MILSTRAP)
- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 461, Revision for Commercial Asset Visibility-Organic Repairables Module (CAV-ORM) Estimated Completion Date (ECD) field on the MILSTRAP DAC and DLMS 947I ECD transaction, and Administrative Update to 527D, 527R, 867I, 856S (Supply/MILSTRAP/MILSTRIP)
- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 473, DLMS Revisions to Add the Associated Purchase Order Number in Support of the DLA Interface with the Exchange
- ADC 473A, DLMS Revisions to Add the Associated Purchase Order Number (Supports DLA Interface with the Exchange, Navy Exchange Service Command (NEXCOM), and Marine Corps Exchange (MCX) Non-Appropriated Funds (NAF) Activities and Non-DoD Customers)
- ADC 1007, New DLMS 842P, PQDR Data Exchange and Enhanced Exhibit Tracking via Standard Logistics Transactions
- ADC 1009A, DLMS Enhancements for Requisitioning to Improve Use of Mark-for Addressing, Expand Authorized Priority Designator Validation, Correct EMALL Purchase/Credit Card Format Rules, and Require Distribution of Status for Requisitions associated with Purchase/Credit Card Payment
- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions
- ADC 1030, Implementation of Item Unique Identification (IUID) in the DLMS Shipment Status DoD IUID Supply Policy Procedures and Associated Supply Discrepancy Report Procedures
- ADC 1043, DLMS Revisions for Department of Defense (DoD) Standard Line of Accounting (SLOA)/Accounting Classification
- ADC 1043A, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Support Transaction Rejection Requirements
- ADC 1043B, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Modify Business Rules for Beginning Period of Availability
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1068, Enhanced Procedures for Requisitioning via DOD EMALL and GSA Internet Ordering: Component Verification of Funds Availability and Materiel Identification using the Supplier-Assigned Part Number and/or Supplier Commercial and Government Entity (CAGE) Code
- ADC 1075, Implementation of Geopolitical Entities, Names, and Codes (GENC) Standard by DoD Components for the Identification of Countries and their Subdivisions
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on May 29, 2014.
- ADC 1110, Administrative Update to Identify Code DPC Delivery Priority Code as an Approved X12 Migration Code and Associated DLMS Documentation; Identifies Additional Data Elements Authorized for Modification in the Requisition Modification Process

DLMS Implementation Convention (IC) 856S ADC 55, 127, 130, 165, 192, 193, 221, 221A, 223, 242, 242A, 257, 284, 284A, 288, 299, 344, 381, 411, 417, 422, 433, 435, 436, 441, 441A, 448, 448B, 461, 466, 473, 473A, 1007, 1009A, 1014, 1030, 1043, 1043A, 1043B, 1043C, 1068, 1075, 1110, 1132, 1136, 1161A, 1198, 1244, 1244B, 1287, 1353, 1367, 1399, 1412, 1420, 1428, 1433, 1454 and 1481 DLM 4000.25

- ADC 1132, Implementation of Mass/Universal Cancellation Procedures under the DLMS and Administrative Realignment of Procedures in DLM 4000.25, Volume 2 and DLM 4000.25-1
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)
- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)
- ADC 1161A, Update Uniform Procurement Instrument Identifier (PIID) Numbering System in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/SDR/DoDAAD/Finance/Contract Administration)
- ADC 1198, Establishing Visibility of Capital Equipment for Service Owned Assets Stored at DLA Distribution Centers
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on January 17, 2017
- ADC 1244, Establishing Visibility of Unique Item Tracking (UIT) Program Items for Service-Owned Assets Stored at DLA Distribution Centers and Corresponding Revisions to Inventory Procedures Related to Capital Equipment
- ADC 1244B Establishing Visibility of Unique Item Tracking (UIT) Program Items for Service-Owned Assets Stored at DoD Storage Activities and Corresponding Revisions to the Small Arms and Light Weapons Program
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on September 13, 2018
- ADC 1287 DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates
- ADC 1353, Transportation Method and Transportation Mode Codes on all DLMS ICs
- ADC 1367, Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions
- ADC 1399, Inclusion of Mandatory Data Elements for DLA Disposition Services
- Administrative Update to Reflect Realignment of Enterprise Business Standards Office (EBSO) to Defense Enterprise Data Standards Office (DEDSO) - Completed on April 13, 2022
- ADC 1412, Replacement of Data Universal Numbering System Number with Unique Entity Identifier and Electronic Funds Transfer Indicator to Wide Area Workflow
- ADC 1420, Other Transaction (OT) Agreements Instrument Type and Procurement Instrument Identifier (PIID) Construct (Supply/Contract Administration)
- ADC 1428, Merge the DLMS 856W Hazardous Material/Hazardous Waste Shipment Status in the 856S Shipment Status
- ADC 1433, Data Element Additions to Update DLMS 841W, DLMS 856S, and DLMS 824R
- ADC 1454, Expand Use of Shop Service Center Codes in Defense Logistics Management Standards Transactions
- ADC 1481, Revised Procedures for Segregating Foreign Military Sales Requisitions at Disposition Services

## Heading:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
0100	ST	Transaction Set Header	M	1			Must use
0200	BSN	Beginning Segment for Ship Notice	M	1			Must use
* 0400	DTM	Date/Time Reference	O	10			Not Used

## Detail:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/0100L</b>	
0100	HL	Hierarchical Level	M	1		C2/0100	Must use
0200	LIN	Item Identification	O	1			Used
0300	SN1	Item Detail (Shipment)	O	1			Used
* 0400	SLN	Subline Item Detail	O	1000			Not Used
* 0500	PRF	Purchase Order Reference	O	1			Not Used
* 0600	PO4	Item Physical Details	O	1			Not Used
0700	PID	Product/Item Description	O	200			Used
0800	MEA	Measurements	O	40			Used
* 0900	PWK	Paperwork	O	25			Not Used
1000	PKG	Marking, Packaging, Loading	O	25			Used
* 1100	TD1	Carrier Details (Quantity and Weight)	O	20			Not Used
1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Used
* 130	TD3	Carrier Details (Equipment)	O	12			Not Used
<b>* LOOP ID - TD3</b>					<b>12</b>		
* 1300	TD3	Carrier Details (Equipment)	O	1			Not Used
* 1350	AT9	Trailer or Container Dimension and Weight	O	1			Not Used
* 1400	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5			Not Used

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
* 1450	TSD	Trailer Shipment Details	O	1			Not Used
1500	REF	Reference Identification	O	>1			Used
1510	PER	Administrative Communications Contact	O	3			Used
<b>* LOOP ID - LH1</b>				<b>100</b>			
* 1520	LH1	Hazardous Identification Information	O	1			Not Used
* 1530	LH2	Hazardous Classification Information	O	4			Not Used
* 1540	LH3	Hazardous Material Shipping Name	O	12			Not Used
* 1550	LFH	Freeform Hazardous Material Information	O	20			Not Used
* 1560	LEP	EPA Required Data	O	>1			Not Used
* 1570	LH4	Canadian Dangerous Requirements	O	1			Not Used
* 1580	LHT	Transborder Hazardous Requirements	O	3			Not Used
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10			Not Used
* 1600	PER	Administrative Communications Contact	O	5			Not Used
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1			Not Used
<b>* LOOP ID - CLD</b>				<b>200</b>			
* 1700	CLD	Load Detail	O	1			Not Used
* 1800	REF	Reference Identification	O	200			Not Used
* 1850	DTP	Date or Time or Period	O	1			Not Used
* 1900	MAN	Marks and Numbers	O	>1			Not Used
2000	DTM	Date/Time Reference	O	10			Used
* 2100	FOB	F.O.B. Related Instructions	O	1			Not Used
* 2150	PAL	Pallet Information	O	1			Not Used
<b>LOOP ID - N1</b>				<b>200</b>			
2200	N1	Name	O	1			Used
2300	N2	Additional Name Information	O	2			Used
2400	N3	Address Information	O	2			Used
2500	N4	Geographic Location	O	1			Used
* 2600	REF	Reference Identification	O	12			Not Used
* 2700	PER	Administrative Communications Contact	O	3			Not Used
* 2800	FOB	F.O.B. Related Instructions	O	1			Not Used
* 2900	SDQ	Destination Quantity	O	50			Not Used
* 3000	ETD	Excess Transportation Detail	O	1			Not Used
* 3100	CUR	Currency	O	1			Not Used
<b>LOOP ID - SAC</b>				<b>≥1</b>			
3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
* 3250	CUR	Currency	O	1			Not Used
3300	GF	Furnished Goods and Services	O	1			Used
* 3350	YNQ	Yes/No Question	O	10			Not Used
<b>LOOP ID - LM</b>				<b>10</b>			
3400	LM	Code Source Information	O	1			Used
3500	LQ	Industry Code	M	100			Must use

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
* LOOP ID - V1					>1		
* 3600	V1	Vessel Identification	O	1			Not Used
* 3700	R4	Port or Terminal	O	>1			Not Used
* 3800	DTM	Date/Time Reference	O	>1			Not Used

Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
* 0100	CTT	Transaction Totals	O	1		N3/0100	Not Used
0200	SE	Transaction Set Trailer	M	1			Must use

Notes:

3/0100

Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

Comments:

2/0100L

The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

2/0100

The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

ST Transaction Set Header

Pos: 0100Max: 1

Heading - Mandatory

Loop: N/AElements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

- Semantics:
- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
<b>Description:</b> Code uniquely identifying a Transaction Set						
<b>Code Name</b>						
856 Ship Notice/Manifest						
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						
<b>DLMS Note:</b> A unique number assigned by the originator of the transaction set, or the originator's application program.						
ST03	1705	Implementation Convention Reference	O	AN	1/35	Used
<b>Description:</b> Reference assigned to identify Implementation Convention						
<b>DLMS Note:</b> Use to indicate this transmission uses the 856S DLMS Implementation Convention (IC). Enter the DLMS IC: 004030F856S0SA00.						

# BSN Beginning Segment for Ship Notice

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set

## Syntax Rules:

- 1. C0706 - If BSN07 is present, then BSN06 is required.

## Semantics:

- 1. BSN03 is the date the shipment transaction set is created.
- 2. BSN04 is the time the shipment transaction set is created.
- 3. BSN06 is limited to shipment related codes.

## Comments:

- 1. BSN06 and BSN07 differentiate the functionality of use for the transaction set.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
BSN01	353	Transaction Set Purpose Code	M	ID	2/2	Must use
<b>Description:</b> Code identifying purpose of transaction set						
<b>Code Name</b>						
00 Original						
77 Simulation Exercise						
<b>DLMS Note:</b>						
Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.						
ZZ Mutually Defined						
<b>DLMS Note:</b>						
1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use. This applies when the materiel identification is by Local Stock Number assigned for unit of use.						
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.						
BSN02	396	Shipment Identification	M	AN	2/30	Must use
<b>Description:</b> A unique control number assigned by the original shipper to identify a specific shipment						
<b>DLMS Note:</b> 1. Use code "ZZ" or "RR" for this data element to satisfy X12 syntax requirements.						
2. The ZZ filler differentiates this Shipment Status format from the Advanced Shipment Notice format associated with Wide Area Workflow, as both use BSN06 Qualifier AS, Shipment Advice.						
3. Use Code "RR" to indicate this is a replacement transaction to a previously submitted 856S. Refer to ADC 411.						
4. DLMS enhancement; see introductory DLMS Note 2f.						
BSN03	373	Date	M	DT	8/8	Must use

Ref	Id	Element Name	Req	Type	Min/Max	Usage
		<b>Description:</b> Date expressed as CCYYMMDD				
		<b>DLMS Note:</b> <i>This date corresponds to the Universal Time Coordinate (UTC).</i>				
BSN04	337	Time	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
		<b>DLMS Note:</b> 1. <i>Express the originating activity's time in UTC.</i>				
		2. <i>Express time in a four-position (HHMM) format.</i>				
BSN06	640	Transaction Type Code	X	ID	2/2	Used
		<b>Description:</b> Code specifying the type of transaction				
		<b>Code    Name</b>				
		AS	Shipment Advice			
		<b>DLMS Note:</b>				
		1. <i>Use to indicate this transaction provides shipment status information related to requisitions . Also use with BSN07 to indicate shipment status to the ICP/IMM from the reporting activity for lateral redistribution of retail assets.</i>				
		2. <i>Also applies to Army Total Package Fielding.</i>				
		3. <i>Use with BSN07=WTP to identify CAV Shipment Status.</i>				
		4. <i>Use with BSN07=014 for outbound non-MILS shipments (e.g., a DD1149). Refer to ADC 417</i>				
		AZ	Disposal Shipment Advice			
		<b>DLMS Note:</b>				
		<i>Use to indicate this transaction provides Hazardous Material/Hazardous Waste shipment status information for turn-in of material to DLA Disposition Services.</i>				
		NC	Material Release Order Forced Closure			
		<b>DLMS Note:</b>				
		<i>Use to indicate this transaction set provides pseudo shipment status information.</i>				
BSN07	641	Status Reason Code	O	ID	3/3	Used
		<b>Description:</b> Code indicating the status reason				
		<b>Code    Name</b>				
		014	Military Service			
		<b>DLMS Note:</b>				
		<i>Use to identify that the shipment status is provided in response to a non-MILS shipment (e.g., DD1149) in support of passive RFID data exchange. The status may reflect multiple levels of pack associated with the shipment unit Transportation Control Number (TCN) and may provide the secondary transportation data (e.g., bill of lading, tracking number, carrier identification). Refer to ADC 417.</i>				
		035	Borrower Action			
		<b>DLMS Note:</b>				
		<i>Use to identify shipments of loaned property.</i>				
		048	Location Changed			
		<b>DLMS Note:</b>				
		<i>Industrial Activity Re-Warehousing/Trans-ship Shipment Status. Use to identify that the shipment status is provided in response to re-warehousing/transshipments between Home and Forward Industrial Activities in support of IMSP. Since no Material Receipt Acknowledgement (MRA) is required for these</i>				



**Code Name**

*types of shipments, the shipment status will not trigger the MRA Reports.*

061 Consolidation, Extension, Modification (CEM)

**DLMS Note:**

*Use to identify that shipment status is provided by the Consolidation and Containerization Point (CCP) subsequent to original shipment in support of passive RFID data exchange. The CCP Shipment Status may reflect multiple levels of pack associated with the lead Transportation Control Number (TCN). It may update the shipment date or mode of shipment while providing visibility of additional or replacement passive RFID tag values associated with the original shipment as a result of CCP processing/ reconfiguration. The CCP Shipment Status should not be used to overlay the original shipment status in the receiving application, as this may result in some loss of data content.*

091 Reprocessed

**DLMS Note:**

*Trans-ship/Cross-dock Shipment Status (non-CCP). Use to identify that shipment status is provided by a location performing consolidation subsequent to original shipment (e.g., local delivery manifesting, deliveries to MPC) in support of passive RFID data exchange. The status may reflect multiple levels of pack associated with the lead Transportation Control Number (TCN). It may update the shipment date or mode of shipment while providing visibility of additional or replacement passive RFID tag values associated with the original shipment as a result of processing/ reconfiguration. The Shipment Status should not be used to overlay the original shipment status in the receiving application, as this may result in some loss of data content. Refer to ADC 417.*

A13 Other

**DLMS Note:**

*Use to identify shipments to entities outside of the DoD. Qualifier A13 does not apply to loans.*

A40 Shipper Related

**DLMS Note:**

- 1. Required in conjunction with BSN02 = "RR" to indicate the updated shipment status transaction corrects erroneous content data (e.g., transportation data, pRFID data). Refer to ADC 411.*
- 2. DLMS enhancement; see introductory DLMS Note 2f.*

IV2 Material Shipped Between Intermediate Points

**DLMS Note:**

*Use to indicate transaction set contains a shipment status associated with a lateral redistribution order.*

SCP DoD Security Cooperation Program (DSCP)

**DLMS Note:**

*Local code SCP is established for use in this transaction. Use to identify a shipment for the purpose of (DSCP) (i.e., FMS and Grand Aid). Code maintenance has been submitted to X12. Pending approval at X12 it will be added in a future release.*

W10 Diverted Item

**DLMS Note:**

*Use when shipment status indicates that action is being taken to divert the shipment in response to request for mass or universal requisition cancellation.*

WTP Waiting for Proof

**DLMS Note:**

*Use to indicate that Commercial Asset Visibility (CAV) shipment status is provided by a contractor under Navy CAV requirements. Also known as "Proof of Shipment (POS)."*

# HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Comments:

- The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- The HL segment defines a top-down/left-right ordered structure.
- HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## DLMS Note:

- The transaction set hierarchical data structure is address information, followed by transaction shipment status, followed interior/exterior packaging passive RFID and/or by IUID and/or financial information as applicable.
- Use the first 2/HL/0100 loop iteration to provide transaction set originator address information.
- Use the second 2/HL/0100 loop iteration to identify shipment information, or for Hazardous Material/Hazardous Waste shipment status information (BSN06 = AZ). Only one HM/HW shipment status provided per transaction.
- Use additional 2/HL/0100 loop iterations to identify RFID as applicable.
- Use additional 2/HL/0100 loop iterations to identify IUID information as applicable.
- Use additional 2/HL/0100 loop iterations to identify the container record, EPA waste code record, and state waste code record as applicable.
- Use an additional 2/HL/0100 loop iteration to identify financial information in support of SLOA/Accounting Classification information requirements.
- The HL Address loop provides address information relating to the originator of this transaction. All other relevant address information is carried in the Shipment Status loop.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
<b>DLMS Note:</b> In the first 2/HL/0100 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.						
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Used
<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
<b>DLMS Note:</b> 1. Use to provide association (parent/child relationship) between interior and exterior packaging when multiple RFID tags are employed in the shipment. Use in the subordinate						

Ref	Id	Element Name	Req	Type	Min/Max	Usage
		<i>(child) loop to identify the HL01 ID Number of the next higher parent loop.</i>				
		<i>2. IUID loops may be associated with a parent RFID loop (e.g. item pack). Not applicable to the IUID loop if no specific parent RFID loop is identified.</i>				
		<i>3. Use to provide association (parent/child relationship) between a HM/HW shipping status record and any container, EPA waste code, and state waste code records, as applicable. Use in the subordinate (child) loop to identify the HL01 ID Number of the shipping status record loop (HL01=2).</i>				
		<i>4. Not applicable to address and shipment status loops.</i>				
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<b>DLMS Note:</b> <i>The following informational loops are applicable to this transaction. When all loops are used, the HL sequence is V (address), W (shipment status), P (RFID), and I (IUID). RFID and IUID loops are optional. Use multiple P loops to depict a nested RFID relationship.</i>				
		<b>Code</b>	<b>Name</b>			
		I	Item			
		<b>DLMS Note:</b> <i>Use to identify item IUID data consistent with IUID data requirements. The IUID data is carried in the REF and N1 segments; no other segments are used in the IUID loop. Use a separate IUID loop for each item. If an RFID is provided at the item level it will be reflected in this loop. Skip this level when not applicable.</i>				
		P	Pack			
		<b>DLMS Note:</b> <i>Use to identify the passive RFID tag identification. The tag identification is carried in the REF segment; no other segments are used in this loop at this time. Use a separate RFID loop for each RFID associated with the shipment using the HL02 parent ID to create a parent/child (nested) relationship. Skip this level when not applicable.</i>				
		V	Address Information			
		<b>DLMS Note:</b> <i>Use to identify the address loop which specifies the transaction originator. For Hazardous Material/Hazardous Waste shipment status information (BSN06 = AZ) also identifies the recipient. Use only one address loop per transaction.</i>				
		W	Transaction Reference Number			
		<b>DLMS Note:</b> <i>Use to identify the shipment status loop which identifies the transaction reference number (requisition document number) and associated shipment information. Use only one shipment status loop per transaction.</i>				
		CN	Container			
		<b>DLMS Note:</b> <i>Use to identify the container record loop which specifies the storage location code, container weight/volume and the accumulation start date for the HM/HW shipment status record. Repeat this loop as necessary and identify the parent loop as the HM/HW shipment status record loop.</i>				
		FI	Financial Information			
		<b>DLMS Note:</b> <i>Use to identify the Finance loop to provide DoD SLOA/Accounting Classification information. The Finance loop includes only the REF/1500 and DTM/2000 segments. This loop is applicable for shipment status to the ICP from the reporting activity for ICP-directed lateral redistribution order shipments of retail assets (equivalent to MILSTRIP legacy DIC AS6) or items shipped to DLA</i>				

Code	Name
	<i>Disposition Services. Refer to ADC 1043.</i>
HE	EPA Waste Number Subsection
	<b>DLMS Note:</b>  <i>1. Use to identify the EPA waste code record loop which specifies the applicable EPA waste codes associated with the shipment. Repeat this loop as necessary and identify the parent loop as the shipment status loop.</i>  <i>2. A data maintenance action was approved in version 8010. The approved code/name is "HE – EPA Waste Number Subsection".</i>
ST	State
	<b>DLMS Note:</b>  <i>1. Use to identify the state waste code record loop which specifies the applicable state waste codes associated with the shipment. Repeat this loop as necessary and identify the parent loop as the shipment status loop.</i>  <i>2. A data maintenance action was approved in version 4040. The approved code/name is "ST – State".</i>

# LIN Item Identification

Pos: 0200	Max: 1
Detail - Optional	
Loop: HL	Elements: 4

User Option (Usage): Used  
Purpose: To specify basic item identification data

## Syntax Rules:

- 1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

## Semantics:

- 1. LIN01 is the line item identification

## Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

## DLMS Note:

Must use only in 2/HL/0100 shipment status loop to identify the materiel shipped.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>DLMS Note:</b> 1. Use one of codes A2, A4, FB, FS, FT, MG, NN, SW, YP, ZR, or ZZ to identify the materiel shipped. Must use National Stock Number (NSN) when known, except, when appropriate, brand name subsistence items are identified by the subsistence identification number or when maintenance/industrial activity materiel is identified by Local Stock Number or Materiel Control Tracking (MCT) tag number. An exception is also authorized for CAV Shipment Status where materiel may be identified by the National Item Identification Number (NIIN) when the Federal Supply Code (FSC) is not available.						
2. The following codes are authorized.						
<b>Code Name</b>						
A2 Department of Defense Identification Code (DoDIC)						

<u>Code</u>	<u>Name</u>
	<b>DLMS Note:</b> <i>Use to identify ammunition items.</i>
A4	Subsistence Identification Number
	<b>DLMS Note:</b> <i>Use to identify subsistence items.</i>
FB	Form Number
	<b>DLMS Note:</b> <i>Use to identify the form stock number.</i>
FS	National Stock Number
FT	Federal Supply Classification
	<b>DLMS Note:</b> <i>Use to identify the FSC of the nonstandard materiel when a part number is not available and materiel can only be identified by description (e.g., non-NSN lumber products).</i>
MG	Manufacturer's Part Number
	<b>DLMS Note:</b> <i>1. Use to identify nonstandard materiel.</i>  <i>2. May be used to identify the supplier-assigned part number when applicable to a DoD EMALL or GSA Advantage/Global internet order from a vendor catalog. Refer to ADC 1068.</i>
NN	National Item Identification Number
	<b>DLMS Note:</b> <i>1. Use only for CAV Shipment Status when the NSN (FSC plus NIIN) is not available.</i>  <i>2. Qualifier NN is a migration code approved for use in X12 version 5020. This is an authorized DLMS enhancement.</i>
SW	Stock Number
	<b>DLMS Note:</b> <i>1. Use to identify the local stock number (LSN).</i>  <i>2. When used for a unit of use LSN (with 1/BSN01/0200=ZZ), the applicable NSN will be included for cross-reference (at LIN04-05). May also be used for identification of LSNs assigned for part-numbered item requisitioning.</i>  <i>3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</i>
YP	Publication Number
	<b>DLMS Note:</b> <i>Use to identify the publication stock number.</i>
ZR	Service Control Identification
	<b>DLMS Note:</b> <i>Use to identify Materiel Control Tracking (MCT) tag number. The MCT tag number is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</i>
ZZ	Mutually Defined
	<b>DLMS Note:</b> <i>1. Use to identify nonstandard materiel when all other authorized codes do not apply or cannot be determined (includes management control numbers and locally assigned control numbers). May be used for legacy MILSTRIP-to-DLMS conversion when the translator cannot determine a more appropriate code.</i>  <i>2. DLMS enhancement.</i>

LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use
		<b>Description:</b> Identifying number for a product or service				
LIN04	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b><u>Code</u> <u>Name</u></b>						
CN    Commodity Name						
<b>DLMS Note:</b>						
1. Use with LIN02 code FT to identify the materiel name or description.						
2. Do not use for Hazardous Materiel/Hazardous Waste. Provide the Proper Shipping Name in 2/PID/0700.						
FS    National Stock Number						
<b>DLMS Note:</b>						
1. Use to identify the NSN.						
2. The NSN is provided as a cross-reference when unit of use indicator is included (1/BSN01/0200=ZZ) and the Local Stock Number (LSN) is identified as the primary materiel identification. Authorized DLMS enhancement under DLA industrial activity support agreement.						
ZB    Commercial and Government Entity (CAGE) Code						
<b>DLMS Note:</b>						
1. Use with LIN02 code MG to uniquely identify a manufacturer's (or supplier's) part number.						
2. May be used to identify the supplier CAGE when applicable to a DoD EMALL or GSA Advantage/Global internet order from a vendor catalog.						
LIN05	234	Product/Service ID	X	AN	1/48	Used
<b>Description:</b> Identifying number for a product or service						

SN1 Item Detail (Shipment)

Pos: 0300

Max: 1

Detail - Optional

Loop: HL

Elements: 4

User Option (Usage): Used

Purpose: To specify line-item detail relative to shipment

Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

Semantics:

1. SN101 is the ship notice line-item identification.

Comments:

1. SN103 defines the unit of measurement for both SN102 and SN104.

DLMS Note:

Must use only in 2/HL/0100 shipment status loop to identify the number of units shipped.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
SN102	382	Number of Units Shipped	M	R	1/10	Must use
<p><b>Description:</b> Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set</p> <p><b>DLMS Note:</b> 1. Express as a whole number with no decimals.</p> <p>2. For shipment status and lateral redistribution shipment status, use to identify the shipped quantity.</p> <p>3. For pseudo shipment status (BSN06 code NC), use to identify the Materiel Release Order (MRO) quantity.</p> <p>4. A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 2d.</p> <p>5. For CAV shipment status (BSN06=WTP), use to indicate quantity shipped or quantity reversed. Always enter a quantity of one (1). A separate CAV shipment status is prepared for each individual item shipped. To reverse, enter a quantity of minus one (-1).</p> <p>6. For non-MILS shipment (e.g., DD1149) status (BSN07=014) in support of pRFID exchange, when 2/LIN02/0200=ZZ and 2/LIN03/0200=MIXED, enter a quantity of one (1) to indicate multi-line items. Refer to ADC 417.</p> <p>7. For HM/HW, use only in 2/HL/0100 Code W shipment status loop to identify the number of units shipped/turned in. (This is not the HIN quantity.)</p>						
SN103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
<p><b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken</p> <p><b>DLMS Note:</b> 1. Use to identify the unit of issue for the materiel shipped.</p> <p>2. DLMS users see the Unit of Issue Conversion</p>						



Ref	Id	Element Name	Req	Type	Min/Max	Usage
Table for available codes.						
3. For non-MILS shipment (e.g., DD1149) status, (BSN07=014) in support of pRFID exchange, when 2/LIN02/0200=ZZ and 2/LIN03/0200=MIXED, enter a unit of issue of "MX". Refer to ADC 417						
SN105	330	Quantity Ordered	X	R	1/15	Used
Description: Quantity ordered						
DLMS Note: Use in the HL03 code W loop when providing the HIN quantity.						
SN106	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
DLMS Note: Use to provide the unit of measure for HIN quantity when applicable.						

# PID Product/Item Description

Pos: 0700	Max: 200
Detail - Optional	
Loop: HL	Elements: 5

**User Option (Usage):** Used

**Purpose:** To describe a product or process in coded or free-form format

**Syntax Rules:**

- 1. C0403 - If PID04 is present, then PID03 is required.
- 2. R0405 - At least one of PID04 or PID05 is required.
- 3. C0703 - If PID07 is present, then PID03 is required.
- 4. C0804 - If PID08 is present, then PID04 is required.
- 5. C0905 - If PID09 is present, then PID05 is required.

**Semantics:**

- 1. Use PID03 to indicate the organization that publishes the code list being referred to.
- 2. PID04 should be used for industry-specific product description codes.
- 3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
- 4. PID09 is used to identify the language being used in PID05.

**Comments:**

- 1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
- 2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
- 3. PID07 specifies the individual code list of the agency specified in PID03.

**DLMS Note:**

*Must use only in 2/HL/0100 Code W shipping status record loop to provide the waste description information.*

**Element Summary:**

Ref	Id	Element Name	Req	Type	Min/Max	Usage
PID01	349	Item Description Type	M	ID	1/1	Must use
<b>Description:</b> Code indicating the format of a description						
<b>Code Name</b>						
X Semi-structured (Code and Text)						
PID03	559	Agency Qualifier Code	O	ID	2/2	Used
<b>Description:</b> Code identifying the agency assigning the code values						
<b>Code Name</b>						
DL Defense Logistics Agency						
PID04	751	Product Description Code	O	AN	1/12	Used
<b>Description:</b> A code from an industry code list which provides specific data about a product characteristic						
<b>DLMS Note:</b> 1. Use the following codes to identify the waste description line number:						
WDL1 - Waste Description Line 1						
WDL2 - Waste Description Line 2						
WDL3 - Waste Description Line 3						

Ref	Id	Element Name	Req	Type	Min/Max	Usage
		WDL4 - Waste Description Line 4				
		2. Use the following codes to identify the Proper Shipping Name in 80 character increments up to 600 characters:				
		PSN1 – Proper Shipping Name Part 1				
		PSN2 – Proper Shipping Name Part 2				
		PSN3 – Proper Shipping Name Part 3				
		PSN4 – Proper Shipping Name Part 4				
		PSN5 – Proper Shipping Name Part 5				
		PSN6 – Proper Shipping Name Part 6				
		PSN7 – Proper Shipping Name Part 7				
		PSN8 – Proper Shipping Name Part 8				
		3. For DoT Hazardous Material use code DHM and indicate (Y)es or (N)o in PID08.				
		4. Use OTH to identify additional Other Hazard Description (Identify in the PID05 any additional Hazard descriptive information associated with the proper shipping name).				
		5. Use TYO to identify the Type of Operation Generating Waste with the value provided in PID05.				
PID05	352	Description	O	AN	1/80	Used
Description: A free-form description to clarify the related data elements and their content						
PID08	1073	Yes/No Condition or Response Code	O	ID	1/1	Used
Description: Code indicating a Yes or No condition or response						
Code Name						
N No						
Y Yes						

# MEA Measurements

Pos: 0800	Max: 40
Detail - Optional	
Loop: HL	Elements: 4

**User Option (Usage):** Used

**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

## Syntax Rules:

- 1. R03050608 - At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 - If MEA05 is present, then MEA04 is required.
- 3. C0604 - If MEA06 is present, then MEA04 is required.
- 4. L07030506 - If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 - Only one of MEA08 or MEA03 may be present.

## Semantics:

- 1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

## Comments:

- 1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
MEA01	737	Measurement Reference ID Code	O	ID	2/2	Used
<b>Description:</b> Code identifying the broad category to which a measurement applies						
<b>Code Name</b>						
CT Counts						
<b>DLMS Note:</b>						
Use in the HL03 code W loop to identify the number of containers. Enter the quantity in the MEA03.						
WA Waste Amount						
<b>DLMS Note:</b>						
Use in the HL03 code W loop with MEA02 code VWT to identify the Disposal Total Weight/Volume.						
WT Weights						
<b>DLMS Note:</b>						
Use in the HL03 code CN loop with MEA02 code VWT to identify the Container Weight/Volume.						
MEA02	738	Measurement Qualifier	O	ID	1/3	Used
<b>Description:</b> Code identifying a specific product or process characteristic to which a measurement applies						
<b>Code Name</b>						
VWT Volume Weight						
<b>DLMS Note:</b>						
Use with MEA01 code WA or WT. Enter volume weight in the MEA03.						
MEA03	739	Measurement Value	O	R	1/20	Used
<b>Description:</b> The value of the measurement						
MEA04	C001	Composite Unit of Measure	O	Comp		Used
<b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of						

Ref	Id	Element Name	Req	Type	Min/Max	Usage
		use)				
MEA04-01	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<b>Code</b>	<b>Name</b>			
		CR	Cubic Meter			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is C.</i>			
		CY	Cubic Yard			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is Y.</i>			
		GA	Gallon			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is G.</i>			
		KG	Kilogram			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is K.</i>			
		LB	Pound			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is P.</i>			
		LT	Liter			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is L.</i>			
		NS	Short Ton			
			<b>DLMS Note:</b>			
			<i>GenComm equivalent code is T.</i>			

# PKG Marking, Packaging, Loading

Pos: 1000	Max: 25
Detail - Optional	
Loop: HL	Elements: 3

**User Option (Usage):** Used

**Purpose:** To describe marking, packaging, loading, and unloading requirements

## Syntax Rules:

- 1. R040506 - At least one of PKG04, PKG05 or PKG06 is required.
- 2. C0403 - If PKG04 is present, then PKG03 is required.
- 3. C0501 - If PKG05 is present, then PKG01 is required.

## Semantics:

- 1. PKG04 should be used for industry-specific packaging description codes.

## Comments:

- 1. Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
- 2. If PKG01 equals "F", then PKG05 is used. If PKG01 equals "S", then PKG04 is used. If PKG01 equals "X", then both PKG04 and PKG05 are used.
- 3. Use PKG03 to indicate the organization that publishes the code list being referred to.
- 4. Special marking or tagging data can be given in PKG05 (description).

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
PKG01	349	Item Description Type	O	ID	1/1	Used
Description: Code indicating the format of a description						
Code Name						
F Free-form						
PKG02	753	Packaging Characteristic Code	O	ID	1/5	Used
Description: Code specifying the marking, packaging, loading and related characteristics being described						
Code Name						
CB Container Type						
DLMS Note:						
Use in the HL03 code W loop to provide a narrative of the container type and its associated container volume (e.g., 55 gallon drum).						
PKG05	352	Description	O	AN	1/80	Used
Description: A free-form description to clarify the related data elements and their content						

TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 1200Max: 12

Detail - Optional

Loop: HLElements: 1

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

- Syntax Rules:
- 1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
  - 2. C0203 - If TD502 is present, then TD503 is required.
  - 3. C0708 - If TD507 is present, then TD508 is required.
  - 4. C1011 - If TD510 is present, then TD511 is required.
  - 5. C1312 - If TD513 is present, then TD512 is required.
  - 6. C1413 - If TD514 is present, then TD513 is required.
  - 7. C1512 - If TD515 is present, then TD512 is required.

- Semantics:
- 1. TD515 is the country where the service is to be performed.

- Comments:
- 1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

DLMS Note:

Use only in 2/HL/0100 shipment status loop to identify the mode of shipment.

Element Summary:						
Ref	Id	Element Name	Req	Type	Min/Max	Usage
TD504	91	Transportation Method/Type Code	X	ID	1/2	Used
<b>Description:</b> Code specifying the method or type of transportation for the shipment						
<b>DLMS Note:</b> 1. Use to identify the method of shipment.						
2. DLMS users see the Transportation Method/Type Code Conversion Guide for available codes.						

# REF Reference Identification

Pos: 1500	Max: >1
Detail - Optional	
Loop: HL	Elements: 4

User Option (Usage): Used  
Purpose: To specify identifying information

Syntax Rules:  
1. R0203 - At least one of REF02 or REF03 is required.

Semantics:  
1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

1. Must use in 2/HL/0100 shipment status loop to identify the transaction document number and the transportation control number. Repeat the REF segment within each shipment status loop to identify relevant information.

2. Use in 2/HL/0100 IUID loop to provide IUID information. Repeat the REF segment within each IUID loop to identify relevant IUID information.

3. Use in applicable 2/HL/0100 RFID loops to provide the tag identification. Begin a new RFID loop to create a nested relationship between tags at different layers of packaging.

4. This transaction supports unique item identification based upon the UUI. Pending full transition to DoD IUID Supply Policy using the UUI, shipment status will be prepared using both the UUI and corresponding serial number when available and required by DoD IUID Supply Policy. See ADC 1030.

5. This transaction will support association of the IUID information with the RFID tag at the IUID packaging level and/or at each higher level of packing which has been tagged.

6. Use this segment to comply with the DoD SLOA/Accounting Classification. Cost object elements Project Identifier, Funding Center Identifier, Functional Area, Cost Element Code, Cost Center Identifier, Activity Identifier, and Work Order Number are used as appropriate for the system. Refer to ADC 1043.

7. In support of Financial Improvement and Audit Readiness (FIAR) compliance, capital equipment candidates require serialization data visibility. Prepare shipment status using the serial number. Include the UUI when available. Refer to ADC 1198.

8. Under DOD IUID policy, UIT programs require serialization data visibility. Prepare shipment status with the serial number as mandatory and when available, include the UUI. Refer to ADC 1244.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use
<b>Description:</b> Code qualifying the Reference Identification						
<b>DLMS Note:</b> 1. Use codes separately or in combination, to identify appropriate information for DoD IUID Supply Policy, including, but not limited to unique item tracking (UIT) programs. See ADC 1030.						
2. The following codes are authorized.						
<b><u>Code</u> <u>Name</u></b>						
2E		Foreign Military Sales Case Number				
<b>DLMS Note:</b>						
1. For DoD SLOA/Accounting Classification use to identify “Security Cooperation Case Designator”. Refer to ADC 1043.						
2. Authorized DLMS enhancement; see introductory DLMS note 2f.						
2I		Tracking Number				



**Code Name**

	<p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. Use to identify all shipments to a DLA Disposition Services that qualify for in-transit control procedures (e.g., the shipped materiel line item value is \$800 or more or the item is recorded as pilferable/sensitive). Cite Y in REF02 if shipment meets specified criteria.</li> <li>2. DLMS enhancement; see introductory DLMS 2a.</li> </ol>
60	<p>Account Suffix Code</p> <p><b>DLMS Note:</b></p> <p>Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Suffix Code, when applicable. DLMS enhancement, see ADC 466.</p>
79	<p>Cost Account</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. For DoD SLOA/Accounting Classification use to identify "Cost Center Identifier". Refer to ADC 1043.</li> <li>2. Authorized DLMS enhancement; see introductory DLMS note 2f.</li> </ol>
86	<p>Operation Number</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. Use to identify the Key Operation (KO) Number associated with the JO.</li> <li>2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</li> </ol>
91	<p>Cost Element</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. For DoD SLOA/Accounting Classification use to identify "Cost Element Code". Refer to ADC 1043.</li> <li>2. Authorized DLMS enhancement; see introductory DLMS note 2f.</li> </ol>
98	<p>Container/Packaging Specification Number</p> <p><b>DLMS Note:</b></p> <p>For DLA Disposition Service Field Office shipments issued from a Disposition Services Container, use in the HL03 code CN loop to enter the Container Number associated with the DTID. Separate shipment status transactions will be provided for each DTID identified to a specific Container. DLMS enhancement, see ADC 422.</p>
9R	<p>Job Order Number</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. Use to identify Job Order (JO) Number.</li> <li>2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.</li> </ol>
9X	<p>Account Category</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. For DoD SLOA/Accounting Classification use to identify "Functional Area". Refer to ADC 1043.</li> <li>2. Authorized DLMS enhancement; see introductory DLMS note 2f.</li> </ol>
AN	<p>Associated Purchase Orders</p> <p><b>DLMS Note:</b></p> <p>Use for cross-reference to the customer's internal Purchase Order (PO) Number (one PO Number per document number). Authorized for DLA-directed shipments to the Exchange, NEXCOM, MCX, and non-DoD customers as required. See ADC 473A.</p>
BE	<p>Business Activity</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. For DoD SLOA/Accounting Classification use to identify "Activity Identifier". Refer to ADC 1043.</li> <li>2. Authorized DLMS enhancement; see introductory DLMS note 2f.</li> </ol>
BT	<p>Batch Number</p> <p><b>DLMS Note:</b></p> <ol style="list-style-type: none"> <li>1. Use in IUID loop to identify the manufacturer's batch/lot number or other number identifying the production run.</li> </ol>

**Code Name**

	2. DLMS enhancement; see introductory DLMS 2a.
CO	Customer Order Number
	<b>DLMS Note:</b>
	1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number.
	2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).
CT	Contract Number
	<b>DLMS Note:</b>
	Use in the HL03 code W loop when identifying the contract number. When procurement is authorized under a contract number. This is not to be confused with a PIID.
DP	Department Number
	<b>DLMS Note:</b>
	1. For DoD SLOA/Accounting Classification use to identify "Department Regular". Refer to ADC 1043.
	2. Authorized DLMS enhancement; see introductory DLMS note 2f.
FG	Fund Identification Number
	<b>DLMS Note:</b>
	1. Use to identify the fund purpose code. Cite any fund purpose code in REF02 except code CR or DR.
	2. When identifying a Fund Code using REF04, identification of the fund purpose code is required to meet syntax rules and structured format designed to support future enhancement of appropriation/funding data.
FU	Fund Code
	<b>DLMS Note:</b>
	Use to accommodate legacy system requirements. Use in Lateral Referral Order (LRO) shipment status to identify the fund code to be reimbursed for the materiel and reimbursement for the packaging, crating, handling and transportation (PCH&T) cost is to be provided.
HD	Department of Transportation Hazardous Number
	<b>DLMS Note:</b>
	Use when the HL03 Code is W to identify the Hazard Class.
JB	Job (Project) Number
	<b>DLMS Note:</b>
	1. For DoD SLOA/Accounting Classification use to identify "Project Identifier". Refer to ADC 1043.
	2. Authorized DLMS enhancement; see introductory DLMS note 2f.
JH	Tag
	<b>DLMS Note:</b>
	1. Use in applicable RFID loop to identify the RFID tag. The RFID will be reflected as a hexadecimal value.
	2. Future enhancement: Use in the IUID loop when an RFID tag is applied to the individual item.
	3. DLMS enhancement; see introductory DLMS 2a.
LI	Line Item Identifier (Seller's)
	<b>DLMS Note:</b>
	1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Case Line Item Identifier". Refer to ADC 1043.
	2. Authorized DLMS enhancement; see introductory DLMS note 2f.
M1	Material Storage Location
	<b>DLMS Note:</b>
	Use when the HL03 code CN loop to identify the Storage Location Code, as a location within a warehouse.

**Code Name**

MS Manufacturer's Material Safety Data Sheet Number

**DLMS Note:**

*Use when the HL03 code W loop to identify the Safety Data Sheet Number.*

PA Price Area Number

**DLMS Note:**

1. Use for shipments to disposal to indicate actual or estimated pricing information.
2. Available for all other shipment status as an optional data field to perpetuate the actual or estimated unit price from the associated supply status or materiel release order. This is an authorized DLMS enhancement.
3. A field size exceeding 7 positions (5 digits dollars and 2 digits cents) may not be received or understood by the recipient's automated processing system.
4. DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Authorized DLMS migration enhancement; see introductory DLMS 2f. Refer to ADC 221A.
5. Use to identify the unit of use price when the unit of use indicator (1/BSN01/0200) is present. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

Q9 Repair Order Number

**DLMS Note:**

*Identifies the Associated Commercial Asset Visibility (CAV) Repair Document Number. Use to cite the appropriate repair document number (i.e., CAV Repair Cycle Document Number or CAV-Organic Repair Module (CAV-ORM) Repair Component Document Number), depending upon applicability. Must use for CAV shipment status to indicate the unique CAV Repair Cycle Document Number. A 'POS' is created for each item citing that item's unique CAV Repair Document Number (e.g., N994179077002). Refer to ADC 344 and ADC 461.*

QR Quality Report Number

**DLMS Note:**

1. When applicable, use to cite the associated PQDR report control number (RCN) for exhibit tracking.
2. Authorized DLMS enhancement. Refer to ADC 1007.

SE Serial Number

**DLMS Note:**

1. Use in IUID loop to identify the serial number. See ADC 1030.
2. DLA Distribution must use in shipment of items designated as capital equipment candidates. All others use in accordance with Component guidance for capital equipment. See ADC 1198.
3. Must use in shipment of UIT program items. Refer to ADC 1244.
4. The serial number may not exceed 30 characters and may only include alpha numeric characters, dashes and forward slashes. Spaces are not allowed.
5. DLMS enhancement; see introductory DLMS Note 2f.

SI Shipper's Identifying Number for Shipment (SID)

**DLMS Note:**

1. Must use in CAV shipment status (BSN06=WTP) to identify the contractor-assigned shipment number as shown on the shipping documentation. Normally applicable to a Materiel and Inspection Receiving Report (DD 250), but may apply to a DD 1348-1A employed by CAV contractors.
2. The shipment number may be 7 or 8 positions. If 8, the last position must be Z, indicating final shipment.
3. Authorized DLMS enhancement; see introductory DLMS 2a.

TF Transfer Number

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Department Transfer". Refer to ADC 1043.

**Code Name**

2. Authorized DLMS enhancement; see introductory DLMS note 2f.

TG Transportation Control Number (TCN)

**DLMS Note:**

1. Use in 2/HL/0100 transaction reference number loop to identify the shipment unit TCN.
2. DLMS enhancement for shipments to disposal and shipments from Army Total Package Fielding Unit Materiel Fielding Points and staging sites.

TN Transaction Reference Number

**DLMS Note:**

1. Must use in the 2/HL/0100 shipment status loop to identify the customer assigned document number associated with the shipment unit. Use REF04 to identify the associated suffix code if applicable.
2. When status is applicable to a requisition alert, this field will perpetuate the alert document number. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

TT Terminal Code

**DLMS Note:**

Use only during legacy MILSTRIP-to-DLMS conversion processing to identify the point of embarkation for OCONUS shipments moving through the DTS, GBL/CBL, parcel post (except APO/FPO); and small package carrier shipments entering DTS and the POE. During the transition period, transactions originating as MILSTRIP DIC AS, Shipment Status, will carry the POE in this field due to the translator's inability to distinguish among code types. Refer to 2/LQ01/3500 qualifiers 36, Air Terminal Identifier Code, 37, Water Terminal Identifier, and 38, Consolidation and Containerization Point Code, for DLMS input.

U3 Unique Supplier Identification Number (USIN)

**DLMS Note:**

1. Use in IUID loop to identify the UII value in REF03. See ADC 1030. A data maintenance action was approved in version 5020. The approved code/name is "UII - Department of Defense Unique Item Identifier".
2. DLA Distribution must use in shipment of items designated as capital equipment candidates when the item has been marked under IUID policy. All others use in accordance with Component guidance for capital equipment. See ADC 1198.
3. Must use in shipment of UIT program items when the item has been marked under IUID policy. Refer to ADC 1244.
4. DLMS enhancement; see introductory DLMS Note 2f.

UN United Nations Hazardous Classification Number

**DLMS Note:**

Use when the HL03 Code W loop to identify the UN/NA Number.

WO Work Order Number

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Work Order Number".
2. Authorized DLMS enhancement; see introductory DLMS note 2f.

X9 Internal Control Number

**DLMS Note:**

Contractor's Reference Number is used to indicate the unique number used by the CAV II System to identify and track EDI transactions. Refer to ADC 344.

AGY Agency Disbursing Identifier Code

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Agency Disbursing Identifier Code". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier AGY is a migration code approved for use in X12 version 7020.

**Code Name**

AGZ Agency Accounting Identifier

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Agency Accounting Identifier". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier AGZ is a migration code approved for use in X12 version 7020.

AVT Availability Type

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Availability Type". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier AVT is a migration code approved for use in X12 version 7020.

BET Business Event Type Code

**DLMS Note:**

1. Reserved for DoD SLOA/Accounting Classification use to identify "Business Event Type Code". Refer to ADC 1043.
2. Business Event Type Code is a potential future DLMS enhancement; see introductory DLMS note 2a.
3. Qualifier BET is a migration code approved for use in X12 version 7020.

BLI Budget Line Item

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Budget Line Item". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier BLI is a migration code approved for use in X12 version 7020.

CAL U.S. Environmental Protection Agency (EPA) Hazardous Waste Code

**DLMS Note:**

1. Use when the HL03 code HE loop to identify the EPA Waste Code.
2. A data maintenance action was approved in version 4040. The approved code/name is "CAL – U.S. Environmental Protection Agency (EPA) Hazardous Waste Code".

CAN State Hazardous Waste Code

**DLMS Note:**

1. Use when the HL03 code ST loop to identify the State Waste Code.
2. At this time a local code 'CAN' is established for use in the 856S, version 4030. A data maintenance action will be submitted for establishment of 'CAN – State Hazardous Waste Code' in a future version.

ECA Fund Identifier

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Funding Center Identifier". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.

HIN Hazardous Identification Number

**DLMS Note:**

1. Use in the HL03 code W loop to identify the type of waste or service action. This data element is not to be used to convey the CLIN, which is a separate data element in this transaction.
2. A data maintenance action was approved in version 8060. The approved code/name is 'HIN – Hazardous Identification Number'.

MAT Main Account

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Main Account". Refer to ADC 1043.

**Code Name**

2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier MAT is a migration code approved for use in X12 version 7020.

PGC Packing Group Code

**DLMS Note:**

Use in the HL03 Code W loop to identify the Packing Group (e.g., I, II, III).

PWC Preliminary Work Candidate Number

**DLMS Note:**

1. Use to identify a Requisition Alert Document Number when status is provided on the associated funded requisition.
2. Used in support of Navy Shipyards to associate the funded requisition with a previously submitted requisition alert.
3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

REB Reimbursable Code

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Reimbursable Flag". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier REB is a migration code approved for use in X12 version 7020.

SAT Sub Account

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Sub Account". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier SAT is a migration code approved for use in X12 version 7020.

SBA Sub-Allocation

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Sub-Allocation (formerly known as Limit/Subhead)". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.
3. Qualifier SBA is a migration code approved for use in X12 version 7020.

SCC Security Cooperation Customer Code

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Customer Code". Refer to ADC 1043.
2. DLMS enhancement; see introductory DLMS note 2d. A field size exceeding 2 positions is not supportable under current MILSTRIP and MAPAC processes. Three character codes are not authorized at this time.
3. Qualifier SCC is a migration code approved for use in X12 version 7020.

SCI Security Cooperation Implementing Agency

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Implementing Agency". Refer to ADC 1043.
2. Authorized DLMS enhancement; see introductory DLMS note 2f. A field size exceeding 3 positions is not supportable under current MILSTRIP processes. Four character codes are not authorized at this time.
3. Qualifier SCI is a migration code approved for use in X12 version 7020.

SCL Sub Class

**Code Name****DLMS Note:**

1. Reserved for DoD SLOA/Accounting Classification use to identify "Sub Class". Refer to ADC 1043.
2. Sub Class is a potential future DLMS enhancement; see introductory DLMS note 2a.
3. Qualifier SCL is a migration code approved for use in X12 version 7020.

WPN Waste Disposal Number

**DLMS Note:**

1. Use in the HL03 code W loop to identify the Waste Profile Sheet Number.
2. A data maintenance action was approved in version 8010. The approved code/name is "WPN – Waste Disposal Number". This is an authorized DLMS enhancement.

XX4 Object Code

**DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Object Class". Refer to ADC 1043.
2. Qualifier XX4 is a migration code approved for use in X12 version 4040.
3. Authorized DLMS enhancement; see introductory DLMS note 2f.

REF02	127	Reference Identification	X	AN	1/50	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

**Description:** A free-form description to clarify the related data elements and their content

**DLMS Note:** 1. Use with REF01 code FG and REF04 code AT to cite the supplemental accounting classification data.

2. Use to indicate U11 value when REF01=U3.

3. DLMS enhancement; see introductory DLMS 2a.

REF04	C040	Reference Identifier	O	Comp		Used
-------	------	----------------------	---	------	--	------

**Description:** To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

**DLMS Note:** 1. Use REF04 to associate data with the REF01. When needed, use codes from REF04-01 and the next available combination of data element 128/127 pairs to provide the necessary data.

2. When providing financial data (REF01 is code FG):

If providing only the fund code use REF04-01 code FU and cite the fund code in REF04-02. For example: REF01=FG; REF02=FC; REF04-01 (composite)=FU; REF04-02= fund code value.

If providing only the long line accounting data use REF04-01 code AT and cite the basic appropriation data in REF04-02. Use REF04-03 code 10 and cite the accounting station number in REF04-04.

If providing both, use REF04-01 code FU, REF04-03 code AT, and REF04-05 code 10 citing the related data in the second data element of the pair.

REF04-01	128	Reference Identification Qualifier	M	ID	2/3	Must use
----------	-----	------------------------------------	---	----	-----	----------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
<b>Description:</b> Code qualifying the Reference Identification						
<b>DLMS Note:</b> 1. Use one of codes 08, AW, BL, BM, IZ, K2, K3, ZH, or WY with REF01 code TG (TCN) to identify a secondary transportation number. Where applicable, two secondary transportation numbers may be provided, e.g. for CAV shipment status the carrier tracking number (PRO) may be identified in REF04-01 and the bill of lading number (commercial or Government) may be identified in REF04-02.						
2. For CAV shipment status, must use to identify the procurement document which authorized the commercial contractor to repair and ship GFP into DoD inventories. Use with contractor-assigned shipment number (REF01 Code SI).						
3. Under ADC 1014, GFP contract data is transitioned from the REF segment to the GF Segment. Delayed implementation is authorized.						
<b>Code Name</b>						
08		Carrier Assigned Package Identification Number				<b>DLMS Note:</b> 1. Use to identify carrier tracking (PRO) number (when carrier is other than the United States Postal Service). Use recommended in conjunction with identification of the carrier (2/N101/2200 qualifier CA).  2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
10		Account Managers Code				<b>DLMS Note:</b> 1. Use in one of REF04-03 or REF04-05 to identify the authorized accounting activity (AAA)/accounting disbursing station number (ADSN)/fiscal station number (FSN).  2. DLMS enhancement; see introductory DLMS 2a.
AT		Appropriation Number				<b>DLMS Note:</b> 1. Use in one of REF04-01 or REF04-03 to identify the basic appropriation data.  2. DLMS enhancement; see introductory DLMS 2a.
AW		Air Waybill Number				<b>DLMS Note:</b> 1. Use to identify the shipment unit air waybill number.  2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
BL		Government Bill of Lading				<b>DLMS Note:</b> 1. Use to identify the government bill of lading.  2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
BM		Bill of Lading Number				<b>DLMS Note:</b> 1. Use to identify the shipment unit commercial bill of lading number.  2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
C7		Contract Line Item Number				<b>DLMS Note:</b> Use when the HL03 code W loop to identify the Contract Line Item Number associated with the contract number.



**Code Name**

CT Contract Number

**DLMS Note:**

1. Must use for CAV shipment status, to identify the procurement instrument identifier (PIID) authorizing repair/return of GFP. Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When procurement is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field. For Other Transaction (OT) agreements, the type of instrument (9th position of PIID) will be a 3 for Research OTs or 9 for Prototype and Production OTs. Refer to ADC 1161A or ADC 1420.
2. Under ADC 1014, GFP contract information is transitioned from the REF segment to the GF Segment. Delayed implementation is authorized.
3. Authorized DLMS enhancement; see introductory DLMS 2a.

FU Fund Code

**DLMS Note:**

- Use with REF01 code FG to identify the Fund Code. Use to accommodate legacy system requirements. Use in Lateral Referral Order (LRO) shipment status to identify the fund code to which the credit for the materiel and reimbursement for the packaging, crating, handling and transportation (PCH&T) cost is to be provided.

IZ Insured Parcel Post Number

**DLMS Note:**

1. Use to identify the shipment unit insured parcel post number.
2. Authorized DLMS migration enhancement; see introductory DLMS 2f.

K1 Foreign Military Sales Notice Number

**DLMS Note:**

1. Use for Foreign Military Sales (FMS) shipments made on commercial bill of lading or commercial collect bill of lading, to identify the shipment unit FMS notice number.
2. DLMS enhancement; see introductory DLMS 2a.

K2 Certified Mail Number

**DLMS Note:**

1. Use to identify the shipment unit certified mail number.
2. Authorized DLMS migration enhancement; see introductory DLMS 2f.

K3 Registered Mail Number

**DLMS Note:**

1. Use to identify the shipment unit registered parcel post number.
2. Authorized DLMS migration enhancement; see introductory DLMS 2f.

W1 Disposal Turn-In Document Number

**DLMS Note:**

1. Use to identify the DTID number when provided as a secondary reference number. The DTID number is used by DLA Disposition Services as a unique number to identify property that was turned into a DLA Disposition Service Field Office. The value of the DTID may be the original turn-in document number or may be a unique control number (UCN) assigned by the Field Office during receipt processing when the original DTID number is not adequate to uniquely identify the property. DLMS Enhancement, see ADC 422
2. For DLA Disposition Service Field Office shipments, when there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04. DLMS enhancement, see ADC 422.

W8 Suffix

**DLMS Note:**

1. Use with REF01 code TN to identify the transaction number suffix.
2. When used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. The Requisition Alert Document Number Suffix is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

**Code Name**

WY Waybill Number

**DLMS Note:**

1. Use to identify the shipment unit surface waybill number.
2. Authorized DLMS migration enhancement; see introductory DLMS 2f.

ZH Carrier Assigned Reference Number

**DLMS Note:**

1. Use to identify the shipment unit express mail number.
2. Authorized DLMS migration enhancement; see introductory DLMS 2f.

REF04-02	127	Reference Identification	M	AN	1/50	Must use
----------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF04-03	128	Reference Identification Qualifier	X	ID	2/3	Used
----------	-----	------------------------------------	---	----	-----	------

**Description:** Code qualifying the Reference Identification

**DLMS Note:** For other valid codes, see REF04, C04001.

**Code Name**

OQ Order Number

**DLMS Note:**

1. Use for CAV shipment status to identify the legacy four-position call/order number associated with the PIIN in (REF04-01 Code CT).
2. Do not use for the PIID call/order number. The PIID call/order number is mapped to REF01, Code CT. Refer to ADC 1161A.
3. Under ADC 1014, GFP contract information is transitioned from the REF segment to the GF Segment. Delayed implementation is authorized.
4. Authorized DLMS enhancement; see introductory DLMS 2a.

W1 Disposal Turn-In Document Number

**DLMS Note:**

1. Use to identify the DTID number when provided as a secondary reference number. The DTID number is used by DLA Disposition Services as a unique number to identify property that was turned into a DLA Disposition Service Field Office. The value of the DTID may be the original turn-in document number or may be a unique control number (UCN) assigned by the Field Office during receipt processing when the original DTID number is not adequate to uniquely identify the property. DLMS Enhancement, see ADC 422.
2. For DLA Disposition Service Field Office shipments, when there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04. DLMS enhancement, see ADC 422.

REF04-04	127	Reference Identification	X	AN	1/50	Used
----------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF04-05	128	Reference Identification Qualifier	X	ID	2/3	Used
----------	-----	------------------------------------	---	----	-----	------

**Description:** Code qualifying the Reference Identification

**DLMS Note:** For valid codes, see REF04, C04001.

**Code Name**

**Code    Name**

BL    Government Bill of Lading

**DLMS Note:**

1. Use to identify the government bill of lading.

2. Authorized DLMS enhancement.

BM    Bill of Lading Number

**DLMS Note:**

1. Use to identify the shipment unit commercial bill of lading number.

2. Authorized DLMS enhancement.

C7    Contract Line Item Number

**DLMS Note:**

1. Must use for CAV shipment status with contract number (REF04-01 code CT) to identify the application CLIN/SubCLIN.

2. Under ADC 1014, GFP contract information is transitioned from the REF segment to the GF Segment. Delayed implementation is authorized.

3. Authorized DLMS enhancement.

REF04-06    127

Reference Identification

X    AN    1/50    Used

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

PER Administrative Communications Contact

Pos: 1510Max: 3

Detail - Optional

Loop: HLElements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Rules:
- 1. P0304 - If either PER03 or PER04 is present, then the other is required.
  - 2. P0506 - If either PER05 or PER06 is present, then the other is required.
  - 3. P0708 - If either PER07 or PER08 is present, then the other is required.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
PER01	366	Contact Function Code	M	ID	2/2	Must use
<b>Description:</b> Code identifying the major duty or responsibility of the person or group named						
<b>Code Name</b>						
IC Information Contact						
<b>DLMS Note:</b>						
Use when the HL03 code W loop to identify the point of contact.						
PER02	93	Name	O	AN	1/60	Used
<b>Description:</b> Free-form name						
PER03	365	Communication Number Qualifier	O	ID	2/2	Used
<b>Description:</b> Code identifying the type of communication number						
<b>Code Name</b>						
AU Defense Switched Network						
<b>DLMS Note:</b>						
Use when the HL03 code W loop to identify the DSN phone number						
EM Electronic Mail						
<b>DLMS Note:</b>						
Use when the HL03 code W loop to identify the email address.						
TE Telephone						
<b>DLMS Note:</b>						
Use when the HL03 code W loop to identify the commercial phone number.						
PER04	364	Communication Number	O	AN	1/256	Used
<b>Description:</b> Complete communications number including country or area code when applicable						

# DTM Date/Time Reference

Pos: 2000	Max: 10
Detail - Optional	
Loop: HL	Elements: 3

User Option (Usage): Used  
Purpose: To specify pertinent dates and times

- Syntax Rules:
1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
  2. C0403 - If DTM04 is present, then DTM03 is required.
  3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

- DLMS Note:
1. Use in the 2/HL/0100 shipment status loop to identify dates associated with the shipment status.
  2. Use in the 2/HL/0100 Finance loop to comply with DoD SLOA/Accounting Classification information requirements.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use
<b>Description:</b> Code specifying type of date or time, or both date and time						
<b>Code Name</b>						
011		Shipped	<b>DLMS Note:</b> <i>Use to identify the materiel shipment date, regardless of shipment method. (Note: For pseudo shipment status transactions, the date generated is assigned as the shipped date.)</i>			
051		Cumulative Quantity Start				
			<b>DLMS Note:</b> <i>Use to identify the accumulation start date when reported at the HL03 code W loop (DTID level) and CN loop (Container level).</i>			
283		Funds Appropriation - Start	<b>DLMS Note:</b> <i>1. For DoD SLOA/Accounting Classification use to identify “Beginning Period of Availability Fiscal Year Date”. Refer to ADC 1043.  2. Use as appropriate to represent Program Year. Availability Type Code must be “X”. Refer to ADC 1043B.  3. Authorized DLMS enhancement; see introductory DLMS note 2f.</i>			
284		Funds Appropriation - End				
369		Estimated Departure Date				
			<b>DLMS Note:</b> <i>Use to identify the Estimated Shipment Date (ESD) for turn-ins to disposal when the actual date is unknown. See ADC 433</i>			
514		Transferred	<b>DLMS Note:</b> <i>1. Use to identify the materiel transfer date to the carrier if a delay occurs prior to actual shipment.  2. DLMS enhancement; see introductory DLMS note 2a.</i>			

Code		Name				
585		Report	<b>DLMS Note:</b> <i>Use when the HL03 code W loop to identify the waste profile established date.</i>			
999		Document Date	<b>DLMS Note:</b> <i>1. Must use for CAV shipment Status to identify the 'Proof of Shipment Date.'</i>  <i>2. This date identifies the preparation date on the supporting documentation for shipment from the contractor's plant.</i>			
DTM02	373	Date	X	DT	8/8	Used
<b>Description:</b> Date expressed as CCYYMMDD						
DTM03	337	Time	X	TM	4/8	Used
<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)						
<b>DLMS Note:</b> <i>1. Enter time shipped in "HHMMSS" format (in conjunction DTM01, Qualifier 999) to establish a unique date/time stamp.</i>						
<i>2. Must use for CAV shipment status.</i>						
<i>3. This is an authorized DLMS enhancement; see introductory DLMS 2f.</i>						

# N1 Name

Pos: 2200	Max: 1
Detail - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

- Syntax Rules:
1. R0203 - At least one of N102 or N103 is required.
  2. P0304 - If either N103 or N104 is present, then the other is required.

- Comments:
1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
  2. N105 and N106 further define the type of entity in N101.

- DLMS Note:
1. Use to identify the organization originating and receiving the transaction.
  2. Use additional iterations to identify other organizations associated with the transaction.
  3. Must use the 2/N1/2200 loop in the address loop to identify the organization originating the transaction.
  4. Must use the 2/N1/2200 loop in the shipment status loop to identify the organization to receive the transaction.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual						
<b>DLMS Note:</b> <i>The following codes are authorized.</i>						
<b><u>Code</u>   <u>Name</u></b>						
BS	Bill and Ship To					
<b>DLMS Note:</b> <i>Use either this code, or both codes BT and ST, for reimbursable materiel. Use to identify the organization which receives both the materiel and the billing for the materiel.</i>						
BT	Bill-to-Party					
<b>DLMS Note:</b> <i>Use with code ST for reimbursable materiel. Use to identify the organization to receive the billing for materiel when different from the organization receiving the materiel. Use precludes the use of Code BS.</i>						
CA	Carrier					
<b>DLMS Note:</b> <i>1. Use as needed to identify the shipment unit carrier when other than the United States Postal Service.</i>  <i>2. The carrier may be identified by name (N102) and Standard Carrier Alpha Code (SCAC).</i>  <i>3. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>						
CS	Consolidator					
<b>DLMS Note:</b> <i>1. Use to identify the consolidation point DoDAAC when shipment status is provided by the CCP (BSN07=061).</i>  <i>2. For non-MILS shipment (e.g., DD1149) status, (BSN07=014) in support of pRFID exchange, use to identify the origin activity generating the shipment status. Refer to ADC 417.</i>						
DA	Delivery Address					

**Code Name**

**DLMS Note:**

1. Use with 2/N2/2300, 2/N3/2400, and 2/N4/2500 to fully identify in-the-clear exception ship-to address information under authorized conditions.
2. DLMS enhancement; see introductory DLMS note 2a.

GP Gateway Provider

**DLMS Note:**

1. Use for transition period to support transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Use to identify DAASC as originator during conversion when the legacy MILSTRIP transaction does not contain a "From" organization (i.e. blank RIC on AS\_). Use to identify DAASC as the "TO" organization for Component-generated shipment status forwarded for DAAS distribution to status recipients under MILSTRIP/DLMS distribution rules (DLMS equivalent of AS8).
2. DLMS enhancement required for compliance with design/syntax. (DAASC RIC not converted for use on legacy MILSTRIP transactions).

HZ Hazardous Waste Generator

**DLMS Note:**

Use when the HL03 code V loop to identify the Hazardous Material/Hazardous Waste Generator's File Transfer DoDAAC. Use with code FR in the N106.

KK Registering Party

**DLMS Note:**

1. Use to identify the Component UIT registry. May be used by a Component when their UIT process requires that a copy of the transaction also be sent to a UIT registry for information purposes. Must be used with 2/N106/2200 code 'PK-Party to Receive Copy' to identify that this is only an information copy of the transaction, for use with the Component UIT registry.
2. DLMS enhancement. See introductory DLMS note 2.a.

MF Manufacturer of Goods

**DLMS Note:**

1. Use in the shipment status loop to identify the manufacturer's name for nonstandard materiel (i.e., where part number and not NSN is used for materiel identification).
2. Use in IUID loop to identify the manufacturer of the identified item.

OB Ordered By

**DLMS Note:**

1. Use to identify the requisitioner.
2. DLMS enhancement; see introductory DLMS note 2a.

OW Owner of Property or Unit

**DLMS Note:**

Shipping activities must use to indicate the materiel owner when the recipient will not be the new materiel owner. Authorized for all commodities and required for active UIT program items. See ADC 1244B

PW Pick Up Address

**DLMS Note:**

Use when the HL03 code V loop to identify the Pickup DoDAAC.

RN Repair or Refurbish Location

**DLMS Note:**

1. Must use for CAV shipment status to identify the CAV repair site.
2. Use two iterations of the N1 Loop to identify the repair site by both RIC and DoDAAC. Associate the Message From (N106) with the repair site RIC. Refer to ADC 344.

SB Storage Area

**DLMS Note:**

1. Use to identify the initial shipping activity.
2. For Army Total Package Fielding (TPF), use to identify the Routing Identifier of the Unit Materiel



**Code Name**

*Fielding Point (UMFP) or staging site originating the UMFP shipment document.*

*3. Use for LRO shipment status to identify the organization responsible for release of the retail assets.*

*4. For conversion processing this will be understood to be the originating activity as identified by the Supplemental Address.*

*5. A DLMS enhancement allows specific separate identification of the party to receive credit and the party originating the LRO shipment status/shipping the materiel. DoDAACs associated with qualifier SB and ZB are expected to be the same at this time. However, when using originated in DLMS, the LRO originator may be a different party and will be identified by a Routing Identifier. Refer to ADC 299.*

*6. When implemented as a DLMS enhancement in the shipment loop to allow specific separate identification of owner/manager and storage activity RIC for ammunition and ammunition related transactions, a second instance of the SB in the shipment loop must be used to identify the storage activity by DoDAAC (N103 = 10). Refer to Approved Addendum to ADC 441A.*

ST Ship To

**DLMS Note:**

*1. Use to identify the organization to receive the materiel.*

*2. For shipment status in response to LROs (DIC AS6), use to identify the ship to activity as directed in the LRO. Authorized DLMS enhancement. See ADC 1030.*

*3. Use for HL03 code V loop for disposal shipments use to identify the Disposition Services Field Office. For HM/HW shipments provide the RIC.*

XN Planning/Maintenance Organization

**DLMS Note:**

*1. Used to identify a Shop Service Center/Shop Store.*

*2. Use in conjunction with N103 Identification Code Qualifier 92.*

*3. Refer to ADCs 284A, 381, and 1454 for known applications.*

Z1 Party to Receive Status

**DLMS Note:**

*1. Use to indicate the organization to receive shipment status.*

*2. For shipment status forwarded for DAAS distribution to status recipients under MILSTRIP/DLMS distribution rules (AS8), the recipients will be identified on the DAAS-generated transactions and will not appear on the original transaction.*

*3. As a DLMS enhancement, may be used to identify recipients other than the prescribed status recipients under DLMS/MILSTRIP distribution rules. Use multiple iterations of the 2/N1/2200 loop to identify shipment recipients, as needed. Use with N106=TO to indicate that the value in N104 is receiving the transaction. See introductory DLMS note 2a.*

*4. Use to provide shipment status to Product Data Reporting and Evaluation Program-Automated Information System (PDREP-AIS) for PQDR exhibit tracking when the PQDR RCN is included. For use with DoDAAC N45112. Refer to ADC 1007.*

Z4 Owning Inventory Control Point

**DLMS Note:**

*1. Use to identify the Routing Identifier of the supply source or applicable owner/manager as the originator of the shipment status. This includes shipment status prepared by the Distribution Depot on behalf of the owner/manager, for owner/manager directed shipments, and CCP/Consolidation shipment status. Additionally, this includes shipment status prepared by Army storage activities on behalf of the owner/manager for ammunition and ammunition related shipments.*

*2. Use to identify the recipient for LRO Shipment Status.*

*3. Use to identify the recipient Fielding Command for Army Total Package Fielding shipments.*

Z5 Management Control Activity

**DLMS Note:**

*Use for submission of all GFM requisitions.*

Code Name

Z7 Mark-for Party

DLMS Note:

1. Use to identify an entity located within the ship-to address that is to actually receive the materiel.

2. The Mark-for Party may be identified by DoDAAC, RIC, clear text, or a combination of these. Only one of DoDAAC or RIC may be used.

3. Maximum length of the Mark-for Party is 24 positions: Mark-for clear text (with no DoDAAC or RIC) displays on DoD shipment documents as two lines of 12 characters each. If text is combined with a DoDAAC, up to 17 clear text characters will be allowed. If text is combined with a RIC, up to 20 clear text characters will be allowed. A slash (/) will be inserted during printing of shipment documentation to separate the DoDAAC or RIC from clear text; do not perpetuate the slash (/) in the DLMS transaction.

4. Authorized DLMS enhancement; see introductory DLMS note 2f. Refer to ADC 1009A.

ZB Party to Receive Credit

DLMS Note:

1. Use to identify the party to receive credit for materiel, transportation, and PC&H.

2. For conversion processing this will be the activity as identified by the Supplemental Address and the same activity identified to release the materiel.

3. A DLMS enhancement allows specific separate identification of the party to receive credit and the party originating the LRO shipment status/shipping the materiel. Refer to ADC 299.

4. Use for SFIS compliant systems to identify the BPN of the party to receive credit. BPN may only be used when the corresponding DoDAAC is also provided. This will require a second iteration of the N1 loop with the same qualifier.

5. Authorized DLMS enhancement; see introductory DLMS note 2f.

N102	93	Name	X	AN	1/60	Used
<div>Description: Free-form name</div> <div>DLMS Note: 1. Use with N101 code MF to identify the manufacturer's name and address (including ZIP code) when the CAGE is not available.</div> <div>2. Use with N101 code DA to identify the exception ship-to organization. Also use 2/N2/2300 if additional information is required.</div> <div>3. Use with N101 Code Z7 to identify the recipient of materiel. Total field length is restricted to 24 clear text characters, when not used in combination with a DoDAAC or RIC. If combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory DLMS note 2f. Refer to ADC 1009A.</div> <div>4. Use with N101 code CA to identify the carrier by name. (Field length for DLMS is 60 positions.)</div> <div>5. DLMS enhancement; see introductory DLMS note 2a.</div>						
N103	66	Identification Code Qualifier	X	ID	1/2	Must use
<div>Description: Code designating the system/method of code structure used for Identification Code (67)</div> <div>DLMS Note: The following code are authorized.</div> <div>Code Name</div> <div>2 Standard Carrier Alpha Code (SCAC)</div> <div>DLMS Note:</div> <div>Use as needed to identify the commercial carrier.</div>						

**Code Name**

8 UCC/EAN Global Product Identification Prefix

**DLMS Note:***Corresponds to IAC '0-9'.*

10 Department of Defense Activity Address Code (DODAAC)

**DLMS Note:**

1. Use as needed to identify the organizations listed to include: ship-to, bill-to, and shipping activity.
2. DLMS enhancement; see introductory DLMS note 2a.

33 Commercial and Government Entity (CAGE)

50 Business License Number

**DLMS Note:**

1. Use for SFIS to map to SFIS Data element "Business Partner Number TP3". Enter the seller's BPN in N104.
2. Authorized DLMS enhancement; see introductory DLMS note 2f.

92 Assigned by Buyer or Buyer's Agent

**DLMS Note:***Use with N101 Code XN to identify the user assigned Shop Service Center/Shop Store Identifier. Refer to ADCs 284A, 381, and 1454.*

A2 Military Assistance Program Address Code (MAPAC)

**DLMS Note:**

1. Use to indicate the SA structured address data.
2. DLMS enhancement; see introductory DLMS note 2a.

M4 Department of Defense Routing Identifier Code (RIC)

UR Uniform Resource Locator (URL)

**DLMS Note:**

1. Use when appropriate to identify the Component UIT registry.
2. DLMS enhancement; see introductory DLMS note 2.a.

N104	67	Identification Code	X	AN	2/80	Used
------	----	---------------------	---	----	------	------

**Description:** Code identifying a party or other code

N106	98	Entity Identifier Code	O	ID	2/3	Used
------	----	------------------------	---	----	-----	------

**Description:** Code identifying an organizational entity, a physical location, property or an individual**Code Name**

FR Message From

**DLMS Note:**

1. Must use with the appropriate 2/N101/2200 code to indicate the organization cited in N104 is sending the transaction set.
2. For LRO shipment status, use with 2/N1/2200 code SB, otherwise use with code Z4 (or GP when originator not known) to indicate the organization cited in N104 is originating the transaction.

PK Party to Receive Copy

**DLMS Note:**

1. Use when appropriate to send an information copy of the transaction to a Component UIT registry. For use with N101 code KK.
2. DLMS enhancement. See introductory DLMS note 2.a.

TO Message To

**DLMS Note:**

1. Use with the appropriate 2/N101/2200 code to indicate the organization cited in N101 is receiving the transaction set.

DLMS Implementation Convention (IC) 856S  
Shipment Status

ADC 55, 127, 130, 165, 192, 193, 221, 221A, 223, 242, 242A, 257, 284, 284A, 288, 299, 344, 381, 411, 417, 422, 433, 435, 436, 441, 441A, 448, 448B, 461, 466, 473, 473A, 1007, 1009A, 1014, 1030, 1043, 1043A, 1043B, 1043C, 1068, 1075, 1110, 1132, 1136 , 1161A, 1198, 1244, 1244B, 1287, 1353, 1367, 1399, 1412, 1420, 1428, 1433, 1454 and 1481 DLM 4000.25

**Code** **Name**

2. Use with 2/N1/2200 code GP (for DAASC) or Z1 to indicate the organization cited in N104 is receiving the transaction.

N2 Additional Name Information

Pos: 2300Max: 2

Detail - Optional

Loop: N1Elements: 2

User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

- DLMS Note:
1. Use to identify additional name information as authorized.

2. Use with 2/N101/2200 code DA to identify additional in-the-clear exception ship-to name information.

3. DLMS enhancement; see introductory DLMS note 2a.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N201	93	Name	M	AN	1/60	Must use
		Description: Free-form name				
N202	93	Name	O	AN	1/60	Used
		Description: Free-form name				

N3Address Information

Pos: 2400

Max: 2

Detail - Optional

Loop: N1

Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

- DLMS Note:
1. Use to identify additional address information as authorized.

2. Use with 2/N101/2200 code DA to identify additional in-the-clear exception ship-to name information.

3. DLMS enhancement; see introductory DLMS note 2a.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

# N4 Geographic Location

Pos: 2500	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

## Syntax Rules:

- 1. C0605 - If N406 is present, then N405 is required.

## Comments:

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

## DLMS Note:

- 1. Use to identify additional address information as authorized.
- 2. Use with 2/N101/2200 code DA to identify additional in-the-clear exception ship-to name information.
- 3. DLMS enhancement; see introductory DLMS note 2a.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N401	19	City Name	O	AN	2/30	Used
Description: Free-form text for city name						
N402	156	State or Province Code	X	ID	2/2	Used
Description: Code (Standard State/Province) as defined by appropriate government agency						
N403	116	Postal Code	O	ID	3/15	Used
Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)						
N404	26	Country Code	X	ID	2/3	Used
Description: Code identifying the country						
DLMS Note: Use to identify the country. See DLMS introductory note 3 (Refer to ADC 1075 for implementation).						

SAC

Service, Promotion, Allowance, or Charge Information

Pos: 3200

Max: 1

Detail - Optional

Loop: SAC

Elements: 4

User Option (Usage): Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Rules:
1. R0203 - At least one of SAC02 or SAC03 is required.
  2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
  3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
  4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
  5. C1110 - If SAC11 is present, then SAC10 is required.
  6. L130204 - If SAC13 is present, then at least one of SAC02 or SAC04 is required.
  7. C1413 - If SAC14 is present, then SAC13 is required.
  8. C1615 - If SAC16 is present, then SAC15 is required.

- Semantics:
1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
  2. SAC05 is the total amount for the service, promotion, allowance, or charge.
  3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
  4. SAC08 is the allowance or charge rate per unit.
  5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
  6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
  7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
  8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
  9. SAC16 is used to identify the language being used in SAC15.

- Comments:
1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction with SAC03 to further define SAC02.
  2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

DLMS Note:

Use the SAC Loop to allow subsequent identification of the GFP contract information in the GF Segment.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
SAC01	248	Allowance or Charge Indicator	M	ID	1/1	Must use
<b>Description:</b> Code which indicates an allowance or charge for the service specified						
<b>Code Name</b>						
C Charge						
SAC03	559	Agency Qualifier Code	O	ID	2/2	Used
<b>Description:</b> Code identifying the agency assigning the code values						
<b>Code Name</b>						
DL Defense Logistics Agency						



SAC04	1301	<b>Agency Service, Promotion, Allowance, or Charge Code</b>  <b>Description:</b> Agency maintained code identifying the service, promotion, allowance, or charge <b>DLMS Note:</b> 1. The following codes are authorized for use: TDC - Total Disposal Cost 2. Use when the HL03 code W loop to identify the Total Disposal Cost.	O	AN	1/10	Used
SAC05	610	<b>Amount</b>  <b>Description:</b> Monetary amount	O	N2	1/15	Used

GF

Furnished Goods and Services

Pos: 3300

Max: 1

Detail - Optional

Loop: HL

Elements: 4

User Option (Usage): Used

Purpose: To specify information related to furnished material, equipment, property, information, and services

- Syntax Rules:
- 1. P0102 - If either GF01 or GF02 is present, then the other is required.
  - 2. P0506 - If either GF05 or GF06 is present, then the other is required.
  - 3. P0809 - If either GF08 or GF09 is present, then the other is required.

- Semantics:
- 1. GF04 is the value of government-furnished property.

- DLMS Note:
- 1. Must use in GFP-related transactions.
  - 2. Use to provide contract information for shipments of GFP to the contractor.
  - 3. Use for contractor shipment of GFP into DoD inventory.
  - 4. Authorized DLMS enhancement. Refer to ADC 1014.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
GF01	128	Reference Identification Qualifier	O	ID	2/3	Used
Description: Code qualifying the Reference Identification						
Code Name						
C7 Contract Line Item Number						
DLMS Note:						
Use as directed to associate a Contract Line Item Number with the Contract Number.						
GF02	127	Reference Identification	O	AN	1/50	Used
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						
GF03	367	Contract Number	O	AN	1/30	Used
Description: Contract number						
DLMS Note: Must use to identify the applicable procurement instrument identifier (PIID). Use the PIIN pending transition to the PIID. When GFP is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field. For Other Transaction (OT) agreements, the type of instrument (9th position of PIID) will be a 3 for Research OTs or 9 for Prototype and Production OTs. Refer to ADC 1161A or ADC 1420.						
GF07	328	Release Number	O	AN	1/30	Used
Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction						
DLMS Note: 1. Use to identify the legacy four-position call/order number associated with the						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		PIIN.				
		2. Do not use for the PIID call/order number. The PIID call/order number is mapped to GF03. Refer to ADC 1161A.				

LM

Code Source Information

Pos: 3400	Max: 1
Detail - Optional	
Loop: LM	Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Must use only in the 2/HL/0100 shipment status loop to identify coded information maintained in department or agency documentation.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use
Description: Code identifying the agency assigning the code values						
Code Name						
DF Department of Defense (DoD)						

LQ Industry Code

Pos: 3500Max: 100

Detail - Mandatory

Loop: LMElements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage																		
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Used																		
<b>Description:</b> Code identifying a specific industry code list																								
<b>DLMS Note:</b> <i>The following codes are authorized.</i>																								
<table><tr><th>Code</th><th>Name</th></tr><tr><td>0</td><td>Document Identification Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b>  <i>1. The legacy MILSTRIP DIC is retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i>  <i>2. Navy unique Document Identifier POS is authorized for CAV shipment status.</i>  <i>3. Future streamlined data; see introductory DLMS note 2c.</i></td></tr><tr><td>36</td><td>Air Terminal Identifier Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) air terminal identifier codes for Outside Continental United States (OCONUS) shipments made via Defense Transportation System (DTS) air modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i></td></tr><tr><td>37</td><td>Water Terminal Identifier Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) water terminal identifier codes for OCONUS shipments made via DTS water modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i></td></tr><tr><td>38</td><td>Consolidation and Containerization Point Code</td></tr><tr><td colspan="2"><b>DLMS Note:</b>  <i>1. Used to identify the SEAVAN CCP code for OCONUS shipments made via DTS.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the</i></td></tr></table>							Code	Name	0	Document Identification Code	<b>DLMS Note:</b>  <i>1. The legacy MILSTRIP DIC is retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i>  <i>2. Navy unique Document Identifier POS is authorized for CAV shipment status.</i>  <i>3. Future streamlined data; see introductory DLMS note 2c.</i>		36	Air Terminal Identifier Code	<b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) air terminal identifier codes for Outside Continental United States (OCONUS) shipments made via Defense Transportation System (DTS) air modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i>		37	Water Terminal Identifier Code	<b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) water terminal identifier codes for OCONUS shipments made via DTS water modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i>		38	Consolidation and Containerization Point Code	<b>DLMS Note:</b>  <i>1. Used to identify the SEAVAN CCP code for OCONUS shipments made via DTS.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the</i>	
Code	Name																							
0	Document Identification Code																							
<b>DLMS Note:</b>  <i>1. The legacy MILSTRIP DIC is retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</i>  <i>2. Navy unique Document Identifier POS is authorized for CAV shipment status.</i>  <i>3. Future streamlined data; see introductory DLMS note 2c.</i>																								
36	Air Terminal Identifier Code																							
<b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) air terminal identifier codes for Outside Continental United States (OCONUS) shipments made via Defense Transportation System (DTS) air modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i>																								
37	Water Terminal Identifier Code																							
<b>DLMS Note:</b>  <i>1. Use to identify port of embarkation (POE) water terminal identifier codes for OCONUS shipments made via DTS water modes.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.</i>																								
38	Consolidation and Containerization Point Code																							
<b>DLMS Note:</b>  <i>1. Used to identify the SEAVAN CCP code for OCONUS shipments made via DTS.</i>  <i>2. Authorized DLMS migration enhancement; see introductory DLMS 2f.</i>  <i>3. During the legacy MILSTRIP/DLMS transition period, transactions originating as MILSTRIP DIC AS_, Shipment Status, will carry this information in REF01, qualifier TT, Terminal Code, due to the</i>																								

**Code Name**

	<i>translator's inability to distinguish among code types.</i>
58	Transportation Bill Code
	<b>DLMS Note:</b>
	<i>Use for FMS shipments, to identify the applicable shipment Transportation Bill Code (TBC).</i>
67	Type of Assistance Code
	<b>DLMS Note:</b>
	1. For Security Assistance (SA) transactions, use only when the coded address in the transaction number does not identify the type of assistance and financing.
	2. DLMS enhancement; see introductory DLMS note 2a.
78	Project Code
	<b>DLMS Note:</b>
	1. Must use to provide the project code when applicable.
	2. Required when applicable to communicate the project code associated with the Army Total Package Fielding Unit Materiel Fielding Point or staging site shipment document.
	3. For DoD SLOA/Accounting Classification compliance (2/HL/0100 Finance loop) the Project Code may be repeated as a Project Identifier (REF01 Qualifier JB). Refer to ADC 1043.
	4. Authorized DLMS migration enhancement; see introductory DLMS 2f.
79	Priority Designator Code
	<b>DLMS Note:</b>
	1. Must use to identify the applicable priority designator.
	2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
81	Status Code
	<b>DLMS Note:</b>
	1. Use to identify additional status information related to the shipment unit.
	2. For shipment status other than those resulting from conversion from the legacy MILSTRIP ASY this is a DLMS enhancement; see introductory DLMS note 2a.
83	Supply Condition Code
	<b>DLMS Note:</b>
	1. For turn-ins to a DLA Disposition Services Field Office, the supply condition code is mandatory. DLMS enhancement, see ADC 422 and 1399.
	2. For all other shipments, this is an authorized DLMS enhancement; see introductory DLMS note 2f.
84	Management Code
	<b>DLMS Note:</b>
	1. Use to communicate the management code associated with Army Total Package Fielding Unit Materiel Fielding Point or staging site shipment document.
	2. DLMS Component-unique enhancement. See introductory DLMS note 5e.
88	Disposal Authority Code
	<b>DLMS Note:</b>
	<i>For Hazardous Materiel/Hazardous Waste turn-ins to a DLA Disposition Service Field Office, enter the disposal authority code to indicate that the designated materiel is authorized for shipment to a DLA Disposition Service Field Office per the Generator Communication (GenComm) Standard. DLMS enhancement, see ADC 422.</i>
89	Cooperative Logistics Program Support Code
	<b>DLMS Note:</b>
	1. For FMS transactions, must use to identify programmed, nonprogrammed, and termination/drawdown requirements.
	2. DLMS enhancement; see introductory DLMS note 2a.
92	Reason for Disposal Code

**Code Name**

**DLMS Note:**

1. Use for materiel transferred to a Defense Reutilization and Marketing Service (DRMS) to identify the reason for transfer of the shipment unit.
2. DLMS enhancement; see introductory DLMS note 2a.

93 Type of Storage Code

**DLMS Note:**

1. Use to identify the minimum level of storage environment required for shipment unit.
2. DLA Disposition Services uses three to five position alphanumeric code to identify building number of the pickup DODAAC. Use LQ02 to identify the Storage Building Number. Refer to ADC 1428.
3. DLMS enhancement; see introductory DLMS Note 2a.

94 Identification Code

**DLMS Note:**

1. Use in FMS transactions to identify the customer country's requisitioning Service Code: B, D, K, P, or T. This is the SA program Customer Service Designator (codes derived from Qualifier 71, Service and Agency Code). A DM has been submitted to create a new qualifier for this data element.
2. DLMS enhancement; see introductory DLMS note 2a.

95 Offer and Release Option Code

**DLMS Note:**

1. For FMS transactions, must use to advise the supply source of the type of notice required prior to shipping the materiel.
2. DLMS enhancement; see introductory DLMS note 2a.

98 Reason for Requisitioning Code

**DLMS Note:**

1. Use to identify Reason for Requisitioning Code identifying the use of the materiel.
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

A2 Customer Within Country Code

**DLMS Note:**

1. For SA transactions, use only when the coded address in the transaction number does not identify the customer-within-country.
2. DLMS enhancement; see introductory DLMS note 2a.

A3 Delivery Term Code

**DLMS Note:**

1. For FMS transactions, use only when the coded address in the transaction number does not identify the delivery term.
2. DLMS enhancement; see introductory DLMS note 2a.

A5 Subcase Number

**DLMS Note:**

1. Use in FMS transactions based on Service requirements.
2. DLMS enhancement; see introductory DLMS note 2a.

A6 Freight Forwarder Number

**DLMS Note:**

1. Must use in FMS transactions to identify the country representative or freight forwarder to receive shipments and documentation.
2. DLMS enhancement; see introductory DLMS note 2a.

A7 Record Control Number

**DLMS Note:**

1. Must use in MAP/GA transactions to identify the program line item number.

**Code Name**

	2. DLMS enhancement; see introductory DLMS note 2a.
A8	Program Year Code <b>DLMS Note:</b> 1. Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded. 2. DLMS enhancement; see introductory DLMS note 2a.
A9	Supplemental Data <b>DLMS Note:</b> 1. Use to identify supplemental address/data. 2. Future streamlined data; see introductory DLMS note 2c.
AJ	Utilization Code <b>DLMS Note:</b> 1. Use to identify a specialized purpose for which the requisition is submitted. 2. Under legacy MILSTRIP, this is the first position of the document serial number within the document number. 3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381. 4. DLMS enhancement; see introductory DLMS note 2a.
AK	Distribution Code <b>DLMS Note:</b> Future streamlined data; see introductory DLMS note 2c.
AL	Special Requirements Code <b>DLMS Note:</b> 1. Must use to identify special handling and priority codes when applicable. Under legacy MILSTRIP, this is carried in the required delivery date field. 2. Authorized DLMS migration enhancement for optional use; see introductory DLMS 2f.
BC	Transportation Holding Delay Code <b>DLMS Note:</b> 1. This is the Shipment Hold Code. 2. Use to identify the reason a shipment unit is not shipped. This includes delays occurring immediately after materiel is picked, packed, marked and made ready for shipment.
BD	Transportation Priority Code <b>DLMS Note:</b> 1. Use to identify the applicable transportation priority when available. 2. Authorized DLMS migration enhancement; see introductory DLMS 2f.
DE	Signal Code <b>DLMS Note:</b> Use to accommodate legacy system requirements. Use only in LRO shipment status to indicate the activity to receive credit and pseudo shipment status to perpetuate the signal code from the materiel release order.
DF	Media and Status Code
FD	Demilitarization Code <b>DLMS Note:</b> For Hazardous Materiel/Hazardous Waste turn-ins to a DLA Disposition Service Field Office, enter Demilitarization Code per the Generator Communication (GenComm) Standard. DLMS enhancement, see ADC 422.
GQ	Group Qualifier Code <b>DLMS Note:</b>



**Code Name**

1. Use to identify the Materiel Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.
2. A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.
3. For Hazardous Materiel/Hazardous Waste turn-ins to a DLA Disposition Service Field Office, enter MMAC per the Generator Communication (GenComm) Standard data element "Additional Data" in the DTID record. DLMS enhancement, see ADC 422.

R3 Delivery Rank (Priority)

**DLMS Note:**

1. Use to identify, or modify, the Delivery Priority/Special Processing Code for materiel that has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable.
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
3. A data maintenance action was approved in version 5030. The approved code/name is DPC – Delivery Priority Code. DoD systems will continue to use Qualifier R3 to represent the Delivery Priority/Special Processing Code until such time as a new ADC directs otherwise.

COG Cognizance Symbol

**DLMS Note:**

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

DSI Disposition Services Indicator Code

**DLMS Note:**

1. For Hazardous Material/Hazardous Waste turn-ins to a DLA Disposition Service Field Office, enter the applicable indicator in the LQ02 to identify type of material sent to DLA Disposition Services..
2. DLA Disposition Services uses the following Disposition Services Indicators in the shipment status transaction:  
HM - Hazardous Material  
SS – Special Services  
HW - Hazardous Waste
3. A data maintenance action was approved in version 6050. The approved code/name is "DSI – Disposition Services Indicator Code".

IMC Item Management Code

**DLMS Note:**

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

**DLMS Note:**

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

**DLMS Note:**

1. Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
2. For Hazardous Materiel/Hazardous Waste turn-ins to a DLA Disposition Service Field Office, enter SMIC per the Generator Communication (GenComm) Standard data element "Additional Data" in the DTID record. DLMS enhancement, see ADC 422.

T05 Inspection Parameters

**DLMS Note:**

**Code   Name**

1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.
2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

LQ02	1271	Industry Code	X	AN	1/30	Used
<b>Description:</b> Code indicating a code from a specific industry code list						

SE Transaction Set Trailer

Pos: 0200Max: 1

Summary - Mandatory

Loop: N/AElements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Comments:**

1. SE is the last segment of each transaction set.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		<b>DLMS Note:</b> Cite the same number as the one cited in ST02.				