

AP3.53. APPENDIX 3.53

STORAGE ITEM DATA CORRECTION/CHANGE

| <u>FIELD LEGEND</u> | <u>RECORD POSITION(S)</u> | <u>ENTRY AND INSTRUCTIONS</u> |
|------------------------------------|--------------------------------------|--|
| Document Identifier Code | 1-3 | Enter DIC DZB. |
| Routing Identifier Code (TO) | 4-6 | Enter RIC of the activity to which this transaction is being forwarded. |
| Item Data Correction/Change | 7 | Enter the code from appendix AP2.7 which indicates the data field(s) affected by the change. |
| Stock or Part Number | 8-24 | Enter data as follows: |
| | (8-20) | Enter stock or part number reported in the storage activity transactions or affected by catalog/stock list change. |
| | (21-24) | Enter production equipment code, DoD identification code, or locally assigned number(s), as appropriate; otherwise, leave blank. |
| Unit of Issue | 25-26 | Perpetuate the UI reported in the storage activity transaction or affected by catalog/stock list change. |
| Stock or Part Number | 27-43 | Enter data as follows: |
| | (27-39) | Enter the new stock or part number when stock or part number is being changed; otherwise, leave blank. |
| | (40-43) | Enter production equipment code, DoD identification code, or locally assigned number(s), as appropriate; otherwise, leave blank. |
| Unit of Issue | 44-45 | Enter new UI when UI is being changed; otherwise, leave blank. |
| Unit of Issue Conversion Factor | 46-50 | Use only when the UI is being changed; otherwise, leave blank. |

| <u>FIELD LEGEND</u> | <u>RECORD POSITION(S)</u> | <u>ENTRY AND INSTRUCTIONS</u> |
|---|----------------------------------|--|
| Decimal Locator | (46) | <p>The following table identifies the position of the decimal in the multiplication factor:</p> <p>0-whole number (no decimal)</p> <p>1-decimal before record position 50</p> <p>2-decimal before record position 49</p> <p>3-decimal before record position 48</p> <p>4-decimal before record position 47</p> |
| Multiplication | (47-50) | Enter the factor by which the old Factor quantity must be multiplied to convert to the new unit of issue. |
| Shelf-Life | 51 | Enter the new shelf-life code if the shelf-life code is being changed; otherwise, leave blank. |
| Controlled Inventory Item | 52 | Enter the new controlled inventory item code if the code is being changed; otherwise, leave blank. |
| Demilitarization | 53 | Enter the new demilitarization code if code is being changed; otherwise, leave blank. |
| Special Action/ Information for Identifying Repairability, Reclamation, Recoverability, etc. | 54-55 | Reserved for future DoD standardization. Present use to accommodate individual Component assigned codes. |
| Routing Identifier Code (Manager) | 56-58 | Enter the RIC of the manager. |
| Date (Transaction) | 59-62 | Enter last digit of the calendar year and ordinal day of the calendar year this transaction was prepared. |
| Multiuse | 63-66 | For intra-Component use, enter data prescribed by the Component. For inter-Component use, leave blank. |
| Routing Identifier Code (FROM) | 67-69 | Enter RIC of the activity preparing this transaction. |
| Dual Use | 70-73 | |

| <u>FIELD LEGEND</u> | <u>RECORD POSITION(S)</u> | <u>ENTRY AND INSTRUCTIONS</u> |
|----------------------------|--------------------------------------|---|
| Date or | (70-73) | For inter-Component use, enter the effective date (last digit of the calendar year and ordinal day of the calendar year of the catalog/stock list change when applicable; otherwise, leave blank. (See chapter 10.) |
| Multiuse | (70-73) | For intra-Component use, enter data prescribed by the Component; otherwise, leave blank. |
| Multiuse | 74-80 | For intra-Component use, enter data prescribed by the Component. For inter-Component use, leave blank. |