## 824 Application Advice Functional Group=AG

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Application Advice Transaction Set (824) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide the ability to report the results of an application system's data content edits of transaction sets. The results of editing transaction sets can be reported at the functional group and transaction set level, in either coded or free-form format. It is designed to accommodate the business need of reporting the acceptance, rejection or acceptance with change of any transaction set. The Application Advice should not be used in place of a transaction set designed as a specific response to another transaction set (e.g., purchase order acknowledgment sent in response to a purchase order).

## **DLMS Note:**

1. Used by the processing activity for functional reject of select transactions.

2. This transaction set is not used to reject a transmission due to ASC X12 syntax errors. Use a 997 transaction set for that purpose.

3. Used by the processing activity to reject DLMS transactions which could not be processed due to erroneous or missing data. Used by the processing activity to provide functional reject of transactions to the submitting activity. This transaction supports the functionality of MILSTRAP Document Identifier Code (DIC) DZG, however rather than perpetuate all information from the rejected transaction as was done under DLSS, only information necessary to identify the rejected transaction and the reject advice information is provided

4. DLMS 824R was initially developed for rejection of MILSTRAP related DLMS transactions. However the DLMS 824R scope is expanded and it is authorized for use with other DLMS supply, contract administration and logistics bills transactions, but does not replace procedures for error identification addressed by the DLMS 140A Small Arms and Light Weapons (SA/LW) Reporting, DLMS 870S Supply Status or DLMS 842A/R DoD Supply Discrepancy Report Reply. Also used by DLA Transaction Services for narrative message type rejects for all DLMS transactions subject to rejection by DAAS narrative messages.

5. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Enterprise Business Standards Office (EBSO) Web site at URL: http://www.dla.mil/j-6/dlmso.

6. This DLMS Implementation Convention (IC) contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with EBSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with EBSO prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with EBSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with EBSO prior to use.

e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent to, modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

7. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the EBSO Web site http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp

- ADC 160, New Federal Implementation Convention and DLMS Supplement 824R Reject Advice Transaction (Supply)

- ADC 179, Revise DS 824R to include DAASC Narrative Rejects, and Expansion for Rejection of Additional DLMS Transactions (Contract Administration/Supply)

- ADC 248, Administrative Update to DLMS Supplement 824R, Reject Advice (Contract Administration/Supply)

- ADC 330, Revision to DS 824R, Reject Advice

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 471, Administrative Update to DLMS 824R Reject Advice (Supply)

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on March 27, 2014.

- ADC 1103, Revise DLMS 824R, Reject Advice, to Include Rejection of Logistics Bills, Clarify use for Rejection of DLMS MILSTRIP Transactions, and Document Administrative Updates

- ADC 1043A, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Support Transaction Rejection Requirements

- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs

- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)

DLM 4000.25

- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on December 27, 2016

- ADC 1214, New DLMS Implementation Convention (IC) 824W, Disposal Turn-In Document (DTID) and Hazardous Material/Hazardous Waste Profile Sheet (HWPS) Validation transaction, and Associated Procedures

- ADC 1226, Revise DLMS 824R Reject Advice in support of intra-Air Force basis Government Furnished Property (GFP) Accountability - Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on September 19, 2018

- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates

### Heading:

Pos	ld	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	М	1			Must use
020	BGN	Beginning Segment	М	1			Must use
LOOP II	D - N1				<u>&gt;1</u>		
030	N1	Name	0	1			Used
* 040	N2	Additional Name Information	0	2			Not Used
* 050	N3	Address Information	0	2			Not Used
* 060	N4	Geographic Location	0	1			Not Used
* 070	REF	Reference Identification	0	12			Not Used
080	PER	Administrative Communications Contact	0	3			Used

## Detail:

Pos	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID	D - OTI				<u>&gt;1</u>	<u>N2/010L</u>	
010	ΟΤΙ	Original Transaction Identification	М	1		N2/010	Must use
020	REF	Reference Identification	0	12		N2/020	Must use
030	DTM	Date/Time Reference	0	2		N2/030	Used
* 040	PER	Administrative Communications Contact	0	3		N2/040	Not Used
* 050	AMT	Monetary Amount	0	>1		N2/050	Not Used
* 060	QTY	Quantity	0	>1		N2/060	Not Used
065	NM1	Individual or Organizational Name	0	9		N2/065	Used
LOOP ID	) - TED				<u>&gt;1</u>		
070	TED	Technical Error Description	0	1			Used
080	NTE	Note/Special Instruction	0	100			Used
* 082	RED	Related Data	0	100		N2/082	Not Used
LOOP IE	D - LM				<u>&gt;1</u>	N2/085L	
085	LM	Code Source Information	0	1		N2/085	Used
LOOP ID	) - LQ				<u>100</u>		
086	LQ	Industry Code	М	1			Must use
* 087	RED	Related Data	0	100		N2/087	Not Used
090	SE	Transaction Set Trailer	М	1			Must use

#### Notes:

2/010L The OTI loop is intended to provide a unique identification of the transaction set that is the subject of this application acknowledgment.

2/010 The OTI loop is intended to provide a unique identification of the transaction set that is the subject of this application acknowledgment.

2/020 The REF segment allows for the provision of secondary reference identification or numbers required to uniquely identify the original transaction set. The primary reference identification or number should be provided in elements OTI02-03.

2/030 The DTM segment allows for the provision of date, time, or date and time information required to uniquely identify the original transaction set.

2/040 The PER segment should be utilized if administrative communications contact information is important to the unique identification of the original transaction set.

DLM 4000 25

- 2/050 The AMT segment should be utilized if monetary amount information is important to the unique identification of the original transaction set.
- 2/060 The QTY segment should be utilized if quantity information is important to the unique identification of the original transaction set.
- 2/065 The NM1 segment allows for the provision of entity identification information required to uniquely identify the original transaction set.
- 2/082 The RED segment may be used to provide data related to the error condition specified in the associated TED01 element.
- 2/085L The LM loop is used to identify industry-based or proprietary application error conditions.
- 2/085 The LM loop is used to identify industry-based or proprietary application error conditions.
- 2/087 The RED segment may be used to provide data related to the error condition specified in the associated LQ02 element.

## **ST** Transaction Set Header

Pos: 010 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	Μ	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a Transaction Set				
		CodeList Summary (Total Codes: 298, Included: 1)				
		Code Name				
		824 Application Advice				
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		<b>DLMS Note:</b> Use to identify a unique number assigned by the originator of the transaction set. This number may be system generated.				

# **BGN** Beginning Segment

Pos: 020 Max: 1 Heading - Mandatory Loop: N/A Elements: 7

User Option (Usage): Must use

Purpose: To indicate the beginning of a transaction set

## Syntax Rules:

1. C0504 - If BGN05 is present, then BGN04 is required.

## Semantics:

- 1. BGN02 is the transaction set reference number.
- 2. BGN03 is the transaction set date.
- 3. BGN04 is the transaction set time.
- 4. BGN05 is the transaction set time qualifier.
- 5. BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

<u>Ref</u> BGN01	<u>Id</u> 353	<u>Element Name</u> Transaction Set Purpose Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		CodeList Summary (Total Codes: 65, Included: 2)				
		Code Name				
		00 Original				
		77 Simulation Exercise				
		DLMS Note:				
		Defense Logistics Management Standards exercise transaction set. Activities initiating coordination with all activities involved. All t ensure that individual transactions do not p records.	a simulate	d mobilizati set recipier	on exercise must	ensure complete eme caution to
BGN02	127	Reference Identification	М	AN	1/30	Must use
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	I			
		<b>DLMS Note:</b> Use to identify the unique reference number (document number) assigned to this DLMS 824R transaction set, not the transaction set that is being rejected.				
BGN03	373	Date	М	DT	8/8	Must use
		Description: Date expressed as CCYYMMDD				
		<b>DLMS Note:</b> 1. Use to identify the date this 824 transaction set was originated.				
		2. DLMS users, this date corresponds to the Universal Time Coordinate (UTC).				
BGN04	337	Time	Х	ТМ	4/8	Used
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				

ef	<u>ld</u>	Eleme	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>			
			<b>Note:</b> 1. Express the originating activity's f transaction set preparation in UTC.							
			press time in a four (HHMM) or six-position MSS) format with seconds optional.							
3GN05	623	Time	Code	0	ID	2/2	Used			
		accord Organ by a + Univer restric	<b>iption:</b> Code identifying the time. In dance with International Standards ization standard 8601, time can be specified or - and an indication in hours in relation to rsal Time Coordinate (UTC) time; since + is a ted character, + and - are substituted by P in the codes that follow							
		Code	List Summary (Total Codes: 51, Included: 1)							
		<u>Code</u>	Name							
		UT	Universal Time Coordinate							
BGN07	640	Trans	action Type Code	0	ID	2/2	Used			
			<b>Description:</b> Code specifying the type of transaction							
		Codel	List Summary (Total Codes: 446, Included: 1)							
		<u>Code</u>	Name							
		ZT	Report of Rejection or Return of Work Candida	ite						
			DLMS Note:							
		•	Use to identify a Reject Advice transaction.	•		4/2				
BGN08	306		n Code	0	ID	1/2	Used			
		Descr	iption: Code indicating type of action							
		Codel	List Summary (Total Codes: 296, Included: 2)							
		<u>Code</u>	<u>Name</u>							
		80	Reconcile							
			DLMS Note:							
			1. Use to identify rejections generated by the planned future enhancement; this functionalit				ocessing. This is a			
			2. DLMS enhancement; see introductory DLM	IS note 6	a. on the IC	C cover page. Refe	er to ADC 1226.			
		DR	Direct							
			DLMS Note:							
			1. Use for rejections generated by the recipie addressee without further DAAS processing.	nt of a tra	insaction fo	or routing to the ide	entified Message-To			
			2. DLMS enhancement; see introductory DLM	IS Note 6	ia.					
			3. Authorized for use for Air Force Governme ADC 1226	nt Furnisl	hed Proper	ty - Accountability	(GFP-A). Refer to			

DLM 4000.25

N1 Name

Pos: 030 Max: 1 Heading - Optional Loop: N1 Elements: 3

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

## Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

#### Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

## **DLMS Note:**

1. Must use 2 iterations of the 1/N1/030 loop; one iteration to identify the activity transmitting the DLMS 824R Reject Advice transaction and a second iteration to identify the activity to whom the DLMS 824R Reject Advice transaction is being sent.

2. Component systems generate 824R transactions under the existing authorized MILSTRAP DIC DZG functionality, rejection of materiel release orders under PDC 1166, as well as rejection based on ADC 1226. The only other authorized RIC-From is SGA, the RIC-From of the Component system generating 824R per legacy DIC DZG functionality, or the RIC/DoDAAC-From representing the Air Force Program Manager in the accountable property system of record (APSR) for Air Force rejects for Air Force Government Furnished Property - Accountability (GFP-A).

<u>Ref</u>	<u>Id</u>	Elem	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity	/ Identifier Code	М	ID	2/3	Must use
		entity DLM	<b>ription:</b> Code identifying an organizational a physical location, property or an individual <b>S Note:</b> For DLMS use only the following a are authorized.				
		Code	List Summary (Total Codes: 1312, Included: 2)				
		Code	Name				
		FR	Message From				
			DLMS Note:				
			Use to identify the activity transmitting the DL	MS 824F	Reject Aa	lvice transaction.	
		то	Message To				
			DLMS Note:				
			Use to identify the activity to whom the DLMS address is the originator of the transaction be			e transaction is be	eing sent. The TO
N103	66	Ident	fication Code Qualifier	Х	ID	1/2	Used
			ription: Code designating the system/method le structure used for Identification Code (67)				
		Code	List Summary (Total Codes: 215, Included: 4)				
		Code	Name				
		1	D-U-N-S Number, Dun & Bradstreet				
			DLMS Note:				
			DLMS enhancement; See introductory DLMS	note 6a.			
		9	D-U-N-S+4, D-U-N-S Number with Four Charac	cter Suffix	ĸ		
			DLMS Note:				
			DLMS enhancement; See introductory DLMS	note 6a.			
		10	Department of Defense Activity Address Code	(DODAA	C)		

		Code Name				
		DLMS Note:				
		DLMS enhancement; See introductory D	LMS note 6a.			
		M4 Department of Defense Routing Identifier (	Code (RIC)			
N104	67	Identification Code	х	AN	2/80	Used
		Description: Code identifying a party or other co	de			

DLM 4000.25

## PER Administrative Communications Contact

Pos: 080 Max: 3 Heading - Optional Loop: N1 Elements: 9

#### User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

## Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

## **DLMS Note:**

1. Use to identify a contact to whom inquiries regarding this transaction set can be directed.

2. This segment is a DLMS enhancement. See introductory DLMS note 6a.

<u>Ref</u> PER01	<u>Id</u> 366	Element Name Contact Function Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use
		<b>Description:</b> Code identifying the major duty or responsibility of the person or group named				
		CodeList Summary (Total Codes: 230, Included: 1	)			
		<u>Code</u> <u>Name</u>				
		IC Information Contact				
PER02	93	Name	0	AN	1/60	Used
		Description: Free-form name				
		<b>DLMS Note:</b> Cite the last name first, followed by the first name. Do not truncate the last name if the whole name is longer than 35 characters. Instead, truncate the first name or use the initial of the first name.	9			
PER03	365	Communication Number Qualifier	х	ID	2/2	Used
		<b>Description:</b> Code identifying the type of communication number				
		CodeList Summary (Total Codes: 40, Included: 5)				
		<u>Code</u> <u>Name</u>				
		AU Defense Switched Network				
		EM Electronic Mail				
		FX Facsimile				
		DLMS Note:				
		Use to identify the commercial FAX number	r.			
		TE Telephone DLMS Note:				
		Use to indicate the commercial telephone r	umber of t	ho nartv cit	od in DED02	
		WF Work Facsimile Number		ne party ch		
		DLMS Note:				
		Use to identify the DSN FAX number.				
PER04	364	Communication Number	х	AN	1/80	Used
		<b>Description:</b> Complete communications number including country or area code when applicable				

Advice							4000.25
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>
		DLMS area c	<b>Note:</b> When PER03 is code TE, include the code.				
PER05	365	Comn	nunication Number Qualifier	х	ID	2/2	Used
			<b>iption:</b> Code identifying the type of unication number				
		DLMS	Note: Use to identify a second				
			nunications number for the party cited in				
			2. For example, if PER03/04 cites a nercial telephone number, PER05/06 can be				
			to cite an Electronic Mail address.				
		Codel	List Summary (Total Codes: 40, Included: 5)				
		<u>Code</u>	<u>Name</u>				
		AU	Defense Switched Network				
		EM	Electronic Mail				
		FX	Facsimile				
			DLMS Note:				
			Use to identify the commercial FAX number.				
		TE	Telephone				
			DLMS Note:				
			Use to indicate the commercial telephone nul	mber of th	e party cite	ed in PER02.	
		WF	Work Facsimile Number				
			DLMS Note:				
			Use to identify the DSN FAX number.				
PER06	364	Comn	nunication Number	Х	AN	1/80	Used
			iption: Complete communications number				
			ing country or area code when applicable				
		area	S Note: When PER05 is code TE, include the code.				
PER07	365	Comn	nunication Number Qualifier	х	ID	2/2	Used
		Descr	iption: Code identifying the type of				
			unication number				
			Note: Use to identify a third communications				
		numb	er for the party cited in PER02.				
			List Summary (Total Codes: 40, Included: 5)				
			Name				
		AU	Defense Switched Network				
		EM	Electronic Mail				
		FX	Facsimile				
			DLMS Note:				
		TE	Use to identify the commercial FAX number.				
		TE	Telephone DLMS Note:				
			Use to indicate the commercial telephone nul	nber of th	e partv cite	d in PER02	
		WF	Work Facsimile Number		o party one		
		**1	DLMS Note:				
			Use to identify the DSN FAX number.				
	004	0	-	V		1/00	
PER08	364		nunication Number	Х	AN	1/80	Used
			<b>iption:</b> Complete communications number				
			ing country or area code when applicable				
		DLIVIS	Note: When PER07 is code TE, include the				

DLMS Implement Advice	tation Convent	ion (IC) 824R Reject ADC 160, 179, 248, 330, 436, 471, 1	043A, 1043	C, 1103, 113	36, 1161, 1214, 12	26 and 1287 DLM 4000.25
<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>
		area code.				
PER09	443	Contact Inquiry Reference	0	AN	1/20	Used
		<b>Description:</b> Additional reference number or description to clarify a contact number				
		<b>DLMS Note:</b> Use to indicate the office symbol or activity code for the identified party.				

Pos: 010 Max: 1 Detail - Mandatory Loop: OTI Elements: 11

DLN 4000.25

#### User Option (Usage): Must use

Purpose: To identify the edited transaction set and the level at which the results of the edit are reported, and to indicate the accepted, rejected, or accepted-with-change edit result

### Syntax Rules:

1. C0908 - If OTI09 is present, then OTI08 is required.

#### Semantics:

- 1. OTI03 is the primary reference identification or number used to uniquely identify the original transaction set.
- 2. OTI06 is the group date.
- 3. OTI07 is the group time.
- 4. If OTI11 is present, it will contain the version/release under which the original electronic transaction was translated by the receiver.
- 5. OTI12 is the purpose of the original transaction set, and is used to assist in its unique identification.
- 6. OTI13 is the type of the original transaction set, and is used to assist in its unique identification.
- 7. OTI14 is the application type of the original transaction set, and is used to assist in its unique identification.
- 8. OTI15 is the type of action indicated or requested by the original transaction set, and is used to assist in its unique identification.
- 9. OTI16 is the action requested by the original transaction set, and is used to assist in its unique identification.
- 10. OTI17 is the status reason of the original transaction set, and is used to assist in its unique identification.

#### Comments:

- 1. OTI02 contains the qualifier identifying the business transaction from the original business application, and OTI03 will contain the original business application identification.
- 2. If used, OTI04 through OTI08 will contain values from the original electronic functional group generated by the sender.
- 3. If used, OTI09 through OTI10 will contain values from the original electronic transaction set generated by the sender.

#### DLMS Note:

Use this loop to identify the transaction that is being rejected and the action that is being taken. Use multiple iterations of the OTI loop to report on more than one transaction set. Use 2/REF/020 to identify secondary reference numbers associated with the number cited in OTI02/03.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>
OTI01	110	Application Acknowledgment Code	М	ID	1/2	Must use
		<b>Description:</b> Code indicating the application system edit results of the business data				
		<b>DLMS Note:</b> 1. Use to identify the action taken regarding the transaction being rejected and identified in the same OTI loop.				
		2. For DLMS use only the following codes are authorized.				
		CodeList Summary (Total Codes: 20, Included: 1)				
		Code Name				
		TR Transaction Set Reject				
OTI02	128	Reference Identification Qualifier	М	ID	2/3	Must use
		<b>Description:</b> Code qualifying the Reference Identification				
		<b>DLMS Note:</b> 1. Use to indicate the unique reference number of the transaction set being rejected. Use 2/REF/020 to identify related secondary reference numbers.				
		2. For DLMS use only the following codes are				

<u>Ref</u>	<u>ld</u>	Eleme autho	ent Name rized.	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Code	List Summary (Total Codes: 1503, Included: 2)				
			Name				
		CT	Contract Number				
		01	DLMS Note:				
			Use to identify the procurement instrument in identification number (PIIN) pending transition PIID call/order number (F in 9th position), pro-	n to the P	IID. When	procurement is a	uthorized under a
		TN	Transaction Reference Number DLMS Note:				
			Use to identify the document number.				
TI03	127	Refer	ence Identification	М	AN	1/30	Must use
		partic	<b>iption:</b> Reference information as defined for a ular Transaction Set or as specified by the ence Identification Qualifier				
80IT	28	Grou	o Control Number	Х	N0	1/9	Used
			<b>Description:</b> Assigned number originated and naintained by the sender				
		GS06	<b>Note:</b> Use to identify the number cited in of the functional group in which the rejected action was transmitted.				
TI09	329	Trans	action Set Control Number	0	AN	4/9	Used
		be un	<b>iption:</b> Identifying control number that must que within the transaction set functional group red by the originator for a transaction set				
		contro	Note: Use to identify the transaction set In number cited in SE02 of the transaction set rejected.				
DTI10	143	Trans	action Set Identifier Code	0	ID	3/3	Used
			iption: Code uniquely identifying a action Set				
			<b>Note:</b> Use to identify the Transaction Set er of the transaction being rejected.				
			lid standard codes are used. (Total Codes:				
DTI11	480	Versi	on / Release / Industry Identifier Code	0	AN	1/12	Used
		subrei standa segme then in numbe subrei are th (option	<b>iption:</b> Code indicating the version, release, ease, and industry identifier of the EDI and being used, including the GS and GE ents; if code in DE455 in GS segment is X, in DE 480 positions 1-3 are the version er; positions 4-6 are the release and ease, level of the version; and positions 7-12 e industry or trade association identifiers hally assigned by user); if code in DE455 in ingment is T, then other formats are allowed				
		Versio	<b>Note:</b> Use to identify the ASC X12 on/Release used to translate the transaction ving rejected.				
			lid standard codes are used. (Total Codes:				
TI12	353	Trans	action Set Purpose Code	0	ID	2/2	Used
		Deer	iption: Code identifying purpose of				

Advice						4(
<u>Ref</u>	<u>ld</u>	Element Name transaction set	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
		<b>DLMS Note:</b> 1. Use to identify the Transaction Set Purpose Code from the Beginning Segment of the transaction being rejected.				
		2. When the rejected transaction is a DLMS 940R, the following codes must be translated from 1/W0501/0200 to their OTI12 equivalents:				
		W0501 code N is equal to code 00 (zero, zero),				
		W0501 code X is equal to code 77 (seven, seven)				
		W0501 code Z is equal to code ZZ				
		All valid standard codes are used. (Total Codes: 65)				
OTI13	640	Transaction Type Code	0	ID	2/2	Used
		<b>Description:</b> Code specifying the type of transaction				
		<b>DLMS Note:</b> Use to identify the Transaction Type Code from the Beginning Segment of the transaction being rejected.				
		All valid standard codes are used. (Total Codes: 446)				
OTI15	306	Action Code	0	ID	1/2	Used
		Description: Code indicating type of action				
		<b>DLMS Note:</b> Use to identify the Action Code from the Beginning Segment of the transaction being rejected, when applicable.				
		All valid standard codes are used. (Total Codes: 296)				
OTI17	641	Status Reason Code	0	ID	3/3	Used
		Description: Code indicating the status reason				
		<b>DLMS Note:</b> Use to identify the Status Reason Code from the Beginning Segment of the transaction being rejected, when applicable.				
		All valid standard codes are used. (Total Codes: 387)				

004010F824R2RA12

## **REF** Reference Identification

Pos: 020 Max: 12 Detail - Optional Loop: OTI Elements: 4

User Option (Usage): Must use

Purpose: To specify identifying information

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## **DLMS Note:**

1. Use to identify secondary reference numbers associated with 2/OTI02/010, and to identify the materiel.

2. When sending reject advice codes, must use at least one iteration of the REF segment to identify the transaction set of the transaction being rejected, to include the variant code when applicable.

## Element Summary:

Ref	<u>Id</u>	Elem	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use
			ription: Code qualifying the Reference fication				
		Contr identi CLIN,	<b>S Note:</b> 1. Use with the Document Number or act Number identified in 2/OTI02/010 to fy additional controlling numbers of ELIN, call/order number (for use with contract er) or suffix code (for use with document er).				
		ZZ to identi NSN	e one of codes 1I, FQ, MF, NS, S6, WL, XD, or identify materiel in the same manner it was fied in the transaction being rejected(e.g. if an was identified in the transaction being rejected, ISN should be identified in DLMS 824R 1/02.				
		numb	e code SJ to identify the transaction set er of the transaction being rejected to include ariant code (e.g. 527R).				
		provid transa	e codes 17, 78, 8X, X7 ACC, and PRT to de beginning segment information, from the action being rejected, when applicable, to t in uniquely identifying the rejected action.				
		5. For autho	r DLMS use only the following codes are rized.				
		Code	List Summary (Total Codes: 1503, Included: 19	)			
		<u>Code</u>	Name				
		0E	Subject Property Reference Number				
			DLMS Note:				
		47	Use to identify the assigned local stock numb	er (LSN).			
		17	Client Reporting Category DLMS Note:				
			Use to identify the Report Type Code (Data E	lement 74	5) from the	- Reginning Segr	nent of the
			transaction being rejected, when applicable. The approved code/name is "X13 - Report Ty	A data ma	aintenance		

11 Department of Defense Identification Code (DoDIC)

#### Code Name

#### **DLMS Note:**

1. Use to identify ammunition items when used in the transaction being rejected.

2. DLMS enhancement; see introductory DLMS note 6a.

78 Planning Package

#### **DLMS Note:**

Use to identify the Planning Schedule Type Code (Data Element 783) from the Beginning Segment of the transaction being rejected, when applicable. A data maintenance action was approved in version 5050. The approved code/name is "X10 - Planning Schedule Type Code".

83 Extended (or Exhibit) Line Item Number (ELIN)

#### DLMS Note:

Use to identify the ELIN associated with 2/OTI02/010 Code CT.

8X Transaction Category or Type

#### **DLMS Note:**

Use to identify the Inventory Transaction Type Code (Data Element 529) from the transaction being rejected, when DLMS 947I is being rejected. A data maintenance action was approved in version 5050. The approved code/name is "X12 - Inventory Transaction Type Code".

C7 Contract Line Item Number

#### **DLMS Note:**

Use to identify the CLIN associated with 2/OTI02/010 Code CT.

FQ Form Number

#### **DLMS Note:**

1. Use to identify the form stock number when used in the transaction being rejected. Enter the form number in REF03. Refer to ADC 1287.

2. DLMS enhancement; see introductory DLMS note 6a.

MF Manufacturers Part Number

#### DLMS Note:

1. Use to identify the manufacturer's part number for nonstandard materiel when used in the transaction being rejected. Enter the manufacturer's part number in REF03. Refer to ADC 1287.

2. Authorized DLMS enhancement; see introductory DLMS Note 6e.

NS National Stock Number

#### DLMS Note:

Use NSN when used in the transaction being rejected.

#### S6 Stock Number

#### **DLMS Note:**

1. Use to identify the publication stock number when used in the transaction being rejected.

2. DLMS enhancement; see introductory DLMS note 6a.

#### SJ Set Number

#### DLMS Note:

Use to identify the transaction set number of the transaction being rejected to include the variant code when applicable (e.g., 527R).

#### W8 Suffix

#### **DLMS Note:**

Use to identify the suffix code associated with 2/OTI02/010 Code TN.

#### WL Federal Supply Classification Code

#### **DLMS Note:**

1. Use to identify the Federal Supply Classification number of nonstandard materiel when used in the transaction being rejected. Use REF03 to provide the appropriate description.

#### 2. DLMS enhancement; see introductory DLMS note 6a.

X7 Batch Sequence Number

#### DLMS Note:

		<u>Code</u>	Name							
			Use to identify the batch control number from a when DLMS 517M is being rejected.	he begii	nning segmen	t of the transaction	n being rejected,			
		XD	Subsistence Identification Number							
			DLMS Note:							
			Use to identify subsistence items when used in	n the tra	nsaction being	rejected.				
		ZZ	Mutually Defined							
			DLMS Note:							
			<ol> <li>Use to identify nonstandard materiel when a determined (includes management control num in the transaction being rejected.</li> </ol>							
			2. DLMS enhancement; see introductory DLMS	S note 6	a.					
		ACC	Status							
			DLMS Note:							
			Use to identify the Status Report Code (Data Element 850) from the Beginning Segment of the transaction being rejected, when applicable. A data maintenance action was approved in version 5050. The approved code/name is "X11 – Status Report Code ".							
		PRT	Product Type							
			DLMS Note:							
		Use to identify the Schedule Type Qualifier (Data Element 675) from the Beginning Segme transaction being rejected, when applicable. A data maintenance action was approved in with the approved code/name is "XX7 - Schedule Type Code".								
REF02	127	Refer	ence Identification	х	AN	1/30	Used			
		particu	escription: Reference information as defined for a articular Transaction Set or as specified by the efference Identification Qualifier							
REF03	352	52 Descr	iption	х	AN	1/80	Used			
		related	iption: A free-form description to clarify thed data elements and their contentS Note: 1. Use with REF01 code WL to provide							
			cription of the materiel.							
			DC 1287.							
REF04	C040	Refer	ence Identifier	0	Comp		Used			
		numbe	<b>iption:</b> To identify one or more reference ers or identification numbers as specified by eference Qualifier							
REF04-01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use			
			<b>iption:</b> Code qualifying the Reference ication							
			<b>Note:</b> For DLMS use, only the following are authorized.							
		Codel	List Summary (Total Codes: 1503, Included: 2)							
			<u>Name</u>							
		OQ	Order Number							
			DLMS Note:							
			1. Use to identify the legacy four position call/c Code C7.	order nu	mber associate	ed with the CLIN	in 2/REF01/020			
			2. Do not use for the PIID call/order number. T Refer to ADC 1161.	The PIID	) call/order nur	nber is mapped to	OTI02 Code CT.			

W7 Commercial and Government Entity (CAGE) Code DLMS Note:

		Code Name				
		1. Use with REF01 code MF to uniquely in transaction being rejected.	-			hen cited in the
		2. Authorized DLMS enhancement; see ir	itroauctory D	LIMS note be	9.	
REF04-02	127	Reference Identification	М	AN	1/30	Must use
		<b>Description:</b> Reference information as defined fo particular Transaction Set or as specified by the Reference Identification Qualifier	ra			

Max: 2

Elements: 3

Pos: 030

Loop: OTI

**Detail - Optional** 

# **DTM** Date/Time Reference

User Option (Usage): Used

Purpose: To specify pertinent dates and times

## Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

## **DLMS Note:**

Use this segment to identify the creation date of the transaction being rejected.

<u>Ref</u> DTM01	<u>ld</u> 374	<u>Element Name</u> Date/Time Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 3/3	<u>Usage</u> Must use
		<b>Description:</b> Code specifying type of date or time, or both date and time				
		<b>DLMS Note:</b> For DLMS use only the following codes are authorized.				
		CodeList Summary (Total Codes: 1112, Included: 1)CodeName097Transaction Creation				
DTM02	373	Date	х	DT	8/8	Used
		Description: Date expressed as CCYYMMDD				
DTM03	337	Time	Х	ТМ	4/8	Used
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
		<b>DLMS Note:</b> Cite the time the reported transaction set was originated, if known.				

DLMS Implementation Convention (IC) 824R Reject Advice

# **NM1** Individual or Organizational Name

Pos: 065 Max: 9 Detail - Optional Loop: OTI Elements: 4

User Option (Usage): Used

Purpose: To supply the full name of an individual or organizational entity

## Syntax Rules:

- 1. P0809 If either NM108 or NM109 is present, then the other is required.
- 2. C1110 If NM111 is present, then NM110 is required.

## Semantics:

1. NM102 qualifies NM103.

## **Comments:**

1. NM110 and NM111 further define the type of entity in NM101.

<u>Ref</u> NM101	<u>Id</u> 98		<u>ent Name</u> y Identifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use				
		entity DLM	<b>ription:</b> Code identifying an organizational , a physical location, property or an individual <b>S Note:</b> For DLMS use only the following s are authorized.								
		Code	List Summary (Total Codes: 1312, Included: 1)								
		<u>Code</u> Z4	<ul> <li>Name         Owning Inventory Control Point     </li> <li>DLMS Note:         For use with 2/LQ01/086 qualifier ET (Reject)     </li> </ul>		ode), code	value 'AB' (Rejec	eted, submitted to				
			incorrect manager), to identify the correct man	-							
NM102	1065	Entit	y Type Qualifier	М	ID	1/1	Must use				
		DLM	<b>Fription:</b> Code qualifying the type of entity <b>S Note:</b> For DLMS, only the following codes outhorized.								
		Code	EList Summary (Total Codes: 14, Included: 1)								
		<u>Code</u>	<u>Name</u>								
		6	Organization								
NM108	66	Ident	ification Code Qualifier	Х	ID	1/2	Used				
			<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)								
		Code	List Summary (Total Codes: 215, Included: 4)								
		<u>Code</u>	<u>Name</u>								
		1	D-U-N-S Number, Dun & Bradstreet								
			DLMS Note:								
			DLMS enhancement; See introductory DLMS								
		9	D-U-N-S+4, D-U-N-S Number with Four Charace DLMS Note:	cter Suffix	(						
			DLMS enhancement; See introductory DLMS	note 6a							
		10	Department of Defense Activity Address Code		C)						
			DLMS Note:	·	,						
			DLMS enhancement; See introductory DLMS								

DLMS Implementation Convention (IC) 824R Reject Advice			ADC 160, 179, 248, 330, 436, 4	71, 1043A, 1043C	c, 1103, 1136	6, 1161, 1214, 122	26 and 1287	DLM 4000.25
		<u>Code</u> <u>Name</u> M4 Department	of Defense Routing Identifier	Code (RIC)				
NM109	67	Identification Cod	e	Х	AN	2/80	Used	

Description: Code identifying a party or other code

Pos: 070 Max: 1 **Detail - Optional** Loop: TED Elements: 3

## User Option (Usage): Used

Purpose: To identify the error and, if feasible, the erroneous segment, or data element, or both

**TED** Technical Error Description

## **Comments:**

Advice

1. If used, TED02 will contain a generic description of the data in error (e.g., part number, date, reference number, etc.).

## **DLMS Note:**

- 1. Use this segment to identify errors within the reported transaction set.
- 2. This segment is a DLMS enhancement. See introductory DLMS note 6a.

Е	iement Sui	iiiiaiy.								
	<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>		
	TED01	647	Applic	cation Error Condition Code	М	ID	1/3	Must use		
			<b>Descr</b> conditi	iption: Code indicating application error ion						
				<b>Note:</b> For DLMS use only the following are authorized.						
			CodeList Summary (Total Codes: 162, Included: 2)							
			<u>Code</u>	Name						
			848	Incorrect Data						
				DLMS Note:						
				Use to indicate that specific reject advice is co	onveyed u	nder 2/LQ0	1/086. Qualifier ET.			
				Other						
				DLMS Note:						
				1. DLA Transaction Services uses to provide r 2/NTE/080 segment	narrative r	nessage rej	iect information. Use	e with the		
				2. DLMS enhancement. See DLMS introductory note 6a.						
	TED02	3	Free F	Form Message	0	AN	1/60	Used		
			Descr	iption: Free-form text						
	TED07	724	Сору	of Bad Data Element	0	AN	1/99	Used		
			<b>Descr</b> error	iption: This is a copy of the data element in						
				<b>Note:</b> May be used to identify the erroneous nt of the data element.						

# **NTE** Note/Special Instruction

Pos: 080	Max: 100					
Detail - Optional						
Loop: TED	Elements: 2					

#### User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

## **Comments:**

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

### **DLMS Note:**

1. DLA Transaction Services uses to provide information previously provided by narrative message rejects. Use only with 2/TED01/070 code OTH-Other.

2. DLMS enhancement. See DLMS introductory note 6a.

<u>Ref</u> NTE01	<u>ld</u> 363	<u>Element Name</u> Note Reference Code	<u>Req</u> O	<u>Type</u> ID	<u>Min/Max</u> 3/3	<u>Usage</u> Used
		<b>Description:</b> Code identifying the functional area or purpose for which the note applies				
		CodeList Summary (Total Codes: 241, Included: 1) <u>Code</u> <u>Name</u> OTH Other Instructions				
NTE02	352	Description	М	AN	1/80	Must use
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## **LM** Code Source Information

Pos: 085 Max: 1 Detail - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

## Comments:

1. LM02 identifies the applicable industry code list source information.

### **DLMS Note:**

Use the 2/LM/085 loop to identify coded information maintained in department or agency documentation.

<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use
		<b>Description:</b> Code identifying the agency assigning the code values				
		CodeList Summary (Total Codes: 176, Included: 1)				
		<u>Code</u> <u>Name</u>				
		DF Department of Defense (DoD)				

## LQ Industry Code

Pos: 086 Max: 1 Detail - Mandatory Loop: LQ Elements: 2

#### User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

## **Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

Ē	Ref	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>			
L	_Q01	1270	Code	List Qualifier Code	0	ID	1/3	Used			
			code l DLMS	<b>iption:</b> Code identifying a specific industry ist <b>Note:</b> For DLMS use only the following are authorized.							
			Code	List Summary (Total Codes: 558, Included: 2)							
			<u>Code</u>	Name							
			0	Document Identification Code							
				DLMS Note:							
				<ol> <li>The DLSS DIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.</li> <li>The DIC is not to be applicable to every rejection transaction.</li> </ol>							
				3. May use 2 iterations of LQ01 code 0 when one iteration with LQ02 code value DZG, whe MILSTRAP DIC DZG in a mixed DLSS/DLMS the code value from the transaction being reje	n applical environm cted whe	ble, to repre ent. Use an n applicable	sent DLMS 824 other iteration o	R equated to			
				4. Future Streamlined data; See introductory L	DLMS not	e 6c.					
			ΕT	Reject Advice Code							
				DLMS Note:							
				Use to identify reason original transaction was	s rejected.						
L	_Q02	1271	Indus	try Code	Х	AN	1/30	Used			
				<b>iption:</b> Code indicating a code from a specific ry code list							
			<b>DLMS Note:</b> Use to cite a code that is contained in a code source list applicable to the qualifier code cited in LQ01.								

# **SE** Transaction Set Trailer

Pos: 090	Max: 1				
Detail - Mandatory					
oop: N/A Elements: 2					

## User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## **Comments:**

1. SE is the last segment of each transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	М	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <b>DLMS Note:</b> <i>This is the number cited in ST02.</i>				