# **Order Status Inquiry** 869 Functional Group=**RS**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Inquiry Transaction Set (869) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to request all pertinent information relative to an entire purchase order, selected line items on a purchase order, or selected products/services on a purchase order. Inquiry can also be made for all or a selected portion of the customer's ordered items, all or a selected portion of the customer's unshipped items, or all or a selected portion of the customer's shipped items.

## DLMS Note:

1. Organizations use this transaction set to request cancellation of previously submitted requisitions, regardless of current transaction status. Authorized organizations use this transaction to request mass or universal cancellation of requisitions. Sources of supply use this transaction to follow-up on the action taken in response to a request for mass or universal cancellation.

2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the DLMS Program Office Web site at www.dla.mil/j-6/dlmso.

3. This DLMS Implementation Convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLMS Program Office prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLMS Program Office prior to use.

c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLMS Program Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded field size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLMS Program Office prior to use.

e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

4. This revision to the DLMS IC incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDC/ADCs are available from the DLMS Program Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp

- ADC 59, Customer Identification on Automated Exception Reguisitions

- ADC 243, Identification of Army Single Stock Fund (SSF) Requisitioning Actions and Edit Action Code (EAC) Authorization

- ADC 263, Inclusion of Unit Price in Requisition Modification and Cancellation

- ADC 265, USAF Reason for Requisition Cancellation (Excess Cause) Code (Supply/MILSTRIP)

- ADC 285, Administrative Revision to MILSTRIP and DLMS Supplement 869C, Requisition Cancellation, for Inclusion of Missing Passing Activity Identification

- ADC 286B, Administrative Update for MILS/DLMS Conversion for MILSTRIP ACP/ACM Cancellation Formats

- ADC 377, Transaction Copies Required for DLA Support of Navy BRAC SS&D/IMSP DLRs, Navy Program-Managed Materiel, and Nuclear Consumable Support Materiel

- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP

- ADC 435, DLMS Revisions for SFIS Compliance

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 460, Revises DS 869C Requisition Cancellation, and associated Procedures in Support of Reutilization Business Integration (RBI)

- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)

- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Reguisitions

 ADC 1014A, Revised Procedures for Inclusion of GFP/CFM Contract Data in DLMS Transactions 
– Updated Mapping for Concurrent Identification of the Manufacturing Directive Number (MDN) and the Contract Line Item Number (CLIN)

- ADC 1043, DLMS Revisions for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification - ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs

- ADC 1068, Enhanced Procedures for Requisitioning via DOD EMALL and GSA Internet Ordering: Component Verification of Funds Availability and Materiel Identification using the Supplier-Assigned Part Number and/or Supplier Commercial and Government Entity (CAGE) Code

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on January 13, 2015

- ADC 1132, Implementation of Mass/Universal Cancellation Procedures under the DLMS and Administrative Realignment of Procedures in DLM 4000.25, Volume 2 and DLM 4000.25-1

- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on January 26, 2017

# **Heading:**

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	М	1			Must use
20	BSI	Beginning Segment for Order Status Inquiry	М	1			Must use
* 30	NTE	Note/Special Instruction	0	100			Not Used

## Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP IE	) - HL				<u>&gt;1</u>		
10	HL	Hierarchical Level	М	1			Must use
* 20	PRF	Purchase Order Reference	0	1			Not Used
30	DTM	Date/Time Reference	0	10			Used
50	LIN	Item Identification	0	>1			Used
* 60	PID	Product/Item Description	0	1000			Not Used
* 70	MEA	Measurements	0	40			Not Used
80	QTY	Quantity	0	1			Used
100	GF	Furnished Goods and Services	0	1			Used
LOOP ID	) - REF				<u>&gt;1</u>		
105	REF	Reference Identification	0	1			Used
* 108	DTM	Date/Time Reference	0	>1			Not Used
LOOP ID	) - N1				<u>&gt;1</u>		
110	N1	Name	0	1			Used
* 120	N2	Additional Name Information	0	2			Not Used
* 130	N3	Address Information	0	2			Not Used
* 140	N4	Geographic Location	0	1			Not Used
* 150	REF	Reference Identification	0	12			Not Used
* 160	PER	Administrative Communications Contact	0	3			Not Used
LOOP IE	) - LM				<u>&gt;1</u>		
170	LM	Code Source Information	0	1			Used
180	LQ	Industry Code	М	>1			Must use
LOOP ID	) - FA1				<u>&gt;1</u>		
190	FA1	Type of Financial Accounting Data	0	1			Used
200	FA2	Accounting Data	М	>1			Must use

## Summary:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	0	1		N3/10	Not Used
20	SE	Transaction Set Trailer	М	1			Must use

## Notes:

3/10 CTT01 is the number of HL segments.

# **ST** Transaction Set Header

Pos: 10 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

## User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	1
		<b>Description:</b> Code uniquely identifying a Transaction Set					
		Code Name 869 Order Status Inquiry					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>DLMS Note:</b> A unique number assigned by the originator of the transaction set, or the originator's application program.					

# **BSI** Beginning Segment for Order Status Inquiry

Pos: 2	:0	Max: 1
	Heading - Mar	ndatory
Loop:	N/A	Elements: 7

# User Option (Usage): Must use

Purpose: To indicate the beginning of an order status inquiry and provide the type of customer status inquiry

# Semantics:

- 1. BSI01 is a status inquiry reference number.
- 2. BSI02 is date of the inquiry.
- 3. BSI06 is time of the inquiry.

<u>Ref</u>	<u>ld</u>	Elem	ent Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
BSI01	127	Refe	rence Identification	М	AN	1/30	Must use	1			
		define as sp Quali <b>DLM</b> to sa	<b>Stription:</b> Reference information as ed for a particular Transaction Set or pecified by the Reference Identification fier <b>S Note:</b> Use "Z" for this data element tisfy mandatory X12 syntax frements.								
BSI02	373	Date		М	DT	8/8	Must use	1			
		CCY DLM	ription: Date expressed as YMMDD S Note: This date corresponds to the ersal Time Coordinate (UTC).								
BSI03	847	Orde	r/Item Code	М	ID	1/2	Must use	1			
			r <b>iption:</b> Code identifying a group of s and items								
		Code	e Name								
		CO	All Orders - Unshipped Items								
			DLMS Note:								
			1. Used as a Requisition Alert Indica Cancellation.	tor by Na	vy industria	al activities (IAs) t	o identify a Requisition	on Alert			
			2. Authorized DLMS enhancement u	nder DLA	industrial a	activity support a	greement. Refer to A	DC 381.			
		PP	Selected Orders - Selected Items								
			DLMS Note:								
			Use to indicate that the transaction s longer needed.	et contair	ns transacti	ions that apply to	requisitions for mate	eriel no			
BSI06	337	Time		0	ТМ	4/8	Must use	1			
		clock or HH hours integ seco as fo hund <b>DLM</b> <i>active</i> <i>in UT</i>	<b>ription:</b> Time expressed in 24-hour time as follows: HHMM, or HHMMSS, HMMSSD, or HHMMSSDD, where H = s (00-23), M = minutes (00-59), S = er seconds (00-59) and DD = decimal hds; decimal seconds are expressed llows: D = tenths (0-9) and DD = redths (00-99) <b>S Note:</b> 1. Express the originating ity's time of transaction set preparation <i>C</i> .								
		2. EX									

Requisition Can	cenation						1132 and 1161 DI	_101 4000.25		
<u>Ref</u>	ld	Elem	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
		forma	ıt.							
BSI07	353	Trans	saction Set Purpose Code	0	ID	2/2	Must use	1		
			ription: Code identifying purpose of action set							
		<u>Code</u>	Name							
		00	Original							
		77	Simulation Exercise							
			DLMS Note:							
			Use to identify a simulated mobilization mobilization exercises must ensure of recipients must use extreme caution documents which affect accountable	complete to ensure	coordinatio	n with all activitie	s involved. All transa			
		ZZ	Mutually Defined							
			DLMS Note:							
			1. When included, the quantity and u applicable to the unit of use.	unit of me	asure value	es associated with	h this transaction are			
			2. Authorized DLMS enhancement u	nder DLA	industrial a	activity support ag	greement. Refer to A	DC 381.		
			3. Authorized DLMS enhancement for 460.	or DLA Di	sposition S	ervices requisitio	n cancellations. Refe	er to ADC		
BSI08	640	Trans	saction Type Code	0	ID	2/2	Must use	1		
			Description: Code specifying the type of transaction							
		<u>Code</u>	Name							
		AC	Requisition Cancellation							
			DLMS Note:							
			Use to identify requests for cancellat	tion of pre	eviously sub	omitted requisition	าร.			
BSI09	306	Actio	n Code	0	ID	1/2	Used	1		
		DLMS transa or uni When requis	<b>ription:</b> Code indicating type of action <b>S Note:</b> 1. Use only when the action set contains a request for mass iversal cancellation of requisitions. In used, the transaction set identifies sitions associated with an organization iffied in 2/N1/110).							
		2. The qualifi specia loop)	e range of requisitions may be ied through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition action dates (identified in 2/DTM/030).							
		<u>Code</u>	Name							
		С	Cancelled							
			DLMS Note:							
			Use for universal cancellation when	all applica	able requisi	tions must be ca	ncelled.			
		AW	Mass Cancellation							
			DLMS Note:							
			Use for mass cancellations for all ap Special Requirements Code 555 ind					ng		

# HL Hierarchical Level

Pos: 10	Max: 1
Detail - N	landatory
Loop: HL	Elements: 3

## User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

## **Comments:**

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## **DLMS Note:**

1. The transaction set hierarchical data structure is organization information followed by transaction specific information.

2. For universal or mass cancellations use a 2/HL/010 address loop followed by one or more transaction loops as required for each ship-to location. Be sure to use the appropriate hierarchical parent ID number to associate each transaction loop to its appropriate address loop.

3. For individual cancellations use a 2/HL/010 address loop followed by one or more transaction loops.

<u>Ref</u> HL01	<u>ld</u> 628	<u>Element Name</u> Hierarchical ID Number	<u>Req</u> M	<u>Type</u> AN	<u>Min/Max</u> 1/12	<u>Usage</u> Must use	<u>Rер</u> 1
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure					
		<b>DLMS Note:</b> In the first 2/HL/010 loop iteration, cite 1. In each subsequent loop iteration, increase incrementally by 1.					
HL02	734	Hierarchical Parent ID Number	0	AN	1/12	Used	1
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to					
		<b>DLMS Note:</b> Must use in every 2/HL/010 transaction loop iteration to identify the loop with which the current loop is associated. Data element content is the sequential number assigned to the 2/HL/010 organization loop iteration and serves as the cross-reference between transaction set level organization data and associated transactions.					
HL03	735	Hierarchical Level Code	М	ID	1/2	Must use	1
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure					
		CodeNameVAddress Information					

<u>Code</u>	Name
	DLMS Note:
	Use in every 2/HL/010 address loop iteration.
W	Transaction Reference Number
	DLMS Note:
	Use in every 2/HL/010 transaction loop iteration.

# **DTM** Date/Time Reference

Pos: 30	Max: 10
Detail	- Optional
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

# **Syntax Rules:**

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

# **DLMS Note:**

1. Must use multiple repetitions in the 2/HL/010 universal or mass cancellation address loop to identify dates associated with the transaction.

2. Must use once in individual cancellation 2/HL/010 transaction loops to identify the transaction date.

<u>Ref</u>	<u>ld</u>		ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/	Time Qualifier	М	ID	3/3	Must use	1
			ription: Code specifying type of date e, or both date and time					
		for ma to ide dates	<b>S Note:</b> Use codes 196 and 197 only ass or universal cancellation requests ntify a range of requisition transaction for which mass or universal ellation applies.					
			Name					
		007	Effective					
			DLMS Note:					
		007	Use to identify the effective date of the	ne mass c	ancellation			
		097	Transaction Creation DLMS Note:					
			Must use in universal or mass cance indicate the date of transaction prepa		ps and indi	ividual cancellati	on transaction loops to	D
		196	Start					
			DLMS Note:					
			Use to indicate the range start date,	inclusive.				
		197	End					
			DLMS Note:					
			Use to indicate the range end date, i	nclusive.				
		996	Required Delivery					
			DLMS Note:					
			For Foreign Military Sales (FMS) and the required availability date. For all					dentify
DTM02	373	Date		Х	DT	8/8	Must use	1
			ription: Date expressed as /MMDD					

# LIN Item Identification

Pos: 50	Max: >1
Detail ·	Optional
Loop: HL	Elements: 4

User Option (Usage): Used

Purpose: To specify basic item identification data

# Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

## Semantics:

1. LIN01 is the line item identification

## Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

## **DLMS Note:**

Use in 2/HL/010 transaction loops to identify the materiel. Do not use in the 2/HL/010 address loop.

Ī	<u>Ref</u>	<u>Id</u>	Eleme	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
I	LIN02	235	Produ	ct/Service ID Qualifier	Μ	ID	2/2	Must use	1
			type/s	<b>iption:</b> Code identifying the ource of the descriptive number used duct/Service ID (234)					
			A4, Fb mater Stock when subsis	Note: Use only one of codes A1, A2, B, FS, MG, SW or YP to identify the iel shipped. Must use the National Number (NSN) when known, except, appropriate, for brand name stence items identified by a stence Identification Number.					
			<u>Code</u>	<u>Name</u>					
			A1	Plant Equipment Number					
				DLMS Note:					
				Use to identify plant equipment.					
			A2	Department of Defense Identification Co	ode (DoD	IC)			
				DLMS Note:					
				Use to identify ammunition items.					
			A4	Subsistence Identification Number					

			DLMS Note:								
			Use to identify subsistence items.								
		F4	Series Identifier								
		FB	Form Number								
			DLMS Note:								
			Use to identify the form stock number	er.							
		FS	National Stock Number								
			DLMS Note:								
			1. Use to identify the NSN.								
			2. When the unit of use indicator is in a unit of use requirement so that the cancelled quantity is expressed in th NSN. Authorized DLMS enhancem	cancellati e unit of u	on may be se for the L	processed aga SN in lieu of th	inst the associated LS e unit of issue for the	SN. The			
			3. Authorized DLMS enhancement for 460.	or DLA Dis	position Se	rvices requisitio	on cancellations. Refe	er to ADC			
		FT	Federal Supply Classification								
			DLMS Note:								
			Use to identify the FSC of the nonstandard materiel when a part number is not available and materiel reported was identified by description (e.g., non NSN lumber products).								
		MG	Manufacturer's Part Number			. ,					
			DLMS Note:								
			1. Use to identify nonstandard mate	riel.							
			2. May be used to identify the suppl Advantage/Global internet order from					L or GSA			
		MN	Model Number								
		SN	Serial Number								
		SW	Stock Number								
			DLMS Note:								
			1. Use to identify the local stock number (LSN).								
			2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.								
			3. Authorized DLMS enhancement for DLA Disposition Services requisition cancellations. Refer to ADC 460.								
		ΥP	Publication Number								
			DLMS Note:								
			Use to identify the publication stock	number.							
		ZZ	Mutually Defined								
			DLMS Note:								
			Use to identify nonstandard materiel determined.	when all o	other author	ized codes do	not apply or cannot be	e			
LIN03	234	Produ	uct/Service ID	М	AN	1/48	Must use	1			
			<pre>iption: Identifying number for a ct or service</pre>								
LIN04	235	Produ	uct/Service ID Qualifier	Х	ID	2/2	Used	1			
		type/s in Pro DLMS	<b>iption:</b> Code identifying the ource of the descriptive number used duct/Service ID (234) <b>Note:</b> Use only one of codes CN or fully identify the materiel.								
			Name								

CN

Commodity Name

		<u>Code</u>	Name					
			DLMS Note:					
			Use with LIN02 code FT to identify the materiel name or description.					
		ZB	B Commercial and Government Entity (CAGE) Code					
			DLMS Note:					
<ol> <li>Use with LIN02 code MG to uniquely identify a manufacturer's (or supplier's</li> <li>May be used to identify the supplier CAGE when applicable to a DoD EMAI</li> </ol>								
			Advantage/Global internet order from a vendor catalog.					
LIN05	234	Produ	uct/Service ID	х	AN	1/48	Used	1
			ription: Identifying number for a ct or service					



Pos: 80	Max: 1
Detail	- Optional
Loop: HL	Elements: 3

## User Option (Usage): Used

Purpose: To specify quantity information

# **Syntax Rules:**

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

## Semantics:

1. QTY04 is used when the quantity is non-numeric.

# **DLMS Note:**

Use in 2/HL/010 transaction loops to identify the quantity to be cancelled if less than the quantity remaining.

	<u>Ref</u> <u>Id</u> QTY01 673	<u>Element Name</u> Quantity Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1	
			<b>Description:</b> Code specifying the type of quantity					
			CodeNameQCQuantity Disapproved					
			DLMS Note: Use to identify the quantity to be canc	elled.				
	QTY02	380	Quantity	Х	R	1/15	Must use	1
			Description: Numeric value of quantity					
			<b>DLMS Note:</b> <i>1. Express as whole number with no decimals.</i>					
			2. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by the recipient's automated processing system. See introductory DLMS note 3d.					
	QTY03	C001	Composite Unit of Measure	0	Comp		Used	1
			<b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of use)					
	QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
			<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
			<b>DLMS Note:</b> <i>DLMS users see the Unit of</i> <i>Issue and Purchase Unit Conversion Table</i> <i>for available codes.</i>					

# **GF** Furnished Goods and Services

Pos: 100 Max: 1 Detail - Optional Loop: HL Elements: 6

# User Option (Usage): Used

Purpose: To specify information related to furnished material, equipment, property, information, and services

# Syntax Rules:

- 1. P0102 If either GF01 or GF02 is present, then the other is required.
- 2. P0506 If either GF05 or GF06 is present, then the other is required.
- 3. P0809 If either GF08 or GF09 is present, then the other is required.

# Semantics:

1. GF04 is the value of government-furnished property.

## **DLMS Note:**

1. Use in 2/HL/010 transaction loops for GFM-related transactions.

2. Must use to provide contract information applicable to the procurement source under which the contractor is authorized to receive GFP.

3. May be used to provide contract information applicable to the procurement source under which the contractor is authorized to purchase from a Government source when directed by the authorizing Service/Agency under CFM procedures.

	annary							
<u>Ref</u>	<u>ld</u>	Element Nan	<u>1e</u>	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
GF01	128	Reference Id	entification Qualifier	Х	ID	2/3	Used	1
		<b>Description:</b> Reference Ide	Code qualifying the entification					
		<u>Code</u> Name						
		C7 Contra	ct Line Item Number					
		DLMS	Note:					
		1. Us	e to associate a Contract Line	Item Num	ber (CLIN)	with the Contract	Number.	
		2. Us	e as directed by the authorizin	g Service/.	Agency.			
		3. W	hen both the CLIN and the MD	N are appl	icable, ider	ntify the CLIN in G	F09. Refer to ADC	1014A.
		W3 Manuf	acturing Directive Number					
		DLMS	Note:					
		1. Us	e to identify the MDN, in additi	on to the c	contract nur	mber.		
		2. Us	e as directed by the authorizing	g Service/.	Agency. R	efer to ADC 1014.		
		3. W	hen both the CLIN and the MD	N are appl	icable, ider	ntify the CLIN in G	F09. Refer to ADC	1014A.
GF02	127	Reference Id	entification	Х	AN	1/30	Used	1
		defined for a	Reference information as particular Transaction Set or by the Reference Identification					
GF03	367	Contract Nu	nber	0	AN	1/30	Used	1
		DLMS Note: procurement authorizing the materiel. Use instrument ide	Contract number Use to identify the instrument identifier (PIID) e contractor to receive the legacy procurement entification number (PIIN) ition to the PIID. When					

requisition canc	challon						LIVI 4000.25
<u>Ref</u>	<u>ld</u>	Element Name materiel is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field. Refer to ADC 1161.	<u>Req</u>	<u>Туре</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
GF07	328	<ul> <li>Release Number</li> <li>Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction</li> <li>DLMS Note: 1. Use to identify the legacy four-position call/order number associated with the PIIN as applicable, when using GF03.</li> <li>2. Do not use for the PIID call/order number. The PIID call/order number is mapped to GF03. Refer to ADC 1161.</li> </ul>	0	AN	1/30	Used	1
GF08	128	Reference Identification Qualifier         Description: Code qualifying the Reference Identification         Code       Name         C7       Contract Line Item Number         DLMS Note:       1. Use to associate a Contract Line MDN (at GF01).         2. Use as directed by the authorizing					1 Ing an
0=00		2. Use as directed by the authorizin	-				
GF09	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	0	AN	1/30	Used	1

# **REF** Reference Identification

Pos: 105	Max: 1
Detail -	Optional
_oop: REF	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

# **Syntax Rules:**

1. R0203 - At least one of REF02 or REF03 is required.

# Semantics:

1. REF04 contains data relating to the value cited in REF02.

# **DLMS Note:**

Use multiple repetitions in 2/HL/010 transaction loops to identify the transaction reference number and ancillary information related to the requisition.

# **Element Summary:**

Ref	ld	Elem	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
REF01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1			
		Refer	ription: Code qualifying the ence Identification								
			S Note: 1. When processing a ///////////////////////////////////								
		reque	est to a procurement activity, cite a								
			act number (code CT). Use codes 83, nd OQ, as needed, to further identify								
			pplicable number in 2/REF04.								
			r DLMS use, only the following codes uthorized.								
		<u>Code</u>	Name								
		86	Operation Number								
			DLMS Note:								
			1. Use to identify the Key Operation	(KO) Num	ber associa	ated with the JO					
			2. Authorized DLMS enhancement u	Inder DLA	industrial a	ctivity support a	greement. Refer to	ADC 381.			
		9R	Job Order Number								
			DLMS Note:								
			1. Use to identify Job Order (JO) Nu	mber.							
			2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.								
		CO	Customer Order Number								
			DLMS Note:								
			1. Use to identify the Customer Orde	er Acceptai	nce Record	d (COAR) applic	able to the Job Orde	r Number.			
			2. Authorized DLMS enhancement u (or as applicable).	Inder DLA	industrial a	ectivity support a	greement. Refer to	ADC 381			
		СТ	Contract Number								
			DLMS Note:								
			1. Use to identify the procurement in pending transition to the PIID. When 9th position), provide the value in the	n procuren	nent is auth						
			2. When using, do not use code W4.								
		IT	Internal Customer Number								

004010F869C4CA18

**DLMS Note:** 

ΤN

Use to identify the DoD EMALL-generated customer identification or other authorized submitter of requisitions containing in-the-clear exception ship-to addressing.

### PR Price Quote Number

#### DLMS Note:

1. For intra-Air Force, the unit price will be perpetuated to the cancellation and follow-up for cancellation.

2. Under DLMS, the unit price will be expressed as R9.2.

#### Transaction Reference Number

#### **DLMS Note:**

1. Must use to identify the transaction number of the requisition to be cancelled.

2. When used in cancellation of the requisition alert (BSI03=CO), this will be the requisition alert document number. The requisition alert document number is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### W4 Procurement Request Number

## DLMS Note:

Use to identify the procurement request number for procurement source transactions when there is no contract award and no contract number assignment. When using, do not use code CT.

PWC Preliminary Work Candidate Number

### **DLMS Note:**

1. Use to identify a Requisition Alert Document Number.

2. Used by Navy Shipyards to associate the funded requisition cancellation with a previously submitted requisition alert.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

REF02	127	Refe	rence Identification	х	AN	1/30	Must use	1		
		define	<b>ription:</b> Reference information as ed for a particular Transaction Set or pecified by the Reference Identification fier							
REF04	C040	Refe	rence Identifier	0	Comp		Used	1		
		refere numb Quali								
		Synta 1 PO	ax: 304 - If either C04003 or C04004 is							
			ent, then the other is required.							
		-	506 - If either C04005 or C04006 is ent, then the other is required.							
REF04-01	128	Refe	rence Identification Qualifier	М	ID	2/3	Must use	1		
			ription: Code qualifying the rence Identification							
		DLM	DLMS Note: Use one of codes 83 or C7.							
		<u>Code</u>	<u>Name</u>							
		83	Extended (or Exhibit) Line Item Number	er (ELIN)						
			DLMS Note:							
			Use with REF01 code CT, the contract number, to identify the Exhibit Line Item Number (ELIN), or the ELIN including the Sub Exhibit Line Item Number (SUBELIN), as appropriate.							
		C7	Contract Line Item Number							
			DLMS Note:							
			Use with the REF01 code CT, the co the CLIN including the Sub Contract					_IN),		

Number (ALIN), as appropriate.

OQ Order Number

## **DLMS Note:**

1. Use to identify the legacy four-position call/order associated with the PIIN.

2. Do not use for the PIID call/order number. The PIID call/order number is mapped to REF01, Code CT. Refer to ADC 1161.

### W1 Disposal Turn-In Document Number

## **DLMS Note:**

1. This is a unique number to identify property turned into a DLA Disposition Services Field Office. Use in conjunction with the controlling requisition document number identified in REF01 code TN, to identify the DTID associated with the property being cancelled by a DLA Distribution Services customer.

2. The DTID Number is required when cancelling a requisition from DLA Disposition Services via DLA Disposition Services' Reutilization/Transfer/Donation (RTD) Web Application or GSA Surplus Property Program Web Application. The DTID Number value should also be accommodated in Component supply systems preparing the cancellation under DLMS business rules. Use a separate requisition cancellation for each DTID Number associated with the customer requisition document number being cancelled.

3. When there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, then enter the DTID in the REF04-04.

4. DLMS enhancement; refer to ADC 460.

## W8 Suffix

## DLMS Note:

1. Use with REF01 code TN to identify a transaction number suffix when the original requisition has been split.

2. When used in cancellation of the requisition alert (BSI03=CO), or when used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. The requisition alert document number suffix is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

REF04-02 127 **Reference Identification** 1/30 Must use М AN 1 **Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Х ID REF04-03 128 **Reference Identification Qualifier** 2/3Used 1 Description: Code qualifying the Reference Identification Code Name 60 Account Suffix Code DLMS Note: 1. Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Number Suffix Code, when applicable. 2. When the DTID Number is provided, enter the correlating DTID Suffix using this location. DLMS

83 Extended (or Exhibit) Line Item Number (ELIN)

enhancement, see ADC 466.

## **DLMS Note:**

Use with REF01 code CT, the contract number, to identify the Exhibit Line Item Number (ELIN), or the ELIN including the Sub Exhibit Line Item Number (SUBELIN), as appropriate.

## C7 Contract Line Item Number

### **DLMS Note:**

Use with the REF01 code CT, the contract number, to identify the Contract Line Item Number (CLIN), the CLIN including the Sub Contract Line Item Number (SUBCLIN), or the Agreement Line Item Number (ALIN), as appropriate.

#### Code Name Order Number QQ **DLMS Note:** 1. Use to identify the legacy four-position call/order associated with the PIIN. 2. Do not use for the PIID call/order number. The PIID call/order number is mapped to REF01, Code CT. Refer to ADC 1161. W1 Disposal Turn-In Document Number **DLMS Note:** 1. This is a unique number to identify property turned into a DLA Disposition Services Field Office. Use in conjunction with the controlling requisition document number identified in REF01 code TN, to identify the DTID associated with the property being cancelled by a DLA Distribution Services customer. The DTID Number value should also be accommodated in Component supply systems preparing the cancellation under DLMS business rules. 2. Use a separate requisition cancellation for each DTID Number associated with the customer requisition document number being cancelled. 3. When there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, enter the DTID in the REF04-04. 4. DLMS enhancement; refer to ADC 460. **REF04-04** 127 **Reference Identification** Х AN 1/30 Used 1 **Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier **REF04-05** 128 **Reference Identification Qualifier** Х ID 2/3 Used 1 Description: Code qualifying the Reference Identification Code Name 60 Account Suffix Code **DLMS Note:** 1. Use in conjunction with the DTID Number (REF04 Code W1) to identify the DTID Number Suffix Code, when applicable. 2. When the DTID Number is provided, enter the correlating DTID Suffix using this location. DLMS enhancement, see ADC 466. 83 Extended (or Exhibit) Line Item Number (ELIN) **DLMS Note:** Use with REF01 code CT, the contract number, to identify the Exhibit Line Item Number (ELIN), or the ELIN including the Sub Exhibit Line Item Number (SUBELIN), as appropriate. C7 Contract Line Item Number **DLMS Note:** Use with the REF01 code CT, the contract number, to identify the Contract Line Item Number (CLIN), the CLIN including the Sub Contract Line Item Number (SUBCLIN), or the Agreement Line Item Number (ALIN), as appropriate. OQ Order Number DLMS Note: 1. Use to identify the legacy four-position call/order associated with the PIIN. 2. Do not use for the PIID call/order number. The PIID call/order number is mapped to REF01, Code CT. Refer to ADC 1161. **REF04-06** 127 **Reference Identification** Х AN 1/30 1 Used Description: Reference information as defined for a particular Transaction Set or

as specified by the Reference Identification

Qualifier

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
------------	-----------	--------------	-----	------	----------------	--------------	------------

# N1 Name

Pos: 110	Max: 1
Detail -	Optional
Loop: N1	Elements: 4

## User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

## Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

## Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

## **DLMS Note:**

1. For universal or mass cancellations also use this 2/N1/110 loop in the 2/HL/010 address loop to identify the organization to receive the transaction set (MCA for GFM requisitions or the supply source for Non-GFM requisitions) and, as needed, other organizations associated with the transaction set.

2. For individual cancellations use this 2/N1/110 loop in 2/HL/010 transaction loops to identify the organization to receive the transaction (MCA for GFM requisitions or supply source for Non-GFM requisitions) and, as needed, other organizations associated with the transaction.

<u>Ref</u>	<u>ld</u>	Elem	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
N101	98	Entity	y Identifier Code	М	ID	2/3	Must use	1		
		orgar prope	<b>ription:</b> Code identifying an nizational entity, a physical location, erty or an individual <b>S Note:</b> <i>1. Use only one of codes AN</i> 3.							
			or DLMS use, only the following codes uthorized.							
		Code	Name							
		7E	Party Authorized to Definitize Contract	Action						
			DLMS Note:							
			Use with supply source cancellation a party to receive the transaction.	to procure	ement activ	ity (MILSTRIP D	IC ACP/ACM) to iden	tify the		
		AN	Authorized From							
			DLMS Note:							
			Use in mass or universal cancellation requests to identify the organization authorized to mass or universal cancellation.							
		CN	N Consignee							
			DLMS Note:							
			Supply sources or authorized activitie materiel under contract for direct ven to which materiel should be diverted.			•	•			
		OB	Ordered By							
			DLMS Note:							
			Use to identify the requisitioning activ	/ity.						
		PK	Party to Receive Copy							
			DLMS Note:							
			Used between Navy and DLA for Na DLA will be able to support follow-on industrial activity support agreement.	actions o	n behalf of					

XN Planning/Maintenance Organization

## DLMS Note:

1. Use between Service industrial/maintenance sites and DLA to identify the Shop Service Center (SSC) or Shop Store.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

Z1 Party to Receive Status

#### **DLMS Note:**

Use multiple iterations of the 2/N1/110 loop as needed to identify all status recipients when different from Service/Agency prescribed status recipients.

Z4 Owning Inventory Control Point

### DLMS Note:

Use to identify the source of supply that is in receipt of the requisitions desired to be cancelled.

Z5 Management Control Activity

### **DLMS Note:**

Use for all GFM transactions.

## ZG Present Address

## **DLMS Note:**

When requesting cancellation by ship-to DoDAAC, use in mass or universal cancellation requests to identify the organization.

## ZL Party Passing the Transaction

### **DLMS Note:**

Use to identify the original supply source passing the cancellation or cancellation follow-up to another supply source for continued processing.

ID

0

2/3

# ZS Monitoring Party

DLMS Note:

Use to identify the International Logistics Control Office (ILCO).

N103	66	Identi	fication Code Qualifier	Х	ID	1/2	Must use	1
		systen	iption: Code designating the n/method of code structure used for ication Code (67)					
		<u>Code</u>	Name					
		10	Department of Defense Activity Address	Code (Do	ODAAC)			
			DLMS Note:					
			DLMS enhancement; see introductory I	DLMS no	te 3a.			
		92	Assigned by Buyer or Buyer's Agent					
			DLMS Note:					
			1. Use with N101 Code XN to identify the					
			2. Applicable to single line cancellation	only. DL	.MS enhance	ment; see introdu	ctory DLMS note 3a.	
		A2	Military Assistance Program Address Co	de (MAP	AC)			
			DLMS Note:					
			Use to indicate the Security Assistance require additional code cited elsewhere			ss data. Interpre	tation of this data ma	iy
		M4	Department of Defense Routing Identifie	r Code (F	RIC)			
N104	67		fication Code	Х	AN	2/80	Must use	1

# **Description:** Code identifying a party or other code

98 Entity Identifier Code Description: Code identifying an

organizational entity, a physical location,

property or an individual

N106

1

Used

Ref	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<u>Code</u>	Name					
		FR	Message From					
			DLMS Note:					
			Use with the appropriate 2/N101/110 transaction set.	) code to i	ndicate the	organization cite	d in N104 is originati	ng the
		то	Message To					
			DLMS Note:					
			Use with the appropriate 2/N101/110 the transaction.	) code to i	ndicate tha	at the organization	cited in N104 is rec	eiving

# **LM** Code Source Information

Pos: 170 Max: 1 Detail - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

## **Comments:**

1. LM02 identifies the applicable industry code list source information.

## **DLMS Note:**

Use the 2/LM/170 loop to identify coded information maintained in department or agency documentation.

## **Element Summary:**

<u>Ref</u>	ld	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the agency assigning the code values					

## Code Name

DF Department of Defense (DoD)



Pos: 180 Max: >1 **Detail - Mandatory** Loop: LM Elements: 2

### User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

## **Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

# **DLMS Note:**

Use to identify codes, as appropriate, consistent with management information requirements.

<u>Ref</u>	ld	Eleme	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
LQ01	1270	Code	List Qualifier Code	0	ID	1/3	Must use	1			
		indust DLMS	<b>Tiption:</b> Code identifying a specific ry code list <b>Note:</b> For DLMS use, only the ing codes are authorized.								
		Code	Name								
		0	Document Identification Code								
		U	DLMS Note:								
			1. Use in 2/HL/010 address loops in mass or universal cancellations. Use in 2/HL/010 transaction loops in individual cancellations.								
			2. Future streamlined data; see intro	oductory I	DLMS note	Зс.					
		Z	Cancellation Reason								
			DLMS Note:								
			1. Use to specify the reason for requisition cancellation.								
			<ol> <li>The only authorized use at this tin Excess Cause Code. The code sou Attachment 19E-1, Redistributable (I 3. DLMS enhancement. Refer to Al</li> </ol>	irce is ide Excess) N	ntified as A	AFMAN 23-110, V	/ol 2, Part 2, Chapter				
		78	Project Code								
		-	DLMS Note:								
			Use in mass or universal cancellation requests to identify the project code(s) for which mass or universal cancellation applies.								
		79	Priority Designator Code								
		80	Advice Code								
		99	Purpose Code								
			DLMS Note:								
			1. Use in Commercial Asset Visibilit	y transac	tions.						
			2. DLMS enhancement; see guidelir	ne note 3a	Э.						
		A9	Supplemental Data								
			DLMS Note:								
			1. Use to identify supplemental add	ress/data.							
			2. Esterno otroporalizzad datas ana inter	- du cete ma l		2-					
			2. Future streamlined data; see intro	bauctory L	JLINS NOTE	<i>3C.</i>					
		AJ	Utilization Code DLMS Note:								
			1. Use to identify a specialized purpo	ose for wh	nich the req	uisition is submit	ted.				
			2. Under Legacy MILSTRIP, this is the	he first po	sition of th	e document seria	I number within the c	document			

number.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

4. DLMS enhancement; see introductory DLMS note.

AK Distribution Code

## **DLMS Note:**

Future streamlined data; see introductory DLMS note 3c.

AL Special Requirements Code

#### DLMS Note:

- 1. Use to identify precedence, special handling, and processing requirements.
- 2. Under Legacy MILSTRIP, this is carried in the required delivery date field.
- 3. DLMS enhancement; see introductory DLMS note 3a.

#### DE Signal Code

#### **DLMS Note:**

Future streamlined data; see introductory DLMS note 3c.

DF Media and Status Code

#### **DLMS Note:**

Future streamlined data; see introductory DLMS note 3c.

DJ Remedial Action Code

## **DLMS Note:**

Use temporary qualifier DJ - Remedial Action Code to identify Army Edit Action Code indicating the actions required by the receiving system in order to accurately process transactions and direct the types of follow-on actions authorized to occur. This is an Army unique data element, and is meaningful to the Army only. The code source is identified as the U.S. Army Materiel Command Single Stock Fund Functional User Manual, 3rd Edition. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Army Edit Action Code.

#### COG Cognizance Symbol

## **DLMS Note:**

1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS Enhancement.

IMC Item Management Code

#### DLMS Note:

1. Use to identify the Item Management Code (IMC) for integrated material management. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

- 2. DLMS Enhancement.
- MCC Material Control Code

## DLMS Note:

1. Use to identify the Material Control Code (MCC) for special inventory reporting. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS Enhancement.

#### SMI Special Material Identification Code

#### DLMS Note:

1. Use to identify the Special Material Identification Code (SMIC) for an end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS Enhancement.

LQ02 1271 Industry Code X AN 1/30 Must use 1

<u>Ref</u>	ld	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<b>Description:</b> Code indicating a code from a specific industry code list					

# **FA1** Type of Financial Accounting Data

Pos: 190	Max: 1				
Detail - Optional					
Loop: FA1	Elements: 2				

# User Option (Usage): Used

Purpose: To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

## Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

<u>Ref</u> FA101	<u>Id</u> 559		<u>ent Name</u> cy Qualifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1			
		assign DLMS for X1 corres respo DoDA	ription: Code identifying the agency ning the code values S Note: This data element is required 2 syntax. Select the code that sponds to the organization that is nsible for the assignment of the NAC used to construct the controlling ment number for the transaction.								
		Code	Name								
		DF	Department of Defense (DoD)								
			DLMS Note:								
			Use to indicate that the Component is Agency. Refer to ADC 1043.	s a Depa	rtment of D	efense agency, i	ncluding Defense Log	iistics			
		DN	Department of the Navy								
			DLMS Note:								
			Includes the United States Marine Corps.								
		DY	Department of Air Force								
		DZ	Department of Army								
		FG	Federal Government								
FA102	1300		ce, Promotion, Allowance, or ge Code	0	ID	4/4	Must use	1			
			ription: Code identifying the service, otion, allowance, or charge								
		Code	Name								
			Adjustments								
		-	DLMS Note:								
			Use only for adjustments not specifie	d by any	other code						
		A520	Base Charge								
			DLMS Note:								
			Use for materiel charges only.								
		C930	Export Shipping Charge								
			Goods and Services Charge								
			DLMS Note:								
			Use for both materiel and related ser	vices.							
		F060	Other Accessorial Service Charge								
		F560	Premium Transportation								
		I260	Transportation Direct Billing								
			DLMS Note:								
			Use for non-premium transportation.								

R060 Packing, Crating, and Handling Charge

# **FA2** Accounting Data

Pos: 200 Max: >1 Detail - Mandatory Loop: FA1 Elements: 2

User Option (Usage): Must use

Purpose: To specify the detailed accounting data

# **DLMS Note:**

Use this 2/FA2/200 segment to identify the various components of the line of accounting.

Element Su	ummary:							
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
FA201	l 1196	Break	down Structure Detail Code	Μ	ID	2/2	Must use	1
			<b>iption:</b> Codes identifying details g to a reporting breakdown structure					
		<u>Code</u>	Name					
		B5	Fund Code					
		l1	Abbreviated Department of Defense (D	DoD) Bud	get and Ac	counting Classific	cation Code (BACC)	
		L1	Accounting Installation Number					
			DLMS Note:					
			Use to indicate the Authorization Acc Number (ADSN)/Fiscal Station Numb	0		AA)/Accounting a	and Disbursing Station	
FA202	1195	Finan	cial Information Code	М	AN	1/80	Must use	1
			iption: Code representing financial nting information					

# **SE** Transaction Set Trailer

Pos: 20	Max: 1					
Summary - Mandatory						
Loop: N/A	Elements: 2					

## User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

# **Comments:**

1. SE is the last segment of each transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	М	N0	1/10	Must use	1
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>DLMS Note:</b> <i>Cite the same number as the one cited in ST02.</i>					