

870 Order Status Report

Functional Group=RS

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Report Transaction Set (870) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report on the current status of a requirement forecast, an entire purchase order, selected line items on a purchase order, selected products/services on a purchase order, or purchase orders for a specific customer in their entirety or on a selection basis. The transaction set can also be used to report on the current status of single or multiple requisitions. The report format allows for the inclusion of "reasons" relative to the status. This transaction set may also be used to update the supplier's scheduled shipment or delivery dates. This transaction set can result from either an inquiry or a prearranged schedule agreed to by the trading partners.

Federal Note:

1. Organizations use this transaction set to provide status on Special Program Requirements and to notify the organization originating the transaction that the Federal Supply Classification (FSC) provided on the original transaction was incorrect.
2. Use a single occurrence of this transaction set to transmit supply status to one or more organizations. Use one occurrence of this transaction set to transmit a single or multiple transactions.
3. DoD logistics users should refer to the Defense Logistics Management Standards (DLMS) Implementation Convention (IC) available at URL: www.dla.mil/does/DLMS. The DLMS IC provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

DLMS Note:

- 1a. Inventory Control Points (ICPs) or Integrated Material Managers (IMMs) use this transaction set to provide Special Program Requirements (SPR) status on SPR requests (corresponds to MILSTRAP Document Identifier Code (DIC) DYK functionality). Defense Automatic Addressing System (DAAS) uses this transaction set to notify the organization originating the SPR transaction that the transaction was rerouted or that the Federal Supply Classification (FSC) in the original transaction was revised (corresponds to MILSTRAP DIC DZ9 functionality).
- 1b. ICPs or IMMs (source of supply) also use this transaction to provide status to a forecasting requirement (accept or reject) for a Demand Data Exchange (DDE) Projected Gross Demand Plan (GDP), or Army Supply Plan (ASP) (DLMS 830D transaction).
2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the DLMS Program Office Web site at www.dla.mil/does/DLMS.
3. This DLMS Implementation Convention (IC) contains:
 - a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLMS Program Office prior to use.
 - b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLMS Program Office prior to use.
 - c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLMS Program Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
 - d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLMS Program Office prior to use.
4. This revision to the DLMS IC incorporates Proposed DLMS Changes (PDC) and Approved DLMS Changes (ADC) listed. PDCs/ADCs listed are available from the DLMS Program Office Web site <http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/>.

- ADC 287, Administrative Update to DLMS Supplement 830R (Version 4010), Special Program Requirements (SPR), 870L SPR/LASE Status, and DLMS Manual (Supply/MILSTRAP)
- ADC 333, Revision to DLMS, Volume 2, Chapter for Logistics Asset Support Estimate (LASE); and Administrative Updates to DLMS 846L, 870L, LASE Request Codes and Reject Advice Codes (Supply/MILSTRAP)
- ADC 400, Elimination of the DLMS-MILSTRAP Logistics Asset Support Estimate (LASE) Process no Longer Required by the DOD Components (DLMS/MILSTRAP/MILSTRIP)
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on April 07, 2015.
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on February 01, 2017
- ADC 1267, Revise DLMS 830D to Accommodate Navy Fleet Readiness Centers (FRC) Gross Demand Plan (GDP) for Implementation by

all DOD Components

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	M	1			Must use
20	BSR	Beginning Segment for Order Status Report	M	1			Must use
* 42	TD3	Carrier Details (Equipment)	O	1			Not Used
* 43	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	1			Not Used
* 44	TD5	Carrier Details (Routing Sequence/Transit Time)	O	1			Not Used
* 45	DTM	Date/Time Reference	O	10			Not Used
* LOOP ID - REF					≥1		
* 46	REF	Reference Identification	O	1			Not Used
* 47	DTM	Date/Time Reference	O	>1			Not Used
LOOP ID - N1					200		
50	N1	Name	O	1			Must use
* 60	N2	Additional Name Information	O	2			Not Used
* 70	N3	Address Information	O	2			Not Used
* 80	N4	Geographic Location	O	1			Not Used
* 90	REF	Reference Identification	O	12			Not Used
* 100	PER	Administrative Communications Contact	O	3			Not Used
* 105	PWK	Paperwork	O	1			Not Used
* LOOP ID - LM					10		
* 120	LM	Code Source Information	O	1			Not Used
130	LQ	Industry Code	M	100			Must use

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - HL					1000		
10	HL	Hierarchical Level	M	1			Must use
* 20	PRF	Purchase Order Reference	O	1			Not Used
* LOOP ID - ISR					104		
* 30	ISR	Item Status Report	O	1			Not Used
* 40	PID	Product/Item Description	O	6			Not Used
* 50	QTY	Quantity	O	4			Not Used
* 70	PER	Administrative Communications Contact	O	3			Not Used
80	DTM	Date/Time Reference	O	10			Used
* 86	CS	Contract Summary	O	3		N2/86	Not Used
LOOP ID - REF					≥1		
87	REF	Reference Identification	O	1			Must use
* 88	DTM	Date/Time Reference	O	>1			Not Used
LOOP ID - N1					200		
90	N1	Name	O	1			Must use
* 100	N2	Additional Name Information	O	2			Not Used
* 110	N3	Address Information	O	2			Not Used
* 120	N4	Geographic Location	O	1			Not Used
* 130	REF	Reference Identification	O	12			Not Used
* 140	PER	Administrative Communications Contact	O	3			Not Used
LOOP ID - LM					10		

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
144	LM	Code Source Information	O	1			Used
145	LQ	Industry Code	M	100			Must use
<u>LOOP ID - PO1</u>					<u>1000</u>		
150	PO1	Baseline Item Data	O	1			Used
* 155	CUR	Currency	O	1			Not Used
* 160	SLN	Subline Item Detail	O	100			Not Used
* 170	PO3	Additional Item Detail	O	1			Not Used
180	PID	Product/Item Description	O	1000			Used
* 190	MEA	Measurements	O	40			Not Used
* 200	PKG	Marking, Packaging, Loading	O	25			Not Used
<u>LOOP ID - ISR</u>					<u>104</u>		
210	ISR	Item Status Report	O	1			Used
* 220	PID	Product/Item Description	O	6			Not Used
230	QTY	Quantity	O	4			Used
240	DTM	Date/Time Reference	O	10			Used
* 250	N1	Name	O	1			Not Used
* 251	N2	Additional Name Information	O	2			Not Used
* 252	N3	Address Information	O	2			Not Used
* 253	N4	Geographic Location	O	1			Not Used
* 260	TD1	Carrier Details (Quantity and Weight)	O	1			Not Used
* 270	TD5	Carrier Details (Routing Sequence/Transit Time)	O	1			Not Used
* 280	TD3	Carrier Details (Equipment)	O	1			Not Used
* 290	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	1			Not Used
* 300	REF	Reference Identification	O	12			Not Used
* 310	SAC	Service, Promotion, Allowance, or Charge Information	O	25			Not Used
<u>LOOP ID - LM</u>					<u>10</u>		
320	LM	Code Source Information	O	1			Used
330	LQ	Industry Code	M	100			Must use
* <u>LOOP ID - LX</u>					<u>>1</u>		<u>N2/340L</u>
* 340	LX	Assigned Number	O	1		N2/340	Not Used
* 350	REF	Reference Identification	O	>1			Not Used
* 360	N1	Name	O	1			Not Used
* 370	DTM	Date/Time Reference	O	10			Not Used
* <u>LOOP ID - LM</u>					<u>10</u>		
* 380	LM	Code Source Information	O	1			Not Used
390	LQ	Industry Code	M	100			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	O	1		N3/10	Not Used
20	SE	Transaction Set Trailer	M	1			Must use

Notes:

2/86 Use is limited to intra-organizational transactions.

2/340L The LX loop conveys serial number, lot number, and inventory data.

2/340 The LX loop conveys serial number, lot number, and inventory data.

3/10 The number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

ST Transaction Set Header

Pos: 10	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use	1
Description: Code uniquely identifying a Transaction Set							
CodeList Summary (Total Codes: 298, Included: 1)							
Code Name							
870 Order Status Report							
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							
Federal Note: <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>							

BSR Beginning Segment for Order Status Report

Pos: 20	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

User Option (Usage): Must use

Purpose: To indicate the beginning of an Order Status Report Transaction Set

Semantics:

1. BSR03 indicates a status report document number assigned by the sender.
2. BSR04 indicates the date of this report from the sender.
3. BSR07 indicates the time of this report from the sender.
4. BSR08 indicates a status report document number assigned by the inquirer.
5. BSR09 indicates the date this report was requested from the sender by the inquirer.
6. BSR10 indicates the time this report was requested from the sender by the inquirer.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage	Rep
BSR01	850	Status Report Code	M	ID	1/2	Must use	1

Description: Code indicating the reason for sending the report

CodeList Summary (Total Codes: 12, Included: 2)

Code Name

3 Unsolicited Report

DLMS Note:

Status Notification. DLA Transaction Services uses Status Notification transactions to notify the submitter that an SPR transaction was rerouted or that the FSC changed. (MILSTRAP DIC DZ9 functionality.)

9 Response to a Requirement Forecast

DLMS Note:

1. SPR Status. ICP/IMM uses SPR Status transactions to provide SPR status to a forecasting activity in response to a DLMS 830R SPR transaction. (MILSTRAP DIC DYK functionality.)

2. For DDE, GDP, ASP status, use to provide status to a forecasting requirement in response to DLMS 830D Demand Data Exchange Projected Supply Plan transaction.

BSR02	847	Order/Item Code	M	ID	1/2	Must use	1
-------	-----	-----------------	---	----	-----	----------	---

Description: Code identifying a group of orders and items

CodeList Summary (Total Codes: 8, Included: 1)

Code Name

CA All Orders - All Items

DLMS Note:

Use to indicate the response applies to all specified items.

BSR03	127	Reference Identification	M	AN	1/30	Must use	1
-------	-----	--------------------------	---	----	------	----------	---

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Federal Note: Use code "Z" for this data element to satisfy a mandatory X12 syntax requirement.

BSR04	373	Date	M	DT	8/8	Must use	1
-------	-----	------	---	----	-----	----------	---

Description: Date expressed as CCYYMMDD

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Federal Note: <i>This date is the date of transaction set preparation and corresponds to the Universal Time Coordinate (UTC).</i>					
BSR07	337	Time	O	TM	4/8	Used	1
		Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
		Federal Note: 1. Use to identify the originator's time of transaction set preparation time in UTC.					
		2. Express time in a four-position (HHMM) format.					
BSR11	353	Transaction Set Purpose Code	O	ID	2/2	Used	1
		Description: Code identifying purpose of transaction set					
		CodeList Summary (Total Codes: 65, Included: 2)					
		Code	Name				
		00	Original				
		77	Simulation Exercise				
		DLMS Note:					
		<i>Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.</i>					

N1 Name

Pos: 50	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Must use**Purpose:** To identify a party by type of organization, name, and code**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

Federal Note:

Must use the 1/N1/050 loop to identify the organization originating the transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1

Description: Code identifying an organizational entity, a physical location, property or an individual

Federal Note: Use any code.

DLMS Note: 1. Use only one of codes GP, Z4, or ZN.

2. For DLMS use, only the following codes are authorized.

CodeList Summary (Total Codes: 1312, Included: 3)

Code Name

GP Gateway Provider

DLMS Note:

This is DLA Transaction Services. DLA Transaction Services uses when providing Status Notification that an SPR transaction was rerouted or that the FSC has changed (BSR01 Status Report Code 3.)

Z4 Owing Inventory Control Point

DLMS Note:

1. Use to identify the ICP or IMM providing SPR status (BSR01 Status Report Code 9).

2. Use to identify the source of supply providing DDE, GDP or ASP status (BSR01 Status Report Code 9).

ZN Losing Inventory Manager

DLMS Note:

Use with BSR01 Status Report Code 9 when the LIM is providing SPR status.

N103	66	Identification Code Qualifier	X	ID	1/2	Must use	1
------	----	--------------------------------------	---	----	-----	----------	---

Description: Code designating the system/method of code structure used for Identification Code (67)

CodeList Summary (Total Codes: 215, Included: 4)

Code Name

1 D-U-N-S Number, Dun & Bradstreet

DLMS Note:

DLMS enhancement. See introductory DLMS note 3a.

Code Name

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

DLMS Note:*DLMS enhancement. See introductory DLMS note 3a.*

10 Department of Defense Activity Address Code (DODAAC)

DLMS Note:*DLMS enhancement. See introductory DLMS note 3a.*

M4 Department of Defense Routing Identifier Code (RIC)

N104	67	Identification Code	X	AN	2/80	Must use	1
------	----	----------------------------	---	----	------	----------	---

Description: Code identifying a party or other code

N106	98	Entity Identifier Code	O	ID	2/3	Must use	1
------	----	-------------------------------	---	----	-----	----------	---

Description: Code identifying an organizational entity, a physical location, property or an individual**CodeList Summary** (Total Codes: 1312, Included: 1)**Code Name**

FR Message From

Federal Note:*Must use with the appropriate 1/N101/050 code to indicate the organization cited in N104 originating the transaction set.*

HL Hierarchical Level

Pos: 10	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 2

User Option (Usage): Must use**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments**Comments:**

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

The transaction set hierarchical data structure is for SPR transaction status only.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use	1
		<p>Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure</p> <p>Federal Note: <i>In the first 2/HL/010 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.</i></p>					
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use	1
		<p>Description: Code defining the characteristic of a level in a hierarchical structure</p> <p>CodeList Summary (Total Codes: 170, Included: 1)</p> <p>Code Name</p> <p>W Transaction Reference Number</p> <p>DLMS Note:</p> <p><i>Use to identify the individual SPR transaction status loops.</i></p>					

DTM Date/Time Reference

Pos: 80	Max: 10
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used**Purpose:** To specify pertinent dates and times**Syntax Rules:**

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:*Use in SPR status transactions.***Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1

Description: Code specifying type of date or time, or both date and time**CodeList Summary** (Total Codes: 1112, Included: 1)**Code Name**

097 Transaction Creation

DLMS Note:*Use to indicate the date of transaction preparation.*

DTM02	373	Date	X	DT	8/8	Used	1
-------	-----	------	---	----	-----	------	---

Description: Date expressed as CCYYMMDD

REF Reference Identification

Pos: 87	Max: 1
Detail - Optional	
Loop: REF	Elements: 2

User Option (Usage): Must use**Purpose:** To specify identifying information**Syntax Rules:**

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Federal Note:

Must use to identify the customer assigned transaction number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1

Description: Code qualifying the Reference Identification

DLMS Note: *For DLMS use, only the following codes are authorized.*

CodeList Summary (Total Codes: 1503, Included: 3)

Code Name

FG Fund Identification Number

DLMS Note:

For Navy use, this is the Program Funding Indicator associated to a Gross Demand Plan (GDP). See ADC 1267.

TN Transaction Reference Number

DLMS Note:

Must use to identify the customer assigned transaction number. This is the document number.

WL Federal Supply Classification Code

DLMS Note:

Use for Status Notification transactions to identify the correct FSC associated with the materiel cited in an SPR transaction.

REF02	127	Reference Identification	X	AN	1/30	Must use	1
-------	-----	--------------------------	---	----	------	----------	---

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

N1 Name

Pos: 90	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

User Option (Usage): Must use**Purpose:** To identify a party by type of organization, name, and code**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

Federal Note:

1. Must use one iteration of this 2/N1/090 loop to identify the organization to receive the transaction.
2. Use additional iterations to identify other organizations associated with the transaction.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1

Description: Code identifying an organizational entity, a physical location, property or an individual

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

CodeList Summary (Total Codes: 1312, Included: 3)

Code Name

78 Service Requester

DLMS Note:

Must use to indicate the activity submitting the original SPR transaction.

ZA Corrected Address

DLMS Note:

Use to identify the source of supply to whom DLA Transaction Services has rerouted the transaction.

ZP Gaining Inventory Manager

DLMS Note:

Use for SPR Status transactions to identify the Gaining Item Manager (GIM) for those items of supply involved in logistics reassignment.

N103	66	Identification Code Qualifier	X	ID	1/2	Must use	1
------	----	--------------------------------------	---	----	-----	----------	---

Description: Code designating the system/method of code structure used for Identification Code (67)

CodeList Summary (Total Codes: 215, Included: 4)

Code Name

1 D-U-N-S Number, Dun & Bradstreet

DLMS Note:

DLMS enhancement. See introductory DLMS note 3a.

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

DLMS Note:

Code Name*DLMS enhancement. See introductory DLMS note 3a.*

10 Department of Defense Activity Address Code (DODAAC)

DLMS Note:*DLMS enhancement. See introductory DLMS note 3a.*

M4 Department of Defense Routing Identifier Code (RIC)

N104	67	Identification Code	X	AN	2/80	Must use	1
------	----	----------------------------	---	----	------	----------	---

Description: Code identifying a party or other code

N106	98	Entity Identifier Code	O	ID	2/3	Used	1
------	----	-------------------------------	---	----	-----	------	---

Description: Code identifying an organizational entity, a physical location, property or an individual**CodeList Summary** (Total Codes: 1312, Included: 1)**Code Name**

TO Message To

Federal Note:*Must use with 2/N101/090 code 78 to indicate the organization cited in N104 is receiving the transaction set.*

LM Code Source Information

Pos: 144	Max: 1
Detail - Optional	
Loop: LM	Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Use this 2/LM/144 loop to identify coded information maintained in departmental or agency documentation.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

Description: Code identifying the agency assigning the code values

CodeList Summary (Total Codes: 176, Included: 1)

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 145	Max: 100
Detail - Mandatory	
Loop: LM	Elements: 2

User Option (Usage): Must use**Purpose:** Code to transmit standard industry codes**Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

Federal Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Must use	1

Description: Code identifying a specific industry code list

Federal Note: *Use any code.*

DLMS Note: *For DLMS use, only the following codes are authorized.*

CodeList Summary (Total Codes: 558, Included: 13)

Code Name

0 Document Identification Code

DLMS Note:

Use a second iteration with BSR01 code 3 to identify the DIC of the original transaction for which status is being provided.

78 Project Code

79 Priority Designator Code

DLMS Note:

Recommend using in all requisitions.

81 Status Code

DLMS Note:

Use multiple repetitions when needed to identify status associated with the transaction number to notify of an FSC change (Status Code BG) and/or that DLA Transaction Services rerouted an SPR transaction (Status Code BM); otherwise do not use. Use with Status Notification transactions (BSR01 code 3).

83 Supply Condition Code

A9 Supplemental Data

DLMS Note:

1. Use to identify supplemental address/data.

2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplementary Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 3d.

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 3a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 3c.

AJ Utilization Code

DLMS Note:

1. Under DLSS, this is the first position of the document serial number.

2. DLMS enhancement; see introductory DLMS note 3a.

Code Name

ED Coast Designation Code

GQ Group Qualifier Code

DLMS Note:

Use to identify the Material Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

LQ02	1271	Industry Code	X	AN	1/30	Must use	1
------	------	----------------------	---	----	------	----------	---

Description: Code indicating a code from a specific industry code list

PO1 Baseline Item Data

Pos: 150	Max: 1
Detail - Optional	
Loop: PO1	Elements: 4

User Option (Usage): Used**Purpose:** To specify basic and most frequently used line item data**Syntax Rules:**

1. C0302 - If PO103 is present, then PO102 is required.
2. C0504 - If PO105 is present, then PO104 is required.
3. P0607 - If either PO106 or PO107 is present, then the other is required.
4. P0809 - If either PO108 or PO109 is present, then the other is required.
5. P1011 - If either PO110 or PO111 is present, then the other is required.
6. P1213 - If either PO112 or PO113 is present, then the other is required.
7. P1415 - If either PO114 or PO115 is present, then the other is required.
8. P1617 - If either PO116 or PO117 is present, then the other is required.
9. P1819 - If either PO118 or PO119 is present, then the other is required.
10. P2021 - If either PO120 or PO121 is present, then the other is required.
11. P2223 - If either PO122 or PO123 is present, then the other is required.
12. P2425 - If either PO124 or PO125 is present, then the other is required.

Comments:

1. See the Data Element Dictionary for a complete list of IDs.
2. PO101 is the line item identification.
3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

Use the 2/P01/150 loop for SPR response transactions to identify the materiel and status associated with the transaction number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Reg</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PO106	235	Product/Service ID Qualifier	X	ID	2/2	Must use	1

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Federal Note: Use any code.

DLMS Note: 1. Use only one of codes A1, A2, A4, FB, FS, KD, MG, PR, RR, SR, SW, or YP to identify the materiel. Must use the National Stock number (NSN) when known except when appropriate brand name subsistence items are identified by the Subsistence Identification Number.

2. For DLMS use, only the following codes are authorized.

CodeList Summary (Total Codes: 477, Included: 13)

Code Name

A1 Plant Equipment Number

DLMS Note:

1. Use to identify plant equipment.
2. DLMS enhancement. See introductory DLMS note 3a.

A2 Department of Defense Identification Code (DoDIC)

DLMS Note:

1. Use to identify ammunition items.

Code Name

	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
A4	Subsistence Identification Number
	DLMS Note:
	<i>1. Use to identify subsistence items.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
FB	Form Number
	DLMS Note:
	<i>1. Use to identify the form stock number.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
FS	National Stock Number
KD	Replacement National Stock Number
	DLMS Note:
	<i>Use to identify the substitute or superseding NSN when the requested materiel is either not available or obsolete.</i>
MG	Manufacturer's Part Number
	DLMS Note:
	<i>1. Use to identify nonstandard materiel.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
PR	Process Number
	DLMS Note:
	<i>1. Use to identify the substitute or superseding publication number when the requested materiel is either not available or obsolete.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
RR	Replacement Product Number
	DLMS Note:
	<i>1. Use to identify the substitute or superseding form stock number when the requested materiel is either not available or obsolete.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
SR	Substitute Product Number
	DLMS Note:
	<i>1. Use to identify the substitute or superseding ammunition item when the requested materiel is either not available or obsolete.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
SW	Stock Number
	DLMS Note:
	<i>1. Use to identify the substitute or superseding subsistence item when the requested materiel is either not available or obsolete.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
TP	Product Type Code
	DLMS Note:
	<i>1. For clothing and footwear, use to identify the NSN when the materiel requested represents a generic requirement for which the quantity should be distributed across a predefined range of sizes.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>
YP	Publication Number
	DLMS Note:
	<i>1. Use to identify the publication stock number.</i>
	<i>2. DLMS enhancement. See introductory DLMS note 3a.</i>

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Identifying number for a product or service					
PO108	235	Product/Service ID Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		Federal Note: Use any code.					
		DLMS Note: 1. When P0106 is qualifier MG, must use P0108 qualifier ZB.					
		2. For DLMS use, only the following codes are authorized.					
		CodeList Summary (Total Codes: 477, Included: 1)					
		Code Name					
		ZB Commercial and Government Entity (CAGE) Code					
		DLMS Note:					
		1. Use with P0106 code MG to uniquely identify a manufacturer's part number.					
		2. DLMS enhancement. See introductory DLMS note 3a.					
PO109	234	Product/Service ID	X	AN	1/48	Used	1
		Description: Identifying number for a product or service					

PID Product/Item Description

Pos: 180	Max: 1000
Detail - Optional	
Loop: PO1	Elements: 2

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

DLMS Note:

1. This segment contains free form text which the DDE submitter may use to provide information of value to the collaboration participants. The submitter may also use this segment to provide information deemed useful to their planners during collaboration as it will be available for their viewing in the Collaborate tool. This segment is optional and informational in nature and can be viewed by all participants in the collaboration process.

2. Use to perpetuate optional field information provided by the originator via DLMS 830D. See ADC 1267.

3. On an interim basis, to accommodate DLA's DIC CDD format in a mixed DLMS/non-DLMS CDD environment, the free form text in the PID segment is limited to a total of 110 characters which maps to DIC CDD Optional fields 1 through 4 in record positions 953-1062. To accommodate DLA DIC CDD fixed format, this requires restricting use of 2/PID/180 segment to a maximum of 4 iterations, with maximum 20 characters each in 3 iterations and maximum of 50 characters in one iteration. This supports DLA DIC CDD which has 3 optional fields of 20 characters and 1 optional field of 50 characters. Use of PID segment, other than as described by this note, is a DLMS enhancement. See introductory DLMS note 3a.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PID01	349	Item Description Type	M	ID	1/1	Must use	1

Description: Code indicating the format of a description

CodeList Summary (Total Codes: 3, Included: 1)

Code Name

F Free-form

DLMS Note:

Use to perpetuate optional information provided by the originator via DLMS 830D. See ADC 1267.

PID05	352	Description	O	AN	1/80	Used	1
-------	-----	-------------	---	----	------	------	---

Description: A free-form description to clarify the related data elements and their content

DLMS Note: Use with PID01 to provide

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		<i>narrative information to the collaboration participants.</i>					

ISR Item Status Report

Pos: 210	Max: 1
Detail - Optional	
Loop: ISR	Elements: 1

User Option (Usage): Used**Purpose:** To specify detailed purchase order/item status**Semantics:**

1. If ISR01 specifies a date, ISR02 is required.

Federal Note:

Use the 2/ISR/210 loop to provide detailed status information.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ISR01	368	Shipment/Order Status Code	M	ID	2/2	Must use	1

Description: Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction

CodeList Summary (Total Codes: 102, Included: 2)

Code Name

CO Customer Inquiry - Unshipped Items Only

DLMS Note:

Use to indicate status is provided in response to a customer inquiry.

UR Unsolicited Report

DLMS Note:

Use to indicate status is provided in accordance with normal status response parameters.

QTY Quantity

Pos: 230	Max: 4
Detail - Optional	
Loop: ISR	Elements: 3

User Option (Usage): Used**Purpose:** To specify quantity information**Syntax Rules:**

1. R0204 - At least one of QTY02 or QTY04 is required.
2. E0204 - Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

1. Must use one repetition with responses to SPR forecasts to identify the quantity for which the SPR status code in the 2/LM/320 loop applies. May use a second repetition in response to an SPR forecast to indicate the procurement leadtime.
2. Do not use with transactions notifying of errors in SPR transactions.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1

Description: Code specifying the type of quantity**CodeList Summary** (Total Codes: 832, Included: 2)**Code Name**

1G Lead Time (in calendar units)

DLMS Note:

Use to indicate the number of procurement (or assembly) lead time days when required by the associated status code.

AY Forecast

DLMS Note:

Use to identify the SPR forecast quantity associated with the support date in the 2/DTM/240 segment.

QTY02	380	Quantity	X	R	1/15	Must use	1
-------	-----	----------	---	---	------	----------	---

Description: Numeric value of quantity**Federal Note:** Express as a whole number with no decimals.

DLMS Note: A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 3d.

QTY03	C001	Composite Unit of Measure	O	Comp		Used	1
-------	------	---------------------------	---	------	--	------	---

Description: To identify a composite unit of measure(See Figures Appendix for examples of use)

QTY03-01	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use	1
----------	-----	------------------------------------	---	----	-----	----------	---

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

DLMS Note: DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------	------------

DTM Date/Time Reference

Pos: 240	Max: 10
Detail - Optional	
Loop: ISR	Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

1. Must use with responses to SPR forecasts to identify the support date associated with the forecast quantity in the 2/QTY/230 segment for which the status in the 2/LM/320 loop is provided.

2. Do not use with transactions notifying of errors in SPR transactions.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use	1

Description: Code specifying type of date or time, or both date and time

CodeList Summary (Total Codes: 1112, Included: 1)

Code Name

106 Required By

DLMS Note:

Use to identify the specific support date for which SPR status is provided.

DTM02	373	Date	X	DT	8/8	Must use	1
-------	-----	------	---	----	-----	----------	---

Description: Date expressed as CCYYMMDD

LM Code Source Information

Pos: 320	Max: 1
Detail - Optional	
Loop: LM	Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Use the 2/LM/320 loop to identify status related to the forecast quantity in the 2/QTY/230 segment and the date in the 2/DTM/240 segment.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

Description: Code identifying the agency assigning the code values

CodeList Summary (Total Codes: 176, Included: 1)

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 330	Max: 100
Detail - Mandatory	
Loop: LM	Elements: 2

User Option (Usage): Must use**Purpose:** Code to transmit standard industry codes**Syntax Rules:**

1. C0102 - If LQ01 is present, then LQ02 is required.

Federal Note:

Use to identify codes, as appropriate, consistent with management information requirements.

DLMS Note:

Use multiple repetitions to identify SPR status associated with the transaction number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	O	ID	1/3	Must use	1

Description: Code identifying a specific industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

CodeList Summary (Total Codes: 559, Included: 5)

Code Name

79 Priority Designator Code

DLMS Note:

Recommend using in all requisitions.

A9 Supplemental Data

DLMS Note:

1. Use to identify supplemental address/data.

2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplementary Address (SUPAAD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 3d.

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 3a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPAAD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 3c.

AJ Utilization Code

DLMS Note:

1. Under DLSS, this is the first position of the document serial number.

2. DLMS enhancement; see introductory DLMS note 3a.

DV Demand Planning Status Code

DLMS Note:

1. Local code DV is established for use in the 870L, version 4010. A data maintenance action will be submitted to establish 'DV – Demand Planning Status Code' in a future version.

2. Use to identify the status of a Demand Data Exchange (DDE), Gross Demand Plan (GDP), or Army Supply Plan (ASP). See DLMS Volume 2, Appendix 13 for a full list of authorized codes. See ADC 1267.

EY Special Program Requirement Status Code

LQ02	1271	Industry Code	X	AN	1/30	Must use	1
------	------	---------------	---	----	------	----------	---

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------	------------

Description: Code indicating a code from a specific industry code list

SE Transaction Set Trailer

Pos: 20	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use	1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		Federal Note: <i>Cite the same number as the one cited in ST02.</i>					