841 Specifications/Technical Information

Functional Group=SP

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Specifications/Technical Information Transaction Set (841) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to transmit or request specifications or technical information between trading partners. It can be used to transmit engineering change and engineering change requests. It can also be used to allow EDI trading partners the ability to exchange a complete or partial technical description of a product, process, service, etc. over the same path as any other EDI transaction. The detail area can include graphic, text, parametric, tabular, image, spectral, or audio data. A transmission includes identification information to assist the receiver in interpreting and utilizing the information included in the transaction. Further action as a consequence of the receipt and initial processing of the specification or other technical data may or may not require human intervention. The transmission and receipt of the data may require private agreement between the trading partners to automate the receipt of the data. The total transaction must be in the general form of all ASC X12 transactions so that an EDI computer system will be able to automatically recognize it as a Specification/Technical Information Transaction Set and pass it on for processing of the data itself. The transaction set is not media dependent. The detail area of the Specification/Technical Information Transaction Set provides a structure which allows for the exchange of a variety of specification information. For example, if the transaction contains information describing a complete assembly, it would be necessary to include the assembly model, the models for each of the individual parts, and the associated specifications. In the case of a process it may be necessary to transmit the specification of the product along with the specifications of the process and raw materials. This transaction set can also be linked to other transaction sets. This transaction set is not limited to a specific transmission protocol and uses other standards as applicable where they do not conflict with these requirements for specification transaction.

DLMS Note:

- 1. This 841W, Hazardous Material/Hazardous Waste Profile transaction is intended for use by DLA's Distribution Standard System and Component generating systems supporting Disposition Services processing hazardous material/waste for turn-in/disposal to DLA Disposition Services.
- 2. This transaction will be used to convey the information described in the Generator Communications (GenComm) Interface Standard Version 5.0.0. See DLM 4000.25, Volume 2, Appendix 9.
- 3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and Transportation Mode of Shipment Conversion Table, which can be found on the DLMS Program Office Web site at www.dla.mil/j-6/dlmso.
- 4. This entire DLMS Implementation Convention (IC) is considered an authorized DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This transaction should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this DLMS transaction does not cause inappropriate rejection of the transaction.
- 5. This DLMS IC incorporates the Proposed DLMS Change and Approved DLMS Change (ADC) listed. PDC/ADCs are available from the DLMS Program Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp.
- ADC 1131, New DLMS Implementation Convention (IC) 841W, Hazardous Material/Hazardous Waste (HM/HW) Profile and New DLMS IC 856W, Hazardous Material/Hazardous Waste Shipment Status
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on December 29, 2016

Heading:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	М	1			Must use
LOOP ID) - SPI				<u>>1</u>		
0200	SPI	Specification Identifier	М	1			Must use
* 0300	RDT	Revision Date/Time	0	>1			Not Used
* 0400	NTE	Note/Special Instruction	0	>1			Not Used
* 0500	X1	Export License	0	1			Not Used
* 0600	X2	Import License	0	1			Not Used
* 0700	X7	Customs Information	0	1			Not Used
* 0800	AMT	Monetary Amount	0	>1			Not Used
LOOP ID	- REF				<u>>1</u>		
0900	REF	Reference Identification	0	1			Used
1000	DTM	Date/Time Reference	0	>1			Used
* 1100	PER	Administrative Communications Contact	0	>1			Not Used

004030F841W0WA00 1 December 29, 2016

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID) - N1				<u>>1</u>		
1200	N1	Name	0	1			Used
* 1300	N2	Additional Name Information	0	2			Not Used
* 1400	N3	Address Information	0	2			Not Used
* 1500	N4	Geographic Location	0	>1			Not Used
* 1600	REF	Reference Identification	0	>1			Not Used
* 1700	PER	Administrative Communications Contact	0	>1			Not Used

Detail:

_		_	_		_		
<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	Notes	<u>Usage</u>
LOOP ID	<u>- HL</u>				<u>>1</u>	N2/0100L	
0100	HL	Hierarchical Level	М	1		N2/0100	Must use
LOOP ID	- SPI				<u>>1</u>		
0200	SPI	Specification Identifier	0	1			Used
0300	RDT	Revision Date/Time	0	>1			Used
* 0330	PRR	Problem Report	0	>1		C2/0330	Not Used
* 0340	PRT	Part Disposition	0	>1		C2/0340	Not Used
* 0350	PRS	Part Release Status	0	1		C2/0350	Not Used
0400	LIN	Item Identification	0	1		C2/0400	Used
* 0460	PER	Administrative Communications Contact	0	>1			Not Used
* 0500	MSG	Message Text	0	>1			Not Used
LOOP ID	<u>- N1</u>				<u>>1</u>		
0510	N1	Name	0	1			Used
0520	N2	Additional Name Information	0	2			Used
0530	N3	Address Information	0	2			Used
0540	N4	Geographic Location	0	>1			Used
0550	PER	Administrative Communications Contact	0	>1			Used
0560	N9	Reference Identification	0	>1			Used
LOOP ID	- PID				<u>>1</u>		
0600	PID	Product/Item Description	0	1			Used
0650	PKD	Packaging Description	0	>1			Used
0700	QTY	Quantity	0	>1			Used
0740	MEA	Measurements	0	>1			Used
* 0750	UIT	Unit Detail	0	>1			Not Used
0760	LOC	Location	0	1			Used
* 0770	PWK	Paperwork	0	>1			Not Used
LOOP ID					<u>>1</u>		
0780	PKG	Marking, Packaging, Loading	0	1	_		Used
* 0790	MEA	Measurements	0	>1			Not Used
							
0800	REF	Reference Identification	0	1	<u>>1</u>		Used
* 0900	DTM	Date/Time Reference	0) >1			Not Used
* 1000	PER	Administrative Communications	0	>1 >1			Not Used
1000	PER	Contact		<i>></i> 1			Not Osea
LOOP ID) - LX				<u>>1</u>		
1030	LX	Assigned Number	0	1			Used
* 1050	LIN	Item Identification	0	1			Not Used
* 1070	TMD	Test Method	0	1			Not Used
1100	MEA	Measurements	М	>1			Must use
004030F841W	VOWA00			2			December 29, 20

Hazardous Material/Hazardous Waste Profile

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
1120	PSD	Physical Sample Description	0	>1			Used
* 1140	SPS	Sampling Parameters for Summary Statistics	0	>1			Not Used
* 1200	DTM	Date/Time Reference	0	>1			Not Used
* 1300	REF	Reference Identification	0	>1			Not Used
* LOOP	D - EFI				<u>>1</u>		
* 1400	EFI	Electronic Format Identification	0	1			Not Used
* 1600	BIN	Binary Data	0	1			Not Used
LOOP ID	- CID				<u>>1</u>	C2/1700L	
1700	CID	Characteristic/Class ID	0	1	_	C2/1700	Used
1800	UIT	Unit Detail	0	1			Used
* 1900	TMD	Test Method	0	>1			Not Used
* 2000	PSD	Physical Sample Description	0	1			Not Used
* 2010	CSS	Conditional Sampling Sequence	0	1		N2/2010	Not Used
* 2100	SPS	Sampling Parameters for Summary Statistics	0	1			Not Used
2200	MSG	Message Text	0	>1			Used
* LOOP	D - MEA				<u>>1</u>		
* 2300	MEA	Measurements	0	1			Not Used
* 2400	DTM	Date/Time Reference	0	>1			Not Used
* 2500	REF	Reference Identification	0	>1			Not Used
* LOOP	D - STA				<u>>1</u>		
* 2600	STA	Statistics	0	1			Not Used
* 2700	DTM	Date/Time Reference	0	>1			Not Used
* 2800	REF	Reference Identification	0	>1	_		Not Used
* LOOP	D - CSF				<u>>1</u>	CN2/2820L	
* 2820	CSF	Conditional Sampling Frequency	0	1		CN2/2820	Not Used
* LOOP	D - LS				<u>1</u>		
* 2830	LS	Loop Header	0	1			Not Used
* LOOP	D - CID				<u>>1</u>	CN2/2840L	
* 2840	CID	Characteristic/Class ID	0	1		CN2/2840	Not Used
* 2850	MEA	Measurements	0	1		C2/2850	Not Used
* 2860	STA	Statistics	0	1		C2/2860	Not Used
* 2870	LE	Loop Trailer	М	1			Not Used
* LOOP	D - EFI				<u>>1</u>		
* 2900	EFI	Electronic Format Identification	0	1			Not Used
* 3100	BIN	Binary Data	0	1			Not Used

Summary:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	SE	Transaction Set Trailer	М	1			Must use

Notes:

2/0100L	To be meaningful, at least one of the SPI, PID, REF, MEA, EFI or CID loops must be present with each occurrence of the HL loop.
2/0100	To be meaningful, at least one of the SPL PID, REF, MEA, FEL or CID loops must be present with each occurrence of the HI, loop

2/2010 The sampling sequence specified in the CSS segment will take precedence over any other sampling rate (PSD03, PSD09, SPS06, CSF02, and CSF03) from the point the CSS01 event occurs until the specified sequence is completed.

If no other sampling is specified, then only the sampling indicated in this segment is performed when the CSS01 event occurs.

2/2820L The sampling rate specified is the CSF segment. It would take precedence over the normal sampling rate specified in PSD03 while the conditions of the CSF segment are satisfied, but would NOT take precedence over the sampling sequence activated by the proposed CSS segment.

If no other sampling rate is specified, then the only sampling indicated in the CSF segment is performed while the CSF conditions are met. Sampling will cease when the conditions are no longer met.

Hazardous Material/Hazardous Waste Profile

Conditional values specified in DE 740 (Range Minimum) will be interpreted as "greater than or equal to this value." Values specified in DE 741 (Range Maximum) will be interpreted to mean "less than or equal to this value."

2/2820 The sampling rate specified is the CSF segment. It would take precedence over the normal sampling rate specified in PSD03 while the conditions of the CSF segment are satisfied, but would NOT take precedence over the sampling sequence activated by the proposed CSS segment.

If no other sampling rate is specified, then the only sampling indicated in the CSF segment is performed while the CSF conditions are met. Sampling will cease when the conditions are no longer met.

Conditional values specified in DE 740 (Range Minimum) will be interpreted as "greater than or equal to this value." Values specified in DE 741 (Range Maximum) will be interpreted to mean "less than or equal to this value."

2/2840L Either the MEA segment or the STA segment must occur, but not both.

2/2840 Either the MEA segment or the STA segment must occur, but not both.

Comments:

- 2/0330 The PRR segment contains the reason for an engineering change.
- 2/0340 The PRT segment is used to describe what should be done with the parts or assemblies specified in the preceding SPI segment.
- 2/0350 The PRS segment is used to tell the current status of the parts specified in the SPI segment required to make the change.
- 2/0400 The repeated pairs of 234 and 234 data elements in the LIN segment can be used to list where this modified part or assembly is used.
- 2/1700L The CID segment may be used to define either a general class of properties, such as physical properties, or an individual property within a class. The CID loop allows the user the ability to define specifications such as the properties of the item or class, the environmental conditions under which the specifications apply, the test methods to be used, and other parameters related to properties within the current HL hierarchical level.
- 2/1700 The CID segment may be used to define either a general class of properties, such as physical properties, or an individual property within a class. The CID loop allows the user the ability to define specifications such as the properties of the item or class, the environmental conditions under which the specifications apply, the test methods to be used, and other parameters related to properties within the current HL hierarchical level.
- 2/2820L Repetitions of the CSF loop allow several frequency changes (and the conditions that would trigger those changes) to be specified. If the conditions are such that several CSF values are activated at the same time, the value with the highest sampling rate shall prevail.
- Repetitions of the CSF loop allow several frequency changes (and the conditions that would trigger those changes) to be specified. If the conditions are such that several CSF values are activated at the same time, the value with the highest sampling rate shall prevail.
- 2/2840L The CID loop within the CSF loop is used to specify the conditions that will trigger activation of the conditional value in the CSF segment.

Repetitions of the CID loop will have an implied logical AND between the conditions set in each iteration.

2/2840 The CID loop within the CSF loop is used to specify the conditions that will trigger activation of the conditional value in the CSF segment.

Repetitions of the CID loop will have an implied logical AND between the conditions set in each iteration.

- 2/2850 The elements of the CID segment identify the conditional property. If the property is a measurement from within the manufacturing process of a plant environment, rather than the product, the segment also identifies the location where the measurements are to be observed.
- 2/2860 If the condition is based on single test measurements, the MEA segment is used to specify the units of measure, and the open or closed numeric range of the conditional test.

ST Transaction Set Header

Pos: 0100 Max: 1
Heading - Mandatory
Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	1
		Description: Code uniquely identifying a Transaction Set					
		Code Name					
		841 Specifications/Technical Information					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number					
		that must be unique within the transaction set functional group assigned by the					
		originator for a transaction set					
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used	1
		Description: Reference assigned to					
		identify Implementation Convention					
		DLMS Note: Use to indicate this					
		transmission uses the DLMS IC 841W. Enter the DLMS IC (e.g.,					
		004030F841W0WA00).					

SPI Specification Identifier

Pos: 0200 Max: 1

Heading - Mandatory

Loop: SPI Elements: 1

User Option (Usage): Must use

Purpose: To provide a description of the included specification or technical data items

Syntax Rules:

1. P0203 - If either SPI02 or SPI03 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
SPI01	786	Security Level Code	М	ID	2/2	Must use	1

Description: Code indicating the level of confidentiality assigned by the sender to the information following

Code Name

ZZ Mutually Defined

DLMS Note:

Use code "ZZ" for this data element to satisfy mandatory X12 syntax requirements.

REF Reference Identification

Pos: 0900 Max: 1 Heading - Optional

Loop: REF Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Element Summary:

Re	<u> </u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
RE	F01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification						
			CodeNameV0Version					
RE	F02	127	Reference Identification	Χ	AN	1/50	Used	1
			Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
			DIME Note: I los to identify the Congretor's					

DLMS Note: Use to identify the Generator's Software Release Version Number. Data value restricted to a maximum of 50 characters.

TM Date/Time Reference

Pos: 1000 Max: >1 Heading - Optional Loop: REF Elements: 4

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.

- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	М	ID	3/3	Must use	1
		Description: Code specifying type of date or time, or both date and time					
		CodeName097Transaction Creation					
DTM02	373	Date	Χ	DT	8/8	Used	1
		Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year					
DTM03	337	Time	Χ	TM	4/8	Used	1
		Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
		DLMS Note: Express time as HHMM.					
DTM04	623	Time Code	0	ID	2/2	Used	1

Description: Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

Code Name

UT Universal Time Coordinate

N1 Name

Pos: 1200 Max: 1

Heading - Optional

Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 1/N1/1200 loop to identify the organization originating the transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1
		Description: Code identifying an organizational entity, a physical location, property or an individual Code Name HZ Hazardous Waste Generator					
		DLMS Note:					
		Use to identify the Hazardous Materi	ial/Hazaro	lous Waste	Generator's File	Transfer DoDAAC.	
N103	66	Identification Code Qualifier	Х	ID	1/2	Must use	1
		Description: Code designating the system/method of code structure used for Identification Code (67) Code Name Department of Defense Activity Address	os Codo (DODAAC)			
		, , , , , , , , , , , , , , , , , , , ,	•	-	- 1		
N104	67	Identification Code	X	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Must use	1
		Description: Code identifying an organizational entity, a physical location, property or an individual					
		CodeNameFRMessage From					

Hierarchical Level

Pos: 0100 Max: 1

Detail - Mandatory

Loop: HL Elements: 3

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

- 1. The transaction set hierarchical data structure is address information, followed by Waste Profile Sheet information, followed by Composition Subsection and EPA Waste Number Subsection as applicable.
- 2. Use the first 2/HL/0100 loop iteration to provide transaction set recipient address information. All other address information is carried in the Waste Profile Sheet loop.
- 3. Use the second 2/HL/0100 loop iteration to identify the Waste Profile Sheet (WPS) section information.
- 4. Use an additional 2/HL/0100 loop iteration to identify the Chemical Composition Subsection (Child of the WPS Section) as applicable.
- 5. Use an additional 2/HL/0100 loop iteration to identify the Environmental Protection Agency (EPA) Waste Number Subsection (Child of the WPS Section) as applicable.
- 6. If transmitting multiple WPS sheets, use additional loops as needed preserving the parent child relationship ensuring that the Chemical Composition and EPA Waster Number Subsections are aligned with the applicable WPS loop.

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
HL01	628	Hierarchical ID Number	М	AN	1/12	Must use	1
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure DLMS Note: In the first 2/HL/0100 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.					
HL02	734	Hierarchical Parent ID Number	0	AN	1/12	Used	1
	Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
		DLMS Note: 1. Use to provide association (parent/child relationship) between the Chemical Composition and EPA Waste Number Subsections with the applicable Waste Profile Sheet. Use in the subordinate (child) loop to identify the HL01 ID Number of the next higher parent loop.					

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
		2. Not applicable to the address loop.					
HL03	735	Hierarchical Level Code	М	ID	1/2	Must use	1

Description: Code defining the characteristic of a level in a hierarchical structure

DLMS Note: The following informational loops are applicable to this transaction. When all loops are used, the HL sequence is V (address), HP (Waste Profile Sheet), KB (Chemical Composition Subsection), and HE (EPA Waste Number Subsection). The KB and HE loops are used as applicable.

Code Name

V Address Information

DLMS Note:

Use to identify the address loop which specifies the transaction recipient. Use only one address loop per transaction.

HE EPA Waste Number Subsection

DLMS Note:

- 1. Use to identify the EPA Waste Number Subsection.
- 2. At this time a local code HE is established for use in 841W, version 4030. A data maintenance action has been submitted for establishment of HE–EPA Waste Number Subsection in a future version.
- HP Waste Profile Sheet

DLMS Note:

- 1. Use to identify the Waste Profile Sheet.
- 2. At this time a local code HP is established for use in 841W, version 4030. A data maintenance action has been submitted for establishment of HP–Waste Profile Sheet in a future version.
- KB Chemical

DLMS Note:

- 1. Use to identify the Chemical Composition Subsection.
- 2. Qualifier KB is a migration code approved for use in X12 version 4040.

Specification Identifier

Pos: 0200 Max: 1 **Detail - Optional**

Loop: SPI Elements: 3

User Option (Usage): Used

Purpose: To provide a description of the included specification or technical data items

Syntax Rules:

1. P0203 - If either SPI02 or SPI03 is present, then the other is required.

Element Summary:

<u>ld</u> 786	Element Name Security Level Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	Rep 1
	Description: Code indicating the level of confidentiality assigned by the sender to the information following					
	Code Name					
	99 Government Defined (Trading Partne	r Level)				
128	Reference Identification Qualifier	Χ	ID	2/3	Used	1
	Description: Code qualifying the Reference Identification					
	Code Name					
	WPN Waste Profile Number					
	DLMS Note:					
	1. Use in the HL03 Code HP loop to	identify t	he Waste P	rofile Number.		
127	Reference Identification	Χ	AN	1/50	Used	1
	Description: Reference information as					
	786 128	786 Security Level Code Description: Code indicating the level of confidentiality assigned by the sender to the information following Code Name 99 Government Defined (Trading Partner Description: Code qualifier Description: Code qualifying the Reference Identification Code Name WPN Waste Profile Number DLMS Note: 1. Use in the HL03 Code HP loop to action has been submitted for establishments.	Description: Code indicating the level of confidentiality assigned by the sender to the information following Code Name 99 Government Defined (Trading Partner Level) 128 Reference Identification Qualifier X Description: Code qualifying the Reference Identification Code Name WPN Waste Profile Number DLMS Note: 1. Use in the HL03 Code HP loop to identify the action has been submitted for establishment of the submitted for establ	786 Security Level Code Description: Code indicating the level of confidentiality assigned by the sender to the information following Code Name 99 Government Defined (Trading Partner Level) 128 Reference Identification Qualifier X ID Description: Code qualifying the Reference Identification Code Name WPN Waste Profile Number DLMS Note: 1. Use in the HL03 Code HP loop to identify the Waste Partner At this time a local code WPN is established for use in action has been submitted for establishment of WPN—Wester And Description: Reference information as	Description: Code indicating the level of confidentiality assigned by the sender to the information following Code Name 99 Government Defined (Trading Partner Level) 128 Reference Identification Qualifier X ID 2/3 Description: Code qualifying the Reference Identification Code Name WPN Waste Profile Number DLMS Note: 1. Use in the HL03 Code HP loop to identify the Waste Profile Number. 2. At this time a local code WPN is established for use in 841W, version 44 action has been submitted for establishment of WPN—Waste Profile Numb 127 Reference Identification X AN 1/50 Description: Reference information as	Pescription: Code indicating the level of confidentiality assigned by the sender to the information following Code Name 99 Government Defined (Trading Partner Level) 128 Reference Identification Qualifier X ID 2/3 Used Description: Code qualifying the Reference Identification Code Name WPN Waste Profile Number DLMS Note: 1. Use in the HL03 Code HP loop to identify the Waste Profile Number. 2. At this time a local code WPN is established for use in 841W, version 4030. A data maintene action has been submitted for establishment of WPN–Waste Profile Number in a future version. 127 Reference Identification X AN 1/50 Used Description: Reference information as

defined for a particular Transaction Set or as specified by the Reference Identification

Qualifier

004030F841W0WA00 12 December 29, 2016

RDT Revision Date/Time

Pos: 0300 Max: >1 Detail - Optional

Loop: SPI Elements: 2

User Option (Usage): Used

Purpose: To specify the revision level of the electronic data item

Syntax Rules:

1. C0102 - If RDT01 is present, then RDT02 is required.

2. L030405 - If RDT03 is present, then at least one of RDT04 or RDT05 is required.

3. C0605 - If RDT06 is present, then RDT05 is required.

Element Summary:

<u>Ref</u>		<u>ld</u>	<u>Elem</u>	ent Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
RD	T03	374	Date/	Time Qualifier	0	ID	3/3	Used	1
			or tim	ription: Code specifying type of date ne, or both date and time					
			Code	<u>Name</u>					
			585	Report					
				DLMS Note:					
				Use in the HL03 Code HP loop to ide	entify the	Waste Pro	file Established Da	nte.	
RD	T04	373	Date		Χ	DT	8/8	Used	1

Description: Date expressed as

CCYYMMDD where CC represents the first

two digits of the calendar year

Item Identification

Pos: 0400 Max: 1

Detail - Optional

Loop: SPI Elements: 2

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		Code Name					
		JP Package Type Code					
		DLMS Note:					
		Use in the HL03 Code HP loop to ide describing the Packing Type.	entify the	Packing Ty	pe. Insert "BULK	", "DRUM", or a brie	f narrative
LIN03	234	Product/Service ID	М	AN	1/48	Must use	1

Description: Identifying number for a

product or service

Pos: 0510 Max: 1

Detail - Optional

Loop: N1 Elements: 5

N1 Name

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

<u>Ref</u> N101	<u>Id</u> 98	Element Name Entity Identifier Code	Req M	<u>Type</u> ID	Min/Max 2/3	<u>Usage</u> Must use	<u>Rep</u> 1
		Description: Code identifying an organizational entity, a physical location, property or an individual					
		Code Name HZ Hazardous Waste Generator DLMS Note:					
		Use in the HL03 Code HP loop to in name; use the N201 to identify the address.					
		ZD Party to Receive Reports					
		DLMS Note:					
		Use in the HL03 Code V loop to idea transaction recipient.	ntify the D	LA Disposit	tion Services Field	d Office RIC as the	
N102	93	Name	Х	AN	1/60	Used	1
		Description: Free-form name					
N103	66	Identification Code Qualifier	Χ	ID	1/2	Used	1
		Description: Code designating the system/method of code structure used for Identification Code (67)					
		Code Name	ifiar Cada	(DIC)			
		M4 Department of Defense Routing Ident	liller Code	(KIC)			
N104	67	Identification Code	Х	AN	2/80	Used	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Used	1
		Description: Code identifying an organizational entity, a physical location, property or an individual					
		Code Name					
		TO Message To					
		DLMS Note:					
		Use in the HL03 Code V loop with N	I101 Code	ZD to iden	tify that the DLA	Disposition Services	s Field
					•		

Code Name

Office RIC is the transaction recipient.

N2 Additional Name Information

Pos: 0520 Max: 2

Detail - Optional

Loop: N1 Elements: 1

User Option (Usage): Used

Purpose: To specify additional names

Element Summary:

Element Name <u>Req</u> <u>Usage</u> <u>Rep</u> <u>Ref</u> <u>ld</u> **Type** Min/Max N201 93 Name Μ ΑN 1/60 Must use 1

Description: Free-form name

DLMS Note: Use in the HL03 Code HP loop with N101 Code HZ to identify the Technical Contact Title at the facility.

N3 Address Information

Pos: 0530 Max: 2

Detail - Optional

Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N301	166	Address Information	М	AN	1/55	Must use	1
		Description: Address information					
		DLMS Note: Use in the HL03 Code HP loop with N101 Code HZ to identify line 1 of the facility address.					
N302	166	Address Information	0	AN	1/55	Used	1
		Description: Address information					
		DLMS Note: Use in the HL03 Code HP loop with N101 Code HZ to identify line 2 of the facility address.					

4 Geographic Location

Pos: 0540 Max: >1 Detail - Optional

Loop: N1 Elements: 3

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Syntax Rules:

- 1. E0207 Only one of N402 or N407 may be present.
- 2. C0605 If N406 is present, then N405 is required.
- 3. C0704 If N407 is present, then N404 is required.

Comments:

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N401	19	City Name	0	AN	2/30	Used	1
		Description: Free-form text for city name					
		DLMS Note: Use in the HL03 Code HP loop with N101 Code HZ to identify the city of the facility.					
N402	156	State or Province Code	Χ	ID	2/2	Used	1
		Description: Code (Standard State/Province) as defined by appropriate government agency					
		DLMS Note: Use in the HL03 Code HP loop with the N101 Code HZ to identify the state code of the facility.					
N403	116	Postal Code	0	ID	3/15	Used	1
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
		DLMS Note: Use in the HL03 Code HP loop with the N101 Code HZ to identify the zip code of the facility.					

ADC 1131

DLM 4000.25

Pos: 0550 Max: >1

Detail - Optional

Loop: N1 Elements: 6

PER Administrative Communications Contact

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

of the Technical Contact.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PER01	366	Contact Function Code	M	ID	2/2	Must use	1
		Description: Code identifying the major duty or responsibility of the person or group named)				
		Code Name BL Technical Department DLMS Note:					
		Use in the HL03 Code HP loop to Technical Contact Title in the N20		Technical (Contact Name. T	his name is associat	ted to the
		CE Certifier					
		Use in the HL03 Code HP loop to Generator name (N01 Code HZ).	identify the	Certifier Na	ame. This name i	s associated with the	e
PER02	93	Name	0	AN	1/60	Used	1
		Description: Free-form name					
PER03	365	Communication Number Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type of communication number					
		Code Name					
		TE Telephone					
		DLMS Note:					
		Use in the HL03 Code HP loop wit Contact.	th PER01 C	ode BL to i	dentify the teleph	one number of the T	echnical
PER04	364	Communication Number	Х	AN	1/256	Used	1
		Description: Complete communications number including country or area code when applicable					
PER05	365	Communication Number Qualifier	X	ID	2/2	Used	1
	303	Description: Code identifying the type of communication number					
		<u>Code</u> NameEX Telephone Extension					

004030F841W0WA00

Use in the HL03 Code HP loop with PER01 Code BL to identify the telephone extension, if applicable,

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Type	Min/Max	<u>Usage</u>	<u>Rep</u>
PER06	364	Communication Number	Χ	AN	1/256	Used	1

Description: Complete communications number including country or area code when applicable

Reference Identification

Pos: 0560 Max: >1

Detail - Optional

Loop: N1 Elements: 2

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

Element Summary:

<u>Ref</u>	<u>ld</u>	Elem	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N901	128	Refer	ence Identification Qualifier	M	ID	2/3	Must use	1
			ription: Code qualifying the ence Identification					
		<u>Code</u>	<u>Name</u>					
		ABO	State Hazardous Waste Entity Identific	er				
			DLMS Note:					
			Use in the HL03 Code HP loop to ide	entify the	Generator	State Identificatio	n.	
		CAM	U.S. Environmental Protection Agency	y (EPA) Io	dentification	Number		
			DLMS Note:					
			1. Use in the HL03 Code HP loop to	identify th	ne Generat	or US EPA Identii	fication.	
			2. Qualifier CAM is a migration code	approved	d for use in	X12 version 4040	0.	
N902	127	Refer	ence Identification	X	AN	1/50	Used	1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

004030F841W0WA00 22 December 29, 2016

Product/Item Description

Pos: 0600 Max: 1

Detail - Optional

Loop: PID Elements: 3

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Syntax Rules:

- 1. C0403 If PID04 is present, then PID03 is required.
- 2. R0405 At least one of PID04 or PID05 is required.
- 3. C0703 If PID07 is present, then PID03 is required.
- 4. C0804 If PID08 is present, then PID04 is required.
- 5. C0905 If PID09 is present, then PID05 is required.

Semantics:

- 1. Use PID03 to indicate the organization that publishes the code list being referred to.
- 2. PID04 should be used for industry-specific product description codes.
- 3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
- 4. PID09 is used to identify the language being used in PID05.

Comments:

- 1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
- 2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
- 3. PID07 specifies the individual code list of the agency specified in PID03.

character increments of the Proper

Shipping Name.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PID01	349	Item Description Type	M	ID	1/1	Must use	1
		Description: Code indicating the format of a description					
		Code Name Free-form					
PID02	750	Product/Process Characteristic Code	0	ID	2/3	Used	1
		Description: Code identifying the general class of a product or process characteristic					
		Code Name					
		WT Waste					
		DLMS Note:					
		Use in the HL03 Code HP loop to id	dentify the	Name of th	e Waste.		
		CCN Common Chemical Name					
		DLMS Note:					
		Use in the HL03 Code KB loop to id	lentify the	Chemical N	lame.		
PID05	352	Description	Χ	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					
		DLMS Note: Enter "PSN1", "PSN2", and "PSN3" as required to identify the 80					

Packaging Description

Pos: 0650 Max: >1

Detail - Optional

Loop: PID Elements: 2

User Option (Usage): Used

Purpose: To specify a package description and other information

Syntax Rules:

PKD

1. C0201 - If PKD02 is present, then PKD01 is required.

2. C0302 - If PKD03 is present, then PKD02 is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PKD01	103	Packaging Code	X	AN	3/5	Used	1
		Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required Code Name MXD Mixed					
		DLMS Note:					
		Use in the HL03 Code HP loop to id	lentify the	Mode of Co	ollection.		
PKD02	822	Source Subqualifier	X	AN	1/15	Used	1
		Description: A reference that indicates the table or text maintained by the Source					

Qualifier

QTY Quantity

Pos: 0700 Max: >1 Detail - Optional

Loop: PID Elements: 2

User Option (Usage): Used

Purpose: To specify quantity information

Syntax Rules:

1. R0204 - At least one of QTY02 or QTY04 is required.

2. E0204 - Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

<u>Ref</u> QTY01	<u>ld</u> 673	Element Name Quantity Qualifi	er	<u>Req</u> M	<u>Type</u> ID	Min/Max 2/2	<u>Usage</u> Must use	<u>Rep</u> 1
Q 1101	0.0	-	de specifying the type of		.5	2,2	must use	·
		<u>Code</u> <u>Name</u> TT Total Pro	duction Volume					
		Use in t	ote: he HL03 Code HP loop to i	dentify the	Projected A	Annual Volume.		
			ate Number of Units Projec	cted				
		DLMS No			5			
		Use in t	he HL03 Code HP loop to i	dentity the	Projected A	Annual Units.		
QTY02	380	Quantity		X	R	1/15	Used	1
		Description: Nu	meric value of quantity					

MEA Measurements

Pos: 0740 Max: >1

Detail - Optional

Loop: PID Elements: 4

User Option (Usage): Used

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Syntax Rules:

- 1. R03050608 At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 If MEA05 is present, then MEA04 is required.
- 3. C0604 If MEA06 is present, then MEA04 is required.
- 4. L07030506 If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 Only one of MEA08 or MEA03 may be present.

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

DLMS Note:

Use in the HP loop to identify the quantities associated with the hazardous waste/hazardous material.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
MEA02	738	Measurement Qualifier	0	ID	1/3	Used	1

Description: Code identifying a specific product or process characteristic to which a

measurement applies

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

AK Volatile Organic Compounds (VOCs)

HAL Total Halogens

DLMS Note:

- 1. Use to identify the quantity of halogens.
- 2. At this time a local code HAL is established for use in 841W, version 4030. A data maintenance action has been submitted for establishment of HAL-Total Halogens in a future version.
- PCB Polychlorinated Biphenyl (PCB)

DLMS Note:

- 1. Use to identify the quantity of PCBs.
- 2. At this time a local code PCB is established for use in 841W, version 4030. A data maintenance action has been submitted for establishment of PCB–Polychlorinated Biphenyl (PCB) in a future version.

PHE Phenol

DLMS Note:

- 1. Use to identify the quantity of Phenol.
- 2. Qualifier PHE is a migration code approved for use in X12 version 5030.

QUR Reportable Quantity

DLMS Note:

Use to identify the DoT Reportable Quantity. Cite the associated DoT unit of issue in the MEA04.

Hazardous Materia	al/Hazardou	s Waste Profile						
		Code Name	!					
		ZCR Chron	nium					
		DLMS	Note:					
		Use	to identify the quantity of Chromi	ium Hex.				
		ZCU Coppe						
		ZNI Nicke						
		ZZN Zinc						
MEA03	739	Measuremer	nt Value	Х	R	1/20	Used	1
		Description: measuremen	The value of the t					
MEA04	C001	Composite l	Init of Measure	X	Comp		Used	1
			To identify a composite unit of Figures Appendix for use)					
		units express	Use to identify the value of the sed in MEA03. For example, if f copper is 50, cite 50 in P1 in MEA04.					
		Comments:						
		1. If C001-02 interpreted as	is not used, its value is to be s 1.					
		2. If C001-03 interpreted as	is not used, its value is to be s 1.					
		3. If C001-05 interpreted as	is not used, its value is to be s 1.					
		4. If C001-06 interpreted as	is not used, its value is to be s 1.					
		5. If C001-08 interpreted as	is not used, its value is to be s 1.					
		6. If C001-09 interpreted as	is not used, its value is to be s 1.					
		7. If C001-11 interpreted as	is not used, its value is to be s 1.					
		8. If C001-12 interpreted as	is not used, its value is to be s 1.					
		9. If C001-14 interpreted as	is not used, its value is to be s 1.					
		10. If C001-1 interpreted as	5 is not used, its value is to be s 1.					
MEA04-01	355	Unit or Basis	s for Measurement Code	М	ID	2/2	Must use	1
		which a value	Code specifying the units in e is being expressed, or a measurement has been					
		following coa users see the	For DLMS use, only the es are authorized. DLMS and Purchase ion table for code conversions and DOD.					
		Code Name						
		19 Tank						
		DLMS	Note:					
			<u></u>					

DoT equivalent code is TT.

DoT equivalent code is TC.

1P

Tank Car **DLMS Note:**

Code Name

59 Parts Per Million

DLMS Note:

GenComm equivalent code is PPM.

61 Parts Per Billion

DLMS Note:

GenComm equivalent code is PPB.

BR Barrel

DLMS Note:

DoT equivalent codes are DF, DM, and DW. Must use with the MEA09.

ВХ Box

DLMS Note:

DoT equivalent codes are CF, CM, and CW. Must use with the MEA09.

CL Cylinder

DLMS Note:

DoT equivalent code is CY.

NA Milligrams per Kilogram

DLMS Note:

GenComm equivalent code is MG/KG.

NC Car

DLMS Note:

DoT equivalent code is HG.

P1 Percent

DLMS Note:

GenComm equivalent code is PER.

ΤK Tank

DLMS Note:

DoT equivalent code is TP.

752 Surface/Layer/Position Code MEA09

> **Description:** Code indicating the product surface, layer or position that is being

described

Code Name

SD Relative Position 48

DLMS Note:

- 1. Use with MEA04-01 Code BX (DoT Code CF) to denote Fiber or Plastic Box, Carton, Case.
- 2. Use with MEA04-01 Code BR (DoT Code DF) to denote Fiberboard or Plastic Drum, Barrel, Keg.

ID

2/2

Used

SE Relative Position 49

DLMS Note:

1. Use with MEA04-01 Code BX (DoT Code CM) to denote Metal Box, Carton, Case.

0

- 2. Use with MEA04-01 Code BR (DoT Code DM) to denote Metal Drum, Barrel, Keg.
- SF Relative Position 50

DLMS Note:

- 1. Use with MEA04-01 Code BX (DoT Code CW) to denote Wood Box, Carton, Case.
- 2. Use with MEA04-01 Code BR (DoT Code DW) to denote Wooden Drum, Barrel, Keg.

LOC Location

Pos: 0760 Max: 1
Detail - Optional
Loop: PID Elements: 3

User Option (Usage): Used

Purpose: To describe the location in space and time of the axis of an item relative to an origin axis; Euclidean geometry has been assumed with orthogonal axes; the sequence of axes has been chosen in the customary sequence of X, Y, and Z, however, it is possible to just use two-dimensional space rather than three-dimensional space

Syntax Rules:

- 1. P0607 If either LOC06 or LOC07 is present, then the other is required.
- 2. C1110 If LOC11 is present, then LOC10 is required.
- 3. C1312 If LOC13 is present, then LOC12 is required.
- 4. C1514 If LOC15 is present, then LOC14 is required.
- 5. C1716 If LOC17 is present, then LOC16 is required.
- 6. C1918 If LOC19 is present, then LOC18 is required.
- 7. C2120 If LOC21 is present, then LOC20 is required.
- 8. P2223 If either LOC22 or LOC23 is present, then the other is required.

Semantics:

- 1. LOC01 through LOC03 describe the item.
- 2. LOC04 is a description of the positional reference point on the item.
- 3. LOC05 through LOC08 describe the environment in which the item is placed.
- 4. LOC09 is a description of the positional reference point in the environment. This is the origin of the original axes.
- 5. LOC10 through LOC15 describe the translation in the three-dimensional space of the axes with respect to the original axes.
- 6. LOC10 is the principal X axis of the item.
- 7. LOC10 through LOC14 describe the principal XY plane of the item.
- 8. LOC16 is measured with respect to the XY plane around the X axis.
- 9. LOC18 is measured with respect to the YZ plane around the Y axis.
- 10. LOC20 is measured with respect to the ZX plane around the Z axis.

Comments:

- 1. It is possible to translate the axis system in zero, one, two, or three axial directions.
- 2. The temporal measurements would be used, for example, to describe the positions of a robot head. They may be specified as t1, t2... or n1, n2...etc. Or, they may be specified in time units such as 0, 0.8, 1.6, etc. They may also represent positions where they would be specified as p1, p2, etc.
- 3. All angular positions of an axis vector are measured in a counter-clockwise rotation around the original axis vector, looking from the positive direction of the vector towards the origin. The angular unit is specified by the corresponding unit of measurement, as in LOC17, LOC19, and LOC21.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
LOC01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification					
		Code Name PHC Process Handling Code					
		DLMS Note: Use in the HL03 Code HP loop to id LOC3.	entify the	Process G	enerating Waste.	. Enter description in the	9
LOC02	127	Reference Identification	М	AN	1/50	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
		DLMS Note: Use "PGW" to satisfy syntax requirements.					
LOC03	352	Description	0	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					

PKG Marking, Packaging, Loading

Pos: 0780 Max: 1

Detail - Optional

Loop: PKG Elements: 4

User Option (Usage): Used

Purpose: To describe marking, packaging, loading, and unloading requirements

Syntax Rules:

- 1. R040506 At least one of PKG04, PKG05 or PKG06 is required.
- 2. C0403 If PKG04 is present, then PKG03 is required.
- 3. C0501 If PKG05 is present, then PKG01 is required.

Semantics:

1. PKG04 should be used for industry-specific packaging description codes.

Comments:

- 1. Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
- 2. If PKG01 equals "F", then PKG05 is used. If PKG01 equals "S", then PKG04 is used. If PKG01 equals "X", then both PKG04 and PKG05 are used.
- 3. Use PKG03 to indicate the organization that publishes the code list being referred to.
- 4. Special marking or tagging data can be given in PKG05 (description).

DLMS Note:

Use in the HP loop to identify the Proper Shipping Name. If the Proper Shipping Name is greater than 80 characters, enter "PSN1" in the PKG04 to identify the first 80 characters of the Proper shipping Name, and then repeat the PKG loop. Enter "PSN2" in the PKG04 and enter the next 80 characters of the Proper Shipping Name into the PKG05. If the Proper Shipping Name is greater than 160 characters, repeat the PKG loop and enter "PSN3" in the PKG04 followed by the remaining 40 characters of the Proper Shipping Name in the PKG05.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PKG01	349	Item Description Type	X	ID	1/1	Used	1
		Description: Code indicating the format of a description					
		<u>Code</u> <u>Name</u> F Free-form					
PKG03	559	Agency Qualifier Code	Х	ID	2/2	Used	1
		Description: Code identifying the agency assigning the code values					
		Code Name					
		DL Defense Logistics Agency					
PKG04	754	Packaging Description Code	Х	AN	1/7	Used	1
		Description: A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product					
		DLMS Note: Enter "PSN1", "PSN2", and "PSN3" as required to identify the 80 character increments of the Proper Shipping Name, up to a maximum of 200 characters.					
PKG05	352	Description	Х	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their					

<u>Ref</u> <u>ld</u> **Element Name** Min/Max <u>Usage</u> <u>Req</u> **Type** <u>Rep</u>

content

REF Reference Identification

Pos: 0800 Max: 1

Detail - Optional

Loop: REF Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1
		Description: Code qualifying the Reference Identification					

Code Name

8D Chemical Abstract Service Registry Number

DLMS Note:

Use in the HL03 Code KB loop to identify the Chemical Abstract Service Identifier.

HD Department of Transportation Hazardous Number

DLMS Note:

Use in the HL03 Code HP loop to identify the Hazard Class.

P9 Page Number

DLMS Note:

Use in the HL03 Code HP loop to identify the Emergency Response Guide Page Number.

RE Release Number

DLMS Note:

Use in the HL03 Code HP loop to identify the Edition Year of the Emergency Response Guide.

UN United Nations Hazardous Classification Number

DLMS Note:

Use in the HL03 Code HP loop to identify the UN/NA Number.

CAL U.S. Environmental Protection Agency (EPA) Hazardous Waste Code

OLMS Note:

- 1. Use in the HL03 Code HE loop to identify the EPA Hazardous Waste Number.
- 2. Qualifier CAL is a migration code approved for use in X12 version 4040.

PGC Packing Group Code

DLMS Note:

Use in the HL03 Code HP loop to identify the Packing Group (e.g., I, II, III).

REF02 127 Reference Identification X AN 1/50 Used 1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification

Qualifier

LX Assigned Number

Pos: 1030 Max: 1

Detail - Optional

Loop: LX Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

DLMS Note:

Use in the HP loop to identify the Other Chemical Component Description (2/PSD08/1120) and associated quantity/UOM (2/MEA/1100).

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LX01	554	Assigned Number	M	N0	1/6	Must use	1

Description: Number assigned for differentiation within a transaction set **DLMS Note:** *In the first 2/LX/1030 loop iteration, cite numeric 1. In each subsequent loop iteration, increase*

incrementally by 1.

MEA Measurements

Pos: 1100 Max: >1 Detail - Mandatory Loop: LX Elements: 3

User Option (Usage): Must use

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Syntax Rules:

- 1. R03050608 At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 If MEA05 is present, then MEA04 is required.
- 3. C0604 If MEA06 is present, then MEA04 is required.
- 4. L07030506 If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 Only one of MEA08 or MEA03 may be present.

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

DLMS Note:

Use in the HP loop to identify the quantities associated with the hazardous waste/hazardous material.

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
MEA02	738	Measurement Qualifier	0	ID	1/3	Used	1
		Description: Code identifying a specific product or process characteristic to which a measurement applies DLMS Note: For DLMS use, only the following codes are authorized.					
		Code Name OTE Others Each					
		DLMS Note:					
		Use with Other Chemical Component Chemical Component.	t Descrip	tion at 2/PS	SD08/1120 to ide	ntify the quantity of th	he Other
MEA03	739	Measurement Value	Χ	R	1/20	Used	1
		Description: The value of the measurement					
MEA04	C001	Composite Unit of Measure	Χ	Comp		Used	1
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use) DLMS Note: Use to identify the value of the units expressed in MEA03. For example, if the percent of copper is 50, cite 50 in MEA03 and P1 in MEA04.					
		Comments:					
		1. If C001-02 is not used, its value is to be interpreted as 1.					
		2. If C001-03 is not used, its value is to be interpreted as 1.					

<u>Ref</u>	<u>ld</u>	<u>Elem</u>	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
			C001-05 is not used, its value is to be reted as 1.					
			C001-06 is not used, its value is to be reted as 1.					
			C001-08 is not used, its value is to be reted as 1.					
			2001-09 is not used, its value is to be reted as 1.					
			0001-11 is not used, its value is to be reted as 1.					
			0001-12 is not used, its value is to be reted as 1.					
			001-14 is not used, its value is to be reted as 1.					
			C001-15 is not used, its value is to be reted as 1.					
MEA04-01	355	Unit	or Basis for Measurement Code	М	ID	2/2	Must use	1
		which	ription: Code specifying the units in a value is being expressed, or er in which a measurement has been					
		follow users Unit (S Note: For DLMS use, only the ving codes are authorized. DLMS see the Unit of Issue and Purchase Conversion table for code conversions een X12 and DOD.					
		Code	Name					
		59	Parts Per Million					
			DLMS Note:					
			GenComm equivalent code is PPM.					
		61	Parts Per Billion					
			DLMS Note:					
			GenComm equivalent code is PPB.					
		NA	Milligrams per Kilogram					
			DLMS Note:					
			GenComm equivalent code is MG/KG	ì.				
		P1	Percent					
			DLMS Note:					
			GenComm equivalent code is PER.					

Elements: 1

Physical Sample Description

Pos: 1120 Max: >1 Detail - Optional

Loop: LX

User Option (Usage): Used

Purpose: To define the physical sample parameters associated with a test resulting in discrete measurements

Syntax Rules:

- 1. P0304 If either PSD03 or PSD04 is present, then the other is required.
- 2. E0309 Only one of PSD03 or PSD09 may be present.

Comments:

1. PSD08 can provide a more complete description of the physical sampling location.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PSD08	352	Description	0	AN	1/80	Used	1
		Description: A free-form description to clarify the related data elements and their content					

DLMS Note: Use in the HP loop to identify the Other Chemical Component Description.

D Characteristic/Class ID

Pos: 1700 Max: 1 Detail - Optional

Loop: CID Elements: 5

User Option (Usage): Used

Purpose: To specify the general class or specific characteristic upon which test results are being reported or are to be taken

Syntax Rules:

- 1. R01020405 At least one of CID01, CID02, CID04 or CID05 is required.
- 2. P0304 If either CID03 or CID04 is present, then the other is required.
- 3. C060304 If CID06 is present, then CID03 and CID04 are required.
- 4. L070405 If CID07 is present, then at least one of CID04 or CID05 is required.

Comments:

- 1. CID06 specifies the individual code list of the agency specified in CID03.
- 2. CID07 refers to whether or not the characteristic identified in CID04 or CID05 or both is affected by the product change. If it is affected, the value is "Y". A value of "N" is used when it is known that it will not be affected. Any other value indicates it is indeterminate.

DLMS Note:

Use in the HL03 Codes HP, KB, and HE loops to identify various hazardous materials/hazardous waste material characteristics.

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
CID01	738	Measurement Qualifier	X	ID	1/3	Used	1
		Description: Code identifying a specific product or process characteristic to which a measurement applies					
		Code Name RB Range Value					
		DLMS Note: Use in the HL03 Code KB loop to ide	entify the	chemical ra	ange in the CID05		
		CON Concentration DLMS Note:	and the	onomioar re	ge		
		Use in the HL03 Code KB loop to ide	entify the	chemical c	oncentration in the	e CID05.	
CID03	559	Agency Qualifier Code	X	ID	2/2	Used	1
		Description: Code identifying the agency assigning the code values					
		CodeNameDLDefense Logistics Agency					
CID04	751	Product Description Code	Χ	AN	1/12	Used	1
		Description: A code from an industry code list which provides specific data about a product characteristic					
		DLMS Note: Use in the HL03 Code HP loop. The following code values and associated definitions are authorized for use.					
		ASH Ash Content (Identify the range or percent of ash in the CID05).					
		BAS Basis for Information (Identify the Basis for Information (e.g. "USER", "LAB", "BOTH") in the CID05).					
		BTU BTU/LB (Identify the BTU/LB in					

Hazardous Material/Hazardous Waste Profile **Element Name** Min/Max Ref ld Req **Type** Usage Rep numeric format in the CID05). COL Color (Identify the color in the CID05). COR Corrosive Indicator (Indicate Yes or No in the CID07). CRC Cyanide Reactive Indicator (Indicate Yes or No in the CID07). CSL Corrodes Steel Indicator (Indicate Yes or No in the CID07). DHM DoT Hazardous Material (Indicate Yes or No in the CID07). DNS Density (Identify the density in NNN.NNN format in the CID05). DXW Dioxin Waste Indicator (Indicate Yes or No in the CID07). EXG Exemption Granted Indicator (Indicate Yes or No in the CID07). FLP Flash Point (Indicate in degrees Fahrenheit the flash point in the CID05). HTC High TOC (>10%) Indicator (indicate Yes or No in the CID07). IGN Ignitable Indicator (Indicate Yes or No in the CID07). LAY Layering (Indicate the type of layering (e.g., "MULTILAYERED", "BILAYERED", "SINGLE PHASE") in the LDR Land Disposal Restrictions Indicator (Indicate Yes or No in the CID07). LTC Low TOC (<10%) Indicator (indicate Yes or No in the CID07). MTS Meets Treatment Standards Indicator (Identify the Treatment Standard Reference in the CID05 and Indicate Yes or No in the CID07). OTH Additional Hazard Description (Identify in the CID05 any additional Hazard descriptive information associated with the proper shipping name). PHS Physical State (Identify the physical state (e.g., "S" = solid, "L" = liquid, SS = semisolid; "G" = gas; "O" = Other) in the CID05). PPH Ph (Identify the Ph in the CID05). RAC Reactive Indicator (Indicate Yes or NO n the CID07). RCA RCRA Requirements (Identify the RCRA Requirements in the 2/MSG01/2200). RCB Additional RCRA Requirements (Identify additional RCRA requirements in the 2/MSG01/2200). SHI Special Handling Information (Indicate any special handling information in the 2/MSG01/2200). SRC Sulfide Reactive Indicator (Indicate Yes or No in the CID07). TGR Treatment Group (Identify the treatment group (e.g, "W" = Wastewater; "N" = Non wastewater) in the CID05). TOX Toxicity Characteristic Indicator

(Indicate Yes or No in the CID07).
TSD Total Solids (Identify the range or

٠.	azaraoao matoria	71 14241 4040	Tracto Fromo					
	<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
			percent of total solids in the CID05).					
			UHC Underlying Hazardous Constituent (Indicate Yes or No in the CID07).					
			WRC Water Reactive Indicator (Indicate Yes or No in the CID07).					
CII	CID05	352	Description	X	AN	1/80	Used	1
			Description: A free-form description to clarify the related data elements and their content					
			DLMS Note: 1. Use in the HL03 Code KB loop with CID01 Codes CON and RB.					
			2. Use in the HL03 Code HE loop with CID01 Code RB.					
			3. Use in the HL03 Code HP loop with CID03 Codes ASH, BAS, BTU, COL, DNS, FLP, LAY, OTH, PHS, PPH, TGR, and TSD. For CID03 Code MTS, identify the Treatment Standard Reference.					
	CID07	1073	Yes/No Condition or Response Code	0	ID	1/1	Used	1
			Description: Code indicating a Yes or No condition or response					
			DLMS Note: Use in the HL03 Code HP loop with CID07 Codes COR, CRC, CSL, DHM, DXW, EXG, HTC, IGN, LDR, LTC, MTS, RAC, SRC, TOX, UHC, WRC.					
			All valid standard codes are used.					

UIT Unit Detail

Pos: 1800 Max: 1 Detail - Optional

Loop: CID Elements: 1

User Option (Usage): Used **Purpose:** To specify item unit data

Syntax Rules:

1. C0302 - If UIT03 is present, then UIT02 is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
UIT01	C001	Composite Unit of Measure	М	Comp		Must use	1
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use)					
		DLMS Note: Use to identify the value of the units expressed in the HL03 Code HE loop with CID01 Code RB.					
		Comments:					
		1. If C001-02 is not used, its value is to be interpreted as 1.					
		2. If C001-03 is not used, its value is to be interpreted as 1.					
		3. If C001-05 is not used, its value is to be interpreted as 1.					
		4. If C001-06 is not used, its value is to be interpreted as 1.					
		5. If C001-08 is not used, its value is to be interpreted as 1.					
		6. If C001-09 is not used, its value is to be interpreted as 1.					
		7. If C001-11 is not used, its value is to be interpreted as 1.					
		8. If C001-12 is not used, its value is to be interpreted as 1.					
		9. If C001-14 is not used, its value is to be interpreted as 1.					
		10. If C001-15 is not used, its value is to be interpreted as 1.					
UIT01-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		DLMS Note: For DLMS use, only the following codes are authorized. DLMS users see the Unit of Issue and Purchase Unit Conversion table for code conversions					
		between X12 and DOD.					
		<u>Code</u> <u>Name</u>					
		59 Parts Per Million					
		DLMS Note:					

004030F841W0WA00 41 December 29, 2016

GenComm equivalent code is PPM.

Parts Per Billion

DLMS Note:

61

Code Name

GenComm equivalent code is PPB.

NA Milligrams per Kilogram

DLMS Note:

GenComm equivalent code is MG/KG.

P1 Percent

DLMS Note:

GenComm equivalent code is PER.

Elements: 1

Message Text MSG

Pos: 2200 Max: >1 **Detail - Optional**

Loop: CID

User Option (Usage): Used

Purpose: To provide a free-form format that allows the transmission of text information

Syntax Rules:

1. C0302 - If MSG03 is present, then MSG02 is required.

Semantics:

1. MSG03 is the number of lines to advance before printing.

Comments:

- 1. MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
- 2. If MSG02 is "AA Advance the specified number of lines before print" then MSG03 is required.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
MSG01	933	Free-Form Message Text	М	AN	1/264	Must use	1
		Description: Free-form message text					
		DIMONIA AL AUTONO A AUTONO					

DLMS Note: Use in the HL03 Code HP loop with CID04 Codes SHI, RCA, and

RCB.

SE Transaction Set Trailer

Pos: 0100 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

		,						
	Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
	SE01	96	Number of Included Segments	М	N0	1/10	Must use	1
			Description: Total number of segments included in a transaction set including ST and SE segments					
	SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
			Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
			DLMS Note: Cite the same number as the one cited in ST02.					