842 Nonconformance Report Functional Group=NC

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Nonconformance Report Transaction Set (842) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report products and processes that do not fulfill specifications or requirements. The Nonconformance Report Transaction Set provides the ability for the sender to report the nonconformance at the level of detail that is required. It also provides the ability to report the specific nonconformance Report Transaction Set may be used to report, initiate, or request actions related to the nonconformance being reported. Financial and accounting information is provided for reporting purposes only. The Nonconformance Report Transaction Set has the capability to report the cause of the nonconformance and to state the proposed action to be followed to prevent a repetition of the problem.

DLMS Note:

1. Use a single occurrence of this transaction to transmit a single Stock Screening Request.

2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion table which can be found on the DLMS Program Office Web site at http://www.dla.mil/j-6/dlmso.

3. This DLMS Implementation Convention (IC) incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the DLMS Program Office Web site: http://www.dla.mil/j-6/dlmso/changes

- ADC 240, DLMS Transactions for Stock Screening Request/Reply and WebSDR Enhanced Storage Quality Control Reports (SQCRs)

- ADC 371, Marine Corps SDR Distribution Rules and Navy and Marine Corps SDR and SQCR Procedures and Data Content under BRAC

- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP

- Approved Addendum ADC 381A, Procedures and Additional Data Content supporting Unit of Use Requirements under Marine Corps BRAC Storage and Distribution

- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on September 23, 2014. - ADC 1045, Revise the DLMS Stock Screening Request/Reply and Storage Quality Control Report

(SQCR)/Reply to Support Transmission via new WebSS (Web Stock Screening) and WebSQCR Modules with Associated Data and Procedure Enhancements

- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on December 29, 2016

Heading:

	5							
	Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	0100	ST	Transaction Set Header	М	1			Must use
	0200	BNR	Beginning Segment For Nonconformance Report	М	1			Must use
*	0300	REF	Reference Identification	0	>1			
*	0400	DTM	Date/Time Reference	0	>1			
*	0500	PID	Product/Item Description	0	>1			
	<u>* LOOP</u>	ID - ME	<u>A</u>			<u>>1</u>		
	0600	MEA	Measurements	0	1			
	0700	DTM	Date/Time Reference	0	>1			
_	0800	REF	Reference Identification	0	>1			
	<u>* LOOP</u>	ID - PW	<u>K</u>			<u>>1</u>		

<u>Pos</u>	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0900	PWK	Paperwork	0	1			
1000	REF	Reference Identification	0	>1			
1100	DTM	Date/Time Reference	0	>1			
LOOP I	D - N1				<u>>1</u>		
1200	N1	Name	0	1			Used
* 1300	N2	Additional Name Information	0	2			
* 1400	N3	Address Information	0	2			
* 1500	N4	Geographic Location	0	1			
* 1600	REF	Reference Identification	0	>1			
1700	PER	Administrative Communications Contact	0	>1			Used

Detail:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP I	D - HL				<u>>1</u>	<u>N2/0100L</u>	
0100	HL	Hierarchical Level	М	1		N2/0100	Must use
0200	LIN	Item Identification	0	1			Used
* 0300	PID	Product/Item Description	0	>1			
* 0400	PRS	Part Release Status	0	>1			
* 0500	CID	Characteristic/Class ID	0	>1			
0600	DTM	Date/Time Reference	0	>1			Used
0700	REF	Reference Identification	0	>1			Used
0750	CS	Contract Summary	0	1			Used
* 0800	QTY	Quantity	0	>1			
* 0900	TMD	Test Method	0	1			
* 1000	PSD	Physical Sample Description	0	1			
* 1020	PWK	Paperwork	0	>1			
LOOP I	D - LM				<u>>1</u>		
1040	LM	Code Source Information	0	1			Used
1050	LQ	Industry Code	Μ	>1			Must use
<u>* LOOP</u>	ID - ME	<u>A</u>		<u> </u>	<u>>1</u>		
1100	MEA	Measurements	0	1			
1200	DTM	Date/Time Reference	0	>1			
1300	REF	Reference Identification	0	>1			
* LOOP	ID - FA1				>1		
1350	FA1	- Type of Financial Accounting Data	0	1			
1360	FA2	Accounting Data	Μ	>1			
* LOOP	ID - SPS	2			<u>>1</u>		
1400	SPS	Sampling Parameters for Summary Statistics	0	1			
1500	REF	Reference Identification	0	>1			
1600	PSD	Physical Sample Description	0	1			

Pos	ld	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP I	<u>D - MEA</u>				<u>>1</u>		
1700	MEA	Measurements	0	1			
1800	DTM	Date/Time Reference	0	>1			
1900	REF	Reference Identification	0	>1			
LOOP I	<u>D - STA</u>				<u>>1</u>		
2000	STA	Statistics	0	1			
2100	DTM	Date/Time Reference	0	>1			
2200	REF	Reference Identification	0	>1			
LOOP I	D - NCD				<u>>1</u>		
2300	NCD	Nonconformance Description	0	1			Used
2400	NTE	Note/Special Instruction	0	>1			Used
* 2500	DTM	Date/Time Reference	0	>1			
* 2600	REF	Reference Identification	0	>1			
* 2700	QTY	Quantity	0	>1			
* 2730	AMT	Monetary Amount	0	>1			
* 2740	MEA	Measurements	0	>1			
* 2750	RC	Root Cause	0	>1			
<u>* LOOP</u>	ID - EFI				<u>>1</u>		
2760	EFI	Electronic Format Identification	0	1			
2770	BIN	Binary Data	Μ	1			
LOOP I	D - N1				<u>>1</u>		
2800	N1	Name	0	1			Used
* 2900	N2	Additional Name Information	0	2			
* 3000	N3	Address Information	0	2			
* 3100	N4	Geographic Location	0	1			
* 3200	REF	Reference Identification	0	>1			
* 3300	PER	Administrative Communications Contact	0	>1			
<u>* LOOP</u>	ID - LM				<u>>1</u>		
* 3330	LM	Code Source Information	0	1			
* 3340	LQ	Industry Code	Μ	>1			
<u>* LOOP</u>	ID - NCA				<u>>1</u>		
3400	NCA	Nonconformance Action	0	1			
* 3500	NTE	Note/Special Instruction	0	>1			
* 3600	DTM	Date/Time Reference	0	>1			
* 3700	REF	Reference Identification	0	>1			
<u>* LOO</u> P	ID - PW	<u><</u>			<u>>1</u>		
3800	PWK	- Paperwork	0	1			
3900	REF	Reference Identification	0	>1			
4000	DTM	Date/Time Reference	0	>1			
* LOOP					_1		
		Nomo	0	4	<u>>1</u>		
4100	N1	Name	0	1			

<u>Pos</u>	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	Repeat	<u>Notes</u>	<u>Usage</u>	
* 4200	N2	Additional Name Information	0	2				
* 4300	N3	Address Information	0	2				
* 4400	N4	Geographic Location	0	1				
* 4500	REF	Reference Identification	0	>1				
* 4600	PER Administrative Communications Cont		0	>1				
<u>* LOOF</u>	<u>* LOOP ID - LM</u>				<u>>1</u>			
4640	LM	Code Source Information	0	1				
4040			-	•				1111
4640	LQ	Industry Code	М	>1				
4650			M	>1	<u>>1</u>			
4650	LQ		<u>М</u> О	>1 1	<u>>1</u>			
4650	LQ P ID - FA 1	L Type of Financial			<u>>1</u>			

Notes:

- 2/0100L The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item - component, 2) item - product characteristic, 3) component product characteristic, 4) report - item, 5) item - serial number, and 6) component - serial number.
- 2/0100 The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item - component, 2) item - product characteristic, 3) component product characteristic, 4) report - item, 5) item - serial number, and 6) component - serial number.

ST Transaction Set Header

Pos: 0100 Max: 1 Heading - Mandatory Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

<u>Ref</u> ST01	<u>ld</u> 143	<u>Element Name</u> Transaction Set Identifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 3/3	<u>Usage</u> Must use	<u>Rep</u> 1
		Description: Code uniquely identifying a Transaction Set					
		CodeList Summary (Total Codes: 3CodeName842Nonconformance Report	314, Incl	luded: 1)			
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used	1
		Description: Reference assigned to identify Implementation Convention					
		DLMS Note: Use to indicate this transmission uses the 842C/I DLMS Implementation Convention (IC). Enter the DLMS IC: 004030F842C0IA00.					

Max: 1

Elements: 5

Pos: 0200

Loop: N/A

Heading - Mandatory

BNR Beginning Segment For Nonconformance Report

User Option (Usage): Must use

Purpose: To indicate the beginning of a Nonconformance Report Transaction Set

Semantics:

- 1. BNR02 is the nonconformance report identifier number.
- 2. BNR03 is the date that the nonconformance report was created.
- 3. BNR04 is the time that the nonconformance report was created.

Comments:

1. BNR05 indicates the status or intention of the nonconformance report.

<u>Ref</u>	<u>ld</u>	Elem	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
BNR01	353	Trans	saction Set Purpose Code	Μ	ID	2/2	Must use	1
			ription: Code identifying ose of transaction set					
		Code	List Summary (Total Codes: 6	5, Inclu	ded: 4)			
			Name					
		01	Cancellation					
		02	Add					
			DLMS Note:					
			Use to identify an updated s to clarify the screening requ this transaction. If original in resubmit the request.	est. All	other ori	ginal informatio	on is retransmitte	ed in
		13	Request					
			DLMS Note:					
			Use to identify a new stock a locations known to hold mat required.					
		22	Information Copy					
			DLMS Note:					
			Use to identify an information locations not known to hold will not reply to an information	materie	l identifie	d for screening	g. The storage lo	
BNR02	127	Refer	ence Identification	М	AN	1/50	Must use	1
		inform partic specifi Identi DLMS <i>identi</i>	escription: Reference formation as defined for a articular Transaction Set or as becified by the Reference entification Qualifier LMS Note: 1. Enter "U" to lentify the Unit of Use Indicator. (hen included, the quantity and					

<u>Ref</u>	<u>ld</u>	Element Name unit of measure values with this transaction are to the unit of use. This when the materiel iden by Local Stock Numbe for unit of use. This is Authorized DLMS enha under DLA industrial ac support agreement. Re 371. 2. When not used for L Indicator, must enter Z ANSI syntax.	associated e applicable s applies tification is r assigned an ancement ctivity efer to ADC Init of Use	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	Rep
BNR03	373	Date		М	DT	8/8	Must use	1
		Description: Date exp CCYYMMDD where CO the first two digits of the year DLMS Note: This date corresponds to the Uni Coordinate (UTC).	C represents e calendar					
BNR04	337	Time		0	TM	4/8	Used	1
		Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) DLMS Note: Express the originating activity's time in Universal Time Coordinate (UTC). Express time in a four-position (HHMM) format.						
BNR06	640	Transaction Type Coo	le	0	ID	2/2	Used	1
		Description: Code spectrum type of transaction	ecifying the					
		CodeList Summary (T	otal Codes: 500), Inclu	ded: 1)			
		Code Name WA Work Assignme DLMS Note: Use to identify	ent a stock screenir	ng real	uest.			
		· · · · · · · · · · · · · · · · · · ·		0 1				

N1 Name

Pos: 1200 Max: 1 Heading - Optional Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To
 obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction
 processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use to identify the organizations sending and receiving the transaction set.

<u>Ref</u>	<u>ld</u>	Elem	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entit	y Identifier Code	Μ	ID	2/3	Must use	1
		orgar locati DLM	ription: Code identifying an nizational entity, a physical on, property or an individual S Note: <i>For DLMS use only</i> <i>ollowing codes are authorized.</i>					
		Code	List Summary (Total Codes: 7	1446, In	cluded: 3)		
		Code	Name					
		HA	Owner					
			DLMS Note:					
			1. Use to identify materiel o materiel manager.				quester is not the	9
			2. Refer to ADC 1045; targe	et impier	nentation	11Q FY 2017.		
		SB	Storage Area					
			DLMS Note:					
			Use to identify the Distributi screen request.	on Depo	ot or othe	er storage loca	tion receiving the	e stock
		ICP	Inventory Control Point					
			DLMS Note:					
			1. Use to identify materiel o	wner/ma	anager in	itiating the sto	ck screen reques	st.
			2. Use of this qualifier to be implementation 1Q FY 2017		ted upon	implementatio	on of ADC 1045 (target
N103	66	Ident	ification Code Qualifier	Х	ID	1/2	Used	1
			ription: Code designating the m/method of code structure					

<u>Ref</u>	<u>ld</u>	Element Name used for Identification Code (67)	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
		CodeList Summary (Total Codes <u>Code</u> <u>Name</u>	s: 223, Inc	luded: 1)					
		M4 Department of Defense Ro	outing Ider	tifier Coo	le (RIC)				
N104	67	Identification Code	Х	AN	2/80	Used	1		
		Description: Code identifying a party or other code							
N106	98	Entity Identifier Code	0	ID	2/3	Used	1		
		Description: Code identifying an organizational entity, a physical location, property or an individual							
		CodeList Summary (Total Codes	s: 1446, In	cluded: 2	2)				
		<u>Code</u> <u>Name</u>							
		FR Message From							
		DLMS Note:							
		Use to indicate the organization cited above is originating the transact							
		TO Message To							
		DLMS Note:	DLMS Note:						
		Use to indicate the organ	ization cite	ed above	is receiving the	e transaction se	t.		

PER Administrative Communications Contact

Pos: 1700 Max: >1 Heading - Optional Loop: N1 Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

Use a second repetition if needed to identify additional communication numbers. Must provide email address and at least one phone number.

<u>Ref</u>	<u>ld</u>		ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
PER01	366	Conta	act Function Code	Μ	ID	2/2	Must use	1			
		major	ription: Code identifying the duty or responsibility of the n or group named								
		Code	List Summary (Total Codes: 2	234, Incl	uded: 1)						
		<u>Code</u> RQ	Name Requestor DLMS Note:								
			Use to identify owner/manager point of contact information.								
PER02	93	Name		0	AN	1/60	Used	1			
T LINUZ	30		-	0		1/00	0360				
	Description: Free-form name										
	DLMS Note: Field length = 25					- /-					
PER03	365		Communication Number Qualifier		ID	2/2	Used	1			
			ription: Code identifying the of communication number								
		Code	List Summary (Total Codes: 4	10, Inclu	ded: 2)						
		<u>Code</u>	Name								
		FX	Facsimile								
			DLMS Note:	,							
			1. Use for the commercial fa	ax numb	er.						
			2. Refer to ADC 1045; targe	et implen	nentation	1Q FY 2017.					
		TE	Telephone								
			DLMS Note:								
			1. Use to identify the phone	numbei	r of the st	tock screening	request prepare	r.			
			2. For TE: field length = 16								

PER04	364	Comn	nunication Number	х	AN	1/256	Used	1	
		comm	iption: Complete unications number including y or area code when able						
PER05	365	Comn Qualif	nunication Number fier	Х	ID	2/2	Used	1	
			iption: Code identifying the f communication number						
		Code	List Summary (Total Codes: 40), Incluc	led: 1)				
		<u>Code</u> EM	Name Electronic Mail DLMS Note: 1. Use to identify the email a	il address of the stock screening request preparer.					
			2. For EM: field length = 50						
PER06			, i i i i i i i i i i i i i i i i i i i	Х	AN	1/256	Used	1	
		comm	iption: Complete unications number including y or area code when able						
PER07	365	Comn Qualif	nunication Number fier	Х	ID	2/2	Used	1	
			iption: Code identifying the f communication number						
		Code	List Summary (Total Codes: 40), Incluc	led: 2)				
			Name						
		AU	Defense Switched Network						
			DLMS Note: For AU: field length = 8						
		WF	Work Facsimile Number						
			DLMS Note:						
			1. Use for the DSN fax number	er.					
			2. Refer to ADC 1045; target	implem	entation 1	Q FY 2017.			
PER08	364	Comn	nunication Number	х	AN	1/256	Used	1	
		comm	iption: Complete unications number including y or area code when able						
PER09	443	Conta	act Inquiry Reference	0	AN	1/20	Used	1	
		numbe contac	Description: Additional reference number or description to clarify a contact number						
			Note: 1. Use for the office pl/activity code and/or						

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		position title of the requestor. (Available only on the first iteration of the PER segment.)					
		2. Refer to ADC 1045; target implementation 1Q FY 2017.					

004030F842C1IA05

HL Hierarchical Level

Pos: 0100 Max: 1 Detail - Mandatory Loop: HL Elements: 2

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
HL01	628	Hierarchical ID Number	М	AN	1/12	Must use	1
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure					
		DLMS Note: This transaction is designed to use only one HL loop. Enter "1" to satisfy X12 syntax.					
HL03	735	Hierarchical Level Code	М	ID	1/2	Must use	1
		Description: Code defining the characteristic of a level in a hierarchical structure					
		CodeList Summary (Total Codes: 2	218, Incl	luded: 1)			
		<u>Code</u> <u>Name</u>					

RP Report

Max: 1

Elements: 4

Pos: 0200

Loop: HL

Detail - Optional

LIN Item Identification

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

1. Use this segment to identify the primary method of identification for materiel to be screened.

2. Where an NSN is assigned, specific part number/CAGE codes may also be identified as screening criteria using the reference identification segment at position 0700.

<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	Μ	ID	2/2	Must use	1
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		CodeList Summary (Total Codes: 8	505, Incl	luded: 3)			
		Code Name					
		FS National Stock Number					
		DLMS Note:					

Code Name

1. Use to indicate the NSN of the materiel to be screened.

2. To identify for screening up to 5 part number/CAGE combinations applicable to this NSN, use the reference identification segment at position 0700.

- 3. For FS: field length = 13
- MG Manufacturer's Part Number

DLMS Note:

1. Use to identify the Manufacturer's Part Number for the materiel to be screened. Identify the part number here only when there is no applicable NSN available.

- 2. When using part number, also Identify the Manufacture's CAGE below.
- 3. For MG: field length = 32
- SW Stock Number

DLMS Note:

1. Use to identify the local stock number (LSN).

2. When used for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.

3. When used for a unit of use LSN applicable to part numbered items, the original part-numbered item LSN will also be included for cross-reference.

4. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381/ Approved Addendum 381A.

LIN03	234	Produ	uct/Service ID	М	AN	1/48	Must use	1
			ription: Identifying number product or service					
LIN04	235	Produ	uct/Service ID Qualifier	х	ID	2/2	Used	1
		type/s	ription: Code identifying the source of the descriptive er used in Product/Service ID					
		Code	List Summary (Total Codes: 50	5, Inclu	uded: 3)			
			Name		,			
		FS	National Stock Number					
			DLMS Note:					
			1. Use to identify the NSN.					
			2. The NSN is provided as a and the Local Stock Number identification. Authorized DLI support agreement.	(LSN) I	is identifie	ed as the prir	mary materiel	cluded
		SW	Stock Number					
			DLMS Note:					
			1. Use to identify the local sto	ck nun	nber (LSN	I).		
			2. The LSN is provided as a c and the unit of use LSN is ide Authorized DLMS enhanceme	entified	as the pri	imary materi	iel identification.	

		<u>Code</u>	Name					
		ZB	Commercial and Government	Entity	(CAGE) Co	ode		
			DLMS Note:					
			Use with part number to ider	ntify the	manufact	urer's CAGE.		
LIN05	234	Produ	uct/Service ID	Х	AN	1/48	Used	1
			ription: Identifying number product or service					

DTM Date/Time Reference

Pos: 0600 Max: >1 Detail - Optional Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

Ref	<u>ld</u>	Elem	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
DTM01	374	Date/	Time Qualifier	Μ	ID	3/3	Must use	1			
			ription: Code specifying type e or time, or both date and								
		Code	List Summary (Total Codes: 1								
		<u>Code</u>	Name								
		177	Cancellation								
			DLMS Note:								
			Use to indicate the date a stock screening request is cancelled.								
		501	Expected Reply								
			DLMS Note:								
			Use to indicate the suspens	e date f	or stock	screening com	pletion.				
		576	Action End Date								
			DLMS Note:								
			1. Use to provide the ending receipt restriction screen at originator must communicat	storage	activity.	(If an ending o	late is not provide				
			2. A date may only be provid 2/REF01/0700 Code RAA.	ded whe	en a rece	ipt restriction fl	ag is set to "Y" at	÷			
			3. Refer to ADC 1045; target implementation 1Q FY 2017.								
		602	Subsequent Submission								
			DLMS Note:								
			Use to identify the date add screening request.	itional c	omments	are provided i	o clarify the stocl	k			
		992	Date Requested								
			DLMS Note:								
			Use to indicate date the sto	ck scree	ening req	uest.					
DTM02	373	Date		х	DT	8/8	Used	1			
		CCYY	ription: Date expressed as /MMDD where CC represents st two digits of the calendar								

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
------------	-----------	--------------	-----	-------------	----------------	--------------	------------

REF Reference Identification

Pos: 0700 Max: >1 Detail - Optional Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

1. Must use to identify the controlling number assigned for this stock screen request.

2. Use multiple iterations when needed to identify part number/CAGE code combinations associated with the screened NSN.

<u>Ref</u>	ld	Elem	ent Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
REF01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1		
			ription: Code qualifying the ence Identification							
		Code	CodeList Summary (Total Codes: 1631, Included: 8)							
		<u>Code</u>	<u>Name</u>							
		86	Operation Number							
			DLMS Note:							
			1. Use to identify the Key Op	peration	(KO) Nu	mber associat	ed with the JO.			
				2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.						
		9R	Job Order Number							
			DLMS Note:							
			1. Use to identify Job Order	(JO) Ni	ımber.					
			2. Authorized DLMS enhanc agreement. Refer to ADC 3		under DL	A industrial ac	tivity support			
		BT	Batch Number							
			DLMS Note:							
			Use to identify the batch, lot, defined as 20 positions alph (-) and forward slashes (/) a	anumer	ric. No sj		•			
		NN	Nonconformance Report Nur	nber						
			DLMS Note:							
			1. Use to identify SDR docu screening request was trigge			r cross referen	ce when the stoc	k		
			2. When applicable, identify	the su	ffix code	in REF04.				

Code Name

3. For NN: field length = 14

PM Part Number

DLMS Note:

1. Use to identify the specific part number associated with the previously identified NSN.

2. Identify the manufacturer's CAGE code associated with this part number in REF04, below.

- 3. Identify up to 5 Part Number/CAGE Code combinations.
- 4. For PM: field length = 32
- QR Quality Report Number

DLMS Note:

Use to identify the PQDR report control number (RCN) for cross reference when the stock screening request was triggered by a PQDR. Up to 5 PQDR RCNs may be entered.

QR: field length =15

YM Resource Screening Reference

DLMS Note:

1. Use to identify the originator's system assigned control number.

2. If the request is originated in WebSS, this will be the WebSS assigned control number. A WebSS control number will also be assigned during transaction processing. Once assigned, the WebSS control number must be used in all transactions.

3. Use multiple occurrences as needed. Identify the number in REF02 and the originating system e.g. WebSS or EBS for DLA, in REF03.

4. The screening request control number is defined as 9 positions alphanumeric.

RAA Restricted Availability Authorization

DLMS Note:

1. Must use on screening requests (Transaction Set Purpose Code (BNR01) 13 or 22) to indicate whether the requesting activity authorizes creation of a receipt restriction screen based on the criteria provided in the screening request. Screening upon the receipt will result in preparation of a receipt notification SDR for the corresponding materiel. The receipt restriction flag value must be "Y" (Yes, restriction required) or "N" (No, restriction not required).

2. An associated termination date for receipt screening may be provided at 2/DTM01/0600 Code 576.

3. Refer to ADC 1045; target implementation 1Q FY 2017.

REF02	127	Reference Identification	Х	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF03	352	Description	Х	AN	1/80	Used	1

Description: A free-form

<u>Ref</u>	<u>ld</u>	Element Name description to clarify the related data elements and their content DLMS Note: Use to identify the system associated with the request control number, e.g., WEBSS, EBS, ADRS.	<u>Req</u>	<u>Туре</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
REF04	C040	 Reference Identifier Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier Syntax: P0304 - If either C04003 or C04004 is present, then the other is required. P0506 - If either C04005 or C04006 is present, then the other is required. 	0	Comp		Used	1
REF04-01	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification CodeList Summary (Total Codes: Code Name W7 Commercial and Government W8 Suffix DLMS Note: 1. When citing the SDR down Number, Code NN), use to 2. For W8: field length = 1.	1631, In ht Entity	(CAGE) (number (ι	Code using Nonconfo		1 ovided.
REF04-02	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	М	AN	1/50	Must use	1

CS Contract Summary

Pos: 0750 Max: 1 Detail - Optional Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To provide information about a contract

Syntax Rules:

1. P0405 - If either CS04 or CS05 is present, then the other is required.

Semantics:

- 1. CS09 is the permissible overage as a percentage of the total contract line item number (CLIN) quantity.
- 2. CS10 is the permissible shortage as a percentage of the total contract line item number (CLIN) quantity.
- 3. CS11 is the permissible overage dollar value specified by the contract above which discrepancy action is taken.
- 4. CS14 is the Unit of Measure stipulated in the contract.
- 5. CS15 is the contract line item number (CLIN) unit price specified in the contract.
- 6. CS17 conveys the Critical Application Indicator. A "Y" indicates that a Critical Application Indicator is specified in the contract; an "N" indicates that no Critical Application Indicator is specified in the contract.
- 7. CS18 conveys the Special Requirements Indicator. A "Y" indicates that a Special Requirements Indicator (requiring special testing and or evaluation) is specified in the contract; an "N" indicates that no Special Requirements Indicator is specified in the contract.

Comments:

- 1. CS04 may be used to identify the Contract Line Item Number (CLIN) or Extended (or Exhibit) Line Item Number (ELIN).
- 2. CS07 and CS13 can be used to indicate two different types of special services required.

DLMS Note:

Use to identify the applicable contract information as screening criteria. Only one contract may be identified on a screening request.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
CS01	367	Contract Number	0	AN	1/30	Used	1
		Description: Contract number					
		DLMS Note: 1. Only one procurement instrument identifier (PIID) may be identified per stock screening request. Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When procurement is authorized under a PIID call/order number (F or M in 9th position), provide the value in the PIID field if screening for a specific call/order. Otherwise use the base PIID. Refer to ADC 1161.					
		2. Field length = 17					

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
CS03	328	Release Number	0	AN	1/30	Used	1
		Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction					
		DLMS Note: 1. Used to identify the legacy four position call/order number associated with the PIIN.	e				
		2. Do not use for the PIID call/order number. The PIID call/order number is mapped to CS01. Refer to ADC 1161.					
		3. Field length = 4					
CS04	128	Reference Identification Qualifie	r X	ID	2/3	Used	1
		Description: Code qualifying the Reference Identification					
		CodeList Summary (Total Codes:	1631, In	cluded: 1)		
		<u>Code</u> <u>Name</u>					
		C7 Contract Line Item Number					
		DLMS Note: Used to identify the contra	et line ite	m (CLINI)	numbor/subC	I IN as applicab	10
				iii (CLIIV)	number/subC	LIN, as applicabl	е.
		For C7: field length = 6					
CS05	127	Reference Identification	Х	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

LM Code Source Information

Pos: 1040 Max: 1 Detail - Optional Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1		
		Description: Code identifying the agency assigning the code values							
		CodeList Summary (Total Codes: 1	187, Incl	uded: 1)					
		Code Name							
		DF Department of Defense (DoD)						

LQ Industry Code

Pos: 1050 Max: >1 Detail - Mandatory Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

<u>Ref</u> LQ01	<u>ld</u> 1270		<u>nt Name</u> List Qualifier Code	<u>Req</u> O	<u>Type</u> ID	<u>Min/Max</u> 1/3	<u>Usage</u> Used	<u>Rер</u> 1			
		specifi DLMS	iption: Code identifying a c industry code list Note: For DLMS use only lowing codes are authorized.								
		CodeL	CodeList Summary (Total Codes: 768, Included: 3) Code Name								
		<u>Code</u>									
		D	Court Document Type Code								
			DLMS Note:								
			1. Must use to identify the T_{i}	ype Doc	cument C	ode.					
			2. Type Document Code S i	s the on	ly valid e	entry for this tra	nsaction.				
		EZ	Type Inspection Code								
			DLMS Note:								
			1. Must use to identify Type Inspection Code assigned to this stock screening action.								
			2. Cite the applicable code i	n LQ02,	below.						
			F = Safety of Flight (SOF) Ir(ASAM))P = Special Inspection at SiU = Safety of Use (SOU) InspQ = Quality Related InspectiR = Reimbursable Special Incenters, request must be traX = Critical Safety Item (CSIZ = Suspect Counterfeit Insp3. Refer to ADC 1045; target	ngle Loo pection ion nspectio nsmittee I) Inspec pection et implei	cation n (For m d to all D ction mentatiol	ateriel stored a SS sites.) n 1Q FY 2017.	t DLA distributic Pending	Ū			
			implementation, Code A (ASAM) will remain available for use.								
		COG	Cognizance Symbol								
			DLMS Note:								
	1. Use to identify the materiel cognizance symbol (COG) of the end item. Applicable to US Navy screening requests.										
			2. Refer to ADC 1045; targe	t implen	nentation	1Q FY 2017.					
LQ02	1271	Indust	ry Code	х	AN	1/30	Used	1			
		Description: Code indicating a									

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		code from a specific industry code list					

Max: 1

Elements: 2

Pos: 2300

Loop: NCD

Detail - Optional

NCD Nonconformance Description

User Option (Usage): Used

Purpose: To describe the nonconformance condition

Syntax Rules:

1. R0102 - At least one of NCD01 or NCD02 is required.

<u>Ref</u> NCD02	<u>Id</u> 888	<u>Element Name</u> Nonconformance Determination Code	<u>Req</u> X	<u>Type</u> ID	<u>Min/Max</u> 1/1	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Code indicating whether a nonconforming condition was the reason for submitting or the basis upon which a nonconformance report is initiated					
		CodeList Summary (Total Codes: 7 Code Name	7, Includ	led: 1)			
		5 Discrepant					
		DLMS Note: For all transactions, use to s	satisfy X	(12 svnta	v		
			sausiy A	TZ Syriia.	<i>.</i> .		
NCD03	350	Assigned Identification	0	AN	1/20	Must use	1
		Description: Alphanumeric characters assigned for differentiation within a transaction set DLMS Note: For all transactions, cite numeric 1 to satisfy X12 requirement.					

NTE Note/Special Instruction

Pos: 2400 Max: >1 Detail - Optional Loop: NCD Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Comments:

 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processible. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Ref	<u>ld</u>	Eleme	ent Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
NTE01	363	Note	Reference Code	0	ID	3/3	Used	1		
		function which DLMS of not location	ription: Code identifying the onal area or purpose for the note applies 5 Note: <i>Provide only one set</i> <i>tes per transaction: storage</i> <i>on instructions or additional</i> <i>nation.</i>							
			CodeList Summary (Total Codes: 342, Included: 2)							
		<u>Code</u> ADD	Name Additional Information DLMS Note: 1. Use to provide additional information to the storage location regarding the screening request. 2. Use only in a second transmission of the screening request (BNR01=02) to provide clarification or updated information after the initial request has been processed.							
			3. Use multiple repetitions of the NTE segment as needed; the maximum cumulative field length NTE02 elements is 750 characters.							
		WHI	Warehouse Instruction DLMS Note: 1. Use to identify specific ins (new) stock screening reque 2. Use multiple repetitions o	est.		-		e initial		
			cumulative field length of the							
NTE02	352	Desci descri	r iption r iption: A free-form iption to clarify the related elements and their content	Μ	AN	1/80	Must use	1		

N1 Name

Pos: 2800 Max: 1 Detail - Optional Loop: N1 Elements: 3

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To
 obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction
 processing party.
- 2. N105 and N106 further define the type of entity in N101.

Ref	ld	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entity	Identifier Code	М	ID	2/3	Must use	1
		organi locatic DLMS	iption: Code identifying an izational entity, a physical on, property or an individual Note: For DLMS use only llowing codes are authorized.					
		Code	List Summary (Total Codes: 14	446, Ind	cluded: 2))		
		Code BT VN	Name Bill-to-Party DLMS Note: 1. Use to identify the organiz from the party requesting the 2. Identify the organization by payment center (using Payor Vendor DLMS Note: Use to identify the vendor by	e stock by DoD r Identif	screening AAC or fo ication, C	g. or DLA, identify Code PI).	the applicable	rent
N103	66	Identi	fication Code Qualifier	х	ID	1/2	Used	1
		Description: Code designating the system/method of code structure used for Identification Code (67) 0 CodeList Summary (Total Codes: 223, Included: 3) 0 Code Name 10 10 Department of Defense Activity Address Code (DODAAC) 33 Commercial and Government Entity (CAGE) PI Payor Identification						
		-	DLMS Note:					

		<u>Code</u> <u>Name</u>					
		Used by DLA to identify interis 7 positions.	ərnal pay	/ment cen	ter (EBS Prof	it Center). Field	length
N104	67	Identification Code	х	AN	2/80	Used	1
		Description: Code identifying a party or other code					

SE Transaction Set Trailer

Pos: 4700 Max: 1 Detail - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

<u>Ref</u> SE01	<u>ld</u> 96	Element Name Number of Included Segments	<u>Req</u> M	<u>Type</u> N0	<u>Min/Max</u> 1/10	<u>Usage</u> Must use	<u>Rер</u> 1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set DLMS Note: <i>Cite the same</i> <i>number as the one cited in ST02.</i>					