856

Ship Notice/Manifest

Functional Group=SH

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

DLMS Note:

- 1. DoD distinguishes among Foreign Military Sales (FMS) Notices of Availability (NOA) requiring export release authorization, those not requiring export release authorization and those for which release will be delayed.
- 2. Identify the overall shipment attributes and detailed line item content of each shipment.
- 3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Enterprise Business Standards Office (EBSO) Web site at www.dla.mil/does/DLMS.
- 4. This DLMS Implementation Convention contains:
- a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with EBSO prior to use.
- b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with EBSO prior to use.
- c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with EBSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
- d. Data elements which have an expanded files size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with EBSO prior to use.
- e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.
- 5. This revision to the DLMS IC incorporates Proposed DLMS Changes (PDCs) and Approved DLMS Changes (ADCs) listed. PDCs and ADCs are available from the EBSO Web site: http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/
- ADC 309, NOA and NOA Reply Transaction Data Content/Mapping including Addition of Type Pack Code for 463L Pallets
- ADC 1043, DLMS Revisions for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1075, Implementation of Geopolitical Entities, Names, and Codes (GENC) Standard by DoD Components for the Identification of Countries and their Subdivisions
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on June 04, 2014.
- ADC 1098, Updates to DD Form 1348-5 Notice of Availability (NOA) and Corresponding DLMS 856N NOA and 870N NOA Reply
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on January 12, 2017
- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) Completed on January 22, 2019

Heading:

| <u>Pos</u> | <u>ld</u> | Segment Name | Req | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|------------|-----------|-----------------------------------|-----|---------|---------------|--------------|--------------|
| 0100 | ST | Transaction Set Header | М | 1 | | | Must use |
| 0200 | BSN | Beginning Segment for Ship Notice | М | 1 | | | Must use |
| * 0400 | DTM | Date/Time Reference | 0 | 10 | | | Not Used |

Detail:

004030F856N0NA03 1 January 22, 2019

| Pos | <u>ld</u> | Segment Name | Req | Max Use | Repeat | <u>Notes</u> | <u>Usage</u> |
|-----------------|-----------------|---|-----|---------|------------|--------------|--------------|
| LOOP ID | | | | | 200000 | C2/0100L | |
| 0100 | HL | Hierarchical Level | М | 1 | <u> </u> | C2/0100 | Must use |
| 0200 | LIN | Item Identification | 0 | 1 | | 02/0100 | Used |
| 0300 | SN1 | Item Detail (Shipment) | 0 | 1 | | | Used |
| * 0400 | SLN | Subline Item Detail | 0 | 1000 | | | Not Used |
| * 0500 | PRF | Purchase Order Reference | 0 | 1 | | | Not Used |
| * 0600 | PO4 | Item Physical Details | 0 | 1 | | | Not Used |
| * 0700 | PID | Product/Item Description | 0 | 200 | | | Not Used |
| 0800 | MEA | Measurements | 0 | 40 | | | Used |
| * 0900 | PWK | Paperwork | 0 | 25 | | | Not Used |
| * 1000 | PKG | Marking, Packaging, Loading | 0 | 25 | | | Not Used |
| 1100 | TD1 | Carrier Details (Quantity and Weight) | 0 | 20 | | | Used |
| 1200 | TD5 | Carrier Details (Routing Sequence/Transit Time) | 0 | 12 | | | Used |
| <u>* LOOP I</u> | <u>ID - TD3</u> | | | | <u>12</u> | | |
| 1300 | TD3 | Carrier Details (Equipment) | 0 | 1 | | | Used |
| 1350 | AT9 | Trailer or Container Dimension and Weight | 0 | 1 | | | Used |
| * 1400 | TD4 | Carrier Details (Special Handling, or Hazardous Materials, or Both) | 0 | 5 | | | Not Used |
| * 1450 | TSD | Trailer Shipment Details | 0 | 1 | | | Not Used |
| 1500 | REF | Reference Identification | 0 | >1 | | | Used |
| * 1510 | PER | Administrative Communications Contact | 0 | 3 | | | Not Used |
| LOOP ID |) - LH1 | | | | <u>100</u> | | |
| 1520 | LH1 | Hazardous Identification Information | 0 | 1 | | | Used |
| 1530 | LH2 | Hazardous Classification Information | 0 | 4 | | | Used |
| 1540 | LH3 | Hazardous Material Shipping Name | 0 | 12 | | | Used |
| * 1550 | LFH | Freeform Hazardous Material Information | 0 | 20 | | | Not Used |
| * 1560 | LEP | EPA Required Data | 0 | >1 | | | Not Used |
| * 1570 | LH4 | Canadian Dangerous Requirements | 0 | 1 | | | Not Used |
| * 1580 | LHT | Transborder Hazardous Requirements | 0 | 3 | | | Not Used |
| 1590 | LHR | Hazardous Material Identifying Reference Numbers | 0 | 10 | | | Used |
| * 1600 | PER | Administrative Communications Contact | 0 | 5 | | | Not Used |
| * 1610 | LHE | Empty Equipment Hazardous Material Information | 0 | 1 | , | | Not Used |
| * LOOP I | D - CLD | | | | 200 | | |
| * 1700 | CLD | Load Detail | 0 | 1 | | | Not Used |
| * 1800 | REF | Reference Identification | 0 | 200 | | | Not Used |
| * 1850 | DTP | Date or Time or Period | 0 | 1 | | | Not Used |
| * 1900 | MAN | Marks and Numbers | 0 | >1 | <u> </u> | | Not Used |
| 2000 | DTM | Date/Time Reference | 0 | 10 | | | Used |
| * 2100 | FOB | F.O.B. Related Instructions | 0 | 1 | | | Not Used |
| * 2150 | PAL | Pallet Information | 0 | 1 | | | Not Used |
| LOOP ID |) - N1 | | | | <u>200</u> | | |
| 2200 | N1 | Name | 0 | 1 | | | Used |
| * 2300 | N2 | Additional Name Information | 0 | 2 | | | Not Used |

| <u>Pos</u> | <u>ld</u> | Segment Name | Req | Max Use | Repeat | <u>Notes</u> | <u>Usage</u> |
|------------|----------------|--|-----|---------|--------------|--------------|--------------|
| * 2400 | N3 | Address Information | 0 | 2 | | | Not Used |
| * 2500 | N4 | Geographic Location | 0 | 1 | | | Not Used |
| * 2600 | REF | Reference Identification | 0 | 12 | | | Not Used |
| 2700 | PER | Administrative Communications Contact | 0 | 3 | | | Used |
| * 2800 | FOB | F.O.B. Related Instructions | 0 | 1 | | | Not Used |
| * 2900 | SDQ | Destination Quantity | 0 | 50 | | | Not Used |
| * 3000 | ETD | Excess Transportation Detail | 0 | 1 | | | Not Used |
| * 3100 | CUR | Currency | 0 | 1 | | | Not Used |
| LOOP ID | - SAC | | | | <u>>1</u> | | |
| 3200 | SAC | Service, Promotion, Allowance, or Charge Information | 0 | 1 | | | Used |
| * 3250 | CUR | Currency | 0 | 1 | | | Not Used |
| * 3300 | GF | Furnished Goods and Services | 0 | 1 | | | Not Used |
| 3350 | YNQ | Yes/No Question | 0 | 10 | | | Used |
| LOOP ID |) - LM | | | | <u>10</u> | | |
| 3400 | LM | Code Source Information | 0 | 1 | | | Used |
| 3500 | LQ | Industry Code | М | 100 | | | Must use |
| * LOOP | <u>ID - V1</u> | | | | <u>>1</u> | | |
| * 3600 | V1 | Vessel Identification | 0 | 1 | | | Not Used |
| * 3700 | R4 | Port or Terminal | 0 | >1 | | | Not Used |
| * 3800 | DTM | Date/Time Reference | 0 | >1 | | | Not Used |

Summary:

| <u>Pos</u> | <u>ld</u> | Segment Name | Req | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|------------|-----------|-------------------------|-----|---------|---------------|--------------|--------------|
| * 0100 | CTT | Transaction Totals | 0 | 1 | | N3/0100 | Not Used |
| 0200 | SF | Transaction Set Trailer | M | 1 | | | Must use |

Notes:

3/0100 Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the

value of units shipped (SN102) for each SN1 segment.

Comments:

2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

ST Transaction Set Header

Pos: 0100 Max: 1 Heading - Mandatory Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Element Summary:

| Ref ST01 | <u>ld</u> 143 | Element Name Transaction Set Identifier Code | <u>Req</u> M | Type ID | Min/Max 3/3 | <u>Usage</u> Must use | Rep |
|-------------|------------------|---|-----------------|------------|----------------|--------------------------|-----|
| 3101 | 143 | Description: Code uniquely identifying a Transaction Set | IVI | ID | 3/3 | Must use | • |
| | | CodeName856Ship Notice/Manifest | | | | | |
| ST02 | 329 | Transaction Set Control Number | М | AN | 4/9 | Must use | 1 |
| | | Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | | | | | |
| | | DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program. | | | | | |
| ST03 | 1705 | Implementation Convention Reference | 0 | AN | 1/35 | Used | 1 |
| | | Description: Reference assigned to identify Implementation Convention | | | | | |
| | | DI 140 N | | | | | |

DLMS Note: Use to indicate this transmission uses the DLMS IC 856N.

Enter the DLMS IC (e.g.,004030F856N0NA00).

BSN Beginning Segment for Ship Notice

Pos: 0200 Max: 1 Heading - Mandatory Loop: N/A Elements: 6

User Option (Usage): Must use

Purpose: To transmit identifying numbers, dates, and other basic data relating to the transaction set

Syntax Rules:

1. C0706 - If BSN07 is present, then BSN06 is required.

Semantics:

- 1. BSN03 is the date the shipment transaction set is created.
- 2. BSN04 is the time the shipment transaction set is created.
- 3. BSN06 is limited to shipment related codes.

Comments:

1. BSN06 and BSN07 differentiate the functionality of use for the transaction set.

| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | Rep |
|----------------|-----------|--|-----------------------|-------------|----------------------|------------------------|-----|
| BSN01 | 353 | Transaction Set Purpose Code | M | ID | 2/2 | Must use | 1 |
| | | Description: Code identifying purpose of transaction set | | | | | |
| | | Code Name 00 Original 77 Simulation Exercise DLMS Note: Use to identify a simulated mobilization exercises must ensure recipients must use extreme caution | complete of to ensure | coordinatio | n with all activitie | s involved. All transa | |
| D0 1100 | | documents which affect accountable | | | 0.40.0 | | |
| BSN02 | 396 | Shipment Identification Description: A unique control number assigned by the original shipper to identify a specific shipment DLMS Note: Use Code "ZZ" for this data element to satisfy mandatory X12 syntax requirements. | М | AN | 2/30 | Must use | 1 |
| BSN03 | 373 | Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year DLMS Note: This date corresponds to the Universal Time Coordinate (UTC). | M | DT | 8/8 | Must use | 1 |
| BSN04 | 337 | Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) DLMS Note: 1. Express the originating activity's time in UTC. | M | ТМ | 4/8 | Must use | 1 |

DLMS Note:

| DLMS Implemen | ntation Conven | tion (IC) 8 | 356N Notice of Availability | ADC | 309, 1043, | 1043C, 1075, 1098 | , 1136 and 1287 | DLM 4000.25 |
|---------------|----------------|------------------------|---|------------|----------------|-------------------|-----------------|-------------|
| Ref | <u>ld</u> | Eleme | ent Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
| | | 2. Ex forma | press time in a four-position (HHMM) t. | | | | | |
| BSN06 | 640 | Trans | action Type Code | Χ | ID | 2/2 | Must use | 1 |
| | | Desci transa | ription: Code specifying the type of action | | | | | |
| | | Code | <u>Name</u> | | | | | |
| | | AD | Notice of Availability | | | | | |
| BSN07 | 641 | Statu | s Reason Code | 0 | ID | 3/3 | Must use | 1 |
| | | Desc i reaso | ription: Code indicating the status | | | | | |
| | | NOA. | S Note: Use to identify the type of | | | | | |
| | | Code | <u>Name</u> | | | | | |
| | | D50 | Delayed | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to indicate that all referenced sh | nipments a | are delayed | 1. | | |
| | | ENR | Export Release Not Required | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to indicate that export release is | not requ | ired for all i | referenced shipm | ents. | |
| | | ERR | Export Release Required | | | | | |
| | | | | | | | | |

Use to indicate that export release is required for all referenced shipments.

L Hierarchical Level

Pos: 0100 Max: 1

Detail - Mandatory

Loop: HL Elements: 3

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

- 1. The transaction set hierarchical data structure is address information, followed by overall shipment attributes, followed by shipment line item detail.
- 2. Use the first 2/HL/0100 loop iteration to provide transaction set address information.
- Use the second 2/HL/0100 shipment loop iteration to identify shipment information associated with the transportation control number (TCN) assigned to control the shipment.
- 4. Use a single or multiple 2/HL/0100 line item loop iterations to identify the line item detail associated with each shipment.

| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------|-----------|---|-----|-------------|---------|--------------|------------|
| HL01 | 628 | Hierarchical ID Number | М | AN | 1/12 | Must use | 1 |
| | | Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure DLMS Note: In the first 2/HL/0100 loop iteration, cite numeric 1. In each subsequent loop iteration, increase | | | | | |
| | | incrementally by 1. | | | | | |
| HL02 | 734 | Hierarchical Parent ID Number | 0 | AN | 1/12 | Used | 1 |
| | | Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to DLMS Note: 1. Use for each 2/HL/0100 line | | | | | |
| | | item loop iteration to identify the shipment loop associated with each line item. | | | | | |
| | | 2. Data element content is the sequential number assigned to the 2/HL/0100 shipment loop iteration and serves as the cross-reference between the shipment and all line items contained in the shipment. | | | | | |
| HL03 | 735 | Hierarchical Level Code | М | ID | 1/2 | Must use | 1 |
| | | Description: Code defining the characteristic of a level in a hierarchical structure | | | | | |

Code Name

l Item

DLMS Note:

Use to identify the individual line item loops.

S Shipment

DLMS Note:

Use to identify the individual shipment loops.

V Address Information

DLMS Note:

Use to identify the transaction set address loop.

Item Identification

Pos: 0200 Max: 1
Detail - Optional
Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

ΙIN

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

Must use only in 2/HL/0100 line item loops to identify the materiel included in the shipment.

DLMS Note:

| Element St | allillary. | | | | | | | |
|------------|------------|--|--|-----------|-------------|---------|--------------|------------|
| <u>Ref</u> | <u>ld</u> | Elem | ent Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
| LIN02 | 235 | Produ | uct/Service ID Qualifier | M | ID | 2/2 | Must use | 1 |
| | | type/s in Pro DLMS <i>A4, Fi</i> <i>mater</i> | ription: Code identifying the source of the descriptive number used duct/Service ID (234) S Note: 1. Use only one of codes A2, B, FS, FT, MG, or YP to identify the riel shipped. Must use National Stock | | | | | |
| | | Numb | per (NSN) when known. | | | | | |
| | | | or DLMS use, only the following codes uthorized. | | | | | |
| | | Code | <u>Name</u> | | | | | |
| | | A2 | Department of Defense Identification (| Code (Dol | OIC) | | | |
| | | | DLMS Note: | · | | | | |
| | | | Use to identify ammunition items. | | | | | |
| | | A4 | Subsistence Identification Number | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to identify subsistence items. | | | | | |
| | | F4 | Series Identifier | | | | | |

Code Name

Use to identify the manufacturer's series number of the end item.

FB Form Number

DLMS Note:

Use to identify the form stock number.

FS National Stock Number

DLMS Note:

Must use NSN when known.

FT Federal Supply Classification

DLMS Note:

Use to identify nonstandard materiel when a part number is not available and materiel requisitioned was identified by description (e.g., non-NSN lumber products).

MG Manufacturer's Part Number

DLMS Note:

Use to identify nonstandard materiel.

MN Model Number

DLMS Note:

Use to identify the manufacturer's model number of the end item.

SN Serial Number

DLMS Note:

Use to identify the manufacturer's serial number of the end item.

YP Publication Number

DLMS Note:

Use to identify the publication stock number.

LIN03 234 Product/Service ID M AN 1/48 Must use 1

Description: Identifying number for a product or service

Χ

ID

2/2

Used

Product/Service ID Qualifier

Description: Code identifying the

type/source of the descriptive number used

in Product/Service ID (234)

Code Name

LIN04

235

CN Commodity Name

DLMS Note:

Use with LIN02 code FT to identify the materiel name or description.

ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use with LIN02 code MG to uniquely identify a manufacturer's part number.

LIN05 234 Product/Service ID X AN 1/48 Used 1

Description: Identifying number for a

product or service

SN1 Item Detail (Shipment)

Pos: 0300 Max: 1 Detail - Optional

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify line-item detail relative to shipment

Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

Semantics:

1. SN101 is the ship notice line-item identification.

Comments:

1. SN103 defines the unit of measurement for both SN102 and SN104.

DLMS Note:

Must use only in 2/HL/0100 line item loops to identify the number of units associated with each transaction.

| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|-------|-----------|--|-----|-------------|---------|--------------|------------|
| SN102 | 382 | Number of Units Shipped | M | R | 1/10 | Must use | 1 |
| | | Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set | | | | | |
| | | DLMS Note: 1. Use to identify the quantity associated with the individual transaction. | | | | | |
| | | 2. Express as a whole number with no decimals. | | | | | |
| SN103 | 355 | Unit or Basis for Measurement Code | М | ID | 2/2 | Must use | 1 |
| | | Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken | | | | | |
| | | DLMS Note: 1. Use to identify the unit of issue for the materiel. | | | | | |
| | | 2. DLMS users see the Unit of Issue and Purchase Unit Conversion Table. | | | | | |
| | | | | | | | |

MEA Measurements

Pos: 0800 Max: 40
Detail - Optional
Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Syntax Rules:

- 1. R03050608 At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 If MEA05 is present, then MEA04 is required.
- 3. C0604 If MEA06 is present, then MEA04 is required.
- 4. L07030506 If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 Only one of MEA08 or MEA03 may be present.

HT

Height

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

DLMS Note:

- 1. Use only in 2/HL/0100 shipment loops. Use two repetitions to identify shipment, weight and cube.
- 2. If the shipment is over-dimensional, use three additional repetitions to identify the physical dimensions (height, length and width) of the shipment.
- If the shipment is explosive, use an additional repetition to identify the Net Explosive Weight in pounds.
- 4. Use of the MEA segment to identify dimensions for over-dimensional shipments and Net Explosive Weight are an authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| ioiiioiit oa | | | | | | | |
|--------------|-----------|--|--------------|-------------|-------------------|-----------------------|------------|
| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | Type | Min/Max | <u>Usage</u> | <u>Rep</u> |
| MEA01 | 737 | Measurement Reference ID Code | 0 | ID | 2/2 | Used | 1 |
| | | Description: Code identifying the broad category to which a measurement applies | | | | | |
| | | Code Name | | | | | |
| | | NX Net Explosive Weight | | | | | |
| | | DLMS Note: | | | | | |
| | | For explosive shipments, use to ide LB. | entify the N | et Explosiv | e Weight in the M | EA03 and MEA04-0 | 1 Code |
| | | PD Physical Dimensions | | | | | |
| | | DLMS Note: | | | | | |
| | | For over-dimensional shipments, u the shipment in the MEA02, MEA0 | | | | neight, length, and w | ridth) of |
| MEA02 | 738 | Measurement Qualifier | 0 | ID | 1/3 | Used | 1 |
| | | Description: Code identifying a specific product or process characteristic to which a measurement applies | ı | | | | |
| | | Code Name | | | | | |
| | | A Consolidated Weight | | | | | |
| | | DLMS Note: | | | | | |
| | | Use with code LB in MEA04-01, to | identify the | shipment | weight in pounds. | | |

1/20

1

1

Must use

Must use

| Code | • Name | • |
|------|-----------|---|
| Cou | ; inaille | ; |

DLMS Note:

Use to identify the height in inches of an over-dimensional shipment.

LN Length

DLMS Note:

Use to identify the length in inches of an over-dimensional shipment.

WD Width

DLMS Note:

Use to identify the width in inches of an over-dimensional shipment.

UCB Cube

DLMS Note:

Use with code CF in MEA04-01 to identify the shipment cubic size (volume) expressed as cubic feet.

R

Χ

MEA03 739 **Measurement Value**

Description: The value of the

measurement

DLMS Note: Use to identify the actual number of pounds, inches, or cubic feet, associated with the shipment based on the coding in MEA02 and MEA04-01.

MEA04 C001 Composite Unit of Measure X Comp Must use

Description: To identify a composite unit of measure(See Figures Appendix for examples of use)

Comments:

- 1. If C001-02 is not used, its value is to be interpreted as 1.
- 2. If C001-03 is not used, its value is to be interpreted as 1.
- 3. If C001-05 is not used, its value is to be interpreted as 1.
- 4. If C001-06 is not used, its value is to be interpreted as 1.
- 5. If C001-08 is not used, its value is to be interpreted as 1.
- 6. If C001-09 is not used, its value is to be interpreted as 1.
- 7. If C001-11 is not used, its value is to be interpreted as 1.
- 8. If C001-12 is not used, its value is to be interpreted as 1.
- 9. If C001-14 is not used, its value is to be interpreted as 1.
- 10. If C001-15 is not used, its value is to be interpreted as 1.

MEA04-01 355 Unit or Basis for Measurement Code

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

CF Cubic Feet

DLMS Note:

Use with code UCB in MEA02 to indicate that the shipment cube is expressed as cubic feet.

Μ

ID

2/2

IN Inch

004030F856N0NA03 13 January 22, 2019

Code Name

DLMS Note:

Use with MEA01 Code PD and MEA02 Codes HT, LN, and WD.

LB Pound

DLMS Note:

- 1. Use with code A in MEA02 to indicate that the shipment weight is expressed as pounds.
- 2. Use with code NX in MEA01 to indicate that the shipment net explosive weight is expressed in pounds.

TD1 Carrier Details (Quantity and Weight)

Pos: 1100 Max: 20
Detail - Optional
Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify the transportation details relative to commodity, weight, and quantity

Syntax Rules:

- 1. C0102 If TD101 is present, then TD102 is required.
- 2. C0304 If TD103 is present, then TD104 is required.
- 3. C0607 If TD106 is present, then TD107 is required.
- 4. P0708 If either TD107 or TD108 is present, then the other is required.
- 5. P0910 If either TD109 or TD110 is present, then the other is required.

DLMS Note:

Use only in 2/HL/0100 shipment loops.

| <u>Ref</u> | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--|-----|-------------|---------|--------------|------------|
| TD102 | 80 | Lading Quantity | Χ | N0 | 1/7 | Must use | 1 |
| | | Description: Number of units (pieces) of the lading commodity | | | | | |
| | | DLMS Note: Use to identify the number of physical units (pieces) in the shipment. | | | | | |
| TD105 | 79 | Lading Description | 0 | AN | 1/50 | Used | 1 |
| | | Description: Description of an item as required for rating and billing purposes | | | | | |
| | | DLMS Note: Use to identify the freight nomenclature. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098. | | | | | |

Pos: 1200

Loop: HL

DLM 4000.25

Elements: 1

Detail - Optional

Max: 12

TD5 Carrier Details (Routing Sequence/Transit Time)

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

Syntax Rules:

- 1. R0204050612 At least one of TD502, TD504, TD505, TD506 or TD512 is required.
- 2. C0203 If TD502 is present, then TD503 is required.
- 3. C0708 If TD507 is present, then TD508 is required.
- 4. C1011 If TD510 is present, then TD511 is required.
- 5. C1312 If TD513 is present, then TD512 is required.
- 6. C1413 If TD514 is present, then TD513 is required.
- 7. C1512 If TD515 is present, then TD512 is required.

Semantics:

1. TD515 is the country where the service is to be performed.

Comments:

1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

DLMS Note:

Use only in 2/HL/0100 shipment loops to identify the intended mode of shipment between the shipping activity and designated consignee.

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|---|------------|-------------|---------|--------------|------------|
| TD504 | 91 | Transportation Method/Type Code | Χ | ID | 1/2 | Must use | 1 |
| | | Description: Code specifying the method or type of transportation for the shipment | | | | | |
| | | DLMS Note: 1. Use to identify the mode of shipment code. | | | | | |
| | | 2. DLMS users see the Transportation Mode of Shipment Conversion Table for available codes. | | | | | |

REF Reference Identification

Pos: 1500 Max: >1
Detail - Optional
Loop: HL Elements: 3

ADC 309, 1043, 1043C, 1075, 1098, 1136 and 1287

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

Use in 2/HL/0100 shipment loops to indicate the number of line items included in the shipment and the Transportation Control Number identification number controlling the shipment.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|------------------------------------|------------|-------------|---------|--------------|------------|
| REF01 | 128 | Reference Identification Qualifier | М | ID | 2/3 | Must use | 1 |

Description: Code qualifying the

Reference Identification

DLMS Note: 1. Use only one of codes BT or LT as needed, to identify batch numbers or lot numbers assigned to the materiel.

2. For DLMS use, only the following codes are authorized.

Code Name

BT Batch Number

DLMS Note:

Use as needed to identify the manufacturer's batch number or other number identifying the production run.

K1 Foreign Military Sales Notice Number

DLMS Note:

Must use only in 2/HL/0100 shipment loops to identify the NOA Notice Number, which reflects the number of times the NOA has been sent to the Freight Forwarder/Country Representative. Second and subsequent transmissions may be interpreted as follow-ups. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

LO Load Planning Number

DLMS Note:

Use in 2/HL/0100 shipment loops to identify the number of transactions included in the shipment.

LT Lot Number

DLMS Note:

Use to identify the manufacturer's lot number.

TG Transportation Control Number (TCN)

DLMS Note:

Must use only in 2/HL/0100 shipment loops to identify the number assigned to control the shipment between the shipper and consignee.

TN Transaction Reference Number

DLMS Note:

Must use in every 2/HL/0100 line item loop to identify the customer assigned transaction number for the requisition associated with the shipment unit.

REF02 127 Reference Identification X AN 1/50 Must use 1

Description: Reference information as defined for a particular Transaction Set or

004030F856N0NA03 17 January 22, 2019

| DLMS Implementation Convention (IC) 856N Notice of Availability | | | ADC | 1136 and 1287 | DLM 4000.25 | | |
|---|-----------|---|-----------|---------------|----------------|--------------|------------|
| <u>Ref</u> | <u>ld</u> | Element Name as specified by the Reference Identification Qualifier | Req | <u>Type</u> | <u>Min/Max</u> | <u>Usage</u> | <u>Rep</u> |
| REF04 | C040 | Reference Identifier | Ο | Comp | | Used | 1 |
| | | Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier Syntax: 1. P0304 - If either C04003 or C04004 is present, then the other is required. 2. P0506 - If either C04005 or C04006 is present, then the other is required. | | | | | |
| REF04-01 | 128 | Reference Identification Qualifier | М | ID | 2/3 | Must use | 1 |
| | | Description: Code qualifying the Reference Identification | | | | | |
| | | CodeNameW8Suffix | | | | | |
| | | DLMS Note: Use with REF01 code TN to identify | the trans | action numl | ber suffix. | | |
| REF04-02 | 127 | Reference Identification | М | AN | 1/50 | Must use | 1 |
| | | Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | | | | | |

LH1 Hazardous Identification Information

Pos: 1520 Max: 1

Detail - Optional

Loop: LH1 Elements: 4

User Option (Usage): Used

Purpose: To specify the hazardous commodity identification reference number and quantity

Comments:

- 1. LH101 and LH102 are used to convey the number and type of packages for bulk and nonbulk movements.
- 2. LH106 and LH107 are used to convey the quantity or volume and unit of measure for nonbulk shipments only.
- 3. In LH109, a value of "R" or "P" requires that the receiver generate the words "residue: last contained" prior to the shipping name in accordance with regulations.

DLMS Note:

Use only in 2/HL/0100 shipment loops for hazardous/explosive shipments. Use the LH1 loop to identify the hazardous characteristics of the shipment. Repeat the LH1 loop as required identifying the hazardous characteristics associated with the quantity of pieces of the lading commodity. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| <u>Ref</u> LH101 | <u>ld</u> 355 | Element Name Unit or Basis for Measurement Code | Req M | <u>Type</u> ID | <u>Min/Max</u> 2/2 | <u>Usage</u> Must use | <u>Rep</u> 1 |
|---------------------|------------------|---|----------|-------------------|-----------------------|--------------------------|-----------------|
| | | Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken | | | | | |
| | | DLMS Note: 1. Use to identify the type of packaging related to the quantity in the LH102. | | | | | |
| | | 2. DLMS users see the Unit of Issue and Purchase Unit Conversion Table. | | | | | |
| LH102 | 80 | Lading Quantity | М | N0 | 1/7 | Must use | 1 |
| | | Description: Number of units (pieces) of the lading commodity DLMS Note: Use to identify the number of pieces of the lading commodity that is hazardous in the shipment. | | | | | |
| LH103 | 277 | UN/NA Identification Code | 0 | ID | 6/6 | Used | 1 |
| | | Description: Code identifying the hazardous material identification number as required by Title 49 of the code of Federal Regulations; UN/NA stands for United Nations/North America DLMS Note: Use to identify the United Nations/North America hazardous material identification number as required by 49 CFR. | | | | | |
| LH110 | 254 | Packing Group Code | 0 | ID | 1/3 | Used | 1 |
| | | Description: Code indicating degree of danger in terms of Roman number I, II or III DLMS Note: <i>Indicate the required packing group using Roman Numeral I, II, or III to indicate the degree of danger. Source is 49 CFR Table 172.101.</i> | | | | | |

H2 Hazardous Classification Information

Pos: 1530 Max: 4

Detail - Optional

Loop: LH1 Elements: 1

User Option (Usage): Used

Purpose: To specify the hazardous notation and endorsement information

Syntax Rules:

- 1. P0607 If either LH206 or LH207 is present, then the other is required.
- 2. P0809 If either LH208 or LH209 is present, then the other is required.
- 3. P1011 If either LH210 or LH211 is present, then the other is required.
- 4. P1213 If either LH212 or LH213 is present, then the other is required.

Semantics:

- 1. LH206 and LH207 indicate the flashpoint temperature.
- 2. LH208 and LH209 indicate the control temperature.
- 3. LH210 and LH211 indicate the emergency temperature.
- 4. LH212 and LH213 indicate the net explosive weight.

DLMS Note:

Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| <u>Ref</u> | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|---|-----|-------------|---------|--------------|------------|
| LH201 | 215 | Hazardous Classification | 0 | ID | 1/30 | Used | 1 |
| | | Description: The hazardous classification corresponding to the shipping name of the hazardous commodity | | | | | |
| | | DLMS Note: Use to identify the primary hazard class or division for the hazardous material as shown in column 3 of 49 CFR Table 172.101. If there is no hazard class or division, use the code in that column, such as ORM-D (Other Regulated Material), reference 49 CFR 173.2. | | | | | |

LH3 Hazardous Material Shipping Name

Pos: 1540 Max: 12

Detail - Optional

Loop: LH1 Elements: 2

User Option (Usage): Used

Purpose: To specify the hazardous material shipping name and additional descriptive requirements

Syntax Rules:

1. P0102 - If either LH301 or LH302 is present, then the other is required.

Semantics:

1. If LH304 is "Y", then this is an Association of American Railroads Operations and Transportation Bulletin 55 commodity. If "N", it is not an Association of American Railroads Operations and Transportation Bulletin 55 commodity.

DLMS Note:

- 1. Mandatory for all hazardous material shipments, including ammunition and explosives.
- 2. Create additional LH3 segment(s) for the remainder of the Proper Shipping Name exceeding 25 characters in the LH301.
- 3. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--|-----|-------------|---------|--------------|------------|
| LH301 | 224 | Hazardous Material Shipping Name | Χ | AN | 1/25 | Used | 1 |
| | | Description: The proper shipping name of the hazardous commodity as specified by Title 49 Code of Federal Regulations, or the shipping name of the dangerous good as defined in the Canadian Transportation of Dangerous Goods Act and Regulations, or the international regulations as promulgated by the United Nations | | | | | |
| | | DLMS Note: Use to identify the Proper Shipping Name. | | | | | |
| LH302 | 984 | Hazardous Material Shipping Name Qualifier | X | ID | 1/1 | Used | 1 |
| | | Description: Qualifier indicating the source (regulatory) of the proper shipping name | | | | | |
| | | DLMS Note: Use one of the following codes to describe the Proper Shipping Name. | | | | | |
| | | | | | | | |

Code Name

- C Canadian Shipping Name
- D Domestic (United States) Shipping Name
- I International Shipping Name

LHR Hazardous Material Identifying Reference Numbers

Pos: 1590 Max: 10

Detail - Optional

Loop: LH1 Elements: 2

User Option (Usage): Used

Purpose: To transmit specific hazardous material reference numbers

DLMS Note:

- 1. Use this segment to identify applicable transportation approval authorities for hazardous/explosives shipments.
- 2. Use this segment to identify the DODIC for ammunition/explosive shipments.
- 3. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Element Summary:

| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|-------|-----------|------------------------------------|-----|-------------|---------|--------------|------------|
| LHR01 | 128 | Reference Identification Qualifier | M | ID | 2/3 | Must use | 1 |

Description: Code qualifying the

Reference Identification

Code Name

11 Department of Defense Identification Code (DoDIC)

DLMS Note:

Use to identify the DODIC of the ammunition or explosive.

HA Competent Authority

DLMS Note:

- 1. Use to identify the Competent Authority Approval Number (CAA) issued by the Department of Transportation.
- 2. The approval number format is CA-YYNNNNA, where YY=last two positions of year, N=approval number within that year, and A=optional alphanumeric designator.
- 3. This is only applicable when DoD requires an exception to the international performance oriented packaging rules.
- HE Hazardous Exemption Number

DLMS Note:

- 1. Use to identify the Department of Transportation Exemption (DOT-E) Number.
- 2. This identifies the DOT-E exemption to any of the 49 CFR regulations for hazardous materials.
- 3. Normally used for domestic shipments. Can be used for international shipments, but is not guaranteed to be accepted by international customs.
- HN Hazardous Certification Number

DLMS Note:

- 1. Use to identify the Certification of Equivalency (COE).
- 2. This identifies the DoD approval when packaging design differs from the prescribed regulations in 49 CFR. It certifies that the proposed packaging design equals or exceeds the comparable requirements of 49 CFR for the commodity being shipped.

LHR02 127 Reference Identification M AN 1/50 Must use 1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Date/Time Reference

Pos: 2000 Max: 10
Detail - Optional

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

DLMS Note:

Use in 2/HL/0100 shipment and line item loops to identify dates associated with the NOA.

Element Summary:

| <u>Ref</u> | <u>ld</u> | <u>Elem</u> | ent Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|-------------|--|-------------|-------------------------|--------------------|-----------------------|------------|
| DTM01 | 374 | Date/ | Time Qualifier | M | ID | 3/3 | Must use | 1 |
| | | | ription: Code specifying type of date e, or both date and time | | | | | |
| | | <u>Code</u> | <u>Name</u> | | | | | |
| | | 169 | Product Availability Date | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use in every 2/HL/0100 shipment loo | op to iden | tify the NO | A preparation dat | e. | |
| | | 601 | First Submission | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use in the shipment loop to identify to items which the customer rejected. | the origina | al NOA pre _l | paration date whe | en the original NOA o | ontained |
| | | 996 | Required Delivery | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to accommodate legacy system | requirem | ents to ide | ntify the required | availability date. | |
| DTM02 | 373 | Date | | Χ | DT | 8/8 | Used | 1 |

Description: Date expressed as

CCYYMMDD where CC represents the first

two digits of the calendar year

N1 Name

Pos: 2200 Max: 1

Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

- 1. Use the 2/N1/2200 loop in the 2/HL/010 address loop to identify the organization originating the transaction set and the organization to receive the transaction set.
- 2. Use additional repetitions of the 2/N1/2200 loop to identify the consignor, ship-to, and mark-for activities. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|---|------------|-------------|---------|--------------|------------|
| N101 | 98 | Entity Identifier Code | М | ID | 2/3 | Must use | 1 |
| | | Description: Code identifying an organizational entity, a physical location, property or an individual | | | | | |
| | | DLMS Note: 1. Use only one of codes IF or CY. | | | | | |
| | | 2. For DLMS use, only the following codes are authorized. | | | | | |
| | | Code Name | | | | | |
| | | CI Consignor | | | | | |

DLMS Note:

- 1. Use as needed to identify the shipping activity.
- 2. In the PER segment, provide the consignor contact information.
- CY Country

DLMS Note:

Use to identify the designated CR to receive the transaction set.

IF International Freight Forwarder

DLMS Note:

Use to identify the designated FF to receive the transaction set.

ST Ship To

DLMS Note:

Use to identify the Ship-To MAPAC. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

X6 International Organization

DLMS Note:

Use to identify the International Logistics Control Office (ILCO) serving as the SC Implementing Agency for the shipment. The ILCO is identified by the SC Implementing Agency Code in the first position of the document number; authorized values are restricted to those identified in DLM 4000.25, Volume 2 Appendix 7.2. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Z7 Mark-for Party

1/2

Code Name

DLMS Note:

Use to identify the Mark for MAPAC. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Χ

N103 **Identification Code Qualifier** 66

ID

Must use

1

Description: Code designating the system/method of code structure used for Identification Code (67)

Code Name

Α2 Military Assistance Program Address Code (MAPAC)

DLMS Note:

Use to indicate the Security Assistance structured address data that identifies the CR/FF to receive the NOA, the Ship To, and the Mark For. Interpretation of this data may require additional codes cited elsewhere in the transaction.

LC Agency Location Code (U.S. Government)

DLMS Note:

Use to identify the International Logistics Control Office (ILCO) SC Implementing Agency Code. Authorized values are restricted to those identified in DLM 4000.25, Volume 2 Appendix 7.2. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

Department of Defense Routing Identifier Code (RIC) M4

67 **Identification Code** N104

AN

Χ

0

2/80

2/3

Used

Description: Code identifying a party or

other code

N106 98 **Entity Identifier Code** ID

Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

FR Message From

DLMS Note:

Must use with 2/N101/2200 code CI to indicate that the organization cited in N104 is originating the transaction set.

PΚ Party to Receive Copy

DLMS Note:

Use with 2/N101/2200 Code X6 when the organization cited in N104 is receiving an information copy of the transaction set.

TO Message To

DLMS Note:

Use with 2/N101/2200 codes CY, IF, and X6 as applicable when the organization cited in N104 is receiving the transaction set.

PER Administrative Communications Contact

Pos: 2700 Max: 3
Detail - Optional

Loop: N1 Elements: 8

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

Use to provide point of contact information. Use only in the N1 loop identifying the consignor. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| Element Su | ımmary: | | | | | | | |
|------------|-----------|--|--|-----------|-------------|---------|--------------|------------|
| Ref | <u>ld</u> | Element Name | | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
| PER01 | 366 | Contact Function C | Code | M | ID | 2/2 | Must use | 1 |
| | | | identifying the major of the person or group | | | | | |
| | | Code Name | | | | | | |
| | | IC Information C | Contact | | | | | |
| | | DLMS Note: | | | | | | |
| | | Use to iden | tify the point of contact. | | | | | |
| PER02 | 93 | Name | | 0 | AN | 1/60 | Used | 1 |
| | | Description: Free-f | orm name | | | | | |
| | | DLMS Note: Use to of the point of conta | provide the full name ct. | | | | | |
| PER03 | 365 | Communication Nu | ımber Qualifier | Χ | ID | 2/2 | Used | 1 |
| | | Description: Code communication num | identifying the type of ber | | | | | |
| | | Code Name | | | | | | |
| | | TE Telephone | | | | | | |
| | | DLMS Note: | | | | | | |
| | | Use to iden | tify the commercial phone | e number. | | | | |
| PER04 | 364 | Communication Nu | ımber | Х | AN | 1/256 | Used | 1 |
| | | Description: Comp number including co when applicable | lete communications untry or area code | | | | | |
| PER05 | 365 | Communication Nu | ımber Qualifier | Χ | ID | 2/2 | Used | 1 |
| | | Description: Code communication num | identifying the type of ber | | | | | |
| | | Code Name EM Electronic Ma | ail | | | | | |
| DEDOC | 204 | | | V | A N I | 4/050 | llaad | 4 |
| PER06 | 364 | Communication Nu | | Х | AN | 1/256 | Used | 1 |
| | | Description: Comp number including co when applicable | lete communications untry or area code | | | | | |

| DLMS Implementation Convention (IC) 856N Notice of Availability | | | ADC | ADC 309, 1043, 1043C, 1075, 1098, 1136 and 1287 | | | | |
|---|-----------|---|--------|---|---------|--------------|------------|--|
| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> | |
| PER07 | 365 | Communication Number Qualifier | Χ | ID | 2/2 | Used | 1 | |
| | | Description: Code identifying the type of communication number | | | | | | |
| | | Code Name | | | | | | |
| | | FX Facsimile | | | | | | |
| | | DLMS Note: | | | | | | |
| | | Use to identify the commercial fax n | umber. | | | | | |
| PER08 | 364 | Communication Number | Х | AN | 1/256 | Used | 1 | |
| | | Description: Complete communications number including country or area code when applicable | | | | | | |

SAC Service, Promotion, Allowance, or Charge Information

Pos: 3200 Max: 1 Detail - Optional

Loop: SAC

Elements: 3

User Option (Usage): Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Syntax Rules:

- 1. R0203 At least one of SAC02 or SAC03 is required.
- 2. P0304 If either SAC03 or SAC04 is present, then the other is required.
- 3. P0607 If either SAC06 or SAC07 is present, then the other is required.
- 4. P0910 If either SAC09 or SAC10 is present, then the other is required.
- 5. C1110 If SAC11 is present, then SAC10 is required.
- 6. L130204 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
- 7. C1413 If SAC14 is present, then SAC13 is required.
- 8. C1615 If SAC16 is present, then SAC15 is required.

Semantics:

- 1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
- 2. SAC05 is the total amount for the service, promotion, allowance, or charge.
- 3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
- 4. SAC08 is the allowance or charge rate per unit.
- 5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
- 6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
- 7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
- 8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
- 9. SAC16 is used to identify the language being used in SAC15.

Comments:

- 1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction with SAC03 to further define SAC02.
- 2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" Dollars in SAC09.

DLMS Note:

Use the SAC loop in the 2/HL/0100 shipment loop. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| Ref SAC01 | <u>ld</u> 248 | Element Name Allowance or Charge Indicator | Req M | <u>Type</u> ID | Min/Max 1/1 | <u>Usage</u> Must use | Rep 1 |
|--------------|------------------|---|----------|-------------------|----------------|--------------------------|-----------------|
| | | Description: Code which indicates an allowance or charge for the service specified | | | | | |
| | | Code Name | | | | | |
| | | C Charge | | | | | |
| | | DLMS Note: | | | | | |
| | | Use for X12 syntax compliance. | | | | | |
| SAC02 | 1300 | Service, Promotion, Allowance, or Charge Code | Х | ID | 4/4 | Used | 1 |
| | | Description: Code identifying the service, promotion, allowance, or charge | | | | | |

Code Name

C675 Entered Value

DLMS Note:

Use to identify the total shipment value.

SAC05 610 **Amount**

0

N2

1/15

Used

Description: Monetary amount

DLMS Note: Enter total shipment value in

US Dollars and Cents.

Yes/No Question

Pos: 3350 Max: 10
Detail - Optional

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Syntax Rules:

- 1. E010910 Only one of YNQ01, YNQ09 or YNQ10 may be present.
- 2. P0304 If either YNQ03 or YNQ04 is present, then the other is required.
- 3. C0908 If YNQ09 is present, then YNQ08 is required.

Semantics:

- 1. YNQ02 confirms or denies the statement made in YNQ01, YNQ09 or YNQ10. A "Y" indicates the statement is confirmed; an "N" indicates the statement is denied.
- 2. YNQ10 contains a free-form question when codified questions are not available.

DLMS Note:

Use in 2/HL/0100 shipment loop to indicate if the shipment contains hazardous materials or explosives. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--|--------------|-------------|---------|--------------|------------|
| YNQ01 | 1321 | Condition Indicator | Χ | ID | 2/2 | Used | 1 |
| | | Description: Code indicating a condition | | | | | |
| | | Code Name | | | | | |
| | | C8 Special Servicing Required | | | | | |
| | | DLMS Note: | | | | | |
| | | Use to indicate if the shipment con | ntains explo | sives. | | | |
| | | QQ Item is a Hazardous Item | | | | | |
| | | DLMS Note: | | | | | |
| | | Use to indicate if the shipment con | ntains hazar | dous mate | rials. | | |
| YNQ02 | 1073 | Yes/No Condition or Response Code | М | ID | 1/1 | Must use | 1 |
| | | Description: Code indicating a Yes or No condition or response | | | | | |
| | | DLMS Note: Use one of the following codes in response to the YNQ01. | | | | | |
| | | Code Name | | | | | |
| | | N No | | | | | |
| | | Y Yes | | | | | |
| | | | | | | | |

Loop: LM

Elements: 1

Code Source Information

Pos: 3400 Max: 1 Detail - Optional

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Must use this 2/LM/3400 loop to identify coded information maintained in department or agency documentation.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|-----------------------|------------|-------------|---------|--------------|------------|
| LM01 | 559 | Agency Qualifier Code | M | ID | 2/2 | Must use | 1 |

Description: Code identifying the agency

assigning the code values

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 3500 Max: 100

Detail - Mandatory

Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes consistent with management information requirements.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--------------------------|------------|-------------|---------|--------------|------------|
| I Q01 | 1270 | Code List Qualifier Code | 0 | ID | 1/3 | Must use | 1 |

Description: Code identifying a specific

industry code list

DLMS Note: 1. Use codes 33, 34, 35, 40, A3, and NT only in 2/HL/0100 shipment

loops.

2. Use codes 0, 71, 78, 85, 95, A4, A5, A6, A9, AJ, BD, DF, EQ, COG, IMC, MCC, and SMI only in 2/HL/0100 line item loops.

3. For DLMS use, only the following codes are authorized.

Code Name

- 0 Document Identification Code
- 33 Air Commodity and Special Handling Code

DLMS Note:

Use for air shipments to identify materiel manifesting, customs, and special handling or reporting requirements.

34 Water Commodity and Special Handling Code

DLMS Note:

Use for water shipments to identify the predominant commodity within the shipment unit for ocean manifesting.

35 Air Dimension Code

DLMS Note:

Use for air shipments.

40 Type Pack Code

DLMS Note:

Use the DOD code to describe the type of pack for the shipment unit. Refer to the Table Management Distribution System (TDMS) available at URL:

https://www-tmds.c2.amc.af.mil/TMDS/USTRNSCOM_index.xsql for applicable code list. (ADC 309 includes an abbreviated listing to facilitate implementation within DoD supply systems.)

71 Service and Agency Code

DLMS Note:

Must use in FMS transactions to identify the customer country's requisitioning Service code: B, D, K, P, or T.

78 Project Code

DLMS Note:

Use to identify the special programs, exercises, project, operation, and other purposes.

85 Country and Activity Code

DLMS Note:

Use to identify the Security Cooperation Customer Code. Refer to ADC 1075.

Code Name

95 Offer and Release Option Code

DLMS Note:

Use to identify the offer and release option code.

A3 Delivery Term Code

DLMS Note:

Use to identify the Delivery Term Code for the shipment. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

A4 Case Designator Number

DLMS Note:

Must use in FMS transactions to identify the FMS case number.

A5 Subcase Number

DLMS Note:

Use in FMS transactions based on Service requirements.

A6 Freight Forwarder Number

DLMS Note:

Use to identify the CR/FF to receive shipments and documentation.

A9 Supplemental Data

DLMS Note:

- 1. Use to identify supplemental address/data.
- 2. Future streamlined data; see introductory DLMS note 4c.
- AJ Utilization Code

DLMS Note:

- 1. Under Legacy MILSTRIP, this is the first position of the document serial number.
- 2. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.
- AL Special Requirements Code

DLMS Note:

- 1. Use to identify the precedence, special handling, and processing requirements.
- 2. Under legacy MILSTRIP, this is carried in the required delivery date field.
- 3. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.
- BD Transportation Priority Code

DLMS Note:

Use to identify the transportation priority.

- DF Media and Status Code
- EQ Controlled Inventory Item Code

DLMS Note:

Use to identify the Controlled Inventory Item Code for the item. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

NT Type of Cargo Code

DLMS Note:

Use for water shipments to identify the predominate type of cargo code within the shipment unit for ocean manifesting. Used in conjunction with the water commodity and special handling code identified in the 2/LQ01/3500 Code 34. Authorized DLMS enhancement; see DLMS Introductory Note 4e. Refer to ADC 1098.

COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated materiel management. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only;

LQ02

1271

1/30

1

Must use

Code Name

Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

ΑN

Χ

Industry Code Description: Code indicating a code from a

specific industry code list

004030F856N0NA03 34 January 22, 2019

Transaction Set Trailer

Pos: 0200 Max: 1
Summary - Mandatory
Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

| <u>Ref</u> | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--|-----|-------------|---------|--------------|------------|
| SE01 | 96 | Number of Included Segments | М | N0 | 1/10 | Must use | 1 |
| | | Description: Total number of segments included in a transaction set including ST and SE segments | | | | | |
| SE02 | 329 | Transaction Set Control Number | М | AN | 4/9 | Must use | 1 |
| | | Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set DLMS Note: Cite the same number as the one cited in ST02. | | | | | |