### 940 Warehouse Shipping Order Functional Group=OW

# **Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Warehouse Shipping Order Transaction Set (940) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to enable the depositor to advise a warehouse to make a shipment, confirm a shipment, or modify or cancel a previously transmitted shipping order.

#### Federal Note:

1. Use to direct shipments, to inquire about the status of open shipment directives, and to cancel or modify previously submitted shipment directives.

2. Use a single occurrence of this transaction set to exchange single or multiple transactions between a single organization and a single or multiple organizations.

3. DoD logistics users should refer to the Defense Logistics Management Standards (DLMS) Implementation Convention (IC) available at URL: www.dla.mil/does/DLMS. The DLMS IC provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

#### **DLMS Note:**

1. ICPs or IMMs use this transaction set to direct storage facility shipments, to reposition inventory between storage facilities, to transmit lateral redistribution orders under Total Asset Visibility (TAV) procedures, to inquire about the status of open shipment directives, to cancel and modify previously submitted shipment directives, and to advise that open shipment directives will be administratively (force) closed. The Defense Reutilization and Marketing Service (DRMS) uses this transaction set to inquire about discrepancies in either shipments to or receipts at a Defense Reutilization and Marketing Office (DRMO).

2. The Department of Defense (DoD) distinguishes among redistribution orders; materiel release orders, inquiries, cancellations, and modifications; disposal release orders, inquiries, cancellations, modifications, and shipment confirmation inquiries; historical materiel release orders; historical disposal release orders; and materiel release order administrative closures.

3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Enterprise Business Standards Office (EBSO) Web site at www.dla.mil/does/DLMS.

4. This DLMS Implementation Convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with EBSO prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with EBSO prior to use.

c. Data which is retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with EBSO early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded field size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with

#### EBSO prior to use.

e. Data required to accommodate Component-unique transaction requirements (ex. C-series transactions). Data does not apply to legacy MILSTRIP transactions.

f. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

5. This transaction may be used to provide item unique identification (IUID) information in accordance with DLMS procedures and OSD Supply Policy. Implementation is limited to the Positive Inventory Control (PIC) Nuclear Weapon Related Materiel (NWRM) Unique Item Tracking (UIT) program and the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code 111) under OSD Supply Policy for item unique identification (IUID). For all other procedures, the UII information is a placeholder for DLMS enhancements pending development of DLMS procedures and overarching OSD Supply Policy. Refer to the IUID web at URL: http://www.acq.osd.mil/dpap/pdi/uid/ for DoD policy.

6. Effective April 1, 2014, Refer to ADC 1075. Users must reference the GENC Standard for country codes(https://geo.aitcnet.org/NSGREG/genc/discovery) for a listing of authorized values. Under DLMS, use the GENC Digraph (two-character) code values.

7. This revision to the DLMS IC incorporates Proposed DLMS Changes (PDC) and Approved DLMS Changes (ADC) listed. PDCs/ADCs are available from the EBSO Web site: http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/

PSC 1307A, Addendum to ADC 1307 To Add Global Trade Item Number (GTIN) Identifiers to the DLMS 810L
 Logistics Bill for Non-Appropriated Fund Activities and Non-DoD Customers.
 PDC 1379, Establishment of a Warehouse Project Code

- ADC 45, Use of Both Ownership Code and Purpose Code in DLMS for Ammunition

- ADC 48, Revisions to DLMS Supplements: Material Release Order and Material Release Advice
- ADC 48A, Addendum for Revision to DLMS Supplement: Material Release Order
- ADC 48B, Addendum for Revision to DS 940R, Material Release Order
- ADC 71, DLMS Mapping for DLA MRO Exception Data Transaction, DI Code CGU
- ADC 71A, DLMS Mapping for MRO Exception Data Transaction, DI Code ZGU
- ADC 71B, Administrative Correction for DLMS Mapping for MRO Exception Data Transaction
- ADC 76, Air Force Unique Management Coding for NMCS/MICAP
- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
- ADC 117, MRO Modification

- ADC 141, Revise DS 940R, Material Release, to Accommodate Delivery Priority Codes and NIMA Product Codes

- ADC 169, Inclusion of Data Supporting UID of Items in DLMS Requisition and Material Release Processes - ADC 180, Revision to Material Release 940R DS to add AIN and BDN

- ADC 197, Request for New Type of Physical Inventory/Transaction History Code and Add Code to Historical Transactions (DS 527R, 867I, 940R, 945A)

- ADC 205A, Assignment of MILSTRIP Document Number Serial Number RP 40/DLMS Utilization Code M for BRAC

- ADC 213, Administrative Revision to DS 940R, Disposal Shipment Confirmation Inquiry, and Associated Procedures

- ADC 221, Communication of Unit Price and Total Price under DLMS

- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price

- ADC 254, DLMS Mapping for Army Material Release Order Shipment Status, DI Code B99 and Administrative Updates for DLMS Mapping of the Unique Item Identification (UII)

- ADC 258, DLMS Enhancement - Addition of Project Code field to DRO

DLM 4000.25

- ADC 274, DLMS and DLSS Changes to Support Army Exchange Pricing

- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)

- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)

- ADC 316, Transportation Supply Receipt and Acknowledgement

- Approved Addendum to ADC 316A, USAF Requirements for Item Record Data and Unique Item Tracking (UIT) using the Materiel Release (DS 940R) under Transportation and Supply Receipt and Acknowledgement Interchange

- Approved Addendum to ADC 316B, New Distribution Code (111) for Retail Transportation and Supply Receipt and Acknowledgement Interchange Transactions (940R and 945A)

- Approved Addendum to ADC 316C, Revise DLMS Supplement (DS) 940R Material Release to Support Unique Item Tracking (UIT) for Air Force Positive Inventory Control (PIC) Nuclear Weapons Related Material (NWRM) under the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code of "111").

- Approved Addendum to ADC 316D, Air Force-Unique DIC Mappings to 940R under the Retail Transportation and Supply Receipt and Acknowledgement Transactions

- Withdrawal of Approved MILSTRAP/MILSTRIP Change Letter (AMCL) 5 and 13, Date Packed/Expiration for Subsistence Items (Staffed by PMCLs 3) (Supply/MILSTRIP/MILSTRAP)

- ADC 373, Document Process for Material Control Tracking (MCT) Tag Number and Revise DLMS 527D, 527R, 940R, and 945A in Support of BRAC SS&D/IMSP (Supply)

- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP

- ADC 386, Revised Data Content for DLMS Inventory Adjustment and Supply Discrepancy Report (SDR) Supporting Mapping Enterprise Business System (MEBS) and National Geospatial-Intelligence Agency (NGA) Product Code Value Update

- ADC 396, Revised Procedures and Data Content for DLMS Materiel Release Order (940R) and Material Release Advice ((945A) and New Denial Management Code for Marine Corps BRAC

- ADC 405, DLMS Mapping for Air Force Unique Transactions Used between Air Force Locations and Expeditionary Combat Support System (ECSS)

- ADC 434, Intra-DLA Revisions to the DLMS 940R, Materiel Release Order, and Associated Procedures to Support Directed Release of Materiel under Reutilization Business Integration (RBI)

- ADC 435, DLMS Revisions for SFIS Compliance

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions

- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions

- ADC 463, Intra-DLA change to Revise DLMS 940R, Release Order, to Support Directed Release of Materiel in Support of Reutilization Business Integration (RBI) Public Sales Process

- ADC 464, Intransit Control System (ICS), Shipment Status (DLMS 856S/Document Identifier Code (DIC) AS3), and Disposal Shipment Confirmation Follow-up (DLMS 940/ DIC AFX/AFZ) under Reutilization Business Integration (RBI)

- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)

- ADC 473, DLMS Revisions to Add the Associated Purchase Order Number in Support of the DLA Interface with the Exchange

- ADC 473A, DLMS Revisions to Add the Associated Purchase Order Number (Supports DLA Interface with the Exchange, Navy Exchange Service Command (NEXCOM), and Marine Corps Exchange (MCX) Non-Appropriated Funds (NAF) Activities and Non-DoD Customers)

- ADC 1007, New DLMS 842P, PQDR Data Exchange and Enhanced Exhibit Tracking via Standard Logistics Transactions

- ADC 1009A, DLMS Enhancements for Requisitioning to Improve Use of Mark-for Addressing, Expand Authorized Priority Designator Validation, Correct EMALL Purchase/Credit Card Format Rules, and Require

Distribution of Status for Requisitions associated with Purchase/Credit Card Payment

- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions

- ADC 1020, Inter-Service Ownership Transfer of Ammunition/ Ammunition Related Materiel

- ADC 1021, Intra-DLA Revision to Procedures and DLMS 527D Pre-Positioned Materiel Receipt to Add Container Detail Supporting Relocation of Materiel between DLA Disposition Services Field Offices under Reutilization Business Integration (RBI), and Administrative Update to DLM 511R, 527R, and 940R (Supply) - ADC 1031, Foreign Military Sales (FMS) Repair Value

- ADC 1043, DLMS Revisions for Department of Defense (DoD) Standard Line of Accounting (SLOA)/Accounting Classification

- ADC 1043A, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Support Transaction Rejection Requirements

- ADC 1043B, Revised Procedures for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification to Modify Business Rules for Beginning Period of Availability

- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs - ADC 1073, Implementation of Item Unique Identification (IUID) in the DLMS 940R/945A Supporting the Supply-Transportation Interface; Creation of New DLMS 945A Implementation Convention (IC) Version 4030; Administrative Update to the DLMS 945A IC Version 4010

- ADC 1075, Implementation of Geopolitical Entities, Names, and Codes (GENC) Standard by DoD Components for the Identification of Countries and their Subdivisions

 Organizational Name and Other Non-Substantive (Administrative) Updates Completed on April 10, 2014.
 ADC 1106, Intra-DLA Change: New Disposition Services Term Sales Code to use with DLMS 527R Receipt for Commercial Venture (CV) and Modification of DLMS 940R Materiel Release Order for associated Delivery Order Term Sales Contract Number (Supply)

- ADC 1110, Administrative Update to Identify Code DPC Delivery Priority Code as an Approved X12 Migration Code and Associated DLMS Documentation; Identifies Additional Data Elements Authorized for Modification in the Requisition Modification Process

- ADC 1132, Implementation of Mass/Universal Cancellation Procedures under the DLMS and Administrative Realignment of Procedures in DLM 4000.25, Volume 2 and DLM 4000.25-1

- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)

- ADC 1152, Authorization to use a Suffix Code on a Redistribution Order (RDO) in support of DLA Industrial Product-Support Vendor (IPV)

- ADC 1156, DLA Disposition Services Procedures for the Foreign Military Sales (FMS) Case Number and New Indicators for FMS Freeze Information under Distribution Disposition Process Alignment (DDPA) Initiative - ADC 1156A, Indicators for Foreign Military Sales (FMS) Information (Supply)

- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)

 ADC 1161A, Update Uniform Procurement Instrument Identifier (PIID) Numbering System in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/SDR/DoDAAD/Finance/Contract Administration)
 ADC 1164, Revise DLMS 940R Materiel Release Order (MRO) and DLMS 945A Materiel Release Confirmation for Carrier Account Data Associated with Directed Return of Discrepant/Deficient Materiel and Procedures for use of the DLMS 940R when Directing Shipment of Discrepant/Deficient Materiel via Supply Discrepancy Report (SDR) Reply

- ADC 1206, Transportation Account Code (TAC) Validation in the Retail Supply and Transportation Interchange and Creation of New Shipment Hold Code S

- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on March 09, 2017

- ADC 1224B, Approved Addendum to ADC 1224A to include the Procurement Instrument Identifier (PIID) in the DLMS 940

- ADC 1228, Revise DLMS 846P Physical Inventory Request and 846R Location Reconciliation Request to Enhance End of Day/Reconciliation Process

- ADC 1287, DLMS Implementation Convention (IC) Revisions for Data Element Mapping (Form Stock Number and Manufacturer's Part Number), Removal of Plant Equipment Number, and Administrative Updates

- ADC 1306, Carrier Identification and In-Transit Visibility Enhancements for the Federal Emergency Management Agency (FEMA)

- ADC 1307, Update Requisition-Related DLMS Transactions to Include GS1 Barcode Information for the Navy Exchange Service Command (NEXCOM))

- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on September 13, 2018

- ADC 1321, Revise DLMS Requisition-Related Transactions to Include Customer Point of Contact Information

#### Heading:

| <u>P</u> | Pos    | <u>ld</u> | Segment Name                                 | Req | <u>Max Use</u> | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|----------|--------|-----------|--|-----|----------------|---------------|--------------|--------------|
| 0        | 0100   | ST        | Transaction Set Header                       | М   | 1              |               |              | Must use     |
| 0        | )200   | W05       | Shipping Order<br>Identification             | Μ   | 1              |               |              | Must use     |
| L        | OOP ID | - 0100    |  |     |                | <u>10</u>     |              |              |
| 0        | )400   | N1        | Name   | 0   | 1              |               |              | Used         |
| * 0      | )500   | N2        | Additional Name<br>Information               | 0   | 2              |               |              | Not Used     |
| * 0      | 0600   | N3        | Address Information                          | 0   | 2              |               |              | Not Used     |
| * 0      | 0700   | N4        | Geographic Location                          | 0   | 1              |               |              | Not Used     |
| 0        | 0080   | PER       | Administrative<br>Communications Contact     | 0   | 5              |               |              | Used         |
| 0        | 900    | N9        | Reference Identification                     | 0   | 10             |               |              | Used         |
| * 1      | 000    | G61       | Contact                                      | 0   | 3              |               |              | Not Used     |
| 1        | 100    | G62       | Date/Time                                    | 0   | 10             |               |              | Must use     |
| * 1      | 200    | NTE       | Note/Special Instruction                     | 0   | >1             |               |              | Not Used     |
| * 1      | 300    | W09       | Equipment and<br>Temperature                 | 0   | 1              |               |              | Not Used     |
| * 1      | 400    | W66       | Warehouse Carrier<br>Information             | 0   | 1              |               |              | Not Used     |
| * 1      | 500    | W6        | Special Handling<br>Information              | 0   | 5              |               |              | Not Used     |
| * 1      | 530    | R2        | Route Information                            | 0   | 13             |               |              | Not Used     |
| * 1      | 560    | BNX       | Rail Shipment Information                    | 0   | 1              |               |              | Not Used     |
| *        | LOOP I | D - 0150  | <u>)</u>                                     |     |                | <u>1</u>      |              |              |
| * 1      | 570    | TD3       | Carrier Details<br>(Equipment)               | 0   | 1              |               |              | Not Used     |
| * 1      | 580    | AT9       | Trailer or Container<br>Dimension and Weight | 0   | 1              |               |              | Not Used     |
| *        | LOOP I | D - 0200  | 2  |     |                | <u>10</u>     |              |              |
| * 1      | 600    | LM        | Code Source Information                      | 0   | 1              |               |              | Not Used     |
| * 1      | 700    | LQ        | Industry Code                                | М   | 100            |               |              | Not Used     |

#### Detail:

| Pos            | <u>ld</u> | Segment Name | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|----------------|-----------|--------------|------------|----------------|---------------|--------------|--------------|
| LOOP ID - 0300 |           |              |            |                | <u>&gt;1</u>  |              |              |

DLMS Implementation Convention (IC) 940R, Materiel Release

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1287, 1306, 1307 and 1321

| Pos    | <u>ld</u>       | Segment Name   | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> | <u>Notes</u> | Usage    |
|--------|-----------------|--|------------|----------------|---------------|--------------|----------|
| 0050   | LX              | Assigned Number  | 0          | 1              |               |              | Must use |
| * 0100 | MAN             | Marks and Numbers                                      | 0          | >1             |               |              | Not Used |
| * 0150 | SDQ             | Destination Quantity                                   | 0          | >1             |               |              | Not Used |
| * 0160 | N1              | Name   | 0          | 1              |               |              | Not Used |
| * 0170 | G62             | Date/Time  | 0          | 10             |               |              | Not Used |
| * 0190 | N9              | Reference Identification                               | 0          | >1             |               |              | Not Used |
| LOOP   | D - 0310        |  |            |                | <u>&gt;1</u>  |              |          |
| 0200   | W01             | Line Item Detail -<br>Warehouse                        | 0          | 1              |               |              | Must use |
| * 0300 | G69             | Line Item Detail -<br>Description                      | 0          | 5              |               |              | Not Used |
| 0400   | N9              | Reference Identification                               | 0          | 200            |               |              | Used     |
| 0450   | NTE             | Note/Special Instruction                               | 0          | >1             |               |              | Used     |
| * 0500 | W20             | Line-Item Detail -<br>Miscellaneous                    | 0          | 3              |               |              | Not Used |
| 0700   | QTY             | Quantity   | 0          | 10             |               |              | Used     |
| 0800   | AMT             | Monetary Amount  | 0          | 1              |               |              | Used     |
| 0900   | G62             | Date/Time  | 0          | 10             |               |              | Used     |
| 1000   | G66             | Transportation Instructions                            | 0          | 1              |               |              | Used     |
| LOOP   | <u>D - N1</u>   |  |            |                | <u>&gt;1</u>  |              |          |
| 1100   | N1              | Name   | 0          | 1              |               |              | Used     |
| 1101   | N2              | Additional Name<br>Information                         | 0          | 1              |               |              | Used     |
| 1102   | N3              | Address Information                                    | 0          | 1              |               |              | Used     |
| 1103   | N4              | Geographic Location                                    | 0          | 1              |               |              | Used     |
| 1120   | PER             | Administrative<br>Communications Contact               | 0          | 5              |               |              | Used     |
| * 1140 | LH2             | Hazardous Classification<br>Information                | 0          | 6              |               |              | Not Used |
| * 1160 | LHR             | Hazardous Material<br>Identifying Reference<br>Numbers | 0          | 1              |               |              | Not Used |
| * 1180 | LH6             | Hazardous Certification                                | 0          | 5              |               |              | Not Used |
| LOOP   | D - 0320        |  |            |                | <u>10</u>     |              |          |
| 1200   | LM              | Code Source Information                                | 0          | 1              |               |              | Must use |
| 1300   | LQ              | Industry Code  | М          | 100            |               |              | Must use |
| 1350   | LS              | Loop Header  | 0          | 1              |               |              | Used     |
| LOOP   | <u>D - 0330</u> |  |            |                | <u>&gt;1</u>  |              |          |
| 1400   | LX              | Assigned Number  | 0          | 1              |               |              | Used     |
| 1500   | N9              | Reference Identification                               | 0          | >1             |               |              | Used     |
| 1600   | G62             | Date/Time  | 0          | 10             |               |              | Used     |
| 1700   | N1              | Name   | 0          | 1              |               |              | Used     |
| * 1750 | SDQ             | Destination Quantity                                   | 0          | >1             |               |              | Not Used |

| <u>Pos</u>    | <u>ld</u>  | Segment Name   | Req | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|---------------|------------|--|-----|---------|---------------|--------------|--------------|
| <u>* LOOF</u> | P ID - 033 | <u>1</u>   |     |         | <u>10</u>     |              |              |
| * 1800        | LM         | Code Source Information                                | 0   | 1       |               |              | Not Used     |
| * 1900        | LQ         | Industry Code  | М   | 100     |               |              | Not Used     |
| * LOOF        | P ID - 033 | 2  |     |         | <u>&gt;1</u>  |              |              |
| * 2000        | LH1        | Hazardous Identification<br>Information                | 0   | 1       |               |              | Not Used     |
| * 2100        | LH2        | Hazardous Classification<br>Information                | 0   | 4       |               |              | Not Used     |
| * 2200        | LH3        | Hazardous Material<br>Shipping Name                    | 0   | 10      |               |              | Not Used     |
| * 2300        | LFH        | Freeform Hazardous<br>Material Information             | 0   | 20      |               |              | Not Used     |
| * 2400        | LEP        | EPA Required Data                                      | 0   | 3       |               |              | Not Used     |
| * 2500        | LH4        | Canadian Dangerous<br>Requirements                     | 0   | 1       |               |              | Not Used     |
| * 2600        | LHT        | Transborder Hazardous<br>Requirements                  | 0   | 3       |               |              | Not Used     |
| * 2700        | LHR        | Hazardous Material<br>Identifying Reference<br>Numbers | 0   | 5       |               |              | Not Used     |
| * 2800        | PER        | Administrative<br>Communications Contact               | 0   | 5       |               |              | Not Used     |
| 2850          | LE         | Loop Trailer   | 0   | 1       |               |              | Used         |
| LOOP          | ID - 0340  |  |     |         | <u>&gt;1</u>  |              |              |
| 2900          | FA1        | Type of Financial<br>Accounting Data                   | 0   | 1       |               |              | Used         |
| 3000          | FA2        | Accounting Data  | М   | >1      |               |              | Must use     |

### Summary:

| Pos    | <u>ld</u> | Segment Name            | Req | <u>Max Use</u> | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|--------|-----------|-------------------------|-----|----------------|---------------|--------------|--------------|
| * 0100 | W76       | Total Shipping Order    | 0   | 1              |               |              | Not Used     |
| 0200   | SE        | Transaction Set Trailer | М   | 1              |               |              | Must use     |

# **ST** Transaction Set Header

| Pos: 0100 | Max: 1      |
|-----------|-------------|
| Heading - | Mandatory   |
| Loop: N/A | Elements: 3 |

User Option (Usage): Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

#### Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

| <u>Ref</u><br>ST01 | <u>Id</u><br>143 | <u>Element Name</u><br>Transaction Set Identifier Code   | <u>Req</u><br>M | <u>Type</u><br>ID | <u>Min/Max</u><br>3/3 | <u>Usage</u><br>Must use |
|--------------------|------------------|--|-----------------|-------------------|-----------------------|--------------------------|
|                    |                  | <b>Description:</b> Code uniquely identifying a Transaction Set  |                 |                   |                       |                          |
|                    |                  | CodeName940Warehouse Shipping Order  |                 |                   |                       |                          |
| ST02               | 329              | Transaction Set Control Number   | М               | AN                | 4/9                   | Must use                 |
|                    |                  | <b>Description:</b> Identifying control number<br>that must be unique within the transaction<br>set functional group assigned by the<br>originator for a transaction set |                 |                   |                       |                          |
|                    |                  | <b>Federal Note:</b> A unique number assigned<br>by the originator of the transaction set, or<br>the originator's application program.                                   |                 |                   |                       |                          |
| ST03               | 1705             | Implementation Convention Reference  | 0               | AN                | 1/35                  | Used                     |
|                    |                  | <b>Description:</b> Reference assigned to identify Implementation Convention   |                 |                   |                       |                          |

# **W05** Shipping Order Identification

Pos: 0200 Max: 1 Heading - Mandatory Loop: N/A Elements: 4

#### User Option (Usage): Must use

Purpose: To transmit identifying numbers and other basic data for this transaction set

### Syntax Rules:

1. P0405 - If either W0504 or W0505 is present, then the other is required.

| <u>Ref</u><br>W0501 | <u>ld</u><br>473 | <u>Element Name</u><br>Order Status Code   |  | <u>Type</u><br>ID  | <u>Min/Max</u><br>1/1   | <u>Usage</u><br>Must use  |
|---------------------|------------------|--|--|--|---|---|
|                     |                  | <b>Description:</b> Code identifying purpose of transaction set  |  |  |   |   |
|                     |                  | CodeNameNOriginalXSimulation ExerciseDLMS Note:Use to identify a simulated mobilization exercises of activities involved. All transactions affect accountable records.ZMutually DefinedDLMS Note:1. Use to identify the Unit of Use measure values associated with the control of the con | nust ens<br>set recip<br>do not j<br>Indicator.<br>his transa<br>t under L<br>t for DLA<br>stablishe | ure comp<br>pients mu<br>process a<br>When in<br>action are<br>DLA indus<br>A Disposit | lete coordinat<br>st use extrem<br>s action docu<br>cluded, the qu<br>applicable to<br>strial activity st<br>ion Services.<br>in 940R, vers | ion with all<br>e caution to<br>ments which<br>antity and unit of<br>the unit of use.<br>upport<br>Refer to ADC<br>ion 4030. A data |
| W0502               | 285              | Depositor Order Number   | М  | AN   | 1/22  | Must use  |
|                     |                  | <b>Description:</b> Identifying number for warehouse shipping order assigned by the depositor  |  |  |   |   |
|                     |                  | <b>DLMS Note:</b> 1. When this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement   |  |  |   |   |

|  |     |  | 1156A, 1161A, 1164, 1206, 122<br>1287, 1306, 1307 and 132   |            | ,    |                |                                       |  |  |
|--|-----|--|---|------------|------|----------------|---------------------------------------|--|--|
| <u>Ref</u>   | ld  | Eleme  | ent Name  | <u>Req</u> | Type | <u>Min/Max</u> | <u>Usage</u>                          |  |  |
|  |     | 3, Cha<br>IUID c<br>batch/<br>that th<br>previo<br>conjui<br>DLM | hange (See DLM 4000.25, Volume<br>apter 2) and is passing corrected<br>data content (e.g., UII, serial number,<br>/lot number), use Code R to indicate<br>nis is an updated transaction to a<br>busly submitted 940R. Used in<br>nction with a distribution code = 111.<br>S enhancement; see introductory<br>4.f. Refer to ADC 1073. |            |      |                |                                       |  |  |
|  |     | use C  | r all other uses of this transaction,<br>ode Z for this data element to meet<br>atory X12 syntax requirements.  |            |      |                |                                       |  |  |
| W0506  | 640 | Trans  | action Type Code  | 0          | ID   | 2/2            | Must use                              |  |  |
|  |     | <b>Descr</b><br>transa   | ription: Code specifying the type of action   |            |      |                |                                       |  |  |
|  |     | <u>Code</u>  | Name  |            |      |                |                                       |  |  |
|  |     | NA   | Material Release Order  |            |      |                |                                       |  |  |
|  |     |  | DLMS Note:  |            |      |                |                                       |  |  |
|  |     |  | Use to direct shipment of materiel to a customer. (Equates to MILSTRIP DIC A5_or AM_, except A5J/AMJ; or A4_, except with Distribution Code 2 or 3)   |            |      |                |                                       |  |  |
|  |     | NB   | Material Release Inquiry  |            |      |                |                                       |  |  |
|  |     |  | DLMS Note:  |            |      |                |                                       |  |  |
|  |     |  | 1. Use to inquire (follow-up) about the status of an open materiel release at (Equates to MILSTRIP DIC AF6)   |            |      |                |                                       |  |  |
| 2. For inquiry on a materiel release order by a retail supply system to<br>transportation system regarding multi-packs or assemblages (e.g., n<br>inquiry will be done at the lead document number (for multi-packs) a<br>Assemblage Identification Number, AIN, (for assemblies). For single<br>release orders, the inquiry will be at the document number level. DL<br>enhancement; see introductory DLMS note 4f. |     |  |   |            |      |                | medical),<br>and<br>gle line materiel |  |  |

ND Material Release Cancellation

#### **DLMS Note:**

1. Use to request cancellation (or diversion) of either an open materiel release order or redistribution order. Also used to follow up on a cancellation request. (Equates to MILSTRIP DIC AC6 or AK6).

2. Use to follow up on a mass or universal cancellation request. Cite action code 82 in the W0507. Authorized DLMS enhancement; see introductory DLMS note 4f. Refer to ADC 1132.

3. For cancellation of a materiel release order by a retail supply system to a transportation system regarding multi-packs or assemblages (e.g., medical), cancellations will be done either at the lead document number (for multi-packs) or Assemblage Identification Number (AIN) (for assemblies). Use the AIN for assemblies to provide one reference for multiple document numbers. For single line materiel release orders, the cancellation will be at the document number level. DLMS enhancement; see introductory DLMS note 4f.

1287, 1306, 1307 and 1321

#### Code Name

#### NE Disposal Release Order

#### **DLMS Note:**

Use to direct shipment of materiel to a disposal or reutilization facility. (Equates to MILSTRIP DIC A5J or AMJ)

NF Disposal Release Inquiry

#### DLMS Note:

1. Use to inquire (follow-up) about the status of open disposal release orders, shipment discrepancies at a DRMO, or receipt discrepancies at a DRMO. (Equates to MILSTRIP DIC AFJ)

2. For inquiry on a disposal release order by a retail supply system to a transportation system regarding multi-packs or assemblages (e.g., medical), inquiry will be done at the lead document number (for multi-packs) and Assemblage Identification Number, AIN, (for assemblies). For single line disposal release orders, the inquiry will be at the document number level. DLMS enhancement; see introductory DLMS note 4f.

#### NG Disposal Release Cancellation

#### DLMS Note:

1. Use to request cancellation of an open disposal release order. Also used to follow up on a cancellation request. (Equates to MILSTRIP DIC ACJ or AKJ).

2. For cancellation of a disposal release order by a retail supply system to a transportation system regarding multi-packs or assemblages (e.g., medical), cancellation will be done at the lead document number (for multi-packs) or Assemblage Identification Number (AIN) (for assemblies). Use the AIN for assemblies to provide one reference for multiple document numbers. For single line disposal release orders, the cancellation will be at the document number level. DLMS enhancement; see introductory DLMS note 4f.

NH Disposal Shipment Confirmation Inquiry

#### DLMS Note:

Use to inquire (follow-up) about the shipment status of an open disposal release order. (Equates to MILSTRIP DIC AFX or AFZ)

NI Redistribution Order

#### **DLMS Note:**

Use to redistribute inventory between and among storage facilities. For intra-Service use, may be used to direct release and shipment of materiel from a post, camp, station, or base to another similar activity to satisfy a specific demand. For lateral redistribution orders for non-Integrated Material Manager (IMM) or Primary Inventory Control Activity (PICA) owned materiel under TAV procedures use with W0507 Code RG. (Equates to MILSTRIP DIC A2\_ or A4\_ with Distribution Code 2 or 3)

#### W0507 306 Action Code O ID 1/2 Used

**Description:** Code indicating type of action

#### Code Name

2 Change (Update)

DLM 4000.25

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1027, 4027, 4027, 4021, 40

1287, 1306, 1307 and 1321

#### Code Name

#### **DLMS Note:**

1. Use with W0506 codes NA and NE to modify previously submitted materiel release order or a disposal release order transactions.

2. The disposal release order modification is an authorized DLMS enhancement; see introductory DLMS note 4f. The materiel release order modification is equivalent to passing the requisition modifier to the shipping activity to process a revision to information perpetuated from the original requisition.

82 Follow Up

#### **DLMS Note:**

1. Use with W0506=NI, Redistribution Order (RDO) to identify an RDO Follow-up by ICP to the shipping activity. This transaction is used by the AF ICP to request status on a RDO shipment request sent to an internal AF storage location or an AF base retail activity (equates to DIC BF7). Authorized DLMS migration enhancement in support of ECSS. Refer to ADC 405.

2. Use with W0506=ND, Materiel Release Cancellation to identify a mass/universal requisition cancellation follow-up. Authorized DLMS enhancement; see introductory DLMS note 4f. Refer to ADC 1132.

#### A6

### Modified **DLMS Note:**

1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DoD 4000.25-M, Volume 3, Chapter 2).

2. Applies to materiel release order (A2\_/A5\_)/disposal release order (A5J)/redistribution orders (A4\_), materiel release inquiries (AF6)/disposal release inquiries (AFJ) and materiel release cancellation (AC6)/disposal release cancellation (ACJ) transactions, except for multi-pack and assemblage processing as defined for W0507="CN" or "ME".

3. Used in conjunction with a distribution code = "111".

4. DLMS enhancement; see introductory DLMS note 4f.

CL Closed

#### **DLMS Note:**

Use with code NA or NE to identify administrative action to close an open materiel release order or a disposal release order. (Equates to MILSTRIP DIC ARH)

#### CN Consolidated

#### DLMS Note:

1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DoD 4000.25-M, Volume 3, Chapter 2).

2. Use to advise that this message supports multi-line release order/supply documentation in support of multi-pack processing. The N9/0900 is authorized for use to identify the lead document number for the multi-pack. The W01 subloop (Loop ID - 0310) is authorized to be repeated to provide the supply information lead document number and each of the document numbers contained within the

#### Code Name

multi-pack.

3. Use to advise that this follow-up request is in support of multi-pack processing. The N9/0400 will carry the lead document number for the status inquiry. No looping of the W01 subloop (Loop ID – 0310) is required for multi-pack contents.

- 4. Used in conjunction with a distribution code = "111".
- 5. Cancellation requests for multipacks shall be at the single line level.

6. DLMS enhancement; see introductory DLMS note 4f.

Establish Additional Address

#### Federal Note:

Use with W0506 code NA to indicate the MRO contains an exception address.

#### **DLMS Note:**

Use for Materiel Release Order (MRO) Exception Data Transaction (ICP to DSS Storage Activity). See introductory DLMS note 4e.

FI File

EB

#### DLMS Note:

1. Use to identify an image transaction provided for information.

2. Authorized to be used in association with intra-Army transaction processing with W0506 Transaction Type Code NA, ND, NE, and NG to identify an internal/Offline Materiel Release Order (MRO) Image. DIC B99 will be at LQ02 in association with LQ01 qualifier 0, Document Identification Code.

#### ME Merge

#### **DLMS Note:**

1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DoD 4000.25-M, Volume 3, Chapter 2).

2. Use to advise that this message supports multi-line release order/supply documentation in support of assemblage (e.g., medical) processing. The N9/0900 is authorized for use to identify the Assemblage Identification Number for the assemblage. The W01 subloop (Loop ID - 0310) is authorized to be repeated to provide the supply information associated with each of the internal document numbers contained within the assemblage.

3. Use to advise that this follow-up request is in support of assemblage processing. The N9/0400 will carry the Assemblage Identification Number for the status inquiry. No looping of the W01 subloop (Loop ID - 0310) is required for assemblage contents.

- 4. Used in conjunction with a distribution code = "111".
- 5. Cancellation requests for assemblages (e.g., medical) shall be at the AIN level.
- 6. DLMS enhancement; see introductory DLMS note 4f.
- PI Provide Additional Information

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1227, 1207, 1027, 10

1287, 1306, 1307 and 1321

#### Code Name

#### Federal Note:

Use with W0506 code NA to indicate the MRO contains exception pick/pack/delivery/disposal instructions.

#### DLMS Note:

Use for Materiel Release Order (MRO)/Disposal Release Order (DRO) Exception Data Transaction (ICP to DSS Storage Activity). See introductory DLMS note 4e.

RG Refer

#### **DLMS Note:**

Use with code W0506 code NI to indicate the transaction set contains one or more lateral redistribution orders (LROs) for non-Integrated Material Manager (IMM) or Primary Inventory Control Activity (PICA) owned materiel. Use with 2/N901/0400 Code 87 to identify LRO for consumable or reparable materiel. (Equates to MILSTRIP DIC A4\_ with Distribution Code 2 or 3)

W1 Reconcile Historical Records

#### **DLMS Note:**

Use with W0506 codes NA and NE to indicate the submission of historical information on previously reported transactions. (Comparable to MILSTRIP DIC DZK) Authorized DLMS enhancement; see DLMS Introductory Note 4f.

# N1 Name

| Pos: 0400  | Max: 1      |
|------------|-------------|
| Heading    | - Optional  |
| Loop: 0100 | Elements: 4 |

#### User Option (Usage): Used

**Purpose:** To identify a party by type of organization, name, and code

#### Syntax Rules:

- 1. P0304 If either N103 or N104 is present, then the other is required.
- 2. R0203 At least one of N102 or N103 is required.

#### **Comments:**

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

### Federal Note:

Must use this 1/N1/0400 loop to identify the organization originating the transaction set.

| <u>Ref</u> | <u>ld</u> | Eleme                             | ent Name  | <u>Req</u> | Type | Min/Max | <u>Usage</u> |  |  |
|------------|-----------|-----------------------------------|---|------------|------|---------|--------------|--|--|
| N101       | 98        | Entity                            | / Identifier Code   | Μ          | ID   | 2/3     | Must use     |  |  |
|            |           | organ                             | r <b>iption:</b> Code identifying an<br>izational entity, a physical location,<br>rty or an individual  |            |      |         |              |  |  |
|            |           | Feder                             | al Note: Use any code.  |            |      |         |              |  |  |
|            |           |                                   | Sonote: For DLMS use, only the<br>ing codes are authorized.   |            |      |         |              |  |  |
|            |           | <u>Code</u><br>KA                 | Name  |            |      |         |              |  |  |
|            |           |                                   | Item Manager  |            |      |         |              |  |  |
|            |           |                                   | DLMS Note:  |            |      |         |              |  |  |
|            |           |                                   | Use for materiel release administrative closure to identify the ICP.  |            |      |         |              |  |  |
|            |           | Z1                                | Party to Receive Status   |            |      |         |              |  |  |
|            |           | Z4                                | Owning Inventory Control Point  |            |      |         |              |  |  |
|            |           |                                   | DLMS Note:  |            |      |         |              |  |  |
|            |           |                                   | 1. Use to identify the ICP/IMM originating the transaction.   |            |      |         |              |  |  |
|            |           |                                   | 2. Use for Disposal Shipment Confirmation Follow-up (W0506=NH) to identify DLA Disposition Services as the cognizant ICP on whose behalf the Disposition Services Field Office prepares this transaction. |            |      |         |              |  |  |
| N103       | 66        | Identi                            | fication Code Qualifier   | х          | ID   | 1/2     | Must use     |  |  |
|            |           | Description: Code designating the |   |            |      |         |              |  |  |

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C,

| 274, 284, 284A, 316, 316A, 316B, 316C,<br>316D, 373, 381, 386, 396, 405, 434, 435,<br>436, 448, 448B, 463, 464, 466, 473, 473A,<br>1007, 1009A, 1014, 1020, 1021, 1031,<br>1043, 1043A, 1043B, 1043C, 1073, 1075,<br>1106, 1110, 1132, 1136, 1152, 1156,<br>1156A, 1161A, 1164, 1206, 1224B, 1228,<br>1287, 1306, 1307 and 1321 |  |                |  |         |            |                  |                 |  |  |
|---|--|----------------|--|---------|------------|------------------|-----------------|--|--|
| <u>Ref</u>  | <u>ld</u>  | Eleme          | ent Name   | Req     | Type       | <u>Min/Max</u>   | <u>Usage</u>    |  |  |
|   |  |                | n/method of code structure used for<br>fication Code (67)  |         |            |                  |                 |  |  |
|   |  | <u>Code</u>    | Name   |         |            |                  |                 |  |  |
|   |  | 1              | D-U-N-S Number, Dun & Bradstreet   |         |            |                  |                 |  |  |
|   |  |                | DLMS Note:   |         |            |                  |                 |  |  |
|   |  |                | DLMS enhancement; see introducto   | ory DLN | IS note 4  | la.              |                 |  |  |
|   |  | 9              | D-U-N-S+4, D-U-N-S Number with F   | our Cha | aracter Su | uffix            |                 |  |  |
|   |  | DLMS Note:     |  |         |            |                  |                 |  |  |
|   | DLMS enhancement; see introductory DLMS note 4a. |                |  |         |            |                  |                 |  |  |
|   |  | 10             | 10 Department of Defense Activity Address Code (DODAAC)  |         |            |                  |                 |  |  |
|   |  |                | DLMS Note:   |         |            |                  |                 |  |  |
|   | DLMS enhancement; see introductory DLMS note 4a. |                |  |         |            |                  |                 |  |  |
|   |  | M4             | Department of Defense Routing Identifier Code (RIC)  |         |            |                  |                 |  |  |
|   |  | UR             | Uniform Resource Locator (URL)   |         |            |                  |                 |  |  |
|   |  |                | DLMS Note:   |         |            |                  |                 |  |  |
|   |  |                | DLMS enhancement; see introducto   | ory DLI | IS note 4  | a.               |                 |  |  |
| N104  | 67   | Identi         | fication Code  | Х       | AN         | 2/80             | Must use        |  |  |
|   |  | Descr<br>other | ription: Code identifying a party or code  |         |            |                  |                 |  |  |
| N106  | 98   | Entity         | / Identifier Code  | 0       | ID         | 2/3              | Used            |  |  |
|   |  | organi         | r <b>iption:</b> Code identifying an<br>izational entity, a physical location,<br>rty or an individual |         |            |                  |                 |  |  |
|   |  | Code           | Name   |         |            |                  |                 |  |  |
|   |  | FR             | Message From   |         |            |                  |                 |  |  |
|   |  |                | Federal Note:  |         |            |                  |                 |  |  |
|   |  |                | Must use with the appropriate 1/N1   |         |            | indicate that th | he organization |  |  |
|   |  |                | cited in N104 is originating the trans   | saction | set.       |                  |                 |  |  |
|   |  |                | DLMS Note:   |         |            |                  |                 |  |  |
|   |  |                | Must use with 1/N101/0400 code Z4  | 4.      |            |                  |                 |  |  |

### PER Administrative Communications Contact

| Pos: 0800  | Max: 5      |
|------------|-------------|
| Heading    | - Optional  |
| Loop: 0100 | Elements: 6 |

User Option (Usage): Used

**Purpose:** To identify a person or office to whom administrative communications should be directed

#### Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

#### **DLMS Note:**

Use to provide point of contact information applicable to the entire transaction. Use only in the N1 loop identifying the activity directing the release of materiel.

| <u>Ref</u><br>PER01 | <u>Id</u><br>366 |                   | Element Name<br>Contact Function Code   |   | <u>Type</u><br>ID | <u>Min/Max</u><br>2/2 | <u>Usage</u><br>Must use |  |  |
|---------------------|------------------|-------------------|---|---|-------------------|-----------------------|--------------------------|--|--|
|                     |                  | duty o            | ription: Code identifying the major<br>or responsibility of the person or<br>named  |   |                   |                       |                          |  |  |
|                     |                  | <u>Code</u><br>IC | Name<br>Information Contact   |   |                   |                       |                          |  |  |
|                     |                  |                   | DLMS Note:<br>Use to perpetuate the customer por<br>requisitions and requisition-related  |   |                   |                       |                          |  |  |
|                     |                  | RQ                | Requestor   |   |                   |                       |                          |  |  |
|                     |                  |                   | DLMS Note:  |   |                   |                       |                          |  |  |
|                     |                  |                   | Use to identify person who is requesting the action.  |   |                   |                       |                          |  |  |
| PER02               | 93               | Name              | ,   | 0 | AN                | 1/60                  | Used                     |  |  |
|                     |                  | Descr             | ription: Free-form name   |   |                   |                       |                          |  |  |
|                     |                  | custor<br>provid  | S Note: Use to perpetuate the<br>mer point of contact information<br>led in requisitions and related<br>actions. Refer to ADC 1321. |   |                   |                       |                          |  |  |
| PER03               | 365              | Comm              | nunication Number Qualifier   | х | ID                | 2/2                   | Used                     |  |  |
|                     |                  |                   | ription: Code identifying the type of unication number  |   |                   |                       |                          |  |  |
|                     |                  |                   | S Note: Use to convey the customer<br>nercial phone number and/or e-mail  |   |                   |                       |                          |  |  |

| 274, 284, 284A, 316, 316A, 316B, 316C,<br>316D, 373, 381, 386, 396, 405, 434, 435,<br>436, 448, 448B, 463, 464, 466, 473, 473A,<br>1007, 1009A, 1014, 1020, 1021, 1031,<br>1043, 1043A, 1043B, 1043C, 1073, 1075,<br>1106, 1110, 1132, 1136, 1152, 1156,<br>1156A, 1161A, 1164, 1206, 1224B, 1228,<br>1287, 1306, 1307 and 1321 |           |   |  |           |                |              |  |  |  |  |
|---|-----------|---|--|-----------|----------------|--------------|--|--|--|--|
| <u>Ref</u>  | <u>ld</u> | Element Name  | Req  | Туре      | <u>Min/Max</u> | <u>Usage</u> |  |  |  |  |
|   |           | address provided in requisitions and related transactions. Refer to ADC 1321                      |  |           |                |              |  |  |  |  |
|   |           | <u>Code</u> <u>Name</u>   |  |           |                |              |  |  |  |  |
|   |           | AU Defense Switched Network   |  |           |                |              |  |  |  |  |
|   |           | DLMS Note:  |  |           |                |              |  |  |  |  |
|   |           | Use to identity the DSN telephone   | e number   | :         |                |              |  |  |  |  |
|   |           | EX Telephone Extension  |  |           |                |              |  |  |  |  |
|   |           | DLMS Note:  |  |           |                |              |  |  |  |  |
|   |           | Use immediately following codes   | Use immediately following codes AU, IT, or TE to identify a telephone extension. |           |                |              |  |  |  |  |
|   |           | FX Facsimile  |  |           |                |              |  |  |  |  |
|   |           | DLMS Note:  |  |           |                |              |  |  |  |  |
|   |           | Use to identify the facsimile (FAX  | Use to identify the facsimile (FAX) telephone number.                            |           |                |              |  |  |  |  |
|   |           | IT International Telephone  |  |           |                |              |  |  |  |  |
|   |           | DLMS Note:  |  |           |                |              |  |  |  |  |
|   |           | Include country and city code.  |  |           |                |              |  |  |  |  |
|   |           | TE Telephone  |  |           |                |              |  |  |  |  |
|   |           | DLMS Note:  |  |           |                |              |  |  |  |  |
|   |           | Use to identify commercial phone  | number.  | Include t | he area code a | nd number.   |  |  |  |  |
| PER04   | 364       | Communication Number  | х  | AN        | 1/256          | Used         |  |  |  |  |
|   |           | <b>Description:</b> Complete communications number including country or area code when applicable |  |           |                |              |  |  |  |  |
| PER05   | 365       | Communication Number Qualifier  | Х  | ID        | 2/2            | Used         |  |  |  |  |
|   |           | <b>Description:</b> Code identifying the type of communication number                             |  |           |                |              |  |  |  |  |
|   |           | Code         Name           AU         Defense Switched Network                                   |  |           |                |              |  |  |  |  |
| PER06   | 364       | Communication Number  | х  | AN        | 1/256          | Used         |  |  |  |  |
|   |           | <b>Description:</b> Complete communications number including country or area code when applicable |  |           |                |              |  |  |  |  |

| 1100, 1110, 1102,   | 1100, 1102, 110 |
|---------------------|-----------------|
| 1156A, 1161A, 1164, | 1206, 1224B, 12 |
| 1287, 1306, 13      | 07 and 1321     |

### **N9** Reference Identification

| Pos: 0900 | Max: 10     |
|-----------|-------------|
| Heading   | - Optional  |
| Loop: N/A | Elements: 2 |

#### User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

#### Syntax Rules:

- 1. C0605 If N906 is present, then N905 is required.
- 2. R0203 At least one of N902 or N903 is required.

#### Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

| <u>Ref</u> | <u>ld</u> | lement Name Reg Type Min/Max   | <u>Usage</u>  |
|------------|-----------|--|---------------|
| N901       | 128       | eference Identification Qualifier M ID 2/3   | Must use      |
|            |           | escription: Code qualifying the  |               |
|            |           | eference Identification  |               |
|            |           | LMS Note: Use only for multi-pack and  |               |
|            |           | ssemblage (e.g., medical) release orders   |               |
|            |           | o identify the lead document number<br>ssigned and from which the                            |               |
|            |           | ansportation control number will be  |               |
|            |           | erived. When conducting an inquiry   |               |
|            |           | ollow-up) for multi-packs or   |               |
|            |           | ssemblages, the lead document number<br>r AIN will be identified in the N9/0400.             |               |
|            |           | An will be identified in the N9/0400.  |               |
|            |           | ode <u>Name</u>  |               |
|            |           | N Transaction Reference Number   |               |
|            |           | DLMS Note:   |               |
|            |           | 1. Must use to identify the transaction number assigned to a transac<br>the document number. | tion. This is |
|            |           | 2. DLMS enhancement; see introductory DLMS note 4f.  |               |
|            |           | /F Locally Assigned Control Number   |               |
|            |           | DLMS Note:   |               |
|            |           | 1. Use to identify the Assemblage Identification Number (AIN).                               |               |
|            |           | 2. DLMS enhancement; see introductory DLMS note 4f.  |               |
| N902       | 127       | eference Identification X AN 1/50  | Must use      |
|            |           | escription: Reference information as<br>efined for a particular Transaction Set or           |               |

ld

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1287, 1306, 1307 and 1321

Ref

Element Name

Req Type Min/Max

<u>Usage</u>

as specified by the Reference Identification Qualifier

G62 Date/Time

| Pos: 1100          | Max: 10     |  |  |  |  |
|--------------------|-------------|--|--|--|--|
| Heading - Optional |             |  |  |  |  |
| Loop: N/A          | Elements: 4 |  |  |  |  |

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

#### Syntax Rules:

- 1. P0102 If either G6201 or G6202 is present, then the other is required.
- 2. P0304 If either G6203 or G6204 is present, then the other is required.
- 3. R0103 At least one of G6201 or G6203 is required.

#### **Federal Note:**

Must use to identify the date and time of transaction set preparation.

| <u>Ref</u><br>G6201 | <u>ld</u><br>432 | <u>Element Name</u><br>Date Qualifier  | <u>Req</u><br>X | <u>Type</u><br>ID | <u>Min/Max</u><br>2/2 | <u>Usage</u><br>Must use |
|---------------------|------------------|--|-----------------|-------------------|-----------------------|--------------------------|
|                     |                  | Description: Code specifying type of date  |                 |                   |                       |                          |
|                     |                  | Code       Name         07       Effective Date         Federal Note:         Use to identify the date of transact                                       |                 | preparatio        | on. This date o       | corresponds to           |
| G6202               | 373              | the Universal Time Coordinate (UT<br>Date<br>Description: Date expressed as<br>CCYYMMDD where CC represents the<br>first two digits of the calendar year | <i>С).</i><br>Х | DT                | 8/8                   | Must use                 |
| G6203               | 176              | Time Qualifier Description: Code specifying the reported time W Effective Time Federal Note:   | х               | ID                | 1/2                   | Must use                 |
|                     |                  | <ol> <li>Express the originating activity's</li> <li>Express time in a four-position (I</li> </ol>   |                 |                   | ion set prepara       | ation in UTC.            |
| G6204               | 337              | <b>Time</b><br><b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or   | Х               | ТМ                | 4/8                   | Must use                 |

#### <u>Ref</u><u>Id</u>

#### Req Type Min/Max

<u>Usage</u>

HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

**Element Name** 

# LX Assigned Number

| Pos: 0050  | Max: 1      |
|------------|-------------|
| Detail -   | Optional    |
| Loop: 0300 | Elements: 1 |

User Option (Usage): Must use

**Purpose:** To reference a line number in a transaction set

#### **Federal Note:**

This segment must be used only to meet X12 syntax requirements.

| <u>Ref</u> | <u>ld</u> | Element Name   | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|--|-----|------|----------------|--------------|
| LX01       | 554       | Assigned Number  | Μ   | N0   | 1/6            | Must use     |
|            |           | <b>Description:</b> Number assigned for differentiation within a transaction set <b>Federal Note:</b> <i>In the first and only iteration of this 1/LX/0050 loop, cite numeric 1.</i> |     |      |                |              |

W01 Line Item Detail - Warehouse

Pos: 0200 Max: 1 Detail - Optional Loop: 0310 Elements: 7

User Option (Usage): Must use

**Purpose:** To transmit basic and most frequent shipment-related line-item data elements

#### Syntax Rules:

- 1. P0405 If either W0104 or W0105 is present, then the other is required.
- 2. P0607 If either W0106 or W0107 is present, then the other is required.
- 3. P1011 If either W0110 or W0111 is present, then the other is required.
- 4. P1516 If either W0115 or W0116 is present, then the other is required.
- 5. R0304 At least one of W0103 or W0104 is required.

#### Federal Note:

Must use the 2/W01/0200 loop to identify materiel and other data pertinent to the transaction affecting the selection and shipment of materiel.

#### DLMS Note:

1. When the W0507 = "CN", and the message supports a multi-line release order in support of a multi-pack process, the W01 loop shall be repeated to provide the individual document numbers associated with the lead document number. When the W0507 = "ME", and the message supports a multi-line release order in support of an assemblage, the W01 loop shall be repeated to provide the internal document numbers for each of the line items in an assemblage.

2. When the W0506 = "NB", "NF", "ND" or "NG" and the W0507 = "CN", the release inquiry (e.g., follow-up) or cancellation shall be done at the lead document number level. When the W0506 = "NB", "NF" "ND" or "NG" and the W0507 = "ME", the release inquiry (e.g., follow-up) or cancellation shall be done at the AIN level.

| <u>Ref</u> | <u>ld</u> | Element Name   | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|--|-----|------|----------------|--------------|
| W0101      | 330       | Quantity Ordered   | М   | R    | 1/15           | Must use     |
|            |           | Description: Quantity ordered  |     |      |                |              |
|            |           | <b>Federal Note:</b> Use to identify the materiel quantity associated with the transaction.  |     |      |                |              |
|            |           | <b>DLMS Note:</b> 1. A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 4d.                       |     |      |                |              |
|            |           | 2. When the W0506 = "NB", "NF", "ND" or<br>"NG" and the W0507 = "CN" or "ME",<br>enter a value of "1" since inquiry or<br>cancellation is being done at the lead<br>document number/AIN level. |     |      |                |              |
| W0102      | 355       | Unit or Basis for Measurement Code   | М   | ID   | 2/2            | Must use     |

|            |           |   | 436, 448, 448B, 463, 464, 466,<br>1007, 1009A, 1014, 1020, 102<br>1043, 1043A, 1043B, 1043C, 10<br>1106, 1110, 1132, 1136, 115<br>1156A, 1161A, 1164, 1206, 122<br>1287, 1306, 1307 and 13  | 21, 1031,<br>073, 1075<br>2, 1156,<br>24B, 1228 | 9       |                |              |  |  |
|------------|-----------|---|---|---|---------|----------------|--------------|--|--|
| <u>Ref</u> | <u>ld</u> | Eleme   | ent Name  | Req   | Type    | <u>Min/Max</u> | <u>Usage</u> |  |  |
|            |           | which<br>manne<br>been ta                                     | <b>iption:</b> Code specifying the units in<br>a value is being expressed, or<br>er in which a measurement has<br>aken<br><b>al Note:</b> Use to identify the unit of   |   |         |                |              |  |  |
|            |           |   | for the required materiel.  |   |         |                |              |  |  |
|            |           | of Issu   | <b>Note:</b> 1. DLMS users see the Unit<br>we and Purchase Unit Conversion<br>for available codes.  |   |         |                |              |  |  |
|            |           | "NG" a<br>enter a<br>cancel                                   | ten the W0506 = "NB", "NF", "ND" or<br>and the W0507 = "CN" or "ME",<br>a value of "MX" since the inquiry or<br>llation is being done at the lead<br>thent number/AIN level.  |   |         |                |              |  |  |
| W0104      | 235       | Produ   | ct/Service ID Qualifier   | х   | ID      | 2/2            | Must use     |  |  |
|            |           | type/so<br>used in<br>DLMS<br>A4, FE                          | iption: Code identifying the<br>purce of the descriptive number<br>in Product/Service ID (234)<br>Note: Use only one of codes A2,<br>3, FS, FT, MG, N4, SW, YP, ZR, or<br>identify the materiel. Must use   |   |         |                |              |  |  |
|            |           | Nation<br>known<br>name<br>the Su<br>when<br>materic<br>Numbe | al Stock Number (NSN) when<br>b, except when appropriate brand<br>subsistence items are identified by<br>ubsistence Identification Number or<br>maintenance/industrial activity<br>fel is identified by Local Stock<br>er or Material Control Tracking<br>tag number. |   |         |                |              |  |  |
|            |           | <u>Code</u>   | Name  |   |         |                |              |  |  |
|            |           | A2  | Department of Defense Identification  | n Code (  | DoDIC)  |                |              |  |  |
|            |           |   | DLMS Note:<br>1. Use to identify ammunition item  | S.  |         |                |              |  |  |
|            |           |   | 2. DLMS enhancement; see introd   | uctory D  | LMS not | e 4a.          |              |  |  |
|            |           | A4  | Subsistence Identification Number   |   |         |                |              |  |  |
|            |           |   | DLMS Note:<br>Use to identify subsistence items.  |   |         |                |              |  |  |
|            |           | FB  | Form Number   |   |         |                |              |  |  |
|            |           |   | DLMS Note:  |   |         |                |              |  |  |
|            |           |   | 1. Use to identify the form stock nu  | umber.  |         |                |              |  |  |
|            |           |   | 2. DLMS enhancement; see introd   | uctory D  | LMS not | e 4a.          |              |  |  |
|            |           | FS  | National Stock Number   |   |         |                |              |  |  |

#### Code Name

FT

Federal Supply Classification

#### **DLMS Note:**

Use to identify the FSC of the nonstandard materiel when a part number is not available and materiel can only be identified by description (e.g., non-NSN lumber products).

MG Manufacturer's Part Number

#### **DLMS Note:**

Use to identify nonstandard materiel.

N4 National Drug Code in 5-4-2 Format

#### **DLMS Note:**

DLMS enhancement in support of Retail Transportation and Supply Receipt and Acknowledgement Transactions.

SW Stock Number

#### DLMS Note:

1. Use to identify the local stock number (LSN).

2. When used for a unit of use LSN, the applicable NSN may be included for cross-reference. May also be used for identification of LSNs assigned for part-numbered item requisitioning.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

4. Authorized DLMS enhancement for DLA Disposition Services. Refer to ADC 434.

YP Publication Number

#### DLMS Note:

1. Use to identify the publication stock number.

2. DLMS enhancement; see introductory DLMS note 4a.

ZR Service Control Identification

#### DLMS Note:

Use to identify Material Control Tracking (MCT) tag number. The MCT tag number is authorized for use with DLA industrial activity support agreement only. Refer to ADC 373.

ZZ Mutually Defined

#### DLMS Note:

1. Use to identify nonstandard materiel when all other authorized codes do not apply (includes management control numbers and locally assigned control numbers). May be used for legacy MILSTRIP-to-DLMS conversion when the translator cannot determine a more appropriate code.

2. When the W0506 = "NB", "NF", "ND" or "NG" and the W0507 = "CN" or "ME", this is used to identify that the product inquiry or cancellation is being done at the lead document number/AIN level.

| W0105 234 Product/Service ID X | AN | 1/48 | Must use |
|--------------------------------|----|------|----------|
|--------------------------------|----|------|----------|

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1287, 1306, 1307 and 1321

| <u>Ref</u> | <u>ld</u> | Element Name  | <u>Req</u> | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|---|------------|------|----------------|--------------|
|            |           | <b>Description:</b> Identifying number for a product or service   |            |      |                |              |
|            |           | <b>DLMS Note:</b> When the W0506 = "NB",<br>"NF", "ND" or "NG" and the W0507 = "CN"<br>or "ME", enter a value of "MIXED" since<br>the inquiry or cancellation is being done<br>at the lead document number/AIN level. |            |      |                |              |
| W0106      | 235       | Product/Service ID Qualifier  | Х          | ID   | 2/2            | Used         |
|            |           | <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)   |            |      |                |              |
|            |           | <b>DLMS Note:</b> Use only one of codes EN,<br>UK, or UP to identify items by Global<br>Trade Item Number. DLMS<br>enhancements. Authorized for use by<br>non-DoD customers. Refer to ADC 1307<br>and PSC 1307A.      |            |      |                |              |

#### Code Name

CN Commodity Name

#### **DLMS Note:**

1. Use with W0104 code FT to identify the commodity name or description when citing the Federal Supply Classification.

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement SBSS interface with CMOS to provide the NSN nomenclature when FLIS item data is not otherwise available to CMOS. Field size for SBSS – CMOS is restricted to 19 positions.

3. Use to identify the FEMA Logistics Supply Chain Management System (LSCMS) Item Name. Refer to ADC 1306.

#### EN EAN/UCC - 13

#### **DLMS Note:**

1. This is the Global Trade Item Number (GTIN)-13.

2. DLMS enhancement. See introductory note 4a.

#### FS National Stock Number

#### DLMS Note:

1. Use to identify the NSN.

2. The NSN is provided as a cross-reference when unit of use indicator is included and the Local Stock Number (LSN) is identified as the primary materiel identification.

3. Authorized DLMS enhancement under DLA industrial activity support agreement; refer to ADC 381.

4. Authorized for intra-DLA use between DLA Disposition Ser-vices and DLA

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C,

|       |     |             | 274, 284, 284A, 316, 316A, 316<br>316D, 373, 381, 386, 396, 405, 4<br>436, 448, 448B, 463, 464, 466, 4<br>1007, 1009A, 1014, 1020, 102<br>1043, 1043A, 1043B, 1043C, 10<br>1106, 1110, 1132, 1136, 1152<br>1156A, 1161A, 1164, 1206, 122<br>1287, 1306, 1307 and 132 | 434, 435<br>73, 473/<br>1, 1031,<br>73, 1075<br>, 1156,<br>4B, 1228 | ,<br>,<br>, |                    |        |  |  |
|-------|-----|-------------|--|---|-------------|--------------------|--------|--|--|
|       |     | <u>Code</u> | Name   |   |             |                    |        |  |  |
|       |     |             | Disposition Field Offices. DLMS en   | hancen  | nent; Refer | to ADC 434.        |        |  |  |
|       |     | UK          | EAN/UCC - 14   |   |             |                    |        |  |  |
|       |     |             | <b>DLMS Note:</b><br>1. This is the Global Trade Item Nur  | nber (G   | TIN)-14.    |                    |        |  |  |
|       |     |             | 2. DLMS enhancement. See introdu   | ctory n   | ote 4a.     |                    |        |  |  |
|       |     | UP          | UCC - 12   |   |             |                    |        |  |  |
|       |     |             | DLMS Note:   |   |             |                    |        |  |  |
|       |     |             | 1. This is the Global Trade Item Nur   | nber (G   | TIN)-12.    |                    |        |  |  |
|       |     |             | 2. DLMS enhancement. See introdu   | ctory n   | ote 4a.     |                    |        |  |  |
|       |     | ZB          | Commercial and Government Entity   | CAGE)   | Code        |                    |        |  |  |
|       |     |             | DLMS Note:   |   |             |                    | _      |  |  |
|       |     |             | Use with W0104 code MG to unique   | ely iden  | tify a manı | ıfacturer's part n | umber. |  |  |
| W0107 | 234 | Produ       | ict/Service ID   | Х   | AN          | 1/48               | Used   |  |  |
|       |     |             | iption: Identifying number for a<br>ct or service  |   |             |                    |        |  |  |
| W0114 | 286 | Produ       | ct/Service Condition Code  | 0   | ID          | 2/2                | Used   |  |  |
|       |     |             | <b>iption:</b> Code identifying condition of ct/service  |   |             |                    |        |  |  |
|       |     | <u>Code</u> | Name   |   |             |                    |        |  |  |
|       |     | 03          | Recouped   |   |             |                    |        |  |  |
|       |     |             | Federal Note:  |   |             |                    |        |  |  |
|       |     |             | Use to indicate that reclamation is r  | equired   |             |                    |        |  |  |
|       |     |             | DLMS Note:   |   |             |                    |        |  |  |
|       |     |             | Use for disposal release orders and that reclamation is required prior to organization.  |   | •           |                    |        |  |  |
|       |     |             |  |   |             |                    |        |  |  |

# **N9** Reference Identification

| Pos: 0400         | Max: 200    |  |  |  |  |  |  |
|-------------------|-------------|--|--|--|--|--|--|
| Detail - Optional |             |  |  |  |  |  |  |
| Loop: 0310        | Elements: 4 |  |  |  |  |  |  |

#### User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

#### Syntax Rules:

- 1. C0605 If N906 is present, then N905 is required.
- 2. R0203 At least one of N902 or N903 is required.

#### Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

#### Federal Note:

Use multiple repetitions to identify ancillary information related to the transaction. Must use at least one repetition to identify the transaction number.

| <u>Ref</u> | ld  | Eleme       | ent Name  | <u>Req</u>            | Туре                | <u>Min/Max</u>   | <u>Usage</u>      |  |  |  |
|------------|-----|-------------|---|-----------------------|---------------------|------------------|-------------------|--|--|--|
| N901       | 128 | Refer       | ence Identification Qualifier   | М                     | ID                  | 2/3              | Must use          |  |  |  |
|            |     | Refere      | <b>iption:</b> Code qualifying the ence Identification  |                       |                     |                  |                   |  |  |  |
|            |     | Feder       | al Note: Use any code.  |                       |                     |                  |                   |  |  |  |
|            |     |             | Note: For DLMS use, only the ing codes are authorized.  |                       |                     |                  |                   |  |  |  |
|            |     | <u>Code</u> | Name  |                       |                     |                  |                   |  |  |  |
|            |     | 16          | <ul> <li>———</li> <li>Military Interdepartmental Purchase Request (MIPR) Number</li> </ul>  |                       |                     |                  |                   |  |  |  |
|            |     |             | DLMS Note:  |                       |                     |                  |                   |  |  |  |
|            |     |             | 1. Use to identify the MIPR number for tracking "in-process" materiel.  |                       |                     |                  |                   |  |  |  |
|            |     |             | 2. DLMS enhancement; see introductory DLMS note 4a.   |                       |                     |                  |                   |  |  |  |
|            |     | 1Y          | Repair Action Number  |                       |                     |                  |                   |  |  |  |
|            |     |             | DLMS Note:  |                       |                     |                  |                   |  |  |  |
|            |     |             | DLMS enhancement; see introductory DLMS note 4a.  |                       |                     |                  |                   |  |  |  |
|            |     | 21          | Tracking Number   |                       |                     |                  |                   |  |  |  |
|            |     |             | DLMS Note:  |                       |                     |                  |                   |  |  |  |
|            |     |             | Use to identify all shipments to a De<br>(DRMO) that qualify for intransit con<br>item value is \$800 or more or the ite<br>in N902 if shipment meets specified | ntrol pro<br>em is re | cedures<br>corded a | (e.g., the shipp | ped materiel line |  |  |  |
|            |     | 4C          | Shipment Destination Code   |                       |                     |                  |                   |  |  |  |

#### Code Name

55 Sequence Number

#### DLMS Note:

1. Use to identify the sequence number associated with the map manifest.

2. Use when transaction includes Component-unique exception data.

#### 60 Account Suffix Code

#### **DLMS Note:**

Use in conjunction with the DTID Number (N907 Code W1) to identify the DTID Suffix Code, when applicable. DLMS enhancement, see ADC 466.

#### 6E Map Reference

#### **DLMS Note:**

1. Use in MRO to identify the mapping products National Geospatial-Intelligence Agency (NGA) Reference Number (NRN).

- 2. Use in DRO to identify the NRN.
- 3. Use when transaction includes Component-unique exception data.
- 4. Authorized DLMS migration enhancement.

#### 6G Map Number

#### DLMS Note:

1. Use to identify the map edition number.

2. Use when transaction includes Component-unique MRO exception data; see introductory DLMS note 4e.

#### 6L Agent Contract Number

#### DLMS Note:

1. Use in GFP-related transactions to identify the procurement instrument identifier (PIID) applicable to the contract authorizing the contractor to have custody of GFP.

2. Required for Air Force GFP accountability to identify the CICP's contract number. Refer to ADC 1224B.

74 Work Breakdown Structure (WBS)

#### **DLMS Note:**

Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 396.

#### 77 Work Package

#### **DLMS Note:**

Use to identify Build Directive Number for medical/surgical component assembly. (A data maintenance action was approved in version 5010. The approved code/name is BDN - Build Directive Number).

#### 86 Operation Number

#### DLMS Note:

1. Use to identify the Key Operation (KO) Number associated with the JO.

#### Code Name

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### 87 Functional Category

#### **DLMS Note:**

Use in LRO to distinguish between LROs for consumable (legacy MILSTRIP Distribution Code 2) and reparable (legacy MILSTRIP Distribution Code 3) assets. Enter value (2 or 3) in N902.

97 Package Number

#### **DLMS Note:**

Must used to indicate Outside Continental United States (OCONUS) shipment. When used, the paired data element 234 will cite 1 indicating that packaging must meet OCONUS specifications.

98 Container/Packaging Specification Number

#### **DLMS Note:**

Use to represent DLMS data element Disposition Services Container Identification (ID). DLA Disposition Services uses the container ID on Release Orders to link the DTID to the applicable container. DLMS enhancement; refer to ADC 434.

9R Job Order Number

#### **DLMS Note:**

1. Use to identify Job Order (JO) Number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

3. For DoD SLOA/Accounting Classification compliance the Job Order Number may be repeated as a Work Order Number (FA201 Qualifier WO). Refer to ADC 1043.

AH Agreement Number

#### **DLMS Note:**

1. Use to identify the Depot Maintenance Inter-Service Support Agreement (DMISA) number for tracking "in-process" materiel.

2. DLMS enhancement; see introductory DLMS note 4a.

AN Associated Purchase Orders

#### **DLMS Note:**

1. Use for cross-reference to the customer's internal Purchase Order (PO) Number (one PO Number per document number). When provided on the release order, this value will be perpetuated to the shipment status. Authorized for DLA-directed shipments to the Exchange, NEXCOM, MCX, and non-DoD customers as required. See ADC 473A.

2. Use to identify the FEMA Logistics Supply Chain Management System (LSCMS) Distribution Order Number. Refer to ADC 1306.

BY Repair Category Number

#### **DLMS Note:**

Use only when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide

the Air Force Expendability-Recoverability-Reparability Category Code (ERRCD) when FLIS item data is not otherwise available to CMOS. Code list is available at FLIS Table 69.

CO Customer Order Number

#### DLMS Note:

1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).

CT Contract Number

#### **DLMS Note:**

1. Must use in GFM-related transactions to provide the (PIID). Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When GFM is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field.

2. Use to provide contract information for shipments of GFP to the contractor.

3. Use for directed release of contractor shipments of GFP into DoD inventory.

4. Authorized DLMS enhancement. Refer to ADC 1014.

FJ Line Item Control Number

#### **DLMS Note:**

- 1. Use to identify the mapping products Line Number.
- 2. Use when transaction includes Component-unique exception data.
- IA Internal Vendor Number

#### **DLMS Note:**

1. Use to identify the internal document number for the line item inside of assemblage (e.g., medical).

2. DLMS enhancement; see introductory DLMS note 4f.

IX Item Number

#### **DLMS Note:**

1. Use to identify the map National Evacuation Order (NEO) Pack Line Number.

2. Use when transaction includes Component-unique exception data.

3. An ANSI data maintenance request has been prepared to request a new code qualifier for NEO Pack Line Number for future use.

KD Special Instructions Number

#### **DLMS Note:**

Use only when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide Special Packing Instruction (SPI) Code/Reference Number when FLIS item data is not otherwise available to CMOS. Field size for SBSS – CMOS is restricted to a maximum of 9 positions (alpha/numeric).

#### Code Name

P4

MK Manifest Key Number

#### DLMS Note:

1. Use to identify the map Manifest Number.

2. Use when transaction includes Component-unique exception data.

#### Project Code

#### **DLMS Note:**

1. Use to identify the warehouse project code. For requisition project codes use 2/LQ01/1300 qualifier code 78. Refer to PDC 1379.

2. DLMS enhancement; see introductory DLMS note 5a.

P7 Product Line Number

#### **DLMS Note:**

1. Use to identify the mapping products Line Number.

2. Use when transaction includes Component-unique exception data.

PL Price List Number

#### **DLMS Note:**

Use with Commercial Asset Visibility (CAV) transactions to indicate whether repairable items are Net or Standard Price. Use N902 to enter "N" for Net Price or "S" for Standard Price.

QJ Return Material Authorization Number

#### **DLMS Note:**

1. Used to identify the paying activity's carrier account number applicable to the identified carrier (2/N101/1100 Code CA) for the directed materiel release. (Field length = 10 positions). Refer to ADC 1164.

2. Authorized DLMS enhancement; see DLMS introductory note 4f.

QR Quality Report Number

#### DLMS Note:

1. When applicable, use to cite the associated PQDR report control number (RCN) for exhibit tracking.

2. Authorized DLMS enhancement. Refer to ADC 1007.

TH Transportation Account Code (TAC)

#### DLMS Note:

Only use when this transaction supports the Retail Supply and Transportation Interchange (see DLM 4000.25, Volume 3, Chapter 2).

TN Transaction Reference Number

#### DLMS Note:

1. Must use to identify the transaction number assigned to a transaction. This is the document number.

2. For follow-up requests on multi-packs and assemblages (W0507 = "CN" or "ME"), enter the lead document number or Assemblage Identification Number, as applicable. No looping of the W01 subloop (Loop ID – 0310) is required.

#### Code Name

WF Locally Assigned Control Number

#### **DLMS Note:**

Use to identify the Assemblage Identification Number (AIN).

WO Work Order Number

#### DLMS Note:

1. Use to identify a maintenance work order number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

3. Also applicable to MRO Exception Data Transaction (ICP to DSS Storage Activity). Legacy mapping may populate with work order or job order number, pending full DLMS implementation Refer to ADC 71A.

4. For DoD SLOA/Accounting Classification compliance the Work Order Number may be repeated at FA201 Qualifier WO. Refer to ADC 1043.

#### WP Warehouse Pick Ticket Number

#### DLMS Note:

1. Use to identify the picklist control number assigned to identify a specific job for which materiel are assembled together in support of planned maintenance.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

3. Used by the Defense Property Accountability System (DPAS) to identify the cost center assigned to a remote storage activity. Use 2/FA201/3000 qualifier code CC for the SFIS cost center. Refer to PDC 1379.

EVI Event Identification

#### **DLMS Note:**

1. Event identification is used to delineate the type of action the storage activity is to take on this request.

2. Use for DLA Disposition Services MRO/RDO for FMS requisitioned materiel with associated freeze action pending approval. The only applicable value for this transaction is Code F=Freeze Indicator. Refer to ADC 1156

#### KAS Associated Contract Identifier

#### DLMS Note:

Use to identify the Delivery Order Term Sales Contract Number. This is used by DLA Disposition Services to identify the associated Commercial Venture Sales Contract. Refer to ADC 1106. This is an authorized DLMS enhancement for use by DLA Disposition Services.

#### PWC Preliminary Work Candidate Number

#### **DLMS Note:**

1. Use to identify a Requisition Alert Document Number.

2. Used in support of Navy Shipyards to associate the funded requisition with a previously submitted requisition alert.

#### Code Name

| 3. Authorized DLMS enhancement under DLA industrial activ | ity support |
|---|-------------|
| agreement. Refer to ADC 381.                              |             |

| N902    | 127  | Refer  | ence Identification   | Х   | AN        | 1/50 | Must use |  |  |
|---------|------|--|---|---|-----------|------|----------|--|--|
|         |      | define<br>as spe   | ription: Reference information as<br>ed for a particular Transaction Set or<br>ecified by the Reference<br>fication Qualifier   |   |           |      |          |  |  |
| N903    | 369  | Free-  | form Description  | Х   | AN        | 1/45 | Used     |  |  |
|         |      | DLMS<br>Confin<br>guidan<br>in price<br>Indica   | <b>ription:</b> Free-form descriptive text<br><b>S Note:</b> Use in Disposal Shipment<br>rmation Followup to provide research<br>nce intended to assist Components<br>pritizing research and resolution.<br>ate "CRITICAL" when applicable<br>r intransit control procedures. |   |           |      |          |  |  |
| N907    | C040 | Refer  | ence Identifier   | 0   | Comp      |      | Used     |  |  |
|         |      | refere   | ription: To identify one or more<br>once numbers or identification<br>ers as specified by the Reference<br>fier   |   |           |      |          |  |  |
| N907-01 | 128  | Refer  | ence Identification Qualifier   | М   | ID        | 2/3  | Must use |  |  |
|         |      |  | ription: Code qualifying the<br>ence Identification   |   |           |      |          |  |  |
|         |      | <u>Code</u>  | Name  |   |           |      |          |  |  |
|         |      | 1Y   | Repair Action Number  |   |           |      |          |  |  |
|         |      |  | DLMS Note:  |   |           |      |          |  |  |
|         |      |  | 1. Use with N901 code AH to ident<br>Support Agreement (DMISA) line n   |   |           |      |          |  |  |
|         |      |  | 2. DLMS enhancement; see introdu  | uctory  | DLMS note | 4a.  |          |  |  |
|         |      | OQ   | Order Number  |   |           |      |          |  |  |
|         |      |  | DLMS Note:  |   |           |      |          |  |  |
|         |      |  | 1. Use in GFM-related transactions four-position call/order number asso   | ns with N901 code CT to identify the legacy<br>ssociated with the PIIN. |           |      |          |  |  |
|         |      | 2. Do not use for the PIID call/order number. The PIID call/<br>mapped to N901 Code CT. Refer to ADC 1161A.  |   |   |           |      | umber is |  |  |
|         |      |  | 3. Authorized DLMS enhancement;   | DLMS note 4a  |           |      |          |  |  |
|         |      | W1   | V1 Disposal Turn-In Document Number DLMS Note:  |   |           |      |          |  |  |
|         |      |  |   |   |           |      |          |  |  |
|         |      | 1. Use to identify the Disposal Turn-In Document (DTID) number when prov<br>a secondary reference number. The DTID Number is a unique number to it |   |   |           |      |          |  |  |

#### Code Name

property turned into a DLA Disposition Service Field Office.

2. Use in conjunction with the controlling document number for the transaction cited N901 code TN. When there is no Suffix Code associated with the controlling Document Number, enter the correlating DTID in the N907-02. If there is a Suffix Code, enter the DTID in the N907-06. Refer to ADC 466.

3. Authorized for intra-DLA use between DLA Disposition Services and DLA Disposition Field Offices. DLMS enhancement; Refer to ADC 434.

W8 Suffix

#### **DLMS Note:**

1. Use with N901 code TN for all transactions other than redistribution orders, to identify the document number suffix. Exceptions are authorized for use in intra-AF RDOs and for intra-DLA RDOs in support of DLA Industrial Product-Support Vendor (IPV) program. For AF RDO use, refer to ADC 405. For DLA RDO use, refer to ADC 1152.

2. When used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. The Requisition Alert Document Number Suffix is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

| N907-02 | 127 | Refer                              | ence Identification   | М       | AN       | 1/50          | Must use          |
|---------|-----|------------------------------------|---|---------|----------|---------------|-------------------|
|         |     | define<br>as spe                   | <b>iption:</b> Reference information as<br>d for a particular Transaction Set or<br>ecified by the Reference<br>ication Qualifier |         |          |               |                   |
| N907-03 | 128 | Reference Identification Qualifier |   |         | ID       | 2/3           | Used              |
|         |     |                                    | iption: Code qualifying the ence Identification   |         |          |               |                   |
|         |     | <u>Code</u>                        | Name  |         |          |               |                   |
|         |     | 01                                 | Comparable Property Sale Reference  | e Numb  | ber      |               |                   |
|         |     |                                    | DLMS Note:  |         |          |               |                   |
|         |     |                                    | 1. Use to identify the DLA Sales Ord secondary reference number.  | der Ref | erence N | umber when    | provided as a     |
|         |     |                                    | 2. Use in conjunction with the contri<br>cited N901 code TN and the DTID I  |         |          |               |                   |
|         |     |                                    | 3. Authorized for intra-DLA use betw<br>Disposition Field Offices. DLMS en  |         | •        |               |                   |
|         |     | C7                                 | Contract Line Item Number   |         |          |               |                   |
|         |     |                                    | DLMS Note:  |         |          |               |                   |
|         |     |                                    | 1. Use as directed by the authorizin<br>Item Number with the Contract Num   |         | ce/Agenc | y to associat | e a Contract Line |
|         |     |                                    |   |         |          |               |                   |

2. Authorized DLMS enhancement; Refer to ADC 1014

| DLMS Impleme<br>940R, Materiel |     | onvention        | <ul> <li>PDC 1379 and 1307A ADCs 45,<br/>48B, 71, 71A, 71B, 76, 77, 117, 1</li> <li>180, 197, 205A, 213, 221, 221A, 2</li> <li>274, 284, 284A, 316, 316A, 316E</li> <li>316D, 373, 381, 386, 396, 405, 4'</li> <li>436, 448, 448B, 463, 464, 466, 47</li> <li>1007, 1009A, 1014, 1020, 1021</li> <li>1043, 1043A, 1043B, 1043C, 107</li> <li>1106, 1110, 1132, 1136, 1152,</li> <li>1156A, 1161A, 1164, 1206, 1224</li> <li>1287, 1306, 1307 and 1321</li> </ul> | 41, 169<br>254, 258<br>3, 316C,<br>34, 435<br>73, 4734<br>, 1031,<br>3, 1075<br>1156,<br>B, 1228 | ,<br>,<br>,<br>,                        |   | DLM 4000.25                            |
|--------------------------------|-----|------------------|--|--|---|---|--|
| N907-04                        | 127 | Refere           | ence Identification  | Х  | AN                                      | 1/50  | Used                                   |
|                                |     | define<br>as spe | <b>iption:</b> Reference information as<br>d for a particular Transaction Set or<br>ecified by the Reference<br>ication Qualifier  |  |   |   |  |
| N907-05                        | 128 | Refere           | ence Identification Qualifier  | Х  | ID                                      | 2/3   | Used                                   |
|                                |     |                  | iption: Code qualifying the ence Identification  |  |   |   |  |
|                                |     | <u>Code</u>      | Name   |  |   |   |  |
|                                |     | W1               | Disposal Turn-In Document Number   |  |   |   |  |
|                                |     |                  | DLMS Note:   |  |   |   |  |
|                                |     |                  | 1. This is a unique number to identify<br>Services Field Office. Use in conjun<br>number identified (N901 Code TN), t<br>property being requisitioned by a DL  | ction w<br>o ident<br>A Distr  | vith the co<br>ify the Di<br>ibution Se | ntrolling requ<br>TD associate<br>ervices custo | iisition document<br>d with the<br>mer |
|                                |     |                  | 2. When there is no Suffix Code asso<br>enter the correlating DTID in the N90<br>DTID in the N907-06.  |  |   |   |  |
|                                |     |                  | 3. DLMS enhancement; refer to ADC  | \$ 466.  |   |   |  |
| N907-06                        | 127 | Refere           | ence Identification  | Х  | AN                                      | 1/50  | Used                                   |
|                                |     | define<br>as spe | <b>iption:</b> Reference information as<br>d for a particular Transaction Set or<br>ecified by the Reference<br>ication Qualifier  |  |   |   |  |

# **NTE** Note/Special Instruction

| Pos: 0450         | Max: >1     |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: 0310        | Elements: 2 |  |  |  |

#### User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

# **Comments:**

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processible. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

# **DLMS Note:**

1. Use to indicate special instructions.

2. Use when transaction includes Component-unique MRO exception data; See introductory DLMS note 4e.

#### **Element Summary:** Ref ld **Element Name** Min/Max Usage Req Type NTE01 363 **Note Reference Code** ID Used 0 3/3 **Description:** Code identifying the functional area or purpose for which the note applies Code Name DEL Deliverv **DLMS Note:** 1. Use to indicate delivery instructions. 2. Use when transaction includes Component unique MRO exception data; see introductory DLMS note 4e. ORI Order Instructions **DLMS Note:** Use to indicate pick/pack/delivery instructions. Exception information is required to be sent with accompanying exception MRO. Segment may be repeated up to 12 times with same NTE01 qualifier. Up to 360 bytes of text may be sent. A maximum of 30 bytes may be sent for each occurrence of NTE01. See introductory DLMS note 4e. PMT Payment DLMS Note: 1. Use to indicate billing instructions. 2. Use when transaction includes Component unique MRO exception data; see introductory DLMS note 4e. NTE02 352 Description Μ AN 1/80 Must use

#### Ref Id Element Name

#### Req Type Min/Max

<u>Usage</u>

**Description:** A free-form description to clarify the related data elements and their content

**DLMS Note:** Exception information is required to be sent with accompanying exception MRO. Segment may be repeated up to 12 times with same NTE01 qualifier. Up to 360 bytes of text may be sent. A maximum of 30 bytes may be sent for each occurrence of NTE01. See introductory DLMS note 4e.

# QTY Quantity

| Pos: 0700         | Max: 10     |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: 0310        | Elements: 2 |  |  |  |

User Option (Usage): Used

Purpose: To specify quantity information

# Syntax Rules:

- 1. E0204 Only one of QTY02 or QTY04 may be present.
- 2. R0204 At least one of QTY02 or QTY04 is required.

# **Semantics:**

1. QTY04 is used when the quantity is non-numeric.

# **Element Summary:**

| <u>Ref</u> | ld  | Element Name       | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----|--------------------|-----|------|----------------|--------------|
| QTY01      | 673 | Quantity Qualifier | Μ   | ID   | 2/2            | Must use     |

**Description:** Code specifying the type of quantity

### Code Name

46 Total transactions

### DLMS Note:

1. Use to indicate the mapping product total manifest lines. (total number of lines/MROs within this NEO PACK Manifest).

2. Use when transaction includes Component-unique exception data.

3. An ANSI data maintenance request has been prepared to request a new code qualifier for Total Number of Manifest Lines for future use.

67 Minimum Ship Quantity

## **DLMS Note:**

DLA Disposition Services uses to identify the minimum quantity (i.e.., under delivery quantity) allowed that is acceptable to be issued for the MRO. DLMS enhancement; Refer to ADC 434.

EU Total Consolidated Subsidiaries

## DLMS Note:

1. Use to identify the mapping products National Evacuation Order (NEO) PACK Line Total (total number of NEO pack items in this requisition).

2. Use when transaction includes Component-unique exception data.

3. A data maintenance action was approved in version 5040. The approved code/name is "MP -Total Number of Maps in a Pack".

MQ Maximum Ship Quantity DLMS Note:

DLA Disposition Services uses to identify the maximum quantity (i.e., over delivery quantity) allowed that is acceptable to be issued for the MRO. DLMS enhancement; Refer to ADC 434

#### OC Order Count

#### **DLMS Note:**

DLA Disposition Services uses to identify the Disposition Services Complete Container Count. This represents the total number of DTIDs in a specified disposition services container. DLMS enhancement; Refer to ADC 434.

# V1 Retention Quantity

#### **DLMS Note:**

Use in disposal release orders and historical disposal release orders, to identify the quantity of materiel to be retained in inventory.

#### QTY02 380 Quantity

Х

R

1/15

Must use

**Description:** Numeric value of quantity **Federal Note:** *Express as a whole* 

number with no decimal.

**DLMS Note:** A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 4d.

# **AMT** Monetary Amount

| Pos: 0800         | Max: 1      |  |  |  |  |
|-------------------|-------------|--|--|--|--|
| Detail - Optional |             |  |  |  |  |
| Loop: 0310        | Elements: 2 |  |  |  |  |

User Option (Usage): Used

**Purpose:** To indicate the total monetary amount

# **DLMS Note:**

Use with materiel release order to indicate the unit price.

#### **Element Summary:** Ref ld **Element Name** Min/Max Usage Type Rea AMT01 522 **Amount Qualifier Code** ID 1/3 М Must use Description: Code to qualify amount **Code Name** ΕL Present Market Value **DLMS Note:** Use in support of DLA Disposition Services on the DLMS 940R to identify the FMS Costs for FMS Sales Customers and FMS Grant Customers. LI Line Item Unit Price **DLMS Note:** 1. Use with materiel release order transactions to indicate the unit price. 2. A field size exceeding 7 positions (5 digits dollars and 2 digits cents) may not be received or understood by the recipient's automated processing system. 3. DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Authorized DLMS migration enhancement; see introductory DLMS 4f. Refer to ADC 221A. 4. The DLMS field length is authorized when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS. 5. Use to identify the unit of use price when the unit of use indicator (W0501=Z) is present. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381. RP Repair DLMS Note: 1. Use to provide the estimated or actual unit cost for the repair service provided for FMS items repaired/ replaced under a repair/return or repair/replace program. Authorized DLMS enhancement. See ADC 1031. 2. The Repair Service Value is structured as 9 digits for dollars and 2 digits for

#### Code Name

cents. The decimal point is passed in the transaction.

#### AMT02 782 Monetary Amount

M R

Must use

1/18

**Description:** Monetary amount

**DLMS Note:** 1. Use with materiel release order to indicate the unit price. Use with 2/AMT01/0800 EL Qualifier.

2.Use to identify FMS Sales Customers to include calculated sales in addition to PC&H Charges

3. Use to identify FMS Grant Customers to identify PC&H Charges

4. Use to convey FMS Costs that are printed on 1348-1a for DLA Disposition Services

5. The Present Market Value is structured as 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction.

G62 Date/Time

| Pos: 0900  | Max: 10     |
|------------|-------------|
| Detail -   | Optional    |
| Loop: 0310 | Elements: 2 |

User Option (Usage): Used

Purpose: To specify pertinent dates and times

# Syntax Rules:

- 1. P0102 If either G6201 or G6202 is present, then the other is required.
- 2. P0304 If either G6203 or G6204 is present, then the other is required.
- 3. R0103 At least one of G6201 or G6203 is required.

# **Federal Note:**

Use multiple repetitions to define unique dates or delivery periods associated with the transaction.

| <u>Ref</u> | ld                  | Elem        | ent Name   | Req     | Type      | <u>Min/Max</u> | <u>Usage</u>    |
|------------|---------------------|-------------|--|---------|-----------|----------------|-----------------|
| G6201      | 6201 432 <b>Dat</b> |             | Qualifier  | Х       | ID        | 2/2            | Must use        |
|            |                     | Desc        | ription: Code specifying type of date  |         |           |                |                 |
|            |                     | Feder       | al Note: Use any code.   |         |           |                |                 |
|            |                     |             | S Note: For DLMS use, only the<br>ing codes are authorized.                  |         |           |                |                 |
|            |                     | <u>Code</u> | Name   |         |           |                |                 |
|            |                     | 07          | Effective Date   |         |           |                |                 |
|            |                     |             | DLMS Note:   |         |           |                |                 |
|            |                     |             | 1. Use to identify the map effective   | date.   |           |                |                 |
|            |                     |             | 2. Use when transaction includes C<br>introductory DLMS note 4e.             | Compon  | ent-uniqu | e MRO except   | ion data; see   |
|            |                     | 09          | Process Date   |         |           |                |                 |
|            |                     |             | DLMS Note:   |         |           |                |                 |
|            |                     |             | Use with the transaction history to i<br>was processed by receiving activity | -       | the date  | on which the m | ateriel release |
|            |                     | 11          | Shipped on This Date   |         |           |                |                 |
|            |                     |             | DLMS Note:   |         |           |                |                 |
|            |                     |             | 1. Use only for Disposal Shipment (<br>shipped as reflected on the shipme    |         |           |                | te the date     |
|            |                     |             | 2. Future streamlined data; see inter  | roducto | ry DLMS   | note 4c.       |                 |
|            |                     | 53          | Deliver Not Before Date  |         |           |                |                 |
|            |                     |             | DLMS Note:   |         |           |                |                 |
|            |                     |             | 1. Use in redistribution orders, mat release orders to identify the earlies  |         |           | ,              |                 |

#### Code Name

directed for shipment.

For conventional ammunition transactions, use to identify the earliest acceptable delivery date for the required delivery period.

Use in materiel release order modifications to identify the revised earliest acceptable delivery date.

2. DLMS enhancement; see introductory DLMS note 4a.

54 Deliver No Later Than Date

#### **DLMS Note:**

1. Use in redistribution orders, materiel release orders, and historical materiel release orders, to identify the latest acceptable delivery date for the materiel directed for shipment.

For conventional ammunition transactions, use to identify the latest acceptable delivery date for the required delivery period.

Use in materiel release order modifications, to identify the revised latest acceptable delivery date.

2. DLMS enhancement; see introductory DLMS note 4a.

#### BC Publication Date

#### **DLMS Note:**

1. Use to identify the map edition date.

2. Use when transaction includes Component-unique MRO exception data; see introductory DLMS note 4e.

BD Required By

#### **DLMS Note:**

Use in redistribution orders, materiel release orders, and historical materiel release orders, to identify the required delivery date.

For SA transactions, use to identify the required availability date.

Use in materiel release order modifications, to identify the revised required delivery date or required availability date.

#### LD Last Demand

#### DLMS Note:

Use for LRO to identify the date of receipt of the demand document as recorded in that document by the initial recipient in the supply distribution system.

TR Transfer

#### DLMS Note:

Use only for Security Assistance materiel release administrative closure to identify the date materiel was released/tendered to the carrier as identified in the Materiel Receipt Acknowledgment.

G6202 373 **Date** X DT 8/8 Must use

#### Ref Id Element Name

#### Req Type Min/Max

<u>Usage</u>

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

# **G66** Transportation Instructions

Pos: 1000 Max: 1 Detail - Optional Loop: 0310 Elements: 1

User Option (Usage): Used

Purpose: To specify transportation instructions relating to the shipment

# **Federal Note:**

Use to identify the mode of shipment.

### DLMS Note:

Use to request premium transportation services, for Security Assistance materiel release administrative closure to identify the mode of shipment, and to indicate DLA Disposition Services customer pick-up.

| <u>Ref</u> | <u>ld</u> | Element Name   | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|--|-----|------|----------------|--------------|
| G6602      | 91        | Transportation Method/Type Code  | 0   | ID   | 1/2            | Used         |
|            |           | <b>Description:</b> Code specifying the method or type of transportation for the shipment  |     |      |                |              |
|            |           | <b>DLMS Note:</b> 1. Use for Security<br>Assistance materiel release administrative<br>closure to identify the mode of shipment<br>to the carrier as identified in the materiel<br>release acknowledgement.  |     |      |                |              |
|            |           | 2. DLA Disposition Services uses to<br>indicate that an order will be picked up by<br>a customer at the DLA Disposition<br>Services Field Office. Only the code<br>indicating customer pickup is applicable,<br>otherwise not used. DLMS enhancement;<br>Refer to ADC 434. |     |      |                |              |
|            |           | 3. DLMS users see the Transportation<br>Mode of Shipment Conversion Table for<br>available codes.  |     |      |                |              |

# Name **N1**

| Pos: 1100         | Max: 1      |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: N1          | Elements: 5 |  |  |  |

### User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

# Syntax Rules:

- 1. P0304 If either N103 or N104 is present, then the other is required.
- 2. R0203 At least one of N102 or N103 is required.

# **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

# **Federal Note:**

1. Use this 2/N1/1100 loop to identify the organization receiving the transaction set, a new consignee for diversions, and to identify entities within the ship-to address that will actually receive the materiel.

2. Use additional iterations to identify other organizations associated with the transaction.

# **Element Summary:**

| <u>Ref</u>  | ld | Eleme                     | ent Name   | Req                         | Type | Min/Max | <u>Usage</u> |  |
|---|----|---------------------------|--|-----------------------------|------|---------|--------------|--|
| N101  | 98 | Entity                    | Identifier Code  | М                           | ID   | 2/3     | Must use     |  |
|   |    | organi<br>prope           | <b>iption:</b> Code identifying an<br>izational entity, a physical location,<br>rty or an individual<br><b>al Note:</b> <i>Use any code.</i> |                             |      |         |              |  |
|   |    |                           | Note: For DLMS use, only the   |                             |      |         |              |  |
|   |    |                           | ing codes are authorized.  |                             |      |         |              |  |
|   |    |                           | ·  |                             |      |         |              |  |
|   |    | Code                      | Name   |                             |      |         |              |  |
|   |    | BS                        | Bill and Ship To   |                             |      |         |              |  |
|   |    |                           | DLMS Note:   |                             |      |         |              |  |
| Use either this code, or both codes BT and ST, for<br>redistribution orders, materiel release orders, histo<br>materiel release order modifications, disposal release<br>disposal release orders to identify the organization<br>materiel and the billing for the materiel. |    | rs, histori<br>sal relea: | ical materiel re<br>se orders, and   | lease orders,<br>historical |      |         |              |  |
|   |    | BT                        | Bill-to-Party  |                             |      |         |              |  |
|   |    |                           | DLMS Note:   |                             |      |         |              |  |

1. Use with code ST for reimbursable materiel. Use in redistribution orders, materiel release orders, historical materiel release orders, materiel release order modifications, disposal release orders, and historical disposal release orders to

#### Code Name

identify the organization to receive the billing for the materiel when different from the organization receiving the materiel. Use precludes the use of code BS for the Bill-to DoDAAC.

2. Use for SFIS compliant systems to identify the BPN of the party to receive the bill. BPN may only be used when the corresponding DoDAAC is also provided. This will require a second iteration of the N1 loop with the same gualifier.

3. Authorized DLMS enhancement; see introductory DLMS note 4f.

CA Carrier

#### **DLMS Note:**

1. Use as needed for directed returns to identify the carrier to be used for the return shipment. Refer to ADC 1164.

2. The carrier is identified by name (N102) and Standard Carrier Alpha Code (SCAC) using Code 2 (N103), when available.

3. Authorized DLMS enhancement; see DLMS introductory note 4f.

#### CN Consignee

#### DLMS Note:

Use in materiel release order cancellations to identify the new consignee to which a shipment should be diverted.

#### DA Delivery Address

#### **DLMS Note:**

1. Use with 2/N2/1101, 2/N3/1102, and 2/N4/1103 to fully identify in-the-clear exception ship-to address information under authorized conditions.

2. Use for MRO Exception Data Transaction to indicate the ship-to clear-text exception address is a MRO Type Address Code (TAC) 2 (ship-to) freight address.

3. DLMS enhancement; see introductory DLMS notes 4a and 4e.

4. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide the shipping address when not associated with a DoDAAC.

#### IF International Freight Forwarder

#### **Federal Note:**

Use for MRO clear-text exception data FMS Notice of Availability (NOA) address.

#### **DLMS Note:**

Use when transaction includes Component-unique MRO exception data; may be referred to as MAPAC "TAC" 3 address. See introductory DLMS note 4e.

KK Registering Party

#### DLMS Note:

1. Use to identify the Component UIT registry. May be used by a Component when their UIT process requires that a copy of the transaction should also be sent to a UIT registry for information purposes. Must be used with 2/N106/1100 code 'PK-Party to Receive Copy' to identify that this is only an information copy of the transaction, for use with the Component UIT registry. Cite the applicable Routing

#### Identifier in 2/N104.

2. Authorized DLMS enhancement for Air Force use with PIC NWRM UIT program. For PIC UIT, must use in conjunction with 2/N106 code PK and cite the applicable Routing Identifier in 2/N104.

3. Except noted as above, DLMS enhancement; see introductory DLMS note 4a.

LG Location of Goods

#### DLMS Note:

For LROs, use to identify an alternative supply source.

MQ Delivery Location

#### **DLMS Note:**

1. Use to provide the delivery location indicating where the materiel is to be staged/stored.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

RC Receiving Location

#### **DLMS Note:**

Use for Disposal Shipment Confirmation Follow-up (W0506=NH, DIC AFX/AFZ) to identify the DLA Disposition Services Field Office responsible for this follow-up action. This is the receiving activity, or intended receiving activity, for property shipped to DLA Disposition Services. This is an authorized DLMS enhancement. Refer to ADC 464.

#### SB Storage Area

#### **DLMS Note:**

1. Use to identify the storage facility to receive the transaction set.

2. Use for Disposal Shipment Confirmation Follow-up (W0506=NH, DIC AFX/AFZ) to identify the activity to receive the transaction. This will normally be the shipping activity identified by RIC. If the RIC is not available, the transaction may be directed to the DoDAAC identified in the Document Number. In this usage, the transaction may be transmitted to the ICP/IMM that directed the disposal action. ICPs/IMMs receiving this Follow-up shall either retransmit this transaction to the shipping activity or coordinate with the shipping activity to prepare the appropriate response. Refer to ADC 464.

#### ST Ship To

#### **DLMS Note:**

1. Use with code BT for reimbursable materiel. Use in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders to identify the organization to receive the materiel, when different from the activity being billed for the materiel. Use precludes the use of code BS.

2. May be used with clear text address for excess plant property requisitions only. See introductory DLMS note 4e.

UQ Subsequent Owner DLMS Note:

#### Code Name

Use only for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the RIC to which ownership is being transferred (the New Owner RIC). DLMS enhancement. Refer to ADC 1020.

#### WL Wholesaler

#### **DLMS Note:**

1. Use for lateral redistribution of non-Integrated Material Manager (IMM) or Primary Inventory Control Activity (PICA) owned materiel, to identify the materiel owner to receive the transaction set under single stock fund concept. Use with 2/N101/1100 Code LG to identify the activity at which the materiel is physically located. (Note: This is the owning activity as identified in the Asset Status Reporting transaction (DIC DZF rp 31-33).

2. DLMS enhancement: see introductory DLMS note 4a. This activity derived under legacy MILSTRIP by referencing DAAS table.

#### XN Planning/Maintenance Organization

#### DLMS Note:

1. Use between the source of supply and the Distribution Depot warehouse storage system to identify the Shop Service Center (SSC) or Shop Store.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 284A & 381.

#### Z1 Party to Receive Status

#### **DLMS Note:**

1. Use to indicate the organization to receive shipment status as identified on the original requisition. Use multiple iterations to identify all status recipients, as required.

2. The DLMS provides the capability to carry additional status recipients beyond those identified by legacy MILSTRIP. The Media and Status Code and the Distribution Code will be retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP/DLMS environment. Additional status recipients identified here cannot be passed to legacy MILSTRIP users.

#### Z7 Mark-for Party

#### **DLMS Note:**

1. Use in redistribution orders, materiel release orders, historical materiel release orders, and materiel release order modifications, to identify an entity located within the ship-to address that is to actually receive the materiel. Total field length is restricted to 24 clear text characters, when not used in combination with a DoDAAC or RIC. If combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory DLMS note 4f. Refer to ADC 1009A.

2. For DLA Disposition Services public sales, the customer shall be identified as the Mark-for Party using N102. Use in conjunction with N101, Code BS, Bill and Ship To, identifying the unique DLA Disposition Services public sales DoDAAC. No physical shipment is involved; public sales are designated for pick-up only. Refer to ADC 463.

#### Code Name

3. DLA Disposition Services uses to identify the Reutilization/Transfer/Donation (RTD) Web Application customer for pick-up of requisitioned property. The customer's requisitioning DoDAAC will be identified as the Mark-For Party and the customer name and phone number will be provided in the subsequent Point of Contact information (PER Segment). Refer to ADC 466.

4. DLMS enhancement; see introductory DLMS note 4a.

IAD Foreign Office

#### Federal Note:

Use for MRO clear-text exception data FMS in-country address.

#### DLMS Note:

Use when transaction includes Component-unique MRO exception data; may be referred to as MAPAC "TAC M" address. See introductory DLMS note 4e.

#### SUS Supply Source

#### DLMS Note:

Use only when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide the Routing Identifier Code of the Source of Supply when FLIS item data is not otherwise available to CMOS.

# N102 93 Name X AN 1/60 Used Description: Free-form name DLMS Note: 1. Use when transaction includes Component-unique MRO exception data with N101 Code DA, IAD, and IF to identify the exception activity name (this equates to address line1). See introductory DLMS notes 4a and 4e. 2. Use to identify the delivery location

(used with Qualifier MQ above). Field length is 30 positions maximum.

3. Use with N101 Code Z7, Mark-for Party, to identify the DLA Disposition Services public sales customer by first and last name. Refer to ADC 463.

4. Use with N101 Code Z7 to identify the recipient of materiel. Total field length is restricted to 24 characters. If combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory DLMS note 4f. Refer to ADC 1009A.

5. Use with N101 Code CA to identify the carrier by name. (Field length for DLMS is 60 positions.)

| <b>-</b> <i>i</i> |           |               | 1287, 1306, 1307 and 13  | _          | _          |                 |                 |
|-------------------|-----------|---------------|--|------------|------------|-----------------|-----------------|
| <u>Ref</u>        | <u>ld</u> |               | ent Name   | <u>Req</u> | Type       | Min/Max         | <u>Usage</u>    |
| N103              | 66        | Ident         | ification Code Qualifier   | Х          | ID         | 1/2             | Used            |
|                   |           | syste         | ription: Code designating the m/method of code structure used for fication Code (67) |            |            |                 |                 |
|                   |           | <u>Code</u>   | Name   |            |            |                 |                 |
|                   |           | 1             | D-U-N-S Number, Dun & Bradstreet   |            |            |                 |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | DLMS enhancement; see introduct  | ory DLN    | /IS note 4 | la.             |                 |
|                   |           | 2             | Standard Carrier Alpha Code (SCAC  | C)         |            |                 |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | Use with N101 Code CA to identify value of the SCAC in N104.                         | the cor    | nmercial   | carrier by code | . Identify the  |
|                   |           | 9             | D-U-N-S+4, D-U-N-S Number with F   | our Cha    | aracter S  | uffix           |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | DLMS enhancement; see introduct  | ory DLN    | /IS note 4 | la.             |                 |
|                   |           | 10            | Department of Defense Activity Add   | ress Co    | de (DOD    | AAC)            |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | DLMS enhancement; see introduct  | ory DLN    | /IS note 4 | la.             |                 |
|                   |           | 50            | Business License Number  |            |            |                 |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | 1. Use for SFIS to map to SFIS Da<br>Enter the buyer's BPN in N104.                  | ta elem    | ent "Busi  | ness Partner N  | umber TP3".     |
|                   |           |               | 2. Authorized DLMS enhancement,  | see int    | roductory  | / DLMS note 4f  |                 |
|                   |           | 92            | Assigned by Buyer or Buyer's Agent   |            |            |                 |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | Use with N101 Code XN to identify to ADC 284A & 381.                                 | the Sh     | op Servic  | e Center or Sh  | op Store. Refer |
|                   |           | A2            | Military Assistance Program Address  | s Code     | (MAPAC     | )               |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | 1. Use to indicate the Security Ass  | sistance   | (SA) stru  | uctured address | s data.         |
|                   |           |               | 2. DLMS enhancement; see DLMS  | S introdi  | uctory no  | te 4a.          |                 |
|                   |           | M4            | Department of Defense Routing Ider   | ntifier C  | ode (RIC   | )               |                 |
|                   |           | UR            | Uniform Resource Locator (URL)   |            |            |                 |                 |
|                   |           |               | DLMS Note:   |            |            |                 |                 |
|                   |           |               | DLMS enhancement; see introduct  | ory DLN    | //S note 4 | la.             |                 |
| N104              | 67        |               | ification Code   | Х          | AN         | 2/80            | Used            |
|                   |           | Desc<br>other | ription: Code identifying a party or code  |            |            |                 |                 |
| N106              | 98        | Entity        | y Identifier Code  | 0          | ID         | 2/3             | Used            |

#### Ref Id Element Name

#### Req Type Min/Max

Usage

**Description:** Code identifying an organizational entity, a physical location, property or an individual

#### Code Name

PK Party to Receive Copy

### **DLMS Note:**

1. Use when appropriate to send an information copy to a Component UIT registry. For use with N101 code 'KK'.

2. Authorized DLMS enhancement for Air Force use with PIC NWRM UIT program. For PIC UIT, must use in conjunction with 2/N101 code 'KK' and cite the applicable Routing Identifier in 2/N104.

3. Except as noted above, DLMS enhancement; see introductory DLMS note 4a.

#### TO Message To

#### **Federal Note:**

Must use with the appropriate 2/N101/1100 code to indicate the organization cited in N104 is receiving the transaction.

# N2 Additional Name Information

| Pos: 1101 | Max: 1      |
|-----------|-------------|
| Detail -  | Optional    |
| Loop: N1  | Elements: 1 |

User Option (Usage): Used

Purpose: To specify additional names

# **Federal Note:**

Use to identify additional name information as authorized.

# DLMS Note:

1. Use with 2/N101/1100 code DA, IAD and IF to identify additional in-the-clear exception name information or with code ST to provide the additional ship-to information for excess plant property.

2. DLMS enhancement; see introductory DLMS notes 4a and 4e.

| <u>Ref</u> | <u>ld</u> | Element Name  | <u>Req</u> | Туре | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|---|------------|------|----------------|--------------|
| N201       | 93        | Name  | Μ          | AN   | 1/60           | Must use     |
|            |           | Description: Free-form name   |            |      |                |              |
|            |           | <b>DLMS Note:</b> Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information (this equates to address line<br>2). Includes Mark For/Attention when<br>applicable. See introductory DLMS note<br>4e. |            |      |                |              |

# **N3** Address Information

| Pos: 1102         | Max: 1      |  |  |  |  |
|-------------------|-------------|--|--|--|--|
| Detail - Optional |             |  |  |  |  |
| Loop: N1          | Elements: 2 |  |  |  |  |

User Option (Usage): Used

Purpose: To specify the location of the named party

# **Federal Note:**

Use to identify additional address information as authorized.

# DLMS Note:

1. Use with 2/N101/1100 code DA, IAD, IF, and ST to provide the additional ship-to information.

2. DLMS enhancement; see introductory DLMS notes 4a and 4e.

| Element Name  | Req   | Type   | <u>Min/Max</u>   | <u>Usage</u>   |
|---|---|--|--|--|
| Address Information   | Μ   | AN   | 1/55   | Must use   |
| Description: Address information  |   |  |  |  |
| <b>DLMS Note:</b> 1. Use when transaction includes Component-unique MRO exception data with N101 code DA, IAD, and IF to identify the exception address information (this equates to address line 3).   |   |  |  |  |
| 2. See introductory DLMS note 4e.   |   |  |  |  |
| Address Information   | 0   | AN   | 1/55   | Used   |
| Description: Address information  |   |  |  |  |
| <b>DLMS Note:</b> 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information for conversion mapping only.<br>For conversion mapping, this equates to<br>address line 4). |   |  |  |  |
| 2. Do not use N302 for addresses created<br>using the DLMS. Address line 4 with city,<br>state, country information is reflected in<br>the N4 segment using the appropriate<br>data elements.   |   |  |  |  |
|   | Address InformationDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information (this equates to address line<br>3).2. See introductory DLMS note 4e.Address InformationDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information for conversion mapping only.<br>For conversion mapping, this equates to<br>address line 4).2. Do not use N302 for addresses created<br>using the DLMS. Address line 4 with city,<br>state, country information is reflected in<br>the N4 segment using the appropriate | Address InformationMDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information (this equates to address line<br>3).2. See introductory DLMS note 4e.Address InformationDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information for conversion mapping only.<br>For conversion mapping, this equates to<br>address line 4).2. Do not use N302 for addresses created<br>using the DLMS. Address line 4 with city,<br>state, country information is reflected in<br>the N4 segment using the appropriate | Address InformationMANDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information (this equates to address line<br>3).Image: Component-unique MRO<br>exception address<br>information (this equates to address line<br>3).2. See introductory DLMS note 4e.OANAddress InformationOANDescription: Address informationOANDescription: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information for conversion mapping only.<br>For conversion mapping, this equates to<br>address line 4).Image: Component of the exception address<br>information for conversion mapping only.<br>For conversion ma | Address InformationMAN1/55Description: Address informationDLMS Note: 1. Use when transaction<br>includes Component-unique MRO<br>exception data with N101 code DA, IAD,<br>and IF to identify the exception address<br>information (this equates to address line<br>3) |

# N4 Geographic Location

| Pos: 1103         | Max: 1      |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: N1          | Elements: 6 |  |  |  |

User Option (Usage): Used

**Purpose:** To specify the geographic place of the named party

# Syntax Rules:

- 1. C0605 If N406 is present, then N405 is required.
- 2. C0704 If N407 is present, then N404 is required.
- 3. E0207 Only one of N402 or N407 may be present.

# **Comments:**

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

# DLMS Note:

1. Use with 2/N101/1100 code DA, IAD, IF, and ST to provide the additional ship-to information.

2. Use with 2/N101/1100 code DA to identify the nine-position postal code associated with MRO Exception Data Transaction (DLA DIC CGU. See introductory DLMS note 4e.

| <u>Ref</u><br>N401 | <u>ld</u><br>19 | <u>Element Name</u><br>City Name   | <u>Req</u><br>O | <u>Type</u><br>AN | <u>Min/Max</u><br>2/30 | <u>Usage</u><br>Used |
|--------------------|-----------------|--|-----------------|-------------------|------------------------|----------------------|
|                    |                 | <b>Description:</b> Free-form text for city name<br><b>DLMS Note:</b> Use to identify the city name<br>when transaction includes<br>Component-unique MRO exception data.   |                 |                   |                        |                      |
| N402               | 156             | State or Province Code   | Х               | ID                | 2/2                    | Used                 |
|                    |                 | <ul> <li>Description: Code (Standard<br/>State/Province) as defined by appropriate<br/>government agency</li> <li>DLMS Note: Use when applicable to<br/>identify the state when transaction<br/>includes Component-unique MRO<br/>exception data.</li> </ul> |                 |                   |                        |                      |
| N403               | 116             | Postal Code  | 0               | ID                | 3/15                   | Used                 |
|                    |                 | <b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)<br><b>DLMS Note:</b> Use when transaction includes Component-unique MRO exception data for initial postal code                |                 |                   |                        |                      |
|                    |                 |  |                 |                   |                        |                      |

|      | 1287, 1306, 1307 and 1321 |   |     |             |         |              |
|------|---------------------------|---|-----|-------------|---------|--------------|
| Ref  | ld                        | Element Name  | Req | <u>Type</u> | Min/Max | <u>Usage</u> |
|      |                           | associated with the ship-to address.  |     |             |         |              |
| N404 | 26                        | Country Code  | Х   | ID          | 2/3     | Used         |
|      |                           | Description: Code identifying the country   |     |             |         |              |
|      |                           | <b>DLMS Note:</b> 1. Use to identify the country. See DLMS introductory note 6 (Refer to ADC 1075 for implementation).            |     |             |         |              |
|      |                           | 2. Use when transaction includes<br>Component-unique MRO exception data<br>(when other than U.S.) to reflect the<br>country code. |     |             |         |              |
|      |                           | 3. See introductory DLMS note 4e.   |     |             |         |              |
| N405 | 309                       | Location Qualifier  | х   | ID          | 1/2     | Used         |
|      |                           | <b>Description:</b> Code identifying type of location   |     |             |         |              |
|      |                           | Code Name   |     |             |         |              |
|      |                           | IP Postal   |     |             |         |              |
|      |                           | DLMS Note:  |     |             |         |              |
|      |                           | Use when transaction includes C<br>the secondary (parcel post) nine-<br>address (N101 Code DA).                                   | •   | •           | •       | •            |
| N406 | 310                       | Location Identifier   | 0   | AN          | 1/30    | Used         |
|      |                           | Description: Code which identifies a  |     |             |         |              |

specific location

# PER Administrative Communications Contact

| Pos: 1120         | Max: 5      |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: N1          | Elements: 4 |  |  |  |

User Option (Usage): Used

**Purpose:** To identify a person or office to whom administrative communications should be directed

# **Syntax Rules:**

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

| <u>Ref</u><br>PER01 | <u>ld</u><br>366 | <u>Element Name</u><br>Contact Function Code  | <u>Req</u><br>M | <u>Type</u><br>ID | <u>Min/Max</u><br>2/2 | <u>Usage</u> |
|---------------------|------------------|---|-----------------|-------------------|-----------------------|--------------|
| PERUI               | 300              | Description: Code identifying the major<br>duty or responsibility of the person or<br>group named<br>Code Name  | IVI             | טו                | 212                   | Must use     |
|                     |                  | IC Information Contact  |                 |                   |                       |              |
|                     |                  | DLMS Note:  |                 |                   |                       |              |
|                     |                  | 1. Use to identify the point of conta   | ct.             |                   |                       |              |
|                     |                  | 2. DLA Disposition Services uses to<br>phone number provided by the RTI<br>Services Field Office. Use in the N<br>Refer to ADC 466.   | D Web /         | Applicatio        | n to the DLA D        | Disposition  |
| PER02               | 93               | Name  | 0               | AN                | 1/60                  | Used         |
|                     |                  | <b>Description:</b> Free-form name<br><b>DLMS Note:</b> Provided the last name, first<br>name, middle initial and rate/rank/title, as<br>required, of the individual named as point<br>of contact. Include blank spaces between<br>name components and periods after<br>initials. |                 |                   |                       |              |
| PER03               | 365              | Communication Number Qualifier  | х               | ID                | 2/2                   | Used         |
|                     |                  | <b>Description:</b> Code identifying the type of communication number   |                 |                   |                       |              |
|                     |                  | <u>Code</u> <u>Name</u><br>TE Telephone   |                 |                   |                       |              |
| PER04               | 364              | Communication Number  | Х               | AN                | 1/256                 | Used         |

#### Ref Id Element Name

#### Req Type Min/Max

Usage

**Description:** Complete communications number including country or area code when applicable

# LM Code Source Information

| Pos: 1200         | Max: 1      |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: 0320        | Elements: 1 |  |  |  |

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

# **Comments:**

1. LM02 identifies the applicable industry code list source information.

# Federal Note:

Must use this 2/LM/1200 loop to identify coded information maintained in department or agency documentation.

# **Element Summary:**

| <u>Ref</u> | <u>ld</u> | Element Name  | Req | Туре | Min/Max | <u>Usage</u> |
|------------|-----------|---|-----|------|---------|--------------|
| LM01       | 559       | Agency Qualifier Code   | Μ   | ID   | 2/2     | Must use     |
|            |           | <b>Description:</b> Code identifying the agency assigning the code values |     |      |         |              |

Code Name

DF Department of Defense (DoD)



Pos: 1300 Max: 100 Detail - Mandatory Loop: 0320 Elements: 2

User Option (Usage): Must use Purpose: Code to transmit standard industry codes

# Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

# **Federal Note:**

Use to identify codes, as appropriate, consistent with management information requirements.

| <u>Ref</u> | <u>ld</u> |  | ent Name  | <u>Req</u> | Туре      | <u>Min/Max</u>   | <u>Usage</u>  |
|------------|-----------|--|---|------------|-----------|------------------|---------------|
| LQ01       | 1270      | Code   | List Qualifier Code   | 0          | ID        | 1/3              | Must use      |
|            |           | indus  | ription: Code identifying a specific try code list  |            |           |                  |               |
|            |           | Fede   | ral Note: Use any code.   |            |           |                  |               |
|            |           | not be<br>both o<br>codes<br>enhai<br>legac<br>codes | S Note: 1. Use code 99 or A1, but<br>oth, except for ammunition where<br>codes may be used. Use of both<br>is for ammunition is a DLMS<br>incement. If communicating with a<br>y MILSTRIP system only one of the<br>is may be received by the recipient's<br>mated processing system. |            |           |                  |               |
|            |           |  | or DLMS use, only the following<br>s are authorized.  |            |           |                  |               |
|            |           | <u>Code</u>  | Name  |            |           |                  |               |
|            |           | 0  | Document Identification Code  |            |           |                  |               |
|            |           |  | DLMS Note:  |            |           |                  |               |
|            |           |  | 1. The MILSTRIP DIC is retained i<br>in a mixed legacy MILSTRIP/DLMS<br>a full DLMS environment will be as  | s enviroi  | nment. C  | Continued supp   |               |
|            |           |  | 2. Future streamlined data; see DL  | MS intr    | oductory  | note 4c.         |               |
|            |           | 61   | Information Indicator Code  |            |           |                  |               |
|            |           |  | DLMS Note:  |            |           |                  |               |
|            |           |  | Use when transaction includes Cor specific type of exception data as in   |            |           |                  |               |
|            |           | 67   | Type of Assistance Code   |            |           |                  |               |
|            |           |  | DLMS Note:  |            |           |                  |               |
|            |           |  | 1. For SA materiel release order a  | nd histo   | rical mat | eriel release ol | rder use when |
|            |           |  |   |            |           |                  |               |

#### Code Name

the coded address in the transaction number does not identify the type of assistance and financing.

- 2. DLMS enhancement; see DLMS introductory note 4a.
- 78 Project Code

#### **DLMS Note:**

1. Use in redistribution orders, materiel release orders, disposal release orders and historical materiel release orders, but only to identify special programs, exercises, projects, operations, and other purposes. Use in materiel release order modifications to identify the revised project code.

2. Use of a project code in a disposal release order is an authorized DLMS enhancement; see introductory DLMS note 4b.

3. For DoD SLOA/Accounting Classification compliance the Project Code may be repeated as a Project Identifier (FA201 Qualifier 90). Refer to ADC 1043.

4. For the warehouse project code, use 2/N901/0400 qualifier P4.

79 Priority Designator Code

#### DLMS Note:

Use in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders, to identify the supply priority assigned to this transaction. Use in materiel release order modifications to identify the revised priority.

#### 80 Advice Code

#### DLMS Note:

Use in redistribution orders, materiel release orders, historical materiel release orders, and disposal release inquiries, to convey information considered essential to the supply action. Use in materiel release order modifications to identify the revised Advice Code.

83 Supply Condition Code

#### **DLMS Note:**

Use in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders, to identify the supply condition code of the materiel to be selected for shipment.

84 Management Code

#### **DLMS Note:**

Use in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders to identify applicable management information.

87 Subsistence Type of Pack Code

#### **DLMS Note:**

Use with subsistence items only, in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders to identify the specific subsistence type of pack to select for shipment.

88 Disposal Authority Code

1287, 1306, 1307 and 1321

#### Code Name

#### **DLMS Note:**

Use in disposal release orders and historical disposal release orders, to indicate that the designated materiel is authorized for shipment to a disposal or reutilization facility.

90 Precious Metals Indicator Code

#### DLMS Note:

1. Use in disposal release orders and historical disposal release orders, to identify the precious metal content of the specified materiel.

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS when FLIS item data is not otherwise available to CMOS.

91 Automated Data Processing Equipment Identification Code

#### **DLMS Note:**

Use in disposal release orders and historical disposal release orders, to identify ADPE identification information.

#### 92 Reason for Disposal Code

#### **DLMS Note:**

1. Use in disposal release orders and historical disposal release orders, to identify the reason the disposal action is required.

- 2. DLMS enhancement; see DLMS introductory note 4a.
- 93 Type of Storage Code

#### **DLMS Note:**

1. Use in redistribution orders, materiel release orders, and historical materiel release orders, to identify the minimum storage requirements associated with the materiel.

2. DLMS enhancement; see DLMS introductory note 4a.

94 Identification Code

#### **DLMS Note:**

Must use in FMS transactions to identify the customer country's requisitioning Service Code: B, D, K, P, or T. This is the SA program Customer Service Designator (codes derived from Qualifier 71, Service and Agency Code).

A DM will be submitted to create a new qualifier for this data element.

95 Offer and Release Option Code

#### DLMS Note:

Use in FMS materiel release orders and historical materiel release orders, to identify the type of notice required prior to materiel shipment. Use in materiel release order modifications to identify the revised offer and release option.

97 Ultimate Recipient Code

#### **DLMS Note:**

1. Use in materiel release orders and historical materiel release orders, to identify the buyer of DoD materiel, to allow full payment for materiel supplied to the non-DoD customer. Use in materiel release order modifications to identify the

#### Code Name

revised Ultimate Recipient Code.

- 2. DLMS enhancement; see DLMS introductory note 4a.
- 98 Reason for Requisitioning Code

#### **DLMS Note:**

1. Use to identify Reason for Requisitioning Code identifying the use of the materiel.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### 99 Purpose Code

#### **DLMS Note:**

1. May be used for LRO if required based on Service/Agency agreement.

2. For all other uses, this is a DLMS enhancement, see introductory DLMS note 4a.

A1 Ownership Code

#### **DLMS Note:**

When used for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel, use to identify the new/gaining (to) ownership code. Refer to ADC 1020.

A2 Customer Within Country Code

#### **DLMS Note:**

1. For SA materiel release order and historical materiel release order use when the coded address in the transaction number does not identify the customer within country.

- 2. DLMS enhancement; see DLMS introductory note 4a.
- A3 Delivery Term Code

#### **DLMS Note:**

1. For SA materiel release order and historical materiel release order use when the coded address in the transaction number does not identify the delivery term.

- 2. DLMS enhancement; see DLMS introductory note 4a.
- A5 Subcase Number

#### DLMS Note:

- 1. Use in FMS transactions based on Service requirements.
- 2. DLMS enhancement; see DLMS introductory note 4a.
- A6 Freight Forwarder Number

#### DLMS Note:

Must use for FMS materiel release orders and historical materiel release orders, to identify the country representative or freight forwarder to receive shipments and documentation. Use in materiel release order modifications to identify revised information.

A7 Record Control Number

#### **DLMS Note:**

Use in MAP/GA materiel release orders and historical materiel release orders, to identify the program line item number.

A8 Program Year Code

#### **DLMS Note:**

Use in MAP/GA materiel release orders and historical materiel release orders, to identify the program year in which the materiel was approved and funded.

A9 Supplemental Data

#### DLMS Note:

1. Use in materiel release order modifications to identify revised information.

2. Use to identify supplementary address/supplemental data.

3. During the legacy MILSTRIP/DLMS transition, this field will be used to perpetuate/populate the MILSTRIP Supplementary Address (SUPADD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 3d.

4. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 3a.

5. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPADD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 3c.

6. During legacy MILSTRIP/DLMS transition, use on a release order for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel and no billing. Cite Signal Code M in conjunction with the supplemental data field constructed as follows: Service/Agency Code Y followed by the old (from) ownership code, the RIC to which ownership is transferred, and the new/gaining (to) ownership code. Refer to ADC 1020.

#### AJ Utilization Code

#### **DLMS Note:**

1. Use to identify a specialized purpose for which the requisition is submitted.

2. Under legacy MILSTRIP, this is the first position of the document serial number within the document number.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

4. DLMS enhancement; see introductory DLMS note 4a.

#### AK Distribution Code

#### **DLMS Note:**

1. Use in materiel release order modifications to identify the revised activities eligible to receive additional status.

2. Future streamlined data; see DLMS introductory note 4c.

#### Code Name

AL Special Requirements Code

#### **DLMS Note:**

1. Use in redistribution orders, materiel release orders, and historical materiel release orders. Use in materiel release order modifications to identify the revised Special Requirements Code.

- 2. Under legacy MILSTRIP, this is carried in the required delivery date field.
- 3. DLMS enhancement; see DLMS introductory note 4a.

4. Use in conjunction with 2/LQ01/Code RC, Requirement Code, to complete the Air Force unique NMCS/MICAP data requirement.

BD Transportation Priority Code

## **DLMS Note:**

1. Use in redistribution orders, materiel release orders, historical materiel release orders, disposal release orders, and historical disposal release orders to identify a transportation priority which is different than that associated with the requisition priority.

2. DLMS enhancement; see DLMS introductory note 4a.

#### CH Type of Issue Code

#### DLMS Note:

1. Use by prior agreement only in materiel release orders and disposal release orders to identify the National Geospatial-Intelligence Agency (NGA) Product Code.

2. An ANSI data maintenance request has been prepared to request a new data element 1270 code qualifier.

#### DE Signal Code

#### **DLMS Note:**

1. Use in materiel release order modifications to identify the revised signal code.

2. Future streamlined data; see DLMS introductory note 4c.

DF Media and Status Code

#### **DLMS Note:**

1. Use in materiel release order modifications to identify the revised Media and Status Code.

2. Future streamlined data; see DLMS introductory note 4c.

EQ Controlled Inventory Item Code

#### **DLMS Note:**

Only use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement SBSS interface with CMOS when FLIS item data is not otherwise available to CMOS.

FC Type Physical Inventory or Transaction History Code

#### **DLMS Note:**

1. Use only with 1/W0507/20 Action Code W1.

2. DLMS enhancement. See introductory DLMS note 5a.

#### FD Demilitarization Code

#### **DLMS Note:**

1. Use disposal release orders and historical disposal release orders, to identify any demilitarization actions which must take place prior to disposal.

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS when FLIS item data is not otherwise available to CMOS.

3. Authorized DLMS enhancement for DLA Disposition Services in redistribution orders. Refer to ADC 434.

#### GQ Group Qualifier Code

#### **DLMS Note:**

Use to identify the Material Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., System, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element meaningful to the Air Force only. Non-Air Force components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

#### HD Discrepancy Status or Disposition Code

#### DLMS Note:

1. Use in materiel release orders when directing shipment of discrepant or deficient materiel.

2. DLMS enhancement; see DLMS introductory note 4a.

NK National Motor Freight Classification (NMFC) Code

#### **DLMS Note:**

Only use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS.

NP Special Category Code

#### **DLMS Note:**

1. Use in disposal release orders and historical disposal release orders to identify the Federal Item Identification Guide (FIIG) Criticality Code. Enter Criticality Code E to indicate Flight Safety Critical Aircraft Part-Nuclear Hardened or Criticality Code F to indicate Flight Safety Aircraft Part.

2. Data associated with Approved legacy MILSTRIP/DLMS Change 6, which has a staggered implementation date.

3. A data maintenance action was approved in version 4050. The approved code/name is "CR- Federal Item Identification Guide (FIIG) Criticality Code".

NT Type of Cargo Code
DLMS Note:

#### Code Name

Only use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement SBSS interface with CMOS. Use a maximum of repetitions to identify two cargo codes.

#### R3 Delivery Rank (Priority)

#### DLMS Note:

1. Use by prior agreement only in materiel release orders to identify the Delivery Priority/Special Processing Code which identifies special shipment requirements. This is a DLMS enhancement; Refer to ADC 141

2. Use to indicate the Delivery Priority Code for materiel that has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable. This is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

3. A data maintenance action was approved in version 5030. The approved code/name is DPC – Delivery Priority Code. DoD systems will continue to use Qualifier R3 to represent the Delivery Priority/Special Processing Code until such time as a new ADC directs otherwise.

#### RC Requirement Code

#### DLMS Note:

1. Use in conjunction with Special Requirements Code N (2/LQ01/Code AL or perpetuated from legacy MILSTRIP Required Delivery Date field). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

2. A data maintenance action was approved in version 5010. The approved code/name is "UJC - Urgency Justification Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

RD Property Ownership Type Code

#### DLMS Note:

Use only for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the old (from) ownership code. DLMS enhancement. Refer to ADC 1020.

ZZ Mutually Defined

#### **DLMS Note:**

1. Use to identify the Pseudo Closure Reason Code on an administrative action to close an open materiel release order. A request has been submitted to establish a new qualifier for this data element. The new qualifier will replace Qualifier Code "ZZ" in a future release of this DLMS IC. Refer to Qualifier Code "\*B" in the DLMS Data Element Dictionary on the EBSO web site for applicable code values until the new qualifier code is available.

2. Approved DLMS change; see introductory DLMS note 4b.

COG Cognizance Symbol

#### **DLMS Note:**

1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### Code Name

2. DLMS enhancement; see DLMS introductory note 4a.

DMI Demilitarization Integrity Code

#### **DLMS Note:**

1. Use to identify the DEMIL Integrity Code

2. Qualifier DMI is a migration code approved for use in X12 version 6050. The approved code/name is DMI- Demilitarization Integrity Code.

DSC Disposition Services Customer Type

#### **DLMS Note:**

1. Use to identify the DLA Distribution Services Customer Type. The customer type is used by the DLA Distribution Services Field Office to prioritize workload. Cite the applicable code:

R= Reutilization T=Transfer D= Donation S=Sales

2. Qualifier DSC is a migration code approved for use in X12 version 6050. The approved code/name is DSC- Disposition Services Customer Type.

3. Authorized for intra-DLA use between DLA Disposition Services and DLA Disposition Field Offices. DLMS enhancement; Refer to ADC 434.

#### DSI Disposition Services Indicator

#### DLMS Note:

1. Use to provide relevant information applicable to the DLA Disposition Services business process supported by this transaction on an intra-DLA basis. Use multiple repetitions of the LQ Segment to include all applicable codes. Authorized DLMS enhancement for use by DLA Disposition Services. Refer to ADC 434.

2. The following Disposition Services Indicator values are available for use in the materiel release transaction:

CIF – Container Issued in Full. Use to indicate that all DTID Numbers applicable to the specified container is issued on the same release order.

*CM* – Cancellation Mandatory. Use to indicate to the DLA Disposition Field Office that the cancellation of the materiel release is mandatory.

CO – Cancellation Optional. Use to indicate to the DLA Disposition Field Office that the cancellation of the materiel release is optional. CS – DEMIL Condition of Sale Indicator.

CS – DEIVIL COndition of Sale Indicator.

3. Qualifier DSI is a migration code approved for use in X12 version 6050. The approved code/name is DSI- Disposition Services Indicator.

#### IMC Item Management Code

#### **DLMS Note:**

1. Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### Code Name

2. DLMS enhancement.

MCC Material Control Code

#### DLMS Note:

1. Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

- 2. DLMS enhancement.
- SEC Stock Exchange Code

#### **DLMS Note:**

Use to identify the Exchange Pricing Indicator for Army transactions to identify that the Customer and NIIN on the transaction are Exchange Pricing relevant. Non-Army Storage Locations are to perpetuate this value on all subsequent transactions. When applicable, cite code value EP (Exchange Pricing). Refer to ADC 274.

A data maintenance action was approved in version 6010. The approved code/name is "EPI - Exchange Pricing Indicator".

Pricing maicator .

SMI Special Material Identification Code

#### DLMS Note:

1. Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS enhancement.

#### T05 Inspection Parameters

#### DLMS Note:

1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

# LQ02 1271 Industry Code X AN 1/30 Must use

**Description:** Code indicating a code from a specific industry code list



| Pos: 1350         | Max: 1      |  |  |  |
|-------------------|-------------|--|--|--|
| Detail - Optional |             |  |  |  |
| Loop: 0310        | Elements: 1 |  |  |  |

User Option (Usage): Used

**Purpose:** To indicate that the next segment begins a loop

# **Federal Note:**

Must use with any given iteration of the 2/W01/0200 loop when the 2/LX/1400 Unique Item Tracking (UIT) loop is used. Use of this segment prevents collision of segments.

| <u>Ref</u> | <u>ld</u> | Element Name   | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|--|-----|------|----------------|--------------|
| LS01       | 447       | Loop Identifier Code   | М   | AN   | 1/6            | Must use     |
|            |           | <b>Description:</b> The loop ID number given<br>on the transaction set diagram is the<br>value for this data element in segments<br>LS and LE<br><b>Federal Note:</b> <i>Cite the numeric 0330 to</i><br><i>satisfy the ANSI syntax requirement.</i> |     |      |                |              |

# LX Assigned Number

| Pos: 1400  | Max: 1      |
|------------|-------------|
| Detail -   | Optional    |
| Loop: 0330 | Elements: 1 |

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

# **Federal Note:**

1. Use the 2/LX/1400 loop to provide Item Unique Identification (IUID) information when specific items identified by IUID are directed for release under authorized procedures.

2. Use as a counter to identify the number of 2/LX/1400 loop iterations in the transaction set.

# DLMS Note:

1. Use the 2/LX/1400 loop in redistribution orders, materiel release orders, historical materiel release orders, materiel release order modifications, disposal release orders, historical disposal release orders, and disposal release order modifications when specific items identified by IUID are directed for release under authorized procedures.

2. Use a separate 2/LX/1400 loop for each identified item.

| <u>Ref</u> | <u>ld</u> | Element Name  | Req | <u>Type</u> | <u>Min/Max</u> | <u>Usage</u> |
|------------|-----------|---|-----|-------------|----------------|--------------|
| LX01       | 554       | Assigned Number   | М   | N0          | 1/6            | Must use     |
|            |           | <b>Description:</b> Number assigned for<br>differentiation within a transaction set<br><b>Federal Note:</b> In the first 2/LX/1400 loop<br>iteration, cite numeric 1. In each<br>subsequent loop iteration, increase<br>incrementally by 1. |     |             |                |              |

# 1287, 1306, 1307 and 1321

# **N9** Reference Identification

| Pos: 1500  | Max: >1     |
|------------|-------------|
| Detail -   | Optional    |
| Loop: 0330 | Elements: 2 |

### User Option (Usage): Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

# Syntax Rules:

- 1. C0605 If N906 is present, then N905 is required.
- 2. R0203 At least one of N902 or N903 is required.

# Federal Note:

Use to provide Item Unique Identification (IUID) information.

### DLMS Note:

- 1. This segment supports item identification based upon the UII or the serial number.
- 2. This segment also provides for use of a batch/lot number, when applicable.

3. Repeat the N9 segment as needed to identify desired characteristics for the specific item.

4. When this message supports the Retail Supply-Transportation Interface (See DLM 4000.25 Volume 3, Chapter 2), this transaction supports unique item identification based upon the UII. Pending full transition to DoD IUID Supply Policy using the UII, the materiel release will be prepared using the UII and corresponding serial number and batch/lot number when available when required by DoD IUID Supply Policy. Authorized DLMS enhancement. See ADC 1073.

5. With the exception of the limited implementation authorized by ADC 1073 in support of the Retail Supply-Transportation Interface, the entire 2/N9/1500 segment is a DLMS enhancement. See introductory DLMS note 4a.

| <u>Ref</u> | <u>ld</u> | Eleme                        | nt Name   | Req       | Туре      | <u>Min/Max</u>  | <u>Usage</u>      |
|------------|-----------|------------------------------|---|-----------|-----------|-----------------|-------------------|
| N901       | 128       | Refere                       | ence Identification Qualifier   | М         | ID        | 2/3             | Must use          |
|            |           |                              | i <b>ption:</b> Code qualifying the nce Identification  |           |           |                 |                   |
|            |           | in com<br>informa<br>includi | <b>Note:</b> 1. Use codes separately or<br>ibination, to identify appropriate<br>ation for DoD IUID Supply Policy,<br>ng, but not limited to unique item<br>g (UIT) programs. See ADC 1073. |           |           |                 |                   |
|            |           |                              | DLMS use, only the following codes thorized.  |           |           |                 |                   |
|            |           | <u>Code</u><br>BT            | <u>Name</u><br>Batch Number   |           |           |                 |                   |
|            |           |                              | DLMS Note:<br>1. Use to identify the manufacturer   | 's batch, | /lot numb | per or other nu | ımber identifying |
|            |           |                              |   |           |           |                 |                   |

#### Code Name

the production run. The batch/lot number may not exceed 20 characters in accordance with IUID policy.

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange interface with CMOS to provide the batch/lot number, when available. A maximum of 60 items may be identified for this interface. See ADC 1073.

SE Serial Number

DLMS Note:

1. Use to identify the serial number.

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange interface with CMOS to provide the serial number. Serial number may be used alone for legacy items when UII is not assigned, otherwise use two occurrences of this segment to identify both the serial number and the UII. A maximum of 60 items may be identified for this interface. See ADC 1073.

U3 Unique Supplier Identification Number (USIN)

#### **DLMS Note:**

1. Use to identify the UII. A data maintenance action was approved in version 5020. The approved code/name is "UII - Department of Defense Unique Item Identifier".

2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange interface with CMOS to provide the UII. A maximum of 60 items may be identified for this interface. See ADC 1073.

- N902 127 Reference Identification X AN
  - X AN 1/50 Must use

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Pos: 1600 Max: 10 Detail - Optional Loop: 0330 Elements: 2

User Option (Usage): Used

**Purpose:** To specify pertinent dates and times

# Syntax Rules:

- 1. P0102 If either G6201 or G6202 is present, then the other is required.
- 2. P0304 If either G6203 or G6204 is present, then the other is required.
- 3. R0103 At least one of G6201 or G6203 is required.

# Federal Note:

Use to identify dates associated with the UIT item.

# DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

| <u>Ref</u> | <u>ld</u> | Eleme       | ent Name  | Req       | Type        | <u>Min/Max</u>  | <u>Usage</u> |  |  |  |
|------------|-----------|-------------|---|-----------|-------------|-----------------|--------------|--|--|--|
| G6201      | 432       | Date        | Qualifier   | Х         | ID          | 2/2             | Must use     |  |  |  |
|            |           | Descr       | ription: Code specifying type of date   |           |             |                 |              |  |  |  |
|            |           | <u>Code</u> | Name  |           |             |                 |              |  |  |  |
|            |           | 36          | Expiration Date   |           |             |                 |              |  |  |  |
|            |           |             | DLMS Note:  |           |             |                 |              |  |  |  |
|            |           |             | Use to identify the expiration date of  | of the lo | t identifie | d.              |              |  |  |  |
|            |           | BF          | Pack Date   |           |             |                 |              |  |  |  |
|            |           |             | DLMS Note:  |           |             |                 |              |  |  |  |
|            |           |             | Use to identify the date of pack for  | the lot i | dentified.  |                 |              |  |  |  |
|            |           | BK          | Warranty Expiration   |           |             |                 |              |  |  |  |
|            |           |             | DLMS Note:  |           |             |                 |              |  |  |  |
|            |           |             | Use to indicate the date when the materiel warranty expires.                                  |           |             |                 |              |  |  |  |
|            |           | BL          | Manufacture   |           |             |                 |              |  |  |  |
|            |           |             | DLMS Note:  |           |             |                 |              |  |  |  |
|            |           |             | Use to identify the date of manufac   | ture of t | he mater    | iel identified. |              |  |  |  |
| G6202      | 373       | Date        |   | Х         | DT          | 8/8             | Must use     |  |  |  |
|            |           | CCYY        | ription: Date expressed as<br>/MMDD where CC represents the<br>vo digits of the calendar year |           |             |                 |              |  |  |  |

# N1 Name

| Pos: 1700  | Max: 1      |
|------------|-------------|
| Detail -   | Optional    |
| Loop: 0330 | Elements: 4 |

# User Option (Usage): Used

**Purpose:** To identify a party by type of organization, name, and code

# **Syntax Rules:**

- 1. P0304 If either N103 or N104 is present, then the other is required.
- 2. R0203 At least one of N102 or N103 is required.

# Federal Note:

Use to identify the manufacturer of the UIT item.

# DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

| <u>Ref</u><br>N101 | <u>Id</u><br>98 | Element Name<br>Entity Identifier Code  | <u>Req</u><br>M | <u>Type</u><br>ID | <u>Min/Max</u><br>2/3 | <u>Usage</u><br>Must use |
|--------------------|-----------------|---|-----------------|-------------------|-----------------------|--------------------------|
|                    |                 | <b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual |                 |                   |                       |                          |
|                    |                 | CodeNameMFManufacturer of Goods   |                 |                   |                       |                          |
| N102               | 93              | Name  | Х               | AN                | 1/60                  | Used                     |
|                    |                 | Description: Free-form name   |                 |                   |                       |                          |
| N103               | 66              | Identification Code Qualifier   | Х               | ID                | 1/2                   | Must use                 |
|                    |                 | <b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)    |                 |                   |                       |                          |
|                    |                 | Code Name   |                 |                   |                       |                          |
|                    |                 | 33 Commercial and Government Entity   | (CAGE)          | )                 |                       |                          |
| N104               | 67              | Identification Code   | Х               | AN                | 2/80                  | Must use                 |
|                    |                 | <b>Description:</b> Code identifying a party or other code  |                 |                   |                       |                          |

LE Loop Trailer

| Pos: 2850         | Max: 1      |  |  |  |  |
|-------------------|-------------|--|--|--|--|
| Detail - Optional |             |  |  |  |  |
| Loop: 0310        | Elements: 1 |  |  |  |  |

User Option (Usage): Used

**Purpose:** To indicate that the loop immediately preceding this segment is complete

# **Federal Note:**

Must use with every occurrence of the LS segment. Use of this segment prevents collision of segments.

| <u>Ref</u> ld |              | ement Name  | Req | Type | <u>Min/Max</u> | <u>Usage</u> |
|---------------|--------------|---|-----|------|----------------|--------------|
| LE01 44       | 47 <b>Lo</b> | oop Identifier Code   | М   | AN   | 1/6            | Must use     |
|               | on<br>va     | escription: The loop ID number given<br>in the transaction set diagram is the<br>alue for this data element in segments<br>S and LE |     |      |                |              |
|               | Fe           | ederal Note: Cite the numeric 0330.   |     |      |                |              |

|     | Type of Financial Accounting |  |  | Max: 1                  |
|-----|------------------------------|--|--|-------------------------|
| ГАІ |                              |  |  | Optional<br>Elements: 2 |
|     |                              |  |  |                         |

### User Option (Usage): Used

**Purpose:** To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

# Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

| Fight Control of the second | <u>Ref</u><br>FA101 | <u>ld</u><br>559 | <u>Element Name</u><br>Agency Qualifier Code  | <u>Req</u><br>M | <u>Type</u><br>ID | <u>Min/Max</u><br>2/2 | <u>Usage</u><br>Must use |
|---|---------------------|------------------|---|-----------------|-------------------|-----------------------|--------------------------|
| that corresponds to the organization that<br>is responsible for the assignment of the<br>DoDAAC used to construct the controlling<br>document number for the transaction.         Code       Name         DF       Department of Defense (DoD)         DLMS Note:       Use to indicate that the Component is a Department of Defense agency, including<br>Defense Logistics Agency. Refer to ADC 1043.         DN       Department of the Navy         DLMS Note:       Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300       Service, Promotion, Allowance, or<br>Charge Code       O       ID       4/4       Must use         Code       Name       Airo       Adjustments       Airo       Adjustments  |                     |                  | <b>Description:</b> Code identifying the agency assigning the code values   |                 |                   |                       |                          |
| DF       Department of Defense (DoD)         DLMS Note:       Use to indicate that the Component is a Department of Defense agency, including Defense Logistics Agency. Refer to ADC 1043.         DN       Department of the Navy         DLMS Note:       Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300         Service, Promotion, Allowance, or       O         Description: Code identifying the service, promotion, allowance, or charge         Code       Name         A170       Adjustments  |                     |                  | that corresponds to the organization that<br>is responsible for the assignment of the<br>DoDAAC used to construct the controlling |                 |                   |                       |                          |
| DLMS Note:       Use to indicate that the Component is a Department of Defense agency, including Defense Logistics Agency. Refer to ADC 1043.         DN       Department of the Navy         DLMS Note:       Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300         Service, Promotion, Allowance, or       O         Description: Code identifying the service, promotion, allowance, or charge         Code       Name         A170       Adjustments   |                     |                  | <u>Code</u> <u>Name</u>   |                 |                   |                       |                          |
| Image: Section of the construction  |                     |                  | DF Department of Defense (DoD)  |                 |                   |                       |                          |
| Defense Logistics Agency. Refer to ADC 1043.         DN       Department of the Navy         DLMS Note:         Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300         Service, Promotion, Allowance, or       O         Charge Code         Description: Code identifying the service, promotion, allowance, or charge         Code       Name         A170       Adjustments  |                     |                  | DLMS Note:  |                 |                   |                       |                          |
| DLMS Note:       Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300         Service, Promotion, Allowance, or       O         ID       4/4         Must use         Description: Code identifying the service, promotion, allowance, or charge         Code       Name         A170       Adjustments   |                     |                  |   |                 |                   | t of Defense a        | gency, including         |
| Includes the United States Marine Corps.         DY       Department of Air Force         DZ       Department of Army         FG       Federal Government         FA102       1300         Service, Promotion, Allowance, or<br>Charge Code       O       ID       4/4         Description: Code identifying the service,<br>promotion, allowance, or charge       O       ID       4/4         Adjustments       Adjustments       Image: Comparison of Charge Code       Image: Code       Image: Code  |                     |                  | DN Department of the Navy   |                 |                   |                       |                          |
| DZ       Department of Army         FG       Federal Government         FA102       1300       Service, Promotion, Allowance, or       O       ID       4/4       Must use         Charge Code       Description: Code identifying the service, promotion, allowance, or charge       O       ID       4/4       Must use         Code       Name       A170       Adjustments       Adjustments       Adjustments  |                     |                  |   | Corps.          |                   |                       |                          |
| FG       Federal Government         FA102       1300       Service, Promotion, Allowance, or<br>Charge Code       O       ID       4/4       Must use         Description:       Code identifying the service,<br>promotion, allowance, or charge       Description:       Code identifying the service,<br>promotion, allowance, or charge         Code       Name<br>A170       Adjustments   |                     |                  | DY Department of Air Force  |                 |                   |                       |                          |
| Charge Code         Description: Code identifying the service, promotion, allowance, or charge <u>Code</u> <u>Name</u> A170       Adjustments   |                     |                  | 1   |                 |                   |                       |                          |
| promotion, allowance, or charge<br><u>Code</u> <u>Name</u><br>A170 Adjustments  | FA102               | 1300             |   | 0               | ID                | 4/4                   | Must use                 |
| A170 Adjustments  |                     |                  |   |                 |                   |                       |                          |
|   |                     |                  | A170 Adjustments  |                 |                   |                       |                          |

#### Code Name

1. Use only for adjustments not specified by any other code.

- 2. DLMS enhancement; see introductory DLMS note 4a.
- A520 Base Charge

#### **DLMS Note:**

- 1. Use for materiel charges only.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- C930 Export Shipping Charge

#### **DLMS Note:**

DLMS enhancement; see introductory DLMS note 4a.

D340 Goods and Services Charge

#### **DLMS Note:**

- 1. Use for both materiel and related services.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- F060 Other Accessorial Service Charge

### DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

F560 Premium Transportation

#### DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

# I260 Transportation Direct Billing DLMS Note:

- 1. Use for non-premium transportation.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- R060 Packing, Crating, and Handling Charge

# DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

# FA2 Accounting Data

Pos: 3000 Max: >1 Detail - Mandatory Loop: 0340 Elements: 2

User Option (Usage): Must use

**Purpose:** To specify the detailed accounting data

# **Federal Note:**

Use this 2/FA2/3000 segment to identify the various components of the line of accounting.

# DLMS Note:

Use this segment to comply with the DoD SLOA/Accounting Classification. Cost object elements Project Identifier, Funding Center Identifier, Functional Area, Cost Element Code, Cost Center Identifier, Activity Identifier, and Work Order Number are used as appropriate for the system. This information is applicable to the disposal release order for hazardous materiel/waste and creditable turn-in only. Refer to ADC 1043.

| <u>Ref</u><br>FA201 | <u>ld</u><br>1196 |             | e <u>nt Name</u><br>down Structure Detail Code   | <u>Req</u><br>M | <u>Type</u><br>ID | <u>Min/Max</u><br>2/2 | <u>Usage</u><br>Must use |  |  |  |
|---------------------|-------------------|-------------|--|-----------------|-------------------|-----------------------|--------------------------|--|--|--|
|                     |                   | relatin     | <b>iption:</b> Codes identifying details<br>g to a reporting breakdown<br>ure tree                                   |                 |                   |                       |                          |  |  |  |
|                     |                   | <u>Code</u> | Name   |                 |                   |                       |                          |  |  |  |
|                     |                   | 18          | Funds Appropriation  |                 |                   |                       |                          |  |  |  |
|                     |                   |             | DLMS Note:   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | 1. Use to indicate the basic approp  | riation n       | umber.            |                       |                          |  |  |  |
|                     |                   |             | 2. Authorized DLMS enhancement 434.  | for DLA         | A Disposi         | tion Services.        | Refer to ADC             |  |  |  |
|                     |                   | 89          | Budget Line Item Identification  |                 |                   |                       |                          |  |  |  |
|                     |                   |             | DLMS Note:   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | 1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Budget Line Item". Refer to ADC 1043.      |                 |                   |                       |                          |  |  |  |
|                     |                   |             | 2. Authorized DLMS enhancement; see introductory DLMS note 4f.   |                 |                   |                       |                          |  |  |  |
|                     |                   | 90          | Project/Task   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | DLMS Note:   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | 1. For DoD SLOA/Accounting Class<br>Identifier". Refer to ADC 1043.  | sificatior      | n use to i        | dentify, or to I      | nodify, "Project         |  |  |  |
|                     |                   |             | 2. Authorized DLMS enhancement;  | see inti        | roductory         | DLMS note 4           | lf.                      |  |  |  |
|                     |                   | A1          | Department Indicator   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | DLMS Note:   |                 |                   |                       |                          |  |  |  |
|                     |                   |             | 1. For DoD SLOA/Accounting Classification use to identify, or to modify,<br>"Department Regular". Refer to ADC 1043. |                 |                   |                       |                          |  |  |  |

DLM 4000.25

PDC 1379 and 1307A ADCs 45, 48, 48A, 48B, 71, 71A, 71B, 76, 77, 117, 141, 169, 180, 197, 205A, 213, 221, 221A, 254, 258, 274, 284, 284A, 316, 316A, 316B, 316C, 316D, 373, 381, 386, 396, 405, 434, 435, 436, 448, 448B, 463, 464, 466, 473, 473A, 1007, 1009A, 1014, 1020, 1021, 1031, 1043A, 1043B, 1043C, 1073, 1075, 1106, 1110, 1132, 1136, 1152, 1156, 1156A, 1161A, 1164, 1206, 1224B, 1228, 1287, 1306, 1307 and 1321

#### Code Name

2. Authorized DLMS enhancement; see introductory note 4f.

A2 Transfer from Department

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Department Transfer". Refer to ADC 1043.

- 2. Authorized DLMS enhancement; see introductory note 4f.
- A4 Basic Symbol Number

#### DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Main Account". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

#### A5 Sub-class

#### **DLMS Note:**

1. Reserved for DoD SLOA/Accounting Classification use to identify, or to modify, "Sub Class". Refer to ADC 1043.

2. Sub Class is a potential future DLMS enhancement; see introductory DLMS note 4a.

A6 Sub-Account Symbol

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Sub Account". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

#### AI Activity Identifier

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Activity Identifier". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

3. Qualifier AI is a migration code approved for use in X12 version 7020.

B2 Budget Sub-activity Number

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Sub-Allocation (formerly known as Limit/Subhead)". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

### B5 Fund Code

#### **DLMS Note:**

1. Use to identify, or to modify, the fund code.

2. Authorized DLMS enhancement. See introductory DLMS note 4f.

#### Code Name

BE Business Event Type Code

#### **DLMS Note:**

1. Reserved for DoD SLOA/Accounting Classification use to identify, or to modify, "Business Event Type Code". Refer to ADC 1043.

2. Business Event Type Code is a potential future DLMS enhancement; see introductory DLMS note 4a.

3. Qualifier BE is a migration code approved for use in X12 version 7020.

C3 Budget Restriction

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Availability Type". Refer to ADC 1043.

- 2. Authorized DLMS enhancement; see introductory DLMS note 4f.
- CC Cost Center Identifier

#### DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Cost Center Identifier". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

3. Qualifier CC is a migration code approved for use in X12 version 7020.

F1 Object Class

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Object Class". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

FA Functional Area

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Functional Area". Refer to ADC 1043.

- 2. Authorized DLMS enhancement; see introductory DLMS note 4f.
- 3. Qualifier FA is a migration code approved for use in X12 version 7020.
- FC Funding Center Identifier

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Funding Center Identifier". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

- 3. Qualifier FC is a migration code approved for use in X12 version 7020.
- FT Funding Type
  DLMS Note:

#### Code Name

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Reimbursable Flag". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

#### H1 Cost Code

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Cost Element Code". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

IA Security Cooperation Implementing Agency

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Implementing Agency". Refer to ADC 1043.

2. Also applicable to DLA Disposition Services MRO/RDO for FMS requisitioned materiel. Refer to ADC 1156.

3. Authorized DLMS enhancement; see introductory DLMS note 4f.

4. Qualifier IA is a migration code approved for use in X12 version 7020.

L1 Accounting Installation Number

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Agency Accounting Identifier". Applicable only to the Disposal Release Order for creditable or hazardous waste/materiel turn-in. Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

### P1 Disbursing Station Number

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Agency Disbursing Identifier Code". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f

P5 Security Cooperation Case Line Item Identifier

### DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Case Line Item Identifier". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

3. Qualifier P5 is a migration code approved for use in X12 version 7020.

Security Cooperation Customer Code

#### **DLMS Note:**

S1

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Customer Code". Refer to ADC 1043.

2. Also applicable to DLA Disposition Services MRO/RDO for FMS requisitioned

#### Code Name

materiel. Refer to ADC 1156.

3. DLMS enhancement; see introductory DLMS note 4d. A field size exceeding 2 positions is not supportable under current MILSTRIP and MAPAC processes. Three character codes are not authorized at this time.

4. Qualifier S1 is a migration code approved for use in X12 version 7020.

S2 Security Cooperation Case Designator

#### DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify "Security Cooperation Case Designator". Refer to ADC 1043.

2. Also applicable to DLA Disposition Services MRO/RDO for FMS requisitioned materiel. Refer to ADC 1156.

3. Authorized DLMS enhancement; see introductory DLMS note 4f. A field size exceeding 3 positions is not supportable under current MILSTRIP processes. Four character codes are not authorized at this time.

4. Qualifier S2 is a migration code approved for use in X12 version 7020.

#### WO Work Order Number

#### **DLMS Note:**

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Work Order Number". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

3. Qualifier WO is a migration code approved for use in X12 version 7020.

#### Beginning Period of Availability

#### **DLMS Note:**

YΒ

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Beginning Period of Availability Fiscal Year Date". Refer to ADC 1043.

2. Use as appropriate to represent Program Year. Availability Type Code must be "X". Refer to ADC 1043B.

3. Authorized DLMS enhancement; see introductory DLMS note 4f.

4. Qualifier YB is a migration code approved for use in X12 version 7020.

#### YE Ending Period of Availability

### DLMS Note:

1. For DoD SLOA/Accounting Classification use to identify, or to modify, "Ending Period of Availability Fiscal Year Date". Refer to ADC 1043.

2. Authorized DLMS enhancement; see introductory DLMS note 4f.

3. Qualifier YE is a migration code approved for use in X12 version 7020.

FA202 1195 Financial Information Code M AN 1/80 Must use

Ref Id Element Name

Req Type Min/Max

Usage

**Description:** Code representing financial accounting information

# **SE** Transaction Set Trailer

Pos: 0200 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

### User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

# Comments:

1. SE is the last segment of each transaction set.

| <u>Ref</u><br>SE01 | <u>ld</u><br>96 | Element Name<br>Number of Included Segments  | <u>Req</u><br>M | <u>Type</u><br>N0 | <u>Min/Max</u><br>1/10 | <u>Usage</u><br>Must use |
|--------------------|-----------------|--|-----------------|-------------------|------------------------|--------------------------|
|                    |                 | <b>Description:</b> Total number of segments included in a transaction set including ST and SE segments  |                 |                   |                        |                          |
| SE02               | 329             | Transaction Set Control Number   | Μ               | AN                | 4/9                    | Must use                 |
|                    |                 | <b>Description:</b> Identifying control number<br>that must be unique within the transaction<br>set functional group assigned by the<br>originator for a transaction set |                 |                   |                        |                          |
|                    |                 | Federal Note: Cite the same number as the one cited in ST02.   |                 |                   |                        |                          |