

U.S. AIR FORCE

AFLCMC... Providing the Warfighter's Edge

Product Development

JAPBI 29 Nov 2018

Tracy Roan Air Force Uniform Office, Chief 937) 255-2382 <u>tracy.roan.1@us.af.mil</u>





Unique Challenges



AFLCMC... Providing the Warfighter's Edge



Berry Amendment

National Defense Authorization

Congressionals

Urgent Operational Needs



Unique Challenges



AFLCMC... Providing the Warfighter's Edge




HOTOR 3-100
 HOTOR 1-6480
 RefDet 1-6480
 RefDet 1-6448
 RefDet 1-6448
 RefDet 1-6448
 RefDet 1-6448
 RefDet 1-644
 RefDet 1-644

Requirements

AFLCMC... Providing the Warfighter's Edge

U.S. AIR FORCE









AFLCMC... Providing the Warfighter's Edge

Market Research

Use Survey and Focus Group Feedback as Starting Point on Market Research



Industry Research Review Products, Look at New Technology, Get Inspiration on Garment Construction, Analyze Industry Fits



Sister Services Check Sister Services for Existing Product







AFLCMC... Providing the Warfighter'sEdge


Alterations Research

Do You Alter Your Slacks: Women



Do You Alter Your Trousers: Men










AFLCMC... Providing the Warfighter's Edge

Survey and Focus Group Women's Slacks

Create Survey, Hold Focus Groups, Use Information for Design Development








AFLCMC... Providing the Warfighter's Edge

Survey and Focus Group Men's Trousers

Create Survey, Hold Focus Groups, Use Information for Design Development






Material Research



AFLCMC... Providing the Warfighter's Edge





Material Testing & Evaluation




U.S. AIR FORCE

AFLCMC... Providing the Warfighter's Edge

Characteristics

- Weave
- Weight
- Contents
- Spectral Reflectance
- Breaking Strength
- Elmendorf Tearing
- Piling
- Abrasion Resistance
- Seam Efficiency
- Colorfastness
- Laundering
- Light Exposure
- Perspiration
- Crocking
- Wicking
- Drying Time
- Blocking
- Moisture Vapor
 Transmission Rate

- Air Permeability
- Thermal Shrinkage
- Thermal Protective
 Performance
- Thermal Performance
 Estimated Value
- Char Length
- Melting and Dripping
 Observation
- Electrical Surface Resistivity
- Antimicrobial Properties










U.S. AIR FORCE



AFLCMC... Providing the Warfighter's Edge







AFLCMC... Providing the Warfighter's Edge

Points of Measure Maternity Fit Test

U.S. AIR FORCE



How

- Use anthropometric measuring
- Record various point of measure
- Record pinched measurements
- Users test mobility of garment


Recruitment

- Test at multiple bases if possible
- Recruit broad cross section of ages/sizes



Data

- Condense all participant
 measurements and fit data
- Analyze similar areas of fit issues
- Examine user comments





Why

- Evaluate fit of prototype
- Identify areas of improvement
- Collect data
- Gather feedback
- Select participants for wear test
- Assess visual defects

Results

- Changes made based on test results
- Produce verification samples
 and collect new data
- Finalize fit with a final prototype










AFLCMC... Providing the Warfighter's Edge


Purpose

- Confirm the design, fit, and function based on the fit test
- Confirm the garment will withstand the typical wear an tear of everyday use
- Confirm the Airmen can perform the typical work related function comfortably
- Confirm if there is no change to the fit or color fastness from dry cleaning or home laundering

Msr/ Rcdr	TIC	Size		1/2 Waist	1/2 Hip	1/2 Thigh	1/2 Knee	1/2 Bottom	Front Rise	Back Rise	Inseam	Outs earn
			Tol	± 1/4	± 1/4	± 1/4	± 1/4	± 1/4	± 1/4	± 1/4	± 1/2	± 1/2
		265	Spec	13 1/4	19	12 3/8	9	8 5/8	8 3/4	11 7/8	34	41 7/8
	MT-061		Act									
			Diff	-13 1/4	-19	-12 3/8	-9	-8 5/8	-8 3/4	-11 7/8	-34	-41 7/8
			Spec	13 1/4	19	12 3/8	9	8 5/8	9 1/4	12 3/8	36	44 3/8
	MT-062	26R	Act									
_			Diff	-13 1/4	-19	-12 3/8	-9	-8 5/8	-9 1/4	-12 3/8	-36	-44 3/8
	MT-063	275	Spec	13 3/4	19 3/8	12 5/8	9 1/8	8 3/4	8 7/8	12	34	42
			Act									
			Diff	-13 3/4	-19 3/8	-12 5/8	-9 1/8	-8 3/4	-8 7/8	-12	-34	-42
	MT-064	27R	Spec	13 3/4	19 3/8	12 5/8	9 1/8	8 3/4	9 3/8	12 1/2	36	44 1/2
			Act									
			Diff	-13 3/4	-19 3/8	-12 5/8	-9 1/8	-8 3/4	-9 3/8	-12 1/2	-36	-44 1/2
	MT-065	28X S	Spec	14 1/4	19 3/4	12 7/8	9 1/4	8 3/4	8 1/2	11 5/8	32	39 5/8
			Act									
			Diff	-14 1/4	-19 3/4	-12 7/8	-9 1/4	-8 3/4	-8 1/2	-11 5/8	-32	-39 5/8
-		285	Spec	14 1/4	19 3/4	12 7/8	9 1/4	8 3/4	9	12 1/8	34	42 1/8
	MT-066		Act									
			Diff	-14 1/4	-19 3/4	-12 7/8	-9 1/4	-8 3/4	-9	-12 1/8	-34	-42 1/8
			Spec	14 1/4	19 3/4	12 7/8	9 1/4	8 3/4	9 1/2	12 5/8	36	44 5/8
	MT-067	28R	Act									
			Diff	-14 1/4	-19 3/4	-12 7/8	-9 1/4	-8 3/4	-9 1/2	-12 5/8	-36	-44 5/8
			Spec	14 1/4	19 3/4	12 7/8	9 1/4	8 3/4	9 1/2	12 5/8	36	44 5/8
	MT-068	28R	Act									
			Diff	-14 1/4	-19 3/4	-12 7/8	-9 1/4	-8 3/4	-9 1/2	-12 5/8	-36	-44 5/8



Men's Service Dress (SD) Trousers Wear Test End of Test Evaluation



Wear Test Log




Wear Test



AFLCMC... Providing the Warfighter's Edge

Tasks






Purchase Description Development









Transition to Sustainment



AFLCMC... Providing the Warfighter's Edge

Air Force Uniform Office

