



# APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

<b>PRODUCT DATA SHEET</b>		<b>CONTRACTOR NAME:</b> Alaska Structures Inc.	
<b>1. PART NUMBER:</b> AK-MS-VEST		<b>2. NSN</b> 8340-01-514-4611 or -4613	
<b>3. NAME:</b> Alaska Medical Shelter Vestibule		<b>4. TYPE:</b> Medical	<b>5. CLASS:</b>
<b>6. COLOR:</b> Tan or Green		<b>7. Support System:</b> Aluminum and steel frame	<b>8. SERIES:</b>
<b>9. INTENDED USE:</b> Entry or Connector Vestibule			
<b>10. DIMENSIONS (IN FEET AND INCHES)</b>	<b>LENGTH:</b> 8'	<b>WIDTH:</b> 7'	<b>HEIGHT: RIDGE/EAVE</b> 9' peak height
<b>11. DIMENSIONS (EXTERNAL GUYED)</b>	<b>LENGTH</b> 8'	<b>WIDTH</b> 11'	
<b>12. SQUARE FEET INTERIOR:</b> 56 sf			
<b>13. WEIGHT (POUNDS, UNPACKAGED)</b> 185		<b>14. WEIGHT (PACKAGED)</b> 255	<b>15. SHIPPING CUBE (PACKAGED)</b> 30 cf
<b>16. SHIPPING CONTAINER</b>	<b>LENGTH</b> 88"	<b>WIDTH</b> 24"	<b>HEIGHT</b> 24"
<b>17. SET-UP TIME/ NUMBER OF PERSONS</b> 10 minutes, 2 persons		<b>18. STRIKE TIME/ NUMBER OF PERSONS</b> 10 minutes, 2 persons	
<b>19. PARTS INCLUDED:</b> Powder coated steel arches with aluminum base frame, removable center base sections, mil-spec 15oz vinyl cover, 28oz non-slip vinyl floor, (8) double-headed spikes, (4) guy ropes, (4) guy spikes, and wood crate.			
<b>20. DESCRIPTION:</b> Successfully tested to withstand 10# PSF snow load, 55 MPH wind load (65 MPH gusts) and 4" per hour rain load with 40 MPH winds. 5-year warranty.			
<b>21. SUPPORT EQUIPMENT:</b>	<b>PART NUMBER Or NSN</b>	<b>Included or Optional</b>	<b>DESCRIPTION</b>
<b>LIGHT SET</b> Product Data Sheet		N/A	
<b>ELECTRICAL OUTLET SET</b> Product Data Sheet		N/A	
<b>FLOORING</b> Product Data Sheet	AK-VESTFL02	INCL.	(1) 28OZ NON-SLIP VINYL FLOOR, GREY
	AK-HFLS02	OPT.	ALASKA SUB FLOORING SYSTEM
<b>HEATER</b>			

<b>Product Data Sheet</b>		N/A	
<b>AIR CONDITIONER Product Data Sheet</b>			
<b>GENERATOR Product Data Sheet</b>		N/A	
<b>POWER DISTRIBUTION Product Data Sheet</b>			
<b>TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet</b>		N/A	
<b>INSULATED LINER Product Data Sheet</b>	AK-ENL-VEST-7X8	OPT.	SEE ALASKA ENERLAYER DATA SHEET
<b>INSULATED FLOORING Product Data Sheet</b>		OPT.	SEE ALASKA SUB FLOORING SYSTEM DATA SHEET
<b>SOLAR SHADE/ CAMOU. NETT Product Data Sheet</b>	AK-SF-VEST-7X8	OPT.	SEE ALASKA SOLAR FLY DATA SHEET

1. **PART NUMBER:** List Manufacturers Identification number.
2. **NSN:** List the National Stock Number if it had been established.
3. **NAME:** List Manufacturers product name.
4. **TYPE:** List Type of Tent or support equipment (example: Command Post, Modular, Expandable)
5. **CLASS:** List class if established.
6. **COLOR:** List Color or Shade reference FED-STD 595 color number if applicable.
7. **SUPPORT SYSTEM:** List type of support, state type examples: frame, pole, air beam
8. **SERIES:** List product line designation is applicable example: Series 50HH
9. **INTENDED USE:** List (examples: General Purpose, Command Post, Maintenance, Kitchen, Billeting)
10. **DIMENSIONS:** External in feet and inches
11. **DIMENSIONS: (EXTERNAL GUYDED):** List the area for deployment needed including anchoring.
12. **SQUARE FEET INTERIOR:** List usable internal area.
13. **WEIGHT (UNPACKAGED):** List weight minus and packaging for the entire system.
14. **Weight Shipping:** List weight including all packaging.
15. **SHIPPING CUBE:** List the Cubic measurement of the shipping container.
16. **SHIPPING CONTAINER:** List measurements.
17. **SET-UP TIME:** List total time fully staked and list specific amount of people used for the set-up.
18. **STRIKE TIME:** List total time to take down and pack into storage bags and amount of people needed.
19. **PARTS INCLUDED:** List all parts with NSN's if established (example: Type and ground anchoring support system quantity of stake or pin., Type of flooring., Type and quantity of transport/storage container bags., Includes electrical wiring/outlets with surge suppressors (must meet UL and NEC standards if supplied)
20. **DESCRIPTION:**  
 State compatible with existing military fluorescent lighting system or includes lights in accordance with MIL-L-44259  
 Type and quantity of doorways and if closures and screens are part of the door assembly  
 Are there optional accessories  
 Is it supported by a trailer system that provides controlled environments and electrical capabilities  
 Can it provide interconnection capabilities/supported by TEMPER Vestibule connector interoperable with  
 vestibule accordance with , drawing 5-4-9755-16
21. **SUPPORT EQUIPMENT:**  
 List optional or included Support Equipment as applicable. A product data sheet for each part number or nsn is required to be submitted.