





## APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

|   |                                 |   |   |
|---|---------------------------------|---|---|
| <b>PRODUCT DATA SHEET</b>   |                                 | <b>CONTRACTOR NAME:</b> DHS Systems LLC                               |   |
| <b>1.PART NUMBER:</b> 1013106   |                                 | <b>2.NSN</b>  |   |
| <b>3.NAME:</b> Self Enclosed Annex  | <b>4.TYPE:</b> Modular          |   | <b>5.CLASS:</b> Shelter                         |
| <b>6.COLOR:</b> OD Green  | <b>7. Support System:</b> Frame |   | <b>8.SERIES:</b> S/XB                           |
| <b>9. INTENDED USE:</b> LSA, Command & Control, Medical, General Purpose  |                                 |   |   |
| <b>10.DIMENSIONS (IN FEET AND INCHES)</b>   | <b>LENGTH:</b> 5 ft.            | <b>WIDTH:</b> 8.5 ft.   | <b>HEIGHT: RIDGE/EAVE</b> 9.3 ft.               |
| <b>11.DIMENSIONS (EXTERNAL GUYED)</b>   | <b>LENGTH</b> 12 ft.            | <b>WIDTH</b> 15 ft.   |   |
| <b>12.SQUARE FEET INTERIOR:</b> 31.2 sq. ft.  |                                 |   |   |
| <b>13.WEIGHT (POUNDS, UNPACKAGED)</b> 99 lb.  |                                 | <b>14.WEIGHT (PACKAGED)</b> 99 lb.                                    | <b>15.SHIPPING CUBE (PACKAGED)</b> 0.1 cu. ft.  |
| <b>16SHIPPING CONTAINER</b>   | <b>LENGTH</b> 5 ft.             | <b>WIDTH</b> 8.5 ft.  | <b>HEIGHT</b> 52 in.                            |
| <b>17.SET-UP TIME/ NUMBER OF PERSONS</b> < 10 minutes / Two personnel   |                                 | <b>18.STRIKE TIME/ NUMBER OF PERSONS</b> < 10 minutes / Two personnel |   |
| <b>19.PARTS INCLUDED:</b><br>Self Enclosed Annex Lobby, Green (P/N: 1013107) qty = 1<br>Hard Door Assembly (P/N: 1009319) qty =1  |                                 |   |   |
| <b>20.DESRIPTION:</b><br>The DRASH Self Enclosed Annex Lobby (SEAL) provides an extended entryway to any doorway of an S or XB Series DRASH shelter or between two S or XB DRASH shelters. It is compatible with existing military fluorescent lighting systems. Optional accessories are available. It is supported by a trailer system that provides controlled environments and electrical capabilities. |                                 |   |   |
| <b>21. SUPPORT EQUIPMENT:</b>   | <b>PART NUMBER Or NSN</b>       | <b>Included or Optional</b>   | <b>DESCRIPTION</b>                              |
| <b>LIGHT SET</b><br>Product Data Sheet  | H300000-2S                      | Optional  | Light Set,Two Fixture,110Watt, w/small elec set |
|   |                                 |   |   |
|   |                                 |   |   |
|   |                                 |   |   |
| <b>ELECTRICAL OUTLET SET</b><br>Product Data Sheet  |                                 |   |   |
|   |                                 |   |   |
|   |                                 |   |   |
|   |                                 |   |   |
| <b>FLOORING</b><br>Product Data Sheet   |                                 |   |   |
|   |                                 |   |   |
|   |                                 |   |   |
| <b>HEATER</b>   |                                 |   |   |

|  |  |  |  |
|--|--|--|--|
| <b>Product Data Sheet</b>                                |  |  |  |
|  |  |  |  |
|  |  |  |  |
| <b>AIR CONDITIONER Product Data Sheet</b>                |  |  |  |
|  |  |  |  |
|  |  |  |  |
| <b>GENERATOR Product Data Sheet</b>                      |  |  |  |
|  |  |  |  |
|  |  |  |  |
| <b>POWER DISTRIBUTION Product Data Sheet</b>             |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| <b>TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet</b> |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| <b>INSULATED LINER Product Data Sheet</b>                |  |  |  |
| <b>INSULATED FLOORING Product Data Sheet</b>             |  |  |  |
| <b>SOLAR SHADE/ CAMOU. NETT Product Data Sheet</b>       |  |  |  |