APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION C CLIN 0035 - Kelty Part No. 10822819FCBW, FLY Only Coyote Brown 4-6 Person Quad Tent



## APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

PRODUCT DATA SHEET		CONTRACTOR NAME:					
1.PART NUMBER:			2.NSI	N			
3.NAME:		4.TYPE:	<u> </u>		5.CLASS:		
6.COLOR:		7. Support System:			8.SERIES:		
9. INTENDED		Cycleiii.					
USE:							
10.DIMENSIONS	LENGTH:		WIDTH:		HEIGHT Feet	Inches	
(IN FEET AND INCHES)	Feet	Inches	Feet	Inches	RIDGE: EAVE:		
11.DIMENSIONS (EXTERNAL GUYED)	LENGTH Feet	Inches	WIDTH Feet	Inches			
12.SQUARE FEET INTERIOR:							
13.WEIGHT (POUNDS, UNPACK		LBS.	14.WEIGHT (PACKAGED) LBS		15.SHIPPING CUB (PACKAGED)	E CU.	
16. SHIPPING CONTAINER	LENGTH	Inches	WIDTH	Inches	HEIGHT	Inches	
17.SET-UP TIME/			18.STRIKE TIM				
NUMBER OF PERSO	NS		NUMBER OF P	ERSONS		People	
		Minutes				Minutes	
TIME UNDER CANOF	γ	Minutes	00 Wind Land.				
19.SNOW LOAD:		Design Tested	20.Wind Load:			Design Tested	
21.PARTS INCLUDES  22.DESCRIPTION:		<b>,</b>					
ZZ.DESCRIPTION:							
	ADT NUMBER		<b>DE005</b>	DTICN			
	ART NUMBEF r NSN	Check if Include	DESCRI	PIION			

23. ACCESSORY AND SUPPORT		
EQUIPMENT:		
23.		
ACCESSORY AND SUPPORT EQUIPMENT:		
FLOORING		
Product Data Sheet		
Sileet		
HEATER		
Product Data Sheet		
AIR CONDITIONER		
Product Data Sheet		
GENERATOR Product Data		
Sheet		
POWER DISTRIBUTION Product Data		
Sheet		
TRAILER MOUNTED		
SUPPORT		
SYSTEM Product Data Sheet		

INSULATED LINER Product Data Sheet		
INSULATED		
FLOORING		
Product Data Sheet		
SOLAR SHADE/ CAMOU. NETT		
Product Data Sheet		

- 1. PART NUMBER: List Manufacturers identification number.
- 2. NSN: List the National Stock Number if it had been established.
- 3. NAME: List Manufacturers product name.
- 4. TYPE: List Type of Tent or support equipment (example: Command Post, Modular, Expandable)
- 5. CLASS: List class if established.
- 6. COLOR: List Color or Shade reference FED-STD 595 color number if applicable.
- 7. SUPPORT SYSTEM: List type of support, state type examples: frame, pole, air beam
- 8. SERIES: List product line designation is applicable example: Series 50HH
- 9. INTENDED USE: List (examples: General Purpose, Command Post, Maintenance, Kitchen, Billeting)
- 10. DIMENSIONS: External in feet and inches
- 11. DIMENSIONS: (EXTERNAL GUYDED): List the area for deployment needed including anchoring.
- 12. SQUARE FEET INTERIOR: List usable internal area.
- 13. WEIGHT (UNPACKAGED): List weight minus and packaging for the entire system.
- 14. Weight Shipping: List weight including allpackaging.
- 15. SHIPPING CUBE: List the Cubic measurement of the shipping container.
- 16. SHIPPING CONTAINER: List measurements.
- 17. SET-UP TIME: List total time fully staked and list specific amount of people used for the set-
- up. Time under Canopy is the minimum time operational equipment can be started to safely be moved into the shelter while the shelter is being set-up.
- 18. STRIKE TIME: List total time to take down and pack into storage bags and amount of people needed.
- 19. SNOW LOAD: List the actual maximum snow load the design can safely be operational in and the list the Snow Load as documented under a controlled laboratory test.
- 20. WIND LOAD: List the actual maximum snow load the design can safely be operational in and the list the Wind Load as documented under a controlled laboratory test.
- 21. PARTS INCLUDED: List all parts with NSN's if established (example: Type and ground anchoring support system quantity of stake or pin., Type of flooring., Type and quantity of transport/storage container bags., Includes electrical wiring/outlets with surge suppressors (must meet UL and NEC standards if supplied). Include quantities (example: Stakes, 12" steel 18 each) 22. DESCRIPTION:

State compatible with existing military fluorescent lighting system or includes lights in accordance with MIL-L-44259

Type and quantity of doorways and if closures and screens are part of the door assembly Are there optional accessories

Is it supported by a trailer system that provides controlled environments and electrical capabilities Can it provide interconnection capabilities/supported by TEMPER Vestibule connector interoperable

With vestibule accordance with drawing 5-4-9755-16

23. ACCESSORY AND SUPPORT EQUIPMENT:

List optional or included Support Equipment as applicable. A product data sheet for each part number or nsn is required to be submitted.