



APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

PRODUCT DATA SHEET		CONTRACTOR NAME: Johnson Outdoors Gear, Inc.	
1. PART NUMBER: 2480621		2. NSN: 0	
3. NAME: RDS 720 green with Stove Pipe and Thermal Liner.	4. TYPE: RDS (Rapid Deployable Tent System)	5. CLASS: Tent Complete	
6. COLOR: Green	7. SUPPORT SYSTEM: Frame	8. SERIES: N/A	
9. INTENDED USE: Mission-ready in minutes for first responders, medical & surgical suites; Command Post, Operations Centers. Designed specifically for extreme hot or cold climates			
10. DIMENSIONS (IN FEET AND INCHES)	LENGTH: 29' 9"	WIDTH: 24' 6"	HEIGHT: RIDGE/EAVE 10' 4" / 8' 11"
11. DIMENSIONS (EXTERNAL GUYED)	LENGTH: 42'	WIDTH: 37'	
12. SQUARE FEET INTERIOR 675 ft ² ft ²			
13. WEIGHT (POUNDS, UNPACKAGED) 907 lbs pounds		14. WEIGHT (PACKAGED) 1329 lbs pounds	15. SHIPPING CUBE (PACKAGED) 118.75
16. SHIPPING CONTAINER	LENGTH 96"	WIDTH 45"	HEIGHT 47.5"
17. SET-UP TIME/ NUMBER OF PERSONS <18 min./ 5 persons req.		18. STRIKE TIME/ NUMBER OF PERSONS <18 min./ 5 persons req.	
19. SNOW LOAD: 10 lbs/ft ² Design-yes Tested-yes		20. WIND LOAD: 55/65(gusts) mph Design-yes Tested-yes	
21. PARTS INCLUDED: Three bay frame, with end walls in package #1(563 lbs). Floor, liner and plenum in package #2(351 lbs); and side walls in package #3(110 lbs). Along with repair kit and stake bag in package #4(35 lbs) (all packages wrapped seperately)			
22. DESCRIPTION: RDS (Rapid Deployable System) 720 green with stove pipe and thermal liner			

23. ACCESSORY AND SUPPORT EQUIPMENT	PART NUMBER Or NSN	Check If included	DESCRIPTION
LIGHT SET Product Data Sheet			BATLite 14 Light Kit Blue PN 2480478 NSN 6210016642036 Red PN 2480456 NSN 6210016642055
ELECTRICAL OUTLET SET Product Data Sheet			N/A
FLOORING Product Data Sheet			Bike Track Flooring 1 inch PN 2480483 NSN 5680015435495 2 inch PN 2480482 NSN 5680015538740 2 Inch ICM PN 2480481 NSN 5680015538745
HEATER Product Data Sheet			N/A
AIR CONDITIONER Product Data Sheet			N/A
GENERATOR Product Data Sheet			N/A
POWER DISTRIBUTION Product Data Sheet			N/A
TRAILER MOUNTED SUPPORT Product Data Sheet			N/A
INSULATED LINER Product Data Sheet		included	RTEQ-6 thermal liner (Operational temperature range of -40°F to 120°F) Data Sheet follows
INSULATED FLOORING Product Data Sheet			N/A
SOLAR SHADE/ CAMOU. NET Product Data Sheet			N/A

Eureka!

RTEQ™ THERMAL LINER

Another Tactical Innovation from Eureka!



Save Time, Save Energy, Reduce Fuel Consumption

The Rteq-6 Thermal Liner employs a double layer of the material, where energy loss and solar load are at their highest. This double layer also has the benefit of an optimally-sized air gap, which enhances thermal efficiency even further. These liner enhancements require no additional materials or installation requirements.

★ **ALWAYS READY** ★