TENT EXTENDABLE MODULAR PERSONNEL (TEMPER)

Aluminum Frame Supported Types



The legacy TEMPER that is a aluminum frame supported type tent newer versions are air beam supported that are not listed on this page. This tent is 20 feet 6 inches wide at the base and each section is 8 feet in length. The end walls feature a door with a 54 inch wide and 6 feet 11 inch height opening. The door zips closed. Two polymer windows with screening and weather seal blackout flaps are located on each end section. The 8 foot long extendable middle section comes with either a window or door on each sidewall. The roof panels feature either a stovepipe shield for a standard 4" stovepipe (temperate sections) or two large screened panels for extra ventilation (desert tropical) both ave weather seal flaps. Liners have a bright white interior and a extra blackout lamination for a tactical environment. The roof fly helps shield the tent from the elements. All outer cloth is a vinyl coated polyester duck cloth that is fire, mildew and water-resistant. The outer cloth is also visual and electronic suppressive with blackout coated for protection against night optic vision gear. The colors specified have spectral reflectance properties that will camouflage it against the intended terrain.

Common features:

Plenums: cloth heating and air conditioning ductwork.

Floors: single ply cloth and foam insulated cloth both with anti skid properties

Vestibules: with becket and lace connectors can provide a blackout entrance or connect to

other tents or

Double bump doors

Double bump doors: a hard composite door really locks out the elements

The Technical Manual for the TEMPER is TM 10-8340-224-13 & P/TO 35E5-6-1

Link: Spare/Replacement Parts and Components with breakdown diagrams





















