

APPENDIX A Revision D Company Manufacturing Source Company Part Number and NSN	TRAILER MOUNTED SUPPORT SYSTEM, TENT PRODUCT DATA SHEET
Specifications as applicable	
Safety and Mobility Certification by Military Test Center	
Trailer	
Stowage Components included with trailer	
Cargo Volume Stowage, For shelter and accessory components In cubic feet	
Physical Dimensions for trailer Height Width Length	
Recommended Prime Mover Vehicle	
Empty GW	
Tongue Weight	
Tire Type and Size	
Fuel Tank Capacity	
Generator	
Nominal Output in kW, Volts AC, Hertz, Phase	
Operating Environment	
Engine type	
Fuel Type	

Fuel Consumption (AC Compressor On) At 25% load At 50% Load At 75% Load at maximum output	
Noise in DB at 25 feet (AC Compressor On) At 25% load At 50% load At 75% Load At maximum rated load	
Heater	
Nominal Output in BTU's	
Electric Requirement Volts/Amps	
Air Conditioning	
Maximum Cooling Capacity in BTU's	
Maximum Heat Output Capacity in BTU's	
Refrigerant Type	
CFM Air Flow	
Air Duct Diameter	
Power Requirements in kW, VAC, HZ, Phase	
Special/Additional Features:	