




DRAWING PAGE 1 IS A NON-DETAILED SKETCH OR PHOTO THAT IS USED ALONG WITH PAGES 2 AND 3 PRODUCT DATA SHEETS, APPENDIX A, REVISION 0 TO BE USED TO COMPARE SHELTER SYSTEMS AND SUPPORT COMPONENTS FOR PROCUREMENT BY US MILITARY USERS. THE DOCUMENTS WILL BE POSTED FOR REVIEW ON THE DLAMIL WEBSITE.

DISTRIBUTION STATEMENT:  
DISTRIBUTION FOR THIS DOCUMENT,  
SPECIFICATION AND GRAPHIC ARE  
AUTHORIZED FOR PUBLIC RELEASE.

MANUFACTURER		CAGE CODE	
TITLE			
PART NUMBER			
APPROVED BY			DATE
SIZE N/A	SCALE N/A	WEIGHT N/A	PAGE 1 OF 3

# APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION D:

DISTRIBUTION STATEMENT:  
DISTRIBUTION FOR THIS DOCUMENT,  
SPECIFICATION AND GRAPHICS ARE  
AUTHORIZED FOR PUBLIC RELEASE

<b>Contractor Name:</b>			<b>CAGE CODE:</b>		
<b>1.PART NUMBER:</b>			<b>2.NSN</b>		
<b>3.NAME:</b>			<b>4.TYPE:</b>		<b>5.CLASS:</b>
<b>6.COLOR:</b>		<b>7. Support System:</b>		<b>8.SERIES:</b>	
<b>9. INTENDED USE:</b>					
<b>10.DIMENSIONS (IN FEET AND INCHES)</b>	<b>LENGTH:</b> Feet    Inches		<b>WIDTH:</b> Feet    Inches		<b>HEIGHT</b> Feet    Inches
<b>11.DIMENSIONS (EXTERNAL GUYED)</b>	<b>LENGTH</b> Feet    Inches		<b>WIDTH</b> Feet    Inches		<b>HEIGHT</b> Feet    Inches
<b>12.SQUARE FEET INTERIOR:</b>					
<b>13.WEIGHT (POUNDS, UNPACKAGED)</b>		<b>LBS.</b>	<b>14.WEIGHT (PACKAGED) LBS</b>		<b>15.SHIPPING CUBE (PACKAGED) CU.</b>
<b>16. SHIPPING CONTAINER</b>	<b>LENGTH</b> Inches		<b>WIDTH</b> Inches		<b>HEIGHT</b> Inches
<b>17.SET-UP TIME/ NUMBER OF PERSONS</b>		<b>People</b> <b>Minutes</b>	<b>18.STRIKE TIME/ NUMBER OF PERSONS</b>		<b>People</b> <b>Minutes</b>
<b>TIME UNDER CANOPY</b>		<b>Minutes</b>			
<b>19.SNOW LOAD:</b>		<b>Design</b> <b>Tested</b>	<b>20.Wind Load:</b>		<b>Design</b> <b>Tested</b>
<b>21.PARTS INCLUDED (Include Quantity):</b>					
<b>22.DESCRPTION:</b>					
<b>23. ACCESSORY AND SUPPORT EQUIPMENT:</b>	<b>PART NUMBER Or NSN</b>	<b>Check if Included</b>	<b>DESCRIPTION</b>		

<b>LIGHT SET</b> Product Data Sheet			
<b>ELECTRICAL OUTLET SET</b> Product Data Sheet			
<b>FLOORING</b> Product Data Sheet			
<b>HEATER</b> Product Data Sheet			
<b>AIR CONDITIONER</b> Product Data Sheet			
<b>GENERATOR</b> Product Data Sheet			
<b>POWER DISTRIBUTION</b> Product Data Sheet			
<b>TRAILER MOUNTED SUPPORT SYSTEM</b> Product Data Sheet			

<b>INSULATED LINER Product Data Sheet</b>			
<b>INSULATED FLOORING Product Data Sheet</b>			
<b>SOLAR SHADE/ CAMOU. NETT Product Data Sheet</b>			

1. **PART NUMBER:** List Manufacturers identification number.
2. **NSN:** List the National Stock Number if it had been established.
3. **NAME:** List Manufacturers product name.
4. **TYPE:** List Type of Tent or support equipment (example: Command Post, Modular, Expandable)
5. **CLASS:** List class if established.
6. **COLOR:** List Color or Shade reference FED-STD 595 color number if applicable.
7. **SUPPORT SYSTEM:** List type of support, state type examples: frame, pole, air beam
8. **SERIES:** List product line designation is applicable example: Series 50HH
9. **INTENDED USE:** List (examples: General Purpose, Command Post, Maintenance, Kitchen, Billeting)
10. **DIMENSIONS:** External in feet and inches
11. **DIMENSIONS: (EXTERNAL GUYDED):** List the area for deployment needed including anchoring.
12. **SQUARE FEET INTERIOR:** List usable internal area.
13. **WEIGHT (UNPACKAGED):** List weight minus and packaging for the entire system.
14. **Weight Shipping:** List weight including all packaging.
15. **SHIPPING CUBE:** List the Cubic measurement of the shipping container.
16. **SHIPPING CONTAINER:** List measurements.
17. **SET-UP TIME:** List total time fully staked and list specific amount of people used for the set-up. Time under Canopy is the minimum time operational equipment can be started to safely be moved into the shelter while the shelter is being set-up.
18. **STRIKE TIME:** List total time to take down and pack into storage bags and amount of people needed.
19. **SNOW LOAD:** List the actual maximum snow load the design can safely be operational in and the list the Snow Load as documented under a controlled laboratory test.
20. **WIND LOAD:** List the actual maximum snow load the design can safely be operational in and the list the Wind Load as documented under a controlled laboratory test.
21. **PARTS INCLUDED:** List all parts with NSN's if established (example: Type and ground anchoring support system quantity of stake or pin., Type of flooring., Type and quantity of transport/storage container bags., Includes electrical wiring/outlets with surge suppressors (must meet UL and NEC standards if supplied). Include quantities (example: Stakes, 12" steel 18 each)
22. **DESCRIPTION:**  
State compatible with existing military fluorescent lighting system or includes lights in accordance with MIL-L-44259  
Type and quantity of doorways and if closures and screens are part of the door assembly Are there optional accessories  
Is it supported by a trailer system that provides controlled environments and electrical capabilities Can it provide interconnection capabilities/supported by TEMPER Vestibule connector interoperable  
With vestibule accordance with drawing 5-4-9755-16
23. **ACCESSORY AND SUPPORT EQUIPMENT:**  
List optional or included Support Equipment as applicable. A product data sheet for each part number or nsn is required to be submitted.