

APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

PRODUCT DATA	SHEET	CONTRAC		NAME	:			
1.PART NUMBER: UTM36M1	2.NSN							
3.NAME: 4.TYPE:			Soft Shelter N/A					
6.COLOR: 7. Suppo Green 383, 34094 System:			t8.SERI			8.SERIES: TM Series		
9. INTENDED Base C	Camp	oyotom						
10.DIMENSIONS (IN FEET AND INCHES) 11.DIMENSIONS	LENGTH: Feet 19' LENGTH		WIDTH F 20'3" WIDTH	eet	Inches	HEIGHT Feet RIDGE: EAVE:	Inches 9' / 6'9.6"	
(EXTERNAL GUYED)	Feet 31'6"			eet	Inches			
12.SQUARE FEET INTERIOR:			388 Sq					
13.WEIGHT (POUNDS, UNPACKAGED) LBS. 563 lbs			14.WEIGHT (PACKAGED) _{690 lbs} LBS			15.SHIPPING C (PACKAGED) 48	UBE	CU.
16. SHIPPING CONTAINER	LENGTH 96"		WIDTH 47"		Inches	HEIGHT 36"		Inches
17.SET-UP TIME/ NUMBER OF PERSOI TIME UNDER CANOP	5-7 Min	People Minutes Minutes		r of Pi	e/ Ersons		3 People 5-7 Mins	People Minutes
19.SNOW LOAD:		Design Tested	20.Wind	Load:				Design Tested
21.PARTS INCLUDED Liner, Fabric Floor, Th	•							
22.DESCRIPTION: UTS TM36 Std, 6-Doo	r w/ Liner, Fa	bric Floor, The	ermal Fly	v & Stak	e Bag - OE) Green		
-	ART NUMBEF • NSN	R Check if Included		ESCRII	ΡΤΙΟΝ			

LIGHT SET Product Data	
Sheet	
OUTLET SET Product Data	
Sheet	
FLOORING	
Product Data Sheet	
HEATER	
Product Data	
Sheet	
AIR CONDITIONER	
Product Data Sheet	
GENERATOR Product Data	
Sheet	
POWER DISTRIBUTION Product Data	
Sheet	
TRAILER MOUNTED	
SUPPORT	
SYSTEM Product Data Sheet	

INSULATED LINER Product Data Sheet		
INSULATED FLOORING Product Data Sheet		
SOLAR SHADE/ CAMOU. NETT Product Data Sheet		

- 1. PART NUMBER: List Manufacturers identification number.
- 2. NSN: List the National Stock Number if it had been established.
- 3. NAME: List Manufacturers product name.
- 4. TYPE: List Type of Tent or support equipment (example: Command Post,Modular, Expandable)
- 5. CLASS: List class if established.
- 6. COLOR: List Color or Shade reference FED-STD 595 color number if applicable.
- 7. SUPPORT SYSTEM: List type of support, state type examples: frame, pole, air beam
- 8. SERIES: List product line designation is applicable example: Series 50HH
- 9. INTENDED USE: List (examples: General Purpose, Command Post, Maintenance,

Kitchen, Billeting)

- 10. DIMENSIONS: External in feet and inches
- 11. DIMENSIONS: (EXTERNAL GUYDED): List the area for deployment needed including anchoring.
- 12. SQUARE FEET INTERIOR: List usable internal area.
- 13. WEIGHT (UNPACKAGED): List weight minus and packaging for the entire system.
- 14. Weight Shipping: List weight including allpackaging.
- 15. SHIPPING CUBE: List the Cubic measurement of the shipping container.
- 16. SHIPPING CONTAINER: Listmeasurements.
- 17. SET-UP TIME: List total time fully staked and list specific amount of people used for the setup. Time under Canopy is the minimum time operational equipment can be started to safely be moved into the shelter while the shelter is being set-up.

18. STRIKE TIME: List total time to take down and pack into storage bags and amount of people needed.

19. SNOW LOAD: List the actual maximum snow load the design can safely be operational in and the list the Snow Load as documented under a controlled laboratory test.

20. WIND LOAD: List the actual maximum snow load the design can safely be operational in and the list the Wind Load as documented under a controlled laboratory test.

21. PARTS INCLUDED: List all parts with NSN's if established (example: Type and ground anchoring support system quantity of stake or pin., Type of flooring., Type and quantity of transport/storage container bags., Includes electrical wiring/outlets with surge suppressors (must meet UL and NEC standards if supplied). Include quantities (example: Stakes, 12" steel 18 each) 22. DESCRIPTION:

State compatible with existing military fluorescent lighting system or includes lights in accordance with MIL-L-44259

Type and quantity of doorways and if closures and screens are part of the door assembly Are there optional accessories

Is it supported by a trailer system that provides controlled environments and electrical capabilities Can it provide interconnection capabilities/supported by TEMPER Vestibule connector interoperable

With vestibule accordance with drawing 5-4-9755-16

23. ACCESSORY AND SUPPORT EQUIPMENT:

List optional or included Support Equipment as applicable. A product data sheet for each part number or nsn is required to be submitted.