



## APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

<b>PRODUCT DATA SHEET</b>		<b>CONTRACTOR NAME:</b> UTS Systems	
<b>1.PART NUMBER:</b> UTMT54B1-OD		<b>2.NSN</b>	
<b>3.NAME:</b> UTS TM54 Tall 4 Door (OD Green)		<b>4.TYPE:</b> Quick Erect Soft Shelter	
<b>5.CLASS:</b> N/A		<b>6.COLOR:</b> Green 383, 34094	
<b>7. Support System:</b> Exterior Folding Frame		<b>8.SERIES:</b> TM Series	
<b>9. INTENDED USE:</b> Base Camp			
<b>10.DIMENSIONS (IN FEET AND INCHES)</b>	<b>LENGTH:</b>	<b>WIDTH:</b>	<b>HEIGHT Feet      Inches</b>
	29'      Feet      Inches	20'6"      Feet      Inches	<b>RIDGE:</b> 10'8"/8'6" <b>EAVE:</b>
<b>11.DIMENSIONS (EXTERNAL GUYED)</b>	<b>LENGTH</b>	<b>WIDTH</b>	
	41'6"      Feet      Inches	26'6"      Feet      Inches	
<b>12.SQUARE FEET INTERIOR:</b>		600 Sq Ft	
<b>13.WEIGHT (POUNDS, UNPACKAGED)      LBS.</b>		<b>14.WEIGHT (PACKAGED) 889 lbs</b>	<b>15.SHIPPING CUBE (PACKAGED)      CU.</b>
			76
<b>16. SHIPPING CONTAINER</b>	<b>LENGTH      Inches</b>	<b>WIDTH      Inches</b>	<b>HEIGHT      Inches</b>
<b>17.SET-UP TIME/ NUMBER OF PERSONS</b> 4      People 5-15      Minutes		<b>18.STRIKE TIME/ NUMBER OF PERSONS</b> 4      People 5-15      Minutes	
<b>19.SNOW LOAD:</b> Design Tested		<b>20.Wind Load:</b> Design Tested	
<b>21.PARTS INCLUDED (Include Quantity):</b> Liner, Fabric Floor, Thermal Fly & Stake Bag			
<b>22.DESCRPTION:</b> UTS TM54 Tall, 4-Door w/ Liner, Fabric Floor, Thermal Fly & Stake Bag- OD Green			
<b>23. ACCESSORY AND SUPPORT EQUIPMENT:</b>	<b>PART NUMBER Or NSN</b>	<b>Check if Included</b>	<b>DESCRIPTION</b>

LIGHT SET Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
ELECTRICAL OUTLET SET Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
FLOORING Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
HEATER  Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
AIR CONDITIONER Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
GENERATOR Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	
POWER DISTRIBUTION Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet		<input type="checkbox"/>	
		<input type="checkbox"/>	
		<input type="checkbox"/>	

<b>INSULATED LINER Product Data Sheet</b>		<input type="checkbox"/>	
<b>INSULATED FLOORING Product Data Sheet</b>		<input type="checkbox"/>	
<b>SOLAR SHADE/ CAMOU. NETT Product Data Sheet</b>		<input type="checkbox"/>	

1. **PART NUMBER:** List Manufacturers identification number.
2. **NSN:** List the National Stock Number if it had been established.
3. **NAME:** List Manufacturers product name.
4. **TYPE:** List Type of Tent or support equipment (example: Command Post, Modular, Expandable)
5. **CLASS:** List class if established.
6. **COLOR:** List Color or Shade reference FED-STD 595 color number if applicable.
7. **SUPPORT SYSTEM:** List type of support, state type examples: frame, pole, air beam
8. **SERIES:** List product line designation is applicable example: Series 50HH
9. **INTENDED USE:** List (examples: General Purpose, Command Post, Maintenance, Kitchen, Billeting)
10. **DIMENSIONS:** External in feet and inches
11. **DIMENSIONS: (EXTERNAL GUYDED):** List the area for deployment needed including anchoring.
12. **SQUARE FEET INTERIOR:** List usable internal area.
13. **WEIGHT (UNPACKAGED):** List weight minus and packaging for the entire system.
14. **Weight Shipping:** List weight including all packaging.
15. **SHIPPING CUBE:** List the Cubic measurement of the shipping container.
16. **SHIPPING CONTAINER:** List measurements.
17. **SET-UP TIME:** List total time fully staked and list specific amount of people used for the set-up. Time under Canopy is the minimum time operational equipment can be started to safely be moved into the shelter while the shelter is being set-up.
18. **STRIKE TIME:** List total time to take down and pack into storage bags and amount of people needed.
19. **SNOW LOAD:** List the actual maximum snow load the design can safely be operational in and the list the Snow Load as documented under a controlled laboratory test.
20. **WIND LOAD:** List the actual maximum snow load the design can safely be operational in and the list the Wind Load as documented under a controlled laboratory test.
21. **PARTS INCLUDED:** List all parts with NSN's if established (example: Type and ground anchoring support system quantity of stake or pin., Type of flooring., Type and quantity of transport/storage container bags., Includes electrical wiring/outlets with surge suppressors (must meet UL and NEC standards if supplied). Include quantities (example: Stakes, 12" steel 18 each)
22. **DESCRIPTION:**  
State compatible with existing military fluorescent lighting system or includes lights in accordance with MIL-L-44259  
Type and quantity of doorways and if closures and screens are part of the door assembly Are there optional accessories  
Is it supported by a trailer system that provides controlled environments and electrical capabilities Can it provide interconnection capabilities/supported by TEMPER Vestibule connector interoperable  
With vestibule accordance with drawing 5-4-9755-16
23. **ACCESSORY AND SUPPORT EQUIPMENT:**  
List optional or included Support Equipment as applicable. A product data sheet for each part number or nsn is required to be submitted.