



APPENDIX A Revision B Company Manufacturing Source Company Part Number or NSN		TRAILER MOUNTED SUPPORT SYSTEM PRODUCT DATA SHEET	
Specifications as applicable			
Safety and Mobility Certification by Military Test Center			
Trailer			
Stowage Components included with trailer			
Cargo Volume Stowage, For shelter and accessory components In cubic feet			
Physical Dimensions for trailer Height Width Length			
Recommended Prime Mover Vehicle			
Empty GW			
Tongue Weight			
Tire Type and Size			
Fuel Tank Capacity			
Generator			
Nominal Output in kW, Volts AC, Hertz, Phase			
Operating Environment			
Engine type			
Fuel Type			

Fuel Consumption (AC Compressor On) At 25% load At 50% Load At 75% Load at maximum output		
Noise in DB at 25 feet (AC Compressor On) At 25% load At 50% load At 75% Load At maximum rated load		
Heater		
Nominal Output in BTU's		
Electric Requirement Volts/Amps		
Air Conditioning		
Maximum Cooling Capacity in BTU's		
Maximum Heat Output Capacity in BTU's		
Refrigerant Type		
CFM Air Flow		
Air Duct Diameter		
Power Requirements in kW, VAC, HZ, Phase		
Special/Additional Features:		