

APPENDIX A, Revision B TRAILER MOUNTED SUPPORT SYSTEM PRODUCT DATA SHEET

| | TRAILED MOUNTED CURRORT CVCTEM PRODUCT | | |
|---|---|--|--|
| APPENDIX A Revision B | TRAILER MOUNTED SUPPORT SYSTEM PRODUCT DATA SHEET | | |
| Company | | | |
| Manfacturing Source Company | | | |
| Part Number or NSN | | | |
| | | | |
| Specifications as applicable | | | |
| Safety and Mobility Certification by Military Test Center | | | |
| Trailer | | | |
| Stowage Components included | | | |
| with trailer | | | |
| Cargo Volume Stowage, | | | |
| For shelter and accessory components | | | |
| In cubic feet | | | |
| Physical Dimensions for trailer | | | |
| Height | | | |
| Width | | | |
| Length | | | |
| Recommended Prime Mover Vehicle | | | |
| Empty CVM/ | | | |
| Empty GVW | | | |
| Tongue Weight | | | |
| Tire Type and Size | | | |
| | | | |
| | | | |
| Fuel Tank Capacity | | | |
| Generator | | | |
| Nominal Output in kW, Volts | | | |
| AC, Hertz, Phase | | | |
| Operating Environment | | | |
| Engine type | | | |
| | | | |
| Fuel Type | | | |

| Fuel Consumption | |
|------------------------------------|--------------|
| (AC Compressor On) | |
| At 25% load | |
| At 50% Load | |
| At 75% Load | |
| at maximum output | |
| Noise in DB at 25 feet | |
| (AC Compressor On) | |
| At 25% load | |
| At 50% load | |
| At 75% Load | |
| At maximum rated load | |
| Heater | |
| Nominal Output in BTU's | T |
| | |
| Electric Requirement | |
| Volts/Amps | |
| Air Conditioning | |
| Maximum Cooling Capacity in | |
| BTU's | |
| Maximum Heat Output | |
| Capacity in BTU's | |
| Defrigerent Type | |
| Refrigerant Type | |
| | |
| CFM Air Flow | |
| 01 W 7 W 1 10 W | |
| | |
| Air Duct Diameter | |
| | |
| | |
| Power Requirements in kW, VAC, HZ, | |
| Phase | |
| | |
| | |
| | |
| Special/Additional Features: | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |