



APPENDIX A Revision A Company Part Number or NSN	TRAILER MOUNTED SUPPORT SYSTEM PRODUCT DATA SHEET	
Specifications as applicable		
Safety and Mobility Certification by Military Test Center		
Trailer		
Stowage Components included with trailer		
Cargo Volume Stowage, For shelter and accessory components In cubic feet		
Physical Dimensions for trailer Height Width Length		
Recommended Prime Mover Vehicle		
Empty GW		
Tongue Weight		
Tire Type and Size		
Fuel Tank Capacity		
Generator		
Nominal Output in kW, Volts AC, Hertz, Phase		
Operating Environment		
Engine type		
Fuel Type		

Fuel Consumption (AC Compressor On) At 25% load At 50% Load At 75% Load at maximum output		
Noise in DB at 25 feet (AC Compressor On) At 25% load At 50% load At 75% Load At maximum rated load		
Heater		
Nominal Output in BTU's		
Electric Requirement Volts/Amps		
Air Conditioning		
Maximum Cooling Capacity in BTU's		
Maximum Heat Output Capacity in BTU's		
Refrigerant Type		
CFM Air Flow		
Air Duct Diameter		
Power Requirements in kW, VAC, HZ, Phase		
Special/Additional Features:		