AMEN	IDMENT OF SOLICITAT	FION/M	ODIFICATION O	OF CONTRACT	1.	CONTRACT ID C J	ODE	1 1	- PAGES
2. AMENDME P00002	NT/MODIFICATION NO.		. EFFECTIVE DATE See Blk. 16C	4. REQUISITION/PURO See Block 14	CHASE	E REQ. NO.	5. PROJEC	T NO. (If appli	
700 ROBBINS PHILADELPHI USA Initiator: Priscil	UPPORT E SUPPLY CHAIN AVENUE A PA 19111-5096		SPE300 ED@DLA.MIL	7. ADMINISTERED BY (DCMA DAYTON BUILDING 30 AREA A 1725 VAN PATTON DR WRIGHT PATTERSON AFE USA		,	CODE	S360	05A
8. NAME AND	ADDRESS OF CONTRACTOR (No.,	street, cour	nty, State and ZIP Code)		(X)	9A. AMENDME	NT OF SOLICIT	ATION NO.	
THE WORNI 4700 CREEK	COMPANY, THE DBA CK COMPANY (RD OH 45242-2808				X	9B. DATED (SE 10A. MODIFICA SPE3S1- 10B. DATED (S	TION OF CONT 17-D-Z114 EE ITEM 13)		R NO.
CODE 9Y16	2	FACILIT	Y CODE				2016 OCT	21	
	11. THIS	ITEM ON	LY APPLIES TO A	MENDMENTS OF SO	LICI	TATIONS			
or (c) By separa PLACE DESIG amendment you and this amend		reference to ERS PRIOR omitted, such ining hour and (If required) TEM APP DIFIES T ED PURSUA TRACT/ORD 4, PURSUA	the solicitation and amen TO THE HOUR AND DA change may be made by didate specified. PLIES ONLY TO MOTHE CONTRACT/OIL OF TO: (Specify authority) DER IS MODIFIED TO RENT TO THE AUTHORITY	DDIFICATIONS OF CORDER NO. AS DESCI	DIF YOU LT IN each t	JR ACKNOWLED REJECTION OF elegram or letter r RACTS/ORDE D IN ITEM 14	GMENT TO BE YOUR OFFER. makes reference	RECEIVED A If by virtue of t to the solicita	TTHE his tion
	D. OTHER (Specify type of modification	tion and aut	hority)						
E. IMPORT	ANT: Contractor X is not,	is re	equired to sign this	document and return		copi	es to the iss	uing office.	
	TION OF AMENDMENT/MODIFICATION OF AME	DN (Organize	ed by UCF section headir	ngs, including solicitation/col	ntract s	subject matter who	ere feasible.)		
	rided herein, all terms and conditions of	of the docum	ent referenced in Item 9A						
15A NAME AN	ID TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF James Lecollier PSPTRC1	CON	ITRACTING OFFI	CER (<i>Type or p</i>	orint)	
15B. CONTRA	CTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF		RICA		16C. DATE	
(S	Signature of person authorized to sign)	-/	re of Contracting Officer) 2017 JAN 1						

(Signature of Contracting Officer)

\sim	\sim	۱١	ď	ΤI	N	ı	IΔ	т	N	S	н	F	F٦	

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S1-17-D-Z114/P00002

PAGE 2 OF 3 PAGES

I. The following applies to PCR-G-003, Granola, Packaged in a Flexible Pouch, Shelf Stable: A. Page 12, Section E-5, Paragraph B(3), under column for Fat Test Method Number, delete "985.15" insert "945.38, 960.39, 2008.06".

The revised PCR-G-003 reflecting this change has been posted to the frozen website found at: http://www.dla.mil/TroopSupport/Subsistence/Operational-rations/frozen/16R0008/mrepcr/

II. MRE Chicken chunks - product exam preparation "Until further notice, when preparing pouches for the product examination in accordance with E-5, A, Table I, PKG&QAP A-A-20352B, 23 May 2014, W/Change 03 28 Mar 16, it is not required to immerse pouches in not less than 140°F and not greater than 190°F water for 10 minutes prior to conducting the product examination. The preceding instruction, discontinuing the heating of product examination sample pouches, shall also apply to subsequent editions or revisions of PKG&QAP A-A-20352 applied to this contract.

Instructions for preparing pouches for the drained weight inspection by immersing pouches in not less than 140°F and not greater than 190°F water for 10 minutes prior to conducting the drained weight inspection shall remain as designated in E-5, A, of the PKG&QAP.

It is recommended that the set of sample pouches used to conduct the drained weight inspection also be used to determine the net weights of pouches, each successive sample pouch to have both a net weight and a drained weight determination performed on and recorded for that sample pouch."

III. The following changes apply to SPE3S1-16-R-0008:
Page 12 of 87, line 5, delete existing text and insert: "Monthly Damage Reports (DLA Troop Support form 2651): Due by the 7th of each month for the previous month's data (Section H-9). Applicable to GFM only."

P 18 OF 87, paragraph numbered 2., delete existing text and insert: "2. The contractor shall not incorporate any defective CFM, RNC, or GFM components into the assembled meals, but shall, at no additional charge to the Government, screen, set aside, store, and handle such defective components in accordance with instruction provided by the Contracting Officer and the provisions herein. The following content of this paragraph is applicable to GFM only. The contractor shall segregate all defective GFM components and identify such units with the Government representative's guidance and direction, under a GFM damage classification (i.e., manufacturer's, assembler's, or concealed damage). All damaged GFM, after screening by the contractor and verification by the Government representative, shall be reported to the Contracting Officer for disposition. Such information may be submitted on DLA Troop Support Form 2651 or may be submitted via the Inventory report as described in para. e. below. The report(s) shall be submitted on a monthly basis and numbered sequentially, i.e., the first months report will be #1, the second month's report #2, etc. DLA Troop Support Forms 2651-1, 2651-2, 2651-3, and 2651-4 will be supplied by the assigned Government representative. Monthly damage reports shall be provided to the Contracting Officer no later than the 7th of the following month. Failure to submit applicable DLA Troop Support Form 2651 or other authorized forms, on a monthly basis, will result in the findings by the Procurement Contracting Officer (PCO) that the assembler is the cause of delays in the assembly operation by reason of insufficient GFM and is therefore liable for any resultant costs. The submitted DLA Troop Support Form 2651 or other report must be executed by the Government representative or the document will not be considered valid and therefore will not relieve the contractor of this requirement or of its liability for any assembly shutdown. In addition, non-conformances detected in GFM must be reported to the PCO on a daily basis."

If the contractor incurs increased or decreased costs as a result of this modification the changed costs must be submitted to the ACO within 30 days. If nothing is submitted within 30 days, this modification will be considered finalized at no increased or decreased cost to the Government or the contractor. This does not

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S1-17-D-Z114/P00002	PAGE 3 OF 3 PAGES
waive any right of the ACO	to review this mod and proceed with a formal finalization of thi	s modification.