SECTION C

This document covers shelf stable chicken stir fry packaged in a flexible pouch for use by the Department of Defense as a component of operational rations.

C-1 ITEM DESCRIPTION

PCR-C-093, CHICKEN STIR FRY, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

C-2 PERFORMANCE REQUIREMENTS

- A. <u>Product standard</u>. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements (PCR) document. The approved sample shall serve as the product standard. Should the contractor at any time plan to or actually produce the product using different raw material or process methodologies from the approved product standard, which result in a product noncomparable to the product standard, the contractor shall submit a replacement FA or PDM for approval. In any event, all product produced must meet all requirements of this document including product standard comparability.
 - B. Commercial sterility. The packaged food shall be processed until commercially sterile.
- C. <u>Shelf life</u>. The packaged product shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Appearance.

- (1) <u>General</u>. The finished product shall be a mixture of cooked whole muscle chicken breast meat, brown rice, and vegetables in a sauce. The finished product shall be free from foreign materials.
- (2) <u>Chicken</u>. The chicken pieces shall be whole muscle chicken breast meat (void of any ground product) and shall not be from a log product. The cooked whole muscle chicken breast meat pieces shall be an off-white to light tan color. At least 80 65 percent by weight of the cooked chicken pieces in the finished product shall be not less than 3/4 inches and not greater than 2 inches in length. in any one dimension. The packaged food shall be practically free of skin, bone or bone fragments, cartilage, coarse connective tissue, tendons or ligaments, and discolored meat.
 - (3) Rice. The rice shall be long grain parboiled brown rice. The cooked brown rice

shall be distinct grains and shall be a light to medium tan color. The rice may have a golden tan color from the sauce.

(4) Vegetables.

- a. <u>Carrots</u>. The cooked carrots shall be discernible dices and shall be an orange color.
- b. <u>Bell peppers</u>. The cooked green bell pepper pieces shall be a green color. The cooked red bell pepper pieces shall be a red color.
- c. <u>Bamboo shoots</u>. The cooked bamboo shoot pieces shall be an off-white color.
- (5) <u>Sauce</u>. The sauce shall be glossy, semi-translucent, slightly to moderately thick and shall be a golden tan color.
- E. <u>Odor and flavor</u>. The packaged food shall have a cooked chicken, brown rice, carrot, bell pepper, and bamboo shoot with a mild to moderate ginger and a mild sesame oil and soy sauce odor and flavor. The packaged food shall elicit a sensation of mild to moderate heat. The packaged food shall be free from foreign odors and flavors.

F. Texture.

- (1) <u>Chicken</u>. The cooked whole muscle chicken breast meat pieces shall be moist and tender.
- (2) <u>Rice</u>. The cooked brown rice shall be moist and shall be slightly soft to slightly firm.
 - (3) Vegetables. The cooked vegetables shall be soft and tender.
 - (4) Sauce. The sauce shall be smooth and slightly to moderately thick.
- G. <u>Net weight</u>. The average net weight shall be not less than 8.0 ounces (227 grams). The net weight of an individual pouch shall be not less than 7.5 ounces (213 grams).

H. Drained weight.

(1) <u>Chicken, rice, and vegetables</u>. The average drained weight of the chicken, rice, and vegetables (combined) shall be not less than 6.2 ounces (176 grams). The drained weight

of the chicken, rice, and vegetables (combined) in an individual pouch shall be not less than 5.5 ounces (156 grams).

- (2) <u>Chicken</u>. The average drained weight of the chicken shall be not less than 55 grams. The drained weight of the chicken in an individual pouch shall be not less than 47 grams.
- I. <u>Palatability and overall appearance</u>. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.
 - J. Analytical requirements.
 - (1) <u>Fat</u>. The fat content shall be not greater than 35.0 percent.
 - (2) <u>Salt</u>. The salt content shall be not greater than 1.2 percent.

SECTION D

D-1 PACKAGING

Product shall be filled into pouches and sealed in accordance with MIL-PRF-44073, Packaging of Food in Flexible Pouches, Type I, Style 1.

D-2 LABELING

- A. <u>Pouches</u>. Each pouch shall be correctly and legibly labeled. Printing ink shall be permanent black ink or other contrasting color, which is free of carcinogenic elements. Prior to thermal processing of the pouches, the product name, lot number, filling equipment number and time stamp shall be applied. All other marking may be applied before or after thermal processing.
 - (1) Product name (not less than 1/8 inch high). Commonly used abbreviations may be used.
 - (2) Pouch code includes: 1/

Lot number
Filling equipment identification number
Official establishment number (Optional)
Retort identification number and Retort cook number (Optional)
Time stamp (Hour and minute of filling/sealing operation)

(3) USDA official inspection legend for the packer's plant $\underline{2}$ /

<u>1</u>/ Each pouch shall have the date of pack noted by using either a four-digit code or five-digit code. When using the four-digit code, begin with the final digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 0045. When using the five-digit code, begin with the decade digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 50045. The Julian code shall represent the day the product was packaged into the pouch.

2/ May be placed on the paperboard sleeve if labeled under USDA/FSIS supervision as an identification service.

B. Paperboard sleeves.

(1) The sleeves shall be clearly printed on one of the panels with permanent black ink as follows: 1/

Product name (7/32 to 9/32 inch block letters)
Ingredients
Net weight
Name and address of packer
"Nutrition Facts" label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable USDA regulations

 $\underline{1}$ / With contracting officer approval, this information may be printed on the pouch in lieu of the paperboard sleeve.

(2) The product shall be formulated and labeled in accordance with all USDA labeling regulations and policies. The sleeves (or pouches, as applicable) shall be labeled with the following product name:

CHICKEN STIR FRY

D-3 PACKING

A. <u>Packing</u>. Not more than 40 pounds of product shall be packed in a fiberboard shipping box constructed in accordance with style RSC of ASTM D5118/D5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, minimum burst grade 200 or ECT 32 of ASTM D4727/D4727M, Standard Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes. Each box shall be closed in accordance with ASTM D1974/D1974M, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

D-5 MARKING

A. <u>Shipping containers</u>. Shipping containers shall be marked in accordance with DLA Troop Support Form 3556, Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, utilizing ANSI/ASQ Z1.4, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified, single sampling plans indicated in ANSI/ASQ Z1.4 will be utilized. When required, the manufacturer shall provide the Certificate(s) of Conformance to the appropriate inspection activity. Certificate(s) of Conformance not provided shall be cause for rejection of the lot.

A. Definitions.

- (1) <u>Critical defect</u>. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.
- (2) <u>Major defect</u>. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.
- (3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.
- B. <u>Classification of inspections</u>. The inspection requirements specified herein are classified as follows:
- (1) <u>Product standard inspection</u>. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for appearance, odor, flavor, and texture. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot.
- (2) <u>Periodic review evaluation</u>. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

COMBAT CAPABILITIES DEVELOPMENT COMMAND (DEVCOM) SOLDIER CENTER FCDD-SCD-SCR 10 GENERAL GREENE AVENUE NATICK, MA 01760-5000

One lot shall be randomly selected during each calendar month of production or as otherwise specified in the contract. Three (3) sample units shall be randomly selected from that one production lot. The three (3) sample units shall be shipped to DEVCOM Soldier Center within five (5) working days from the end of the production month from which they are randomly selected and upon completion of all USDA inspection requirements. The sample units will be evaluated for overall quality against the current first article or product demonstration model.

(3) <u>Conformance inspection</u>. Conformance inspection shall include the examinations/tests and methods of inspection cited in this section and in section 4 of MIL-PRF-44073.

E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)

A. <u>Product examination</u>. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQ Z1.4. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in table I. The pouches shall be immersed in not less than 140°F and not greater than 190°F water for 10 minutes prior to conducting the product examination. For drained weight inspection, a separate set of pouches shall be selected from the lot using the same sampling criteria as above.

TABLE I. <u>Product defects</u> 1/2/

Category		Defect
Major	Minor	Appearance
101		Finished product not a mixture of cooked whole muscle chicken breast meat or not brown rice or not vegetables or not in a sauce. <u>3</u> /
	201	Cooked whole muscle chicken breast meat not pieces or not an off-white to light tan color.
	202	Cooked chicken pieces in the finished product not dimensions as specified. $\underline{4}/$
102		Bone or bone fragment measuring more than 0.3 inch in any dimension.
	203	Total weight of skin, cartilage, coarse connective tissue, tendons or ligaments, and discolored meat more than 0.20 ounce (5.7 grams).
	204	Cooked brown rice not distinct rice grains or not a light to medium tan color. $\underline{5}$ /
	205	Cooked carrots not discernible dices or not an orange color.
	206	Cooked green bell pepper not pieces or not a green color.
	207	Cooked red bell pepper not pieces or not a red color.
	208	Cooked bamboo shoot not pieces or not an off-white color.
	209	Sauce not glossy or not semi-translucent or not slightly to moderately thick or not a golden tan color.
		Odor and flavor
103		The packaged food does not have a cooked chicken or not brown rice or not carrot or not bell pepper or not bamboo shoot or not with a mild to moderate ginger or not a mild sesame oil or not a soy sauce odor or flavor.
104		The packaged food does not elicit a sensation of mild to moderate heat.

TABLE I. Product defects 1/2/- Continued

Category		Defect
Major	Minor	<u>Texture</u>
	210	Cooked whole muscle chicken breast meat pieces not moist or not tender.
	211	Cooked brown rice not moist or not slightly soft to slightly firm.
	212	Cooked vegetables not soft or not tender.
	213	Sauce not smooth or not slightly to moderately thick.
		Net weight
	214	Net weight of an individual pouch less than 7.5 ounces (213 grams). 6/
		Drained weight
	215	Drained weight of the chicken, rice, and vegetables (combined) in an individual pouch less than 5.5 ounces (156 grams). 7/
	216	Drained weight of the chicken in an individual pouch less than 47 grams. $\underline{8}$ /

^{1/} Presence of any foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, or metal, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy shall be cause for rejection of the lot.

- $\underline{2}$ / Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.
- <u>3</u>/ Requirement that the chicken pieces be whole muscle chicken breast meat (void of any ground product), not from a log product, shall be verified by a Certificate of Conformance (CoC).
- 4/ Verification that at least 80 65 percent by weight of the cooked chicken pieces in the finished product meet the dimensions of not less than 3/4 inches in any one dimension and not greater than 2 inches in length shall be measured by USDA on the first production lot of a contract cycle and annual PDM replenishment or if a new chicken supplier is obtained. A visual examination for comparability to the PDM shall be conducted on all lots produced

using the same chicken supplier between PDM replenishments. If the visual examination is noncomparable to the PDM, then USDA shall measure the chicken pieces.

- $\underline{5}$ / Verification of the rice as long grain parboiled brown rice shall be with the statement of ingredients on the label or verified by producer's CoC. Any nonconforming result shall be cause for rejection of the lot.
- 6/ Sample average net weight less than 8.0 ounces (227 grams) shall be cause for rejection of the lot.
- 7/ Sample average drained weight of the chicken, rice, and vegetables (combined) less than 6.2 ounces (176 grams) shall be cause for rejection of the lot.
- 8/ Sample average drained weight of the chicken less than 55 grams shall be cause for rejection of the lot.

B. Methods of inspection.

- (1) <u>Commercial sterility</u>. Commercial sterility shall be verified in accordance with USDA/FSIS regulations.
- (2) <u>Shelf life</u>. The contractor shall provide a Certificate of Conformance that the product has a 36 month shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point quality scale to be considered acceptable.
- (3) <u>Net weight</u>. The net weight of the filled and sealed pouches shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce or to the nearest 1 gram.
- (4) <u>Drained weight</u>. Use a U.S. Standard No. 7 sieve for the drained weight examination. Heat all the pouches at the same time for 10 minutes in hot water. <u>1</u>/ Pour the contents of the pouch into a flat-bottom container and repeatedly add hot water until all of the product has been removed from the pouch. <u>1</u>/ Additional hot water may be added to the flat-bottom container so as to cover all the contents. <u>1</u>/ The mixture shall be gently agitated so as to liquefy rendered fat without breaking the product. <u>2</u>/ The mixture shall not sit for greater than two minutes. The contents shall then be poured into the sieve in a manner that will distribute the product over the sieve without breaking up the product. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The

sieve shall be tilted at an angle from 30 to 45 degrees to ensure complete drainage of liquid from the product. Drain product for two minutes. Place the sieve and its contents onto the scale and tare the scale to zero. Remove the chicken pieces from the sieve. Place the sieve back on the scale and record the weight as a positive number. This value is the drained weight of the chicken pieces. Empty the remaining contents of the sieve by turning the sieve upside down and dumping the remaining product. Place the sieve back on the scale and record the weight as a positive number. This value is the combined drained weight. When necessary, rinse the screen before performing the next drained weight exam. The drained weight shall be reported to the nearest 0.1 ounce or to the nearest 1 gram. 3/

- 1/ Water temperature shall be not less than 140°F and not greater than 165°F.
- 2/ Additional hot water may be required for completely removing sauce and liquefying rendered fat.
- $\underline{3}$ / The initial unit of measurement shall be maintained throughout the exam (example: if ounce is used, the unit of measurement shall remain as ounces throughout the exam).
- (5) <u>Analytical</u>. The sample to be analyzed shall be a composite of eight filled and sealed pouches which have been selected at random from one lot. The composite sample shall be prepared and analyzed in accordance with the following methods of the Official Methods of Analysis (OMA) of AOAC International:

<u>Test</u> <u>Method Number</u>

Fat 960.39, 991.36, 2007.04, or 2008.06

Salt 935.47 or 971.27

Test results shall be reported to the nearest 0.1 percent. Government verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirements shall be cause for rejection of the lot.

E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS)

A. Packaging.

(1) <u>Pouch material testing</u>. The pouch material, pouch and sleeve, as applicable, in accordance with the lot size, sample unit, and inspection level criteria shall be tested for the performance characteristics listed in table I of MIL-PRF-44073, Packaging of Food in Flexible Pouches for Type I. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

- (2) <u>Filled and sealed pouch examination</u>. The filled and sealed commercially sterile pouches shall be examined for the characteristics listed in table II of MIL-PRF-44073 for Type I. The lot size shall be expressed in pouches. The sample unit shall be one thermal processed pouch. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects, and 4.0 for minor defects. Two hundred sample units shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot.
- (3) <u>Paperboard sleeve or paperboard insert card examination</u>. The sleeve or insert card (as applicable) shall be examined for the defects listed in table III of MIL-PRF-44073 for Type I. The lot size shall be expressed in units of sleeves or insert cards. The sample unit shall be one sleeve or one insert card. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major defects and 2.5 for minor defects.

B. Packing.

(1) <u>Shipping container and marking examination</u>. The filled and sealed shipping containers shall be examined for the defects listed in table II. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE II. Shipping container and marking defects

		17 IDEE 11. Shipping container and marking acreets
Category		Defect
Major	Minor	
101		Marking missing or incorrect or illegible.
102		Inadequate workmanship. <u>1</u> /
	201	M 4 40 1 6 1 4
	201	More than 40 pounds of product.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

PCR-C-093 20 July 2023

W/Change 01 22 Aug 24 ES24-043 (DSCP-SS-24-00553)

SECTION J REFERENCE DOCUMENTS

Unless otherwise specified, the applicable version of these documents is that which is active on the date of the solicitation or contract.

DLA Troop Support Form

Form 3556 Marking Instructions for Boxes, Sacks, and Unit Loads of

Perishable and Semiperishable Subsistence

DEPARTMENT OF DEFENSE SPECIFICATION

MIL-PRF-44073 Packaging of Food in Flexible Pouches

(Copies of this document are available online at https://quicksearch.dla.mil)

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY (ASQ) www.asq.org

ANSI/ASQ Z1.4 Sampling Procedures and Tables for Inspection by

Attributes

ASTM INTERNATIONAL www.astm.org

D1974/D1974M Standard Practice for Methods of Closing, Sealing, and

Reinforcing Fiberboard Boxes

D4727/D4727M Standard Specification for Corrugated and Solid

Fiberboard Sheet Stock (Container Grade) and Cut Shapes

D5118/D5118M Standard Practice for Fabrication of Fiberboard Shipping

Boxes

AOAC INTERNATIONAL www.aoac.org

Official Methods of Analysis (OMA) of AOAC International