SECTION C

This document covers thermostabilized penne with vegetable sausage crumbles in spicy tomato sauce packaged in a flexible pouch for use by the Department of Defense as a component of operational rations.

C-1 ITEM DESCRIPTION

PCR-P-036, PENNE WITH VEGETABLE SAUSAGE CRUMBLES IN SPICY TOMATO SAUCE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

Types.

Type I - Made with penne rigate

Type II - Made with whole grain penne rigate

C-2 PERFORMANCE REQUIREMENTS

- A. <u>Product standard</u>. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Product Contract Requirements (PCR) document. The approved sample shall serve as the product standard. Should the contractor at any time plan to, or actually produce the product using different raw material or process methodologies from the approved Product Standard, which result in a product non comparable to the Product Standard, the contractor shall arrange for a new or alternate FA or PDM approval. In any event, all product produced must meet all requirements of this document including Product Standard comparability.
- B. Commercial sterility. The packaged food shall be processed until commercially sterile.
- C. Shelf life. The packaged food shall meet the minimum shelf life requirement of 36 months at 80° F.

D. Appearance.

- (1) <u>General</u>. The finished product shall be a uniform mixture of penne rigate with vegetable sausage crumbles in a spicy tomato sauce. The packaged food shall be free from foreign materials.
- (2) Penne rigate. The penne rigate shall have a cooked pasta color and shall be tubular with ridges and diagonal end cuts. The penne rigate shall be intact with measurements of not

Comment [p1]: Numerous changes have been made through out this document. Careful review is strongly advised. A summary of changes can be found in the memo at the end of this document

Comment [NSR2]: Natick ES09-174, change 01, 25 Sep 09, insert Types I and II.

Comment [NSR3]: Natick ES09-174, change 01, 25 Sep 09, delete "The penne rigate shall have a cooked pasta color and shall be tubular with ridges and diagonal end cuts. The penne rigate shall be intact with measurements of not less than 1.5 inches ± 0.25 inches." and insert "The dry penne rigate shall be tubular with ridges and diagonal end cuts and shall have measurements of not less than 1.5 inches ± 0.25 inches. The cooked penned rigate shall be intact.

- a. For Type I, the penne rigate shall be derived from enriched pasta product. The cooked penne rigate shall have a cooked pasta color.
- b. For Type II, the penne rigate shall be derived from enriched whole grain pasta product and shall contain 10 grams of dietary fiber per 100 grams of dry pasta product. The cooked penne rigate shall have a cooked whole grain pasta color."

1

less than 1.5 inches \pm 0.25 inches. The dry penne rigate shall be tubular with ridges and diagonal end cuts and shall have measurements of not less than 1.5 inches \pm 0.25 inches. The cooked penned rigate shall be intact.

- a. For Type I, the penne rigate shall be derived from enriched pasta product. The cooked penne rigate shall have a cooked pasta color.
- b. For Type II, the penne rigate shall be derived from enriched whole grain pasta product and shall contain 10 grams of dietary fiber per 100 grams of dry pasta product. The cooked penne rigate shall have a cooked whole grain pasta color.
- (3) <u>Vegetable sausage crumbles</u>. The vegetable sausage crumble pieces shall be random size with the largest piece not to exceed 1/2 inch and shall have a cooked ground meat appearance.
- (4) <u>Sauce</u>. The sauce shall be a medium reddish orange color and shall be thick and cohesive with discernable pieces of tomato, diced green and red bell peppers, and flecks of herbs and spices.
- E. Odor and flavor. The packaged food shall be free from foreign odors and flavors.
- (1) Penne. The For Type I, the penne shall have a cooked pasta odor and flavor. For Type II, the penne shall have a cooked whole grain pasta odor and flavor.
- (2) <u>Sauce</u>. The sauce shall have a cooked tomato odor and flavor with moderately intense Italian, chili powder spicing with ground black pepper and moderate pungency.
- (3) <u>Vegetable sausage crumbles</u>. The vegetable sausage crumbles shall have the odor and flavor typical of Italian style sausage.

F. Texture.

- (1) Penne. The penne shall be slightly soft to slightly firm and shall not be pasty.
- $\ensuremath{(2)} \ensuremath{\underline{Vegetable\ sausage\ crumbles}}. The\ vegetable\ sausage\ crumbles\ shall\ have\ a\ texture\ similar\ to\ cooked\ ground\ meat.$
 - (3) Sauce. The sauce shall be thick and slightly free flowing.

G. Weight.

Comment [NSR4]: Natick ES09-174, change 01, 25 Sep 09, insert "The packaged food shall be free from foreign odors and flavors."

Comment [NSR5]: Natick ES09-174, change 01, 25 Sep 09, delete "The" and insert "For Type I, the". Insert "For Type II, the penned shall have a cooked whole grain pasta odor and flavor."

- (1) Net weight. The average net weight shall be not less than 8.0 ounces. No individual pouch shall have a net weight of less than 7.5 ounces.
- (2) <u>Drained weight</u>. The average drained weight shall be not less than 6.0 ounces. The drained weight of pasta and vegetable sausage crumbles (combined) in an individual pouch shall be not less than 5.7 ounces.
- H. <u>Palatability and overall appearance</u>. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.
- I. Analytical requirements.
 - (1) Protein content. The protein content shall be not less than 4.7 percent.
 - (2) Fat content. The fat content shall be not greater than 3.2 percent.
- (3) <u>Salt content</u>. The salt content shall be not less than 0.5 percent and not greater than 1.2 percent.
- J. Vegetarian requirement. This product shall contain no ingredients, major or trace, and/or processing aids derived from the flesh, skin, blood, entrails, or bones of animals. This includes, but is not limited to oils, fats, fatty acids, and their esters (palmitic, stearic, oleic, and pelargonic acids), flavorings, gelling agents, coagulants, (rennet derived from calves or pepsin derived from swine which are used in cheese manufacture), binders, emulsifiers (mono/di-glycerides, sodium or magnesium stearate, polysorbate, sorbitans, monstearate, glycerin), fatty alcohol, aldehydes, and ketones, lactones, glycerol, amino acids, hydrolyzed proteins, enzymes, and enzyme modified products. Furthermore, these products shall contain no ethyl alcohol, or ingredients derived from or containing methyl alcohol. Milk and eggs, and ingredients derived from them such as yogurt, or cheese (produced without animal based rennet or pepsin), are allowed.

C-3 MISCELLANEOUS INFORMATION

THE FOLLOWING INGREDIENTS ARE FOR INFORMATION ONLY. THIS IS NOT A MANDATORY CONTRACT REQUIREMENT.

A. <u>Ingredients/formulation</u>. Ingredients and formulation percentages for the sauce may be as follows:

Percent by weight
72.60
15.55
8.57
0.86
0.70
0.70
0.57
0.18
0.18
0.09

 $\underline{1}/$ The total amount of salt in the sauce formula may be adjusted, as necessary, to produce a product that complies with the finished product salt requirements.

B. Product preparation. Percentages for product preparation may be as follows:

<u>Ingredients</u>	Percent by weight
Sauce	78.47
Penne (blanched to 2x dry weight)	21.53

NOTE:

The sauce used was Victoria Prepared Pasta Sauce, both tomato basil and roasted garlic flavors, supplied by Victoria Packing Corp. Brooklyn, NY.

The sausage style crumbles used were Morningstar Farms Sausage Style Recipe Crumbles supplied by Morningstar Farms Division, Worthington Farms, Inc., Worthington, OH.

SECTION D

D-1 PACKAGING

Product shall be filled into pouches and each pouch shall be packed in a carton in accordance with MIL-PRF-44073, Packaging of Food in Flexible Pouches.

D-2 LABELING

A Pouches. Each pouch shall be elearly printed or stamped, in a manner that does not damage the pouch, with permanent black ink or any other contrasting color, which is free of earcinogenic elements correctly and legibly labeled. Printing ink shall be permanent black ink or any other contrasting color, which is free of carcinogenic elements. Prior to thermal

Comment [NSR6]: Natick ES09-174, change 01, 25 Sep 09, delete "clearly printed or stamped, in a manner that does not damage the pouch, with permanent black ink or any other contrasting color, which is free of carcinogenic elements" and insert "correctly and legibly labeled. Printing ink shall be permanent black ink or any other contrasting color, which is free of carcinogenic elements".

processing of the pouches, the product name, lot number and filling equipment number shall be applied. All other marking may be applied before or after thermal processing.

(1) Product name (not less than 1/8 inch high).

Commonly used abbreviations may be used when authorized by the inspection agency.

Comment [NSR7]: Natick ES09-174, change 01, 25 Sep 09, 25 Sep 09, delete "when authorized by the inspection agency".

(2) Pouch code includes: 1/

Lot Number

Filling equipment identification number

Official establishment number (for example, EST 38) Company code

Retort identification number and Retort cook number (Optional)
Time stamp (hour and minute of filling/sealing operation)

1/The lot number shall be expressed as a four digit Julian code. The first digit shall indicate the year of production and the next three digits shall indicate the day of the year (Example, 10 August 2004 would be coded as 422314 February 2010 would be coded as 0045). The Julian code shall represent the day the product was packaged into the pouch and processed. Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code. Following the four digit Julian code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above.

B. Cartons.

(1) The cartons shall be clearly printed on one of the largest panels with permanent black ink as follows:

Product name (7/32 to 9/32 inch block letters)

Ingredients

Net weight

Name and address of packer

Code (same as pouch code, see pouches) 1/2/3/

USDA official inspection legend for the packer's plant "Nutrition Facts" label in accordance with the Nutrition Labeling and

Education Act (NLEA) and all applicable FDA/USDA regulations

1/Code may be ink printed on any outside carton panel. Code may be embossed on any outside carton panel except the largest panels of the carton.

Comment [NSR8]: Natick ES09-174, change 01, 25 Sep 09, delete "Official establishment number (for example, EST 38)" and insert "Company code". Move "Retort cook number" up onto same line as "Retort ID number" and insert "and" between "number" and "Retort". Insert "infoptional)" after "cook number". Next line, insert "Time stamp (hour and minute of filling/sealing operation)"

Comment [NSR9]: Natick ES09-174, change 01, 25 Sep 09, delete "10 August 2004 would be coded as 4223" and insert "14 February 2010 would be coded as 0045". Delete "Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code." and "and the alpha character (when used)"

Comment [NSR10]: Natick ES09-174, change 01, 25 Sep 09, after "2" insert "3/" and delete "USDA official inspection legend for the packer's plant". Delete "/USDA" before "regulations".

Official establishment number not required in carton code. Company code not required in carton code.

3/ Cartons shall be time stamped with the hour and minute that the pouch is sealed into the carton. (Cartons are not expected to bear same time stamp as pouch). Alternatively, the optional Retort identification number and Retort cook number shall be used.

(2) Military nutrition information entitled "Military Rations Are Good Performance Meals" shall be printed on the entrée cartons large panel opposite to the panel printed with the data in D-2, B,(1) above. The information, provided by the contracting officer, shall be clearly printed with permanent black ink in an area no smaller than 4-1/4 inches by 6-3/4 inches

D-3 PACKING

A. Packing for shipment to ration assembler. Seventy two pouches (of the same product) in cartons shall be packed flat or on edge in a snug fitting fiberboard shipping container conforming to style RSC, type CF, class domestic, grade 200 of ASTM D 5118/D 5118M 95 (2001), Standard Practice for Fabrication of Fiberboard Shipping Boxes. Each container shall be securely closed in accordance with ASTM D1974 98 (2003), Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes. Not more than 40 pounds of product shall be packed in a fiberboard shipping box constructed in accordance with style RSC of ASTM D 5118/D 5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, grade 200 of ASTM D 4727/D 4727M, Standard Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes. Each box shall be securely closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

D-4 MARKING

A. <u>Shipping containers</u>. Shipping containers shall be marked in accordance with DSCP FORM 3556, Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, httlizing ANSI/ASQE Z1.4-1993, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified, Single Sampling Plans indicated in ANSI/ASQE Z1.4-1993 will be utilized. When required,

Comment [NSR11]: Natick ES09-174, change 01, 25 Sep 09, delete "Official establishment number not required in carton code." and insert "Company code not required in carton code." Insert mey footnote "3/ Cartons shall be time stamped with the hour and minute that the pouch is sealed into the carton. (Cartons are not expected to bear same time stamp as pouch). Alternatively, the optional Retort identification number and Retort cook number shall be used."

Comment [NSR12]: Natick ES09-174, change 01, 25 Sep 09, delete "for shipment to ration assembler. Seventy-two pouches (of the same product)

product)

product)

product)

in cartons shall be packed flat or on edge in a snugfitting fiberboard shipping container conforming to
style RSC, type CF, class domestic, grade 200 of
ASTM D 5118/D 5118M-95 (2001), Standard
Practice for Fabrication of Fiberboard Shipping
Boxes. Each container shall be securely closed in
accordance with ASTM D1974-98 (2003), Standard
Practice for Methods of Closing, Sealing, and
Reinforcing Fiberboard Boxes." Insert "Not more
than 40 pounds of product shall be packed in a
fiberboard shipping box constructed in accordance
with style RSC of ASTM D 5118/D 5118M,
Standard Practice for Fabrication of Fiberboard
Shipping Boxes. The fiberboard shall conform to
type CF, class D, variety SW, grade 200 of ASTM D
4727/D 4727M, Standard Specification for
Corrugated and Solid Fiberboard Sheet Stock
(Container Grade) and Cut Shapes. Each box shall be
securely closed in accordance with ASTM D 1974,
Standard Practice for Methods of Closing, Sealing,
and Reinforcing Fiberboard Boxes."

Comment [NSR13]: Natick ES09-174, change 01, 25 Sep 09, On lines one and three, after "ASQ" delete "C" and after "Z1.4" delete "-1993".

the manufacturer shall provide the certificate(s) of conformance to the appropriate inspection activity. Certificate(s) of conformance not provided shall be cause for rejection of the lot.

A. Definitions

- (1) <u>Critical defect</u>. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.
- (2) <u>Major defect</u>. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.
- (3) <u>Minor defect</u>. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.
- B. <u>Classification of inspections</u>. The inspection requirements specified herein are classified as follows:
- (1) <u>Product standard inspection</u>. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the performance requirements or any appearance or palatability failure, shall be cause for rejection of the lot. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

US Army Research, Development and Engineering Command Natick Soldier Research, Development and Engineering Center AMSRD NSC CF FRDNS-CFF
15 Kansas Street
Natick, MA 01760-5018

One lot shall be randomly selected during each calendar month of production. Six (6) sample units of each item produced shall be randomly selected from that one production lot. The six (6) sample units shall be shipped to Natick within five working days from the end of the production month and upon completion of all USDA inspection requirements. The sample units will be evaluated for the characteristics of appearance, odor, flavor, texture and overall quality.

Comment [NSR14]: Natick ES09-174, change 01, 25 Sep 09, insert After "Natick Soldier" insert "Research, Development and Engineering". Delete "AMSRD-NSC-CF-F" and insert "RDNS-CFF".

(2) <u>Conformance inspection</u>. Conformance inspection shall include the examinations/tests and methods of inspection cited in this section and in Section 4 of MIL-PRE-44073

E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)

A. <u>Product examination</u>. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQC Z1.4-1993. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in table I. For drained weight inspection, a separate set of pouches shall be selected from the lot using the same sampling criteria as above. The pouches shall be immersed in not less than 140°F water for 10 minutes prior to conducting the product examination.

TABLE I. Product defects 1.	/2/	3/4/	5	/	6	/
-----------------------------	-----	------	---	---	---	---

		TABLE I. <u>Product defects</u> 1/2/3/4/5/6/	Comment [NSR15]: Natick ES09-174, change
Categor	·y	Defect	01, 25 Sep 09, insert "5/6/" in the table heading and renumber footnotes cited in defects 212 and 213
Major	Minor	<u>Appearance</u>	from "5/" and "6/" to "7/" and "8/", respectively.
101		Product not a uniform mixture of penne rigate with vegetable sausage crumbles in a spicy tomato sauce.	
	201	Penne rigate not intact, or not a tubular shape with ridges and diagonal end cuts.	Comment [NSR16]: Natick ES09-174, change 01, 25 Sep 09, delete ", or not a tubular shape with ridges and diagonal end cuts".
	202	Pennel For Type I, penne rigate not a cooked pasta color. For Type II, penne rigate not a cooked whole grain pasta color.	Comment [NSR17]: Natick ES09-174, change 01, 25 Sep 09, delete "Penne" and insert "For Type I, penne". After "pasta color," insert "For Type II, penne rigate not a cooked whole grain pasta color,"
	203	Vegetable sausage crumble pieces not random size.	(
	204	Largest vegetable sausage crumble piece size exceeds 1/2 inch.	
	205	Vegetable sausage crumble pieces not cooked ground meat appearance.	
	206	Sauce not a medium reddish orange color.	
	207	Sauce not thick or not cohesive with discernable pieces of tomato, diced green and red bell peppers, and flecks of herbs and spices.	
		Odor and flavor	
102		Penne For Type I, penne not a cooked pasta odor or flavor. For Type II, penne not a cooked whole grain pasta odor or flavor.	Comment [NSR18]: Natick ES09-174, change 01, 25 Sep 09, delete "Penne" and insert "For Type I, penne". After "flavor," insert "For Type II, penne ot a cooked whole grain pasta door or flavor."
103		Sauce not a cooked tomato odor or flavor with moderately intense Italian, chili powder spicing with ground black pepper or not a moderate pungency.	not a cooked whole grain pasta door or intro.
104		Vegetable sausage crumbles not an odor or flavor of Italian style sausage.	

TABLE I. Product defects 1/2/3/4/5/6/cont'd

	TIBEL II Troduct dollers II 2/ 5/ 1/ 5 or cont d			
Categor	У	Defect		
<u>Major</u>	Minor	<u>Texture</u>		
	208	Pasta not slightly soft to slightly firm.		
	209	Pasta is pasty.		
	210	Vegetable sausage crumbles texture not similar to cooked ground meat.		
	211	Sauce not thick or not slightly free flowing.		
		Weight		
	212	Net weight of an individual pouch less than 7.5 ounces. 57/		
	213	Drained weight of pasta and vegetable sausage crumbles (combined) in an individual pouch less than 5.7 ounce. 68/		

 $\underline{1}/$ Presence of any foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, metal, or mold, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, or stale shall be cause for rejection of the lot.

 $\underline{2}$ / Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.

3/ Size requirement for penne rigate pasta (not less than 1.5 inches ± 0.25 inches) shall be verified by certificate of conformance. For Type I, verification of penne rigate as enriched pasta product shall be with the statement of ingredients on the label or verified by producer's Certificate of Conformance (CoC). For Type II, verification of penne rigate as enriched whole grain pasta product shall be with the statement of ingredients on the label or verified by producer's CoC. Any nonconforming result shall be cause for rejection of the lot.

4/ Penne rigate shape and size requirements shall be verified by producer's CoC.

5/ For Type II, whole grain penne rigate dietary fiber requirement shall be verified by producer's CoC.

Comment [NSR19]: Natick ES09-174, change 01, 25 Sep 09, delete "Size requirement for penne rigate pasta (not less than 1.5 inches ± 0.25 inches) shall be verified by certificate of conformance." and insert: "For Type I, verification of penne rigate as enriched pasta product shall be with the statement of ingredients on the label or verified by producer's Certificate of Conformance (CoC). For Type II, verification of penne rigate as enriched whole grain pasta product shall be with the statement of ingredients on the label or verified by producer's CoC. Any nonconforming result shall be cause for rejection of the lot.

 $\underline{4}/$ Penne rigate shape and size requirements shall be verified by producer's CoC.

5/ For Type II, whole grain penne rigate dietary fiber requirement shall be verified by producer's CoC." Renumber footnotes "4/", "5/", and "6/" to "6/", "2/", and "8/", respectively.

- 46/ Product not verified by a certificate of conformance as meeting the vegetarian requirements shall be cause for rejection of the lot.
- 57/ Sample average net weight less than 8.0 ounces shall be cause for rejection of the lot.
- 68/ Sample average drained weight less than 6.0 ounces shall be cause for rejection of the lot.
- B. Methods of inspection.
- (1) <u>Commercial sterility</u>. Commercial sterility shall be verified in accordance with <u>USDA/FSISFDA</u> regulations.
- (2) <u>Shelf life</u>. The contractor shall provide a certificate of conformance that the product has a 3 year shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point hedonic scale to be considered acceptable.
- (3) $\underline{\text{Net weight}}$. The net weight of the filled and sealed pouches shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce.
- (4) <u>Drained weight</u>. The pouch contents shall be poured into a flat-bottom container. A minimum of three times the volume of the pouch of not less than 140°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquefy rendered fat and to remove the sauce. The contents shall then be poured into a U.S. Standard No. 14 sieve in a manner that will distribute the product over the sieve. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at such an angle to assure complete drainage of liquid from the product. Drain product for two minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.
- (5) <u>Analytical</u>. The sample to be analyzed shall be a composite of eight filled and sealed pouches which have been selected at random from the lot. The composite sample shall be prepared and analyzed in accordance with the following Official Methods of Analysis of AOAC International (OMA).

Comment [NSR20]: Natick ES09-174, change 01, 25 Sep 09, delete "USDA/FSIS" and insert "FDA"

 Test
 Method Number

 Protein
 984.13 or 992.15

 Fat
 985.15

Fat 985.15 Salt 935.47

Test results shall be reported to the nearest 0.1 percent. Verification Government verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirements shall be cause for rejection of the lot.

Comment [NSR21]: Natick ES09-174, change 01, 25 Sep 09, delete "Verification" and insert "Government verification"

A. Packaging and labeling.

(1) <u>Pouch material testing</u>. The pouch material shall be examined for the characteristics listed in table I of MIL-PRF-44073. The lot size, sample unit, and inspection level criteria for each of the test characteristics are listed below. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

Characteristic	Lot size expressed in	Sample unit	Inspection level
Oxygen transmission rate	yards	1/2 yard	S-1
Water vapor transmission rate	yards	1/2 yard	S-1
Camouflage	yards	1/2 yard	S-1
Thermal processing	pouches	1 pouch	S-2
Environmental conditions	pouches	1 pouch	S-2

(2) Filled and sealed pouch testing. The filled and sealed thermoprocessed or hot-fill processed pouches shall be examined for the characteristics listed in table I of MIL-PRF-44073. The lot size, sample unit, and inspection level criteria for each of the test characteristics are listed below. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

Characteristic	Lot size expressed in	Sample unit	Inspection level
Residual gas volume	pouches	1 pouch	S-2
Internal pressure	pouches	1 pouch	S-2 <u>1</u> /
Directional tear	pouches	1 pouch	S-2

1/When a three-seal tester is used, a separate set of samples is required for testing of the closure seal.

Comment [NSR22]: Natick ES09-174, change 01, 25 Sep 09, Delete "and labeling".

Comment [NSR23]: Natick ES09-174, change 01, 25 Sep 09, Before "(2) Pouch examination."

insert:
"(2) Filled and sealed pouch testing. The filled and sealed thermoprocessed or hot-fill processed pouches shall be examined for the characteristics listed in table I of MIL-PRF-44073. The lot size, sample unit, and inspection level criteria for each of the test characteristics are listed below. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

Characteristic

(2)(3) Pouch examination. The pouches shall be examined for the defects listed in table II of MIL-PRF-44073. The lot size shall be expressed in pouches. The sample unit shall be one thermal processed pouch. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects, and 4.0 for minor defects. Two hundred sample units shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot.

(3)(4) Examination of pouch and carton assembly. The completed pouch and carton assemblies shall be examined for the defects listed in table III of MIL-PRF-44073 for Type I. The lot size shall be expressed in units of completed assemblies. The sample unit shall be one pouch and carton assembly. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major defects and 2.5 for minor defects. Fifty sample pouch and carton assemblies shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot.

B. Packing.

(1) <u>Shipping container and marking examination</u>. The filled and sealed shipping containers shall be examined for the defects listed in table II below. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE II. Shipping container and marking defects

Category		Defect
Major	Minor	
101		Marking omitted, incorrect, illegible, or improper size, location
		sequence or method of application missing or incorrect or illegible.
102		Inadequate workmanship. $\underline{1}/$
	201	Contents more or less than specified. More than 40 pounds of
		product.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

SECTION J REFERENCE DOCUMENTS

Unless otherwise specified, the issues of these documents are those active on the date of the solicitation or contract.

Comment [NSR24]: Natick ES09-174, change 01, 25 Sep 09, After "MIL-PRF-44073" insert "for Type P".

Comment [NSR25]: Natick ES09-174, change 01, 25 Sep 09, delete "omitted, incorrect, illegible, or improper size, location sequence or method of application." and insert "missing or incorrect or illegible."

Comment [NSR26]: Natick ES09-174, change 01, 25 Sep 09, delete "Contents more or less than specified," and insert "More than 40 pounds of product."

Comment [NSR27]: Natick ES09-174, change 01, 25 Sep 09, Insert "Unless otherwise specified, the issues of these documents are those active on the date of the solicitation or contract." After "(ASQ)" insert "www.asq.org". After "ASQ" delete "C" and after "Z1.4" delete "-1993". After "ASTM INTERNATIONAL" insert "www.am.org". After "D 1974" delete "-98 (2003)". After "D 1918M" delete "98 (2001)". After "AOAC INTERNATIONAL" insert "Gww.asoc.org". After "Analysis" insert "(OMA)". After "AOAC International" delete "(OMA)".

DSCP FORMS

DSCP FORM 3556 Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence

MILITARY SPECIFICATIONS

MIL-PRF-44073 Packaging of Food in Flexible Pouches

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY (ASQ) www.asq.org

ANSI/ASQCZ1.4-1993 Sampling Procedures and Tables for Inspection by

ASTM INTERNATIONAL www.astm.org

D 1974-98 (2003) Standard Practice for Methods of Closing,

Sealing, and Reinforcing Fiberboard Boxes

D 5118/D 5118M-95 (2001) Standard Practice for Fabrication of Fiberboard

Shipping Boxes

AOAC INTERNATIONAL www.aoac.org

Official Methods of Analysis (OMA) of the AOAC International (OMA)

For DSCP Website Posting

RDNS-CFF 25 September 2009

TO: DSCP-FTSA

ES09-174, Document change, PCR-P-036, Penne with Vegetable Sausage Crumbles in Spicy Tomato Sauce, Packaged in a Flexible Pouch, Shelf Stable, add classification for current product made with penne rigate and for MRE™ 31 product made with whole grain penne rigate

- 1. A new Meal, Ready-to-EatTM (MRETM) 31 entrée PCR-R-012 Ratatouille (Mixed Vegetables and Penne), Packaged in a Flexible Pouch, Shelf Stable was approved at JSORF 2009. This entrée document includes a requirement for whole grain penne rigate and for the penne rigate to contain 10 grams of dietary fiber per 100 grams of dry pasta product.
- 2. Changing over current penne rigate in PCR-P-036, Penne with Vegetable Sausage Crumbles in Spicy Tomato Sauce to a whole grain penne rigate will increase dietary fiber from approximately 1.47 grams per 8-ounce pouch to 4.8 grams per 8-ounce pouch.
- 3. Ration production facilities confirm that purchasing/sourcing whole grain penne containing 10 grams of dietary fiber per 100 grams of dry pasta product will not adversely affect component availability.
- 4. To standardize the pasta in the Ratatouille and the Penne with Vegetable Sausage Crumbles in Spicy Tomato Sauce to be used in MRE TM 31 and to update subject document with current boiler plate requirements, Natick recommends that DSCP implement the following changes for current, pending, and future procurements until subject document is formally amended or revised.
- a. Section C-1, on the second line after the document title, insert: "Types.

Type I - Made with penne rigate

Type II - Made with whole grain penne rigate"

b. Section C-2,D(2) Penne rigate. Delete:

15

"The penne rigate shall have a cooked pasta color and shall be tubular with ridges and diagonal end cuts. The penne rigate shall be intact with measurements of not less than 1.5 inches \pm 0.25 inches." Insert:

"The dry penne rigate shall be tubular with ridges and diagonal end cuts and shall have measurements of not less than 1.5 inches \pm 0.25 inches. The cooked penned rigate shall be intact.

- a. For Type I, the penne rigate shall be derived from enriched pasta product. The cooked penne rigate shall have a cooked pasta color.
- b. For Type II, the penne rigate shall be derived from enriched whole grain pasta product and shall contain 10 grams of dietary fiber per 100 grams of dry pasta product. The cooked penne rigate shall have a cooked whole grain pasta color."
- c. Section C-2, E $\underline{\text{Odor}}$ and flavor. Insert "The packaged food shall be free from foreign odors and flavors."
- d. Section C-2,E(1) <u>Penne</u>. Delete "The" and insert "For Type I, the". After "odor and flavor." insert "For Type II, the penne shall have a cooked whole grain pasta odor and flavor."
- e. Section D-2,A Pouches. Delete:
- "clearly printed or stamped, in a manner that does not damage the pouch, with permanent black ink or any other contrasting color, which is free of carcinogenic elements" Insert:
- "correctly and legibly labeled. Printing ink shall be permanent black ink or any other contrasting color, which is free of carcinogenic elements".
- f. Section D-2,A(1) Delete "when authorized by the inspection agency".
- g. Section D-2,A(2) Delete "Official establishment number (for example, EST 38)" and insert "Company code". Move "Retort cook number" up to the same line as "Retort identification number" and insert "and" after "identification number" and insert "(Optional)" after "cook number". Insert "Time stamp (hour and minute of filling/sealing operation)" on the next line.
- h. Section D-2,A(2) $\underline{1}$ / Delete "10 August 2004 would be coded as 4223" and insert "14 February 2010 would be coded as 0045". Delete "Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code." and "and the alpha character (when used)".

- i. Section D-2,B(1) After "2/" insert "3/" and delete "USDA official inspection legend for the packer's plant". Delete "/USDA" before "regulations".
- j. Section D-2,B(1) <u>2</u>/ Delete "Official establishment number not required in carton code." and insert "Company code not required in carton code." Insert new footnote "<u>3</u>/ Cartons shall be time stamped with the hour and minute that the pouch is sealed into the carton. (Cartons are not expected to bear same time stamp as pouch). Alternatively, the optional Retort identification number and Retort cook number shall be used."

k. Section D-3,A Packing. Delete:

"for shipment to ration assembler. Seventy-two pouches (of the same product) in cartons shall be packed flat or on edge in a snug-fitting fiberboard shipping container conforming to style RSC, type CF, class domestic, grade 200 of ASTM D 5118/D 5118M-95 (2001), Standard Practice for Fabrication of Fiberboard Shipping Boxes. Each container shall be securely closed in accordance with ASTM D1974-98 (2003), Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes."

Insert:

"Not more than 40 pounds of product shall be packed in a fiberboard shipping box constructed in accordance with style RSC of ASTM D 5118/D 5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, grade 200 of ASTM D 4727/D 4727M, Standard Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes. Each box shall be securely closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes."

- l. Section E INSPECTION AND ACCEPTANCE. On lines one and three, after "ASQ" delete "C" and after "Z1.4" delete "-1993".
- m. Section E,B(1) After "Natick Soldier" insert "Research, Development and Engineering". Delete "AMSRD-NSC-CF-F" and insert "RDNS-CFF".
- n. Section E-5,A Table I. <u>Product defects</u> insert "<u>5</u>/ <u>6</u>/" in the table heading and renumber footnotes cited in defects 212 and 213 from "<u>5</u>/" and "<u>6</u>/" to "<u>7</u>/" and "<u>8</u>/", respectively.
- o. Section E-5,A Table I, defect 201, delete ", or not a tubular shape with ridges and diagonal end cuts".
- p. Section E-5,A Table I, defect 202, delete "Penne" and insert "For Type I, penne". After "pasta color." insert "For Type II, penne rigate not a cooked whole grain pasta color."

- q. Section E-5,A Table I, defect 102, delete "Penne" and insert "For Type I, penne". After "flavor." insert "For Type II, penne not a cooked whole grain pasta odor or flavor."
- r. Section E-5,A, Table I, footnote 3/, Delete:

"Size requirement for penne rigate pasta (not less than 1.5 inches $\pm\,0.25$ inches) shall be verified by certificate of conformance." Insert:

"For Type I, verification of penne rigate as enriched pasta product shall be with the statement of ingredients on the label or verified by producer's Certificate of Conformance (CoC). For Type II, verification of penne rigate as enriched whole grain pasta product shall be with the statement of ingredients on the label or verified by producer's CoC. Any nonconforming result shall be cause for rejection of the lot.

- 4/ Penne rigate shape and size requirements shall be verified by producer's CoC.
- 5/ For Type II, whole grain penne rigate dietary fiber requirement shall be verified by producer's CoC."

Renumber footnotes " $\underline{4}$ ", " $\underline{5}$ ", and " $\underline{6}$ " to " $\underline{6}$ ", " $\underline{7}$ ", and " $\underline{8}$ ", respectively.

- s. Section E-5,B(1) $\underline{Commercial\ sterility}.$ Delete "USDA/FSIS" and insert "FDA".
- t. Section E-5,B(5) Analytical. Delete "Verification" and insert "Government verification"
- u. Section E-6,A Packaging and labeling. Delete "and labeling".
- v. Section E-6,A(1) <u>Pouch material testing</u>. Before "(2) <u>Pouch examination</u>." insert: "(2) <u>Filled and sealed pouch testing</u>. The filled and sealed thermoprocessed or hot-fill processed pouches shall be examined for the characteristics listed in table I of MIL-PRF-44073. The lot size, sample unit, and inspection level criteria for each of the test characteristics are listed below. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

Characteristic	Lot size expressed in	Sample unit	Inspection level
Residual gas volume	pouches	1 pouch	S-2
Internal pressure	pouches	1 pouch	S-2 <u>1</u> /
Directional tear	pouches	1 pouch	S-2

 $\underline{1}/$ When a three-seal tester is used, a separate set of samples is required for testing of the closure seal."

Renumber paragraphs "(2)" and "(3)" to "(3)" and "(4)", respectively.

- w. Section E-6,A Examination of pouch and carton assembly. After "MIL-PRF-44073" insert "for Type I".
- x. Section E-6,B(1) Table II, defect 101, delete "omitted, incorrect, illegible, or improper size, location sequence or method of application." and insert "missing or incorrect or illegible."
- y. Section E-6,B(1) Table II, defect 201, delete "Contents more or less than specified." and insert "More than 40 pounds of product." $^{\circ}$
- z. Section J REFERENCE DOCUMENTS. Insert "Unless otherwise specified, the issues of these documents are those active on the date of the solicitation or contract." After "(ASQ)" insert "www.asq.org". After "ASQ" delete "C" and after "Z1.4" delete "-1993". After "ASTM INTERNATIONAL" insert "www.atm.org". After "D 1974" delete "-98 (2003)". After "D 5118M" delete -95 (2001)". After "AOAC INTERNATIONAL" insert "www.aoac.org". After "Analysis" insert "(OMA)". After "AOAC International" delete "(OMA)".
- 5. Attached is PCR-P-036, Penne with Vegetable Sausage Crumbles in Spicy Tomato Sauce, Packaged in a Flexible Pouch, Shelf Stable with Change 01 dated 25 September 09 with changes highlighted.
- 6. Type I product is for use in current and MRETM 30 procurements. Type II product is for use in MRETM 31 procurement.