

SECTION C

This document covers shelf stable oatmeal packaged in a polymeric tray for use by the Department of Defense as a component of operational rations.

C-1 ITEM DESCRIPTION

PCR-O-007A, OATMEAL, PACKAGED IN A POLYMERIC TRAY, SHELF STABLE

Flavors.

- Flavor 1 - Apples and cinnamon
- Flavor 2 - Blueberries and cream

C-2 PERFORMANCE REQUIREMENTS

A. Product standard. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements (PCR) document. The approved sample shall serve as the product standard. Should the contractor at any time plan to or actually produce the product using different raw material or process methodologies from the approved product standard, which result in a product noncomparable to the product standard, the contractor shall submit a replacement FA or PDM for approval. In any event, all product produced must meet all requirements of this document including product standard comparability.

B. Commercial sterility. The packaged food shall be processed until commercially sterile.

C. Shelf life. The packaged product shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Appearance.

(1) General. The finished product shall be cooked oatmeal from whole oats and groats that have been produced from oats meeting the requirements of U.S. No. 2 or better of the United States Standards for Oats. The cooked oatmeal shall be a tan to light brown color. The product shall show no evidence of excessive heating (materially darkened or scorched). The finished product shall be free from foreign materials.

(2) Flavor 1. The cooked oatmeal shall have apple slices and specks of cinnamon throughout.

a. Apple slices. The apple slices shall be uniform slices measuring not less than 1 1/4 inches in length and 3/4 ± 1/4 inches in thickness. The cooked apple slices shall be produced from fresh apples meeting the requirements for U.S. No. 2 or better of the United States Standards for Grades of Apples for Processing. The cooked apple slices shall be an off-white to tan color.

(3) Flavor 2. The cooked oatmeal shall be creamy and shall have blueberries. The oatmeal may have a purple color from the cooked blueberries.

a. Blueberries. The individually quick frozen blueberries shall be U.S. Grade A of the United States Standards for Grades of Frozen Blueberries. The cooked blueberries shall be a dark purple color.

E. Odor and flavor.

(1) General. The packaged food shall have an odor and flavor of cooked oatmeal. The packaged food shall be free from foreign odors and flavors.

(2) Flavor 1. The packaged food shall have a cooked, moderate sweet apple and cinnamon odor and flavor.

(3) Flavor 2. The packaged food shall have a cooked moderate sweet blueberry and slight cooked cream odor and flavor.

F. Texture.

(1) General. The cooked oatmeal shall be moderately thick, slightly soft to slightly firm and shall not be pasty.

(2) Flavor 1. The apple slices shall be soft to slightly firm.

(3) Flavor 2. The blueberries shall be soft to slightly firm.

G. Net weight.

(1) Flavor 1. The average net weight shall be not less than 90 ounces (2552 grams). The net weight of an individual polymeric tray shall be not less than 88 ounces (2495 grams).

(2) Flavor 2. The average net weight shall be not less than 84 ounces (2381 grams). The net weight of an individual polymeric tray shall be not less than 82 ounces (2325 grams).

H. Palatability and overall appearance. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.

I. Analytical requirements.

(1) Fat.

a. Flavor 1. The fat content shall be not greater than 5.0 percent.

b. Flavor 2. The fat content shall be not greater than 6.0 percent.

(2) Salt. The salt content shall be not less than 0.2 percent and not greater than 1.2 percent.

(3) Moisture. The moisture content shall be not less than 64.0 percent and not greater than 72.0 percent.

SECTION D

D-1 PACKAGING

A. Preservation. Product shall be filled into polymeric trays which shall conform to the requirements of section 3 of MIL-PRF-32004, Packaging of Food in Polymeric Trays, Type I, Retortable products. Government verification testing and inspection of trays, lids, sleeves and fiberboard pads, as applicable, shall be in accordance with section 4 of MIL-PRF-32004 and the Quality Assurance Provisions of Section E of this Performance-based Contract Requirements document.

D-2 LABELING

A. Polymeric tray body. The polymeric tray body shall be clearly printed or stamped, in a manner that does not damage the tray, with permanent ink of any contrasting color, which is free of carcinogenic elements. One end of the polymeric tray (see figure 1 of MIL-PRF-32004) shall be marked with the product name and number of portions. If the tray body end markings are not readily legible in low light conditions, a small, easily legible label shall be applied, but not over any existing tray markings. All other markings may be applied along the tray body side. The marking of trays with the product name, lot number and filling equipment number shall be applied prior to processing. Additional tray marking may be applied before or after processing. 1/

Tray body markings shall include:

- (1) Product name. Commonly used abbreviations may be used.
- (2) Tray code includes: 2/
 - Lot Number
 - Filling equipment identification number
 - Retort identification number
 - Retort cook number
 - Company Code

1/ As an alternate method, tray body markings may be clearly printed or stamped onto the polymeric tray lid prior to processing, in a manner that does not damage the lid, with permanent ink of any contrasting color, which is free of carcinogenic elements, provided that the required markings are applied onto the tray body after processing.

2/ The lot number shall be expressed as either a four-digit code or five-digit code. When using the four-digit code, begin with the final digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 0045. When using the five-digit code, begin with the decade digit of the current year followed by the three-digit Julian code. For example, 14 February 2050 would be coded as 50045. The Julian code shall represent the day the product was packaged into the tray and processed. Sublotting (when used) shall be represented by an alpha character immediately following the four-digit or five-digit code. Following the four-digit or five-digit code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above.

B. Polymeric tray lid. The lid shall be clearly printed or stamped, in a manner that does not cause damage. Permanent ink of any contrasting color, which is free of carcinogenic

elements, shall be used. As an alternate labeling method, a pre-printed self-adhering 0.002 inch thick clear polyester label printed with indelible contrasting color ink may be used.

Note: The font tested by DEVCOM Soldier Center was Microsoft Helvetica. The font used shall be similarly clear/easy to read as Helvetica. The recommended font sizes are as follows: 22 for the product name, 14 for “yield” and “to heat in water.” If an additional note is required on the label, it should also be in font size 14. All other information should be in font size 9.

(1) Lid labeling shall include:

Product name
Ingredients
Net weight
Name and address of packer
“Nutrition Facts” label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable FDA regulations.

(2) Lid labeling shall also show the following statements:

YIELD: Serves 18 portions of 2/3 cup each of oatmeal.

TO HEAT IN WATER: Submerge unopened tray in water. Bring water to a boil. Simmer gently 35-40 minutes. Avoid overheating (tray shows evidence of bulging).

WARNING: Do not heat tray in oven.

TO TRANSPORT AFTER HEATING: Insert tray back into protective sleeve to protect during transport. If sleeve is unavailable, stack trays lid-to-lid with fiberboard pads in between.

CAUTION: Use care when opening as pressure may have been generated within the tray.

TO OPEN: Using a clean knife, cut the lidding around the inside perimeter of the tray seals.

SUGGESTION: Cut lid along 3 sides and fold over uncut portion. Fold back to keep unused portions protected. Stir oatmeal before serving.

(3) The product shall be formulated and labeled in accordance with all FDA labeling regulations and policies. The lid shall be labeled with the following product name, as applicable:

<u>Flavor</u>	<u>Product name</u>
1	APPLE CINNAMON OATMEAL
2	BLUEBERRIES AND CREAM OATMEAL

D-3 PACKING

A. Packing. Four filled, sealed and processed polymeric trays shall be packed with sleeves or fiberboard pads in a fiberboard shipping container constructed in accordance with style RSC-L of ASTM D5118/D5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The fiberboard shall conform to type CF, class D, variety SW, minimum burst grade 275 or ECT 44 of ASTM D4727/D4727M, Standard Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes. Type I trays shall be placed flat with the first two trays placed with the lids together and the next two trays with the lids together. Each box shall be closed in accordance with ASTM D1974/D1974M, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

D-4 UNITIZATION

A. Unit loads. Unit loads shall be as specified in accordance with DLA Troop Support Form 3507, Loads, Unit: Preparation of Semiperishable Subsistence Items.

D-5 MARKING

A. Shipping containers and unit loads. Shipping containers and unit loads shall be marked in accordance with DLA Troop Support Form 3556, Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, utilizing ANSI/ASQ Z1.4, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified, single sampling plans indicated in ANSI/ASQ Z1.4 will be utilized. When required, the manufacturer shall provide the Certificate(s) of Conformance to the appropriate inspection activity. Certificate(s) of Conformance not provided shall be cause for rejection of the lot.

A. Definitions.

(1) Critical defect. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.

(2) Major defect. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.

(3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

B. Classification of inspections. The inspection requirements specified herein are classified as follows:

(1) Product standard inspection. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for appearance, odor, flavor, and texture. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot.

(2) Periodic review evaluation. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

COMBAT CAPABILITIES DEVELOPMENT COMMAND (DEVCOM) SOLDIER CENTER
FCDD-SCD-SCR
10 GENERAL GREENE AVENUE
NATICK, MA 01760-5000

One lot shall be randomly selected during each calendar month of production or as otherwise specified in the contract. Two (2) sample units shall be randomly selected from that one production lot. The two (2) sample units shall be shipped to DEVCOM Soldier Center within five (5) working days from the end of the production month from which they are randomly selected and upon completion of all USDA inspection requirements. The sample units will be evaluated for overall quality against the current first article or product demonstration model.

(3) Conformance inspection. Conformance inspection shall include the examinations/tests and methods of inspection cited in this section.

E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)

A. Product examination. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQ Z1.4. The lot size shall be expressed in trays. The sample unit shall be the contents of one tray. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 4.0 for major defects and 6.5 for minor defects. Defects and defect classifications are listed in table I. The trays shall be heated in accordance with the heating instructions from the tray label prior to conducting any portion of the product examination.

TABLE I. Product defects 1/ 2/ 3/

Category		Defect
<u>Major</u>	<u>Minor</u>	
		<u>General</u>
101		Finished product not cooked oatmeal from whole oats or groats or not flavor as specified.
102		Product shows evidence of excessive heating (materially darkened or scorched).
	201	Cooked oatmeal not a tan to light brown color.
		<u>Appearance</u>
	202	Flavor 1 oatmeal does not have apple slices or does not have specks of cinnamon throughout.
	203	Flavor 1 cooked apple slices not an off-white to tan color. <u>4/ 5/</u>
	204	Flavor 2 oatmeal is not creamy or does not have blueberries.
	205	Flavor 2 cooked blueberries not a dark purple color. <u>6/</u>

TABLE I. Product defects 1/ 2/ 3/ - Continued

Category		Defect
<u>Major</u>	<u>Minor</u>	
		<u>Odor and flavor</u>
103		Packaged food does not have a cooked oatmeal odor or flavor.
104		Flavor 1 packaged food does not have a cooked moderate sweet apple or not a cinnamon odor or flavor.
105		Flavor 2 packaged food does not have a cooked moderate sweet blueberry or not a slight cooked cream odor or flavor.
		<u>Texture</u>
	206	Cooked oatmeal not slightly soft to slightly firm or is pasty.
	207	Flavor 1 apple slices not soft to slightly firm.
	208	Flavor 2 blueberries not soft to slightly firm.
		<u>Net weight</u>
	209	Flavor 1 net weight of an individual polymeric tray less than 88 ounces (2495 grams). <u>7/</u>
	210	Flavor 2 net weight of an individual polymeric tray less than 82 ounces (2325). <u>8/</u>

1/ Presence of any foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, or metal, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.

3/ Requirement for cooked whole oats and groats produced from oats meeting U.S. No. 2 or better of the United States Standards for Oats shall be verified by a Certificate of Conformance (CoC).

4/ Size requirements for apple slices shall be verified by CoC.

5/ Requirement for cooked apple slices produced from fresh apples meeting U.S. No. 2 or better of the United States Standards for Grades of Apples for Processing shall be verified by CoC.

6/ Requirement for individually quick frozen blueberries produced from Grade A of the U.S. Grade A of the United States Standards for Grades of Frozen Blueberries and shall be verified by CoC.

7/ Flavor 1 sample average net weight less than 90 ounces (2552 grams) shall be cause for rejection of the lot.

8/ Flavor 2 sample average net weight less than 84 ounces (2381 grams) shall be cause for rejection of the lot.

B. Methods of inspection.

(1) Commercial sterility. Commercial sterility shall be verified in accordance with FDA regulations.

(2) Shelf life. The contractor shall provide a Certificate of Conformance that the product has a 36 month shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point quality scale to be considered acceptable.

(3) Net weight. The net weight of the filled and sealed polymeric tray shall be determined by weighing each sample unit on a suitable scale tared with a representative empty tray and lid. Results shall be reported to the nearest 1 ounce or to the nearest 1 gram.

(4) Analytical. The sample to be analyzed shall be a one-pound composite of three filled and sealed polymeric trays that have been selected at random from one production lot. The composite sample shall be prepared and analyzed in accordance with the following methods of the Official Methods of Analysis (OMA) of AOAC International:

<u>Test</u>	<u>Method Number</u>
Fat	991.36, 2007.04, or 2008.06
Salt	935.47 or 971.27
Moisture	925.45D or 985.14

Test results shall be reported to the nearest 0.1 percent. Government verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirement shall be cause for rejection of the lot.

E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS, POLYMERIC TRAY)

A. Packaging and labeling.

(1) Polymeric tray testing. For purposes of clarification, the polymeric tray without the lid will be referred to as the “tray” and the polymeric tray with the lid shall be referred to as the “container”. The tray, container and packaging materials, as applicable, in accordance with the lot size, sample unit, and inspection level criteria shall be examined for the performance characteristics listed in table I of MIL-PRF-32004, Packaging of Food in Polymeric Trays. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

(2) Examination of container. The container shall be examined for the defects listed in table II of MIL-PRF-32004. The lot size shall be expressed in containers. The sample unit shall be one processed and labeled container. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects and 4.0 for minor defects. Two hundred sample units shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot. The labeling defects are listed in table II as follows:

TABLE II. Container labeling defects

Category		Defect
<u>Major A</u>	<u>Minor</u>	
101		Polymeric tray lid or body labeling missing or incorrect or illegible.
	201	When a pre-printed self-adhering label is used, the label not adhering to tray lid (for example, label raised or peeled back from edge to corner) or presence of any areas of gaps along the perimeter of the label where the label is not properly adhered.

(3) Label adhesive examination. When self-adhering labels are used, the adhesive shall be tested in accordance with ASTM D3330/D3330M, Standard Test Method for Peel Adhesion of Pressure-Sensitive Tape. In lieu of testing, a CoC shall be provided.

B. Packing.

(1) Shipping container and marking examination. The filled and sealed shipping containers shall be examined for the defects listed in table III. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE III. Shipping container and marking defects

Category		Defect
<u>Major</u>	<u>Minor</u>	
101		Marking missing or incorrect or illegible.
102		Inadequate workmanship. <u>1/</u>
	201	Arrangement or number of polymeric trays not as specified.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

C. Unitization.

(1) Unit load examination. The unit load shall be examined in accordance with DLA Troop Support Form 3507, Loads, Unit: Preparation of Semiperishable Subsistence Items. Any nonconformance shall be classified as a major defect.

SECTION J REFERENCE DOCUMENTS

Unless otherwise specified, the applicable version of these documents is that which is active on the date of the solicitation or contract.

DLA Troop Support Forms

Form 3507	Loads, Unit: Preparation of Semiperishable Subsistence Items
Form 3556	Marking Instructions for Boxes, Sacks, and Unit Loads of Perishable and Semiperishable Subsistence

DEPARTMENT OF DEFENSE SPECIFICATION

MIL-PRF-32004	Packaging of Food in Polymeric Trays
---------------	--------------------------------------

(Copies of these documents are available online at <https://quicksearch.dla.mil>.)

GOVERNMENT PUBLICATIONS

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199) and (9 CFR Parts 1-391)

U.S. STANDARDS FOR GRADES

United States Standards for Oats

United States Standards for Grades of Apples for Processing

United States Standards for Grades of Frozen Blueberries

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY (ASQ) www.asq.org

ANSI/ASQ Z1.4 Sampling Procedures and Tables for Inspection by Attributes

ASTM INTERNATIONAL www.astm.org

D1974/D1974M Standard Practice for Methods of Closing, Sealing, and
Reinforcing Fiberboard Boxes

D3330/D3330M Standard Test Method for Peel Adhesion of Pressure-Sensitive
Tape

D4727/D4727M Standard Specification for Corrugated and Solid Fiberboard Sheet
Stock (Container Grade) and Cut Shapes

D5118/D5118M Standard Practice for Fabrication of Fiberboard Shipping Boxes

AOAC INTERNATIONAL www.aoac.org

Official Methods of Analysis (OMA) of AOAC International