

SECTION C

This document covers thermostabilized roasted beef pot roast with gravy packaged in polymeric trays for use by the Department of Defense as a component of operational rations.

C-1 ITEM DESCRIPTION

PCR-B-046, BEEF, POT ROASTED WITH GRAVY, PACKAGED IN A POLYMERIC TRAY, SHELF STABLE

Comment [NSC1]: Natick Case ES08-042; change 01 31-JAN-08 Request for specification change; Change name to Beef, Roasted with Gravy, delete Pot Roast from title. Numerous highlighted changes are through out this document. See end of document for a summary of changes.

C-2 PERFORMANCE REQUIREMENTS

A. Product standard. A sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements (PCR) document. The approved sample shall serve as the product standard. Should the contractor at any time plan to, or actually produce the product using different raw material or process methodologies from the approved Product Standard, which result in a product non comparable to the Product Standard, the contractor shall arrange for a new or alternate FA or PDM approval. In any event, all product produced must meet all requirements of this document including Product Standard comparability.

B. Commercial sterility. The packaged product shall be processed until commercially sterile.

C. Shelf life. The finished product shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Appearance.

(1) General. The finished product shall be roasted beef pot roast with gravy. Each individual polymeric tray shall contain 20 intact pieces of beef. The finished product shall be free from foreign materials.

Comment [NSC2]: ES08-042; Request for specification change; Delete requirement for 20 intact pieces per tray, delete drained weight requirement of 20 pieces.

(2) Beef. The beef shall be large pieces chunks of whole muscle cooked beef and shall be practically free of bone or bone fragments, cartilage, coarse connective tissue, tendons or ligaments, and glandular material. The exterior of the beef shall be medium to dark brown and may have visible areas of fat. The interior of the beef shall be light to medium brown and may also have some areas of reddish color.

(3) Gravy. The gravy shall be medium to dark brown and shall have a glossy sheen. The gravy may also have small bits of meat and onion and seasoning throughout.

E. Odor and flavor. The packaged food shall have an odor and flavor of roasted beef roast in a beef flavored gravy with black pepper, salt, and onion. The packaged food shall be free from foreign odors and flavors.

F. Texture.

(1) Beef. The cooked whole muscle beef pieces shall be moist and tender, and may have pull apart muscle fiber tendencies representative of whole muscle roasted beef.

(2) Gravy. The gravy shall be smooth and moderately thick.

G. Net Weight. The average net weight shall be not less than 88 ounces. No individual polymeric tray shall have a net weight of less than 86 ounces.

H. Drained weight. The average drained weight shall be not less than 50.0 ounces. The drained weight of 20 intact roasted beef pieces chunks in an individual polymeric tray shall be not less than 48.0 ounces. ~~No individual piece of beef shall weigh less than 2.0 ounces.~~

I. Palatability and overall appearance. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.

J. Analytical requirements.

(1) Fat content. The fat content shall be not greater than 10.0 percent.

(2) Salt content. The salt content shall be not less than 0.5 percent and not greater than 1.5 percent.

C-3 MISCELLANEOUS INFORMATION

THE FOLLOWING INGREDIENTS ARE FOR INFORMATION ONLY. THIS IS NOT A MANDATORY CONTRACT REQUIREMENT.

A. Ingredients. Boneless beef chuck, onions, dry rub (rice flour, maltodextrin, salt, modified food starch, sugar, monosodium glutamate, hydrolyzed soy and corn protein, dehydrated onion, caramel color, sodium triphosphate, dehydrated garlic, dextrose, spices, yeast extract, soybean oil, tricalcium phosphate added to prevent caking, sulfites up to 50 ppm).

NOTE: The product used was Beef Pot Roast with Gravy supplied by ChicagoLand Foods, Park Ridge, IL. Product contains soy and MSG.

SECTION D

D-1 PACKAGING

A. Preservation. Product shall be filled into polymeric trays and the trays with protective sleeves shall conform to the requirements of section 3 of MIL-PRF-32004, Packaging of Food in Polymeric Trays. Verification testing and inspection of trays, lids and sleeves shall be in accordance with Section 4 of MIL-PRF-32004 and the Quality Assurance Provisions of Section E of this Performance-based Contract Requirements document.

B. Polymeric tray closure. The filled, sealed, and processed tray shall be securely closed.

D-2 LABELING

A. Polymeric tray body. The polymeric tray body shall be clearly printed or stamped, in a manner that does not damage the tray, with permanent ink of any contrasting color, which is free of carcinogenic elements. One end of the polymeric tray (see figure 1 of MIL-PRF-32004) shall be marked with the product name and number of portions. If the tray body end markings are not readily legible in low light conditions, a small, easily legible label shall be applied, but not over any existing tray markings. All other markings may be applied along the tray body side. To avoid erroneous marking of trays, the product name, lot number and filling equipment number shall be applied prior to processing. Additional tray marking may be applied before or after processing. 1/

Tray body markings shall include:

- (1) Product name. Commonly used abbreviations may be used when authorized by the inspection agency.
- (2) Tray code includes: 2/
 - Lot Number
 - Filling equipment identification number
 - Retort identification number
 - Retort cook number

1/ As an alternate method, tray body markings may be clearly printed or stamped onto the polymeric tray lid prior to processing, in a manner that does not damage the lid, with permanent ink of any contrasting color, which is free of carcinogenic elements, provided that the required markings are applied onto the tray body after processing.

PCR-B-046
31 March 2006
W/Change 01 31 January 2008

2/ The lot number shall be expressed as a four digit Julian code. The first digit shall indicate the year of production and the next three digits shall indicate the day of the year (Example, 31 March 2006 would be coded as 6090). The Julian code shall represent the day the product was packaged into the tray and processed. Sublotting (when used) shall be represented by an alpha character immediately following the four digit Julian code. Following the four digit Julian code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above.

B. Polymeric tray lid. The lid shall be clearly printed or stamped, in a manner that does not cause damage. Permanent ink of any contrasting color, which is free of carcinogenic elements, shall be used. As an alternate labeling method, a pre-printed self-adhering 0.002 inch thick clear polyester label printed with indelible contrasting color ink may be used.

Note: The font tested by Natick was Microsoft Helvetica. The font used shall be similarly clear/easy to read as Helvetica. The recommended font sizes are as follows: 22 for the product name, 14 for "yield" and "to heat in water." If an additional note is required on the label, such as "fluff before serving," it should also be in font size 14. All other information should be in font size 9.

(1) Lid labeling shall include:

- Product name
- Ingredients
- Net weight
- Name and address of packer
- Official establishment number (for example, EST 38) or a three letter code identifying the establishment

(2) Lid labeling shall also show the following statements:

YIELD: Serves 10 portions (~~2 pieces of Beef Pot Roast with~~ of approximately 1 $\frac{1}{3}$ cup ~~gravy~~ each of roasted beef with gravy).

TO HEAT IN WATER: Submerge unopened tray in water. Bring water to a boil. Simmer gently 35-40 minutes. Avoid overheating (tray shows evidence of bulging).

WARNING: Do not heat tray in oven.

TO TRANSPORT AFTER HEATING: Insert tray back into protective sleeve to protect during transport. If sleeve is unavailable, stack trays lid-to-lid with fiberboard pads in between.

CAUTION: Use care when opening as pressure may have been generated within the tray.

TO OPEN: Using a clean knife, cut the lidding around the inside perimeter of the tray seals.

SUGGESTION: Cut lid along 3 sides and fold over uncut portion. Fold back to keep unused portions protected.

D-3 PACKING

A. Packing for shipment to ration assembler. Four filled, sealed, processed and sleeved polymeric trays shall be packed in a snug fitting fiberboard box conforming to style RSC-L, type CF, grade 275 of ASTM D 5118/D 5118M, Standard Practice for Fabrication of Fiberboard Shipping Boxes. The sleeved trays shall be placed flat with the first two trays placed with the lids together and the next two trays with the lids together. The box shall be closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes.

D-4 UNITIZATION

A. Unit loads. Unit loads shall be as specified in DSCP FORM 3507, Loads, Unit: Preparation of Semiperishable Subsistence Items.

D-5 MARKING

A. Shipping containers and unit loads. Marking of shipping containers and unit loads shall be as specified in DSCP FORM 3556 Marking Instructions for Boxes, Sacks and Unit Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, utilizing ANSI/ASQC Z1.4-1993, Sampling Procedures and Tables for Inspection by Attributes, are required. Unless otherwise specified,

PCR-B-046
31 March 2006
W/Change 01 31 January 2008

Single Sampling Plans indicated in ANSI/ASQC Z1.4-1993 will be utilized. When required, the manufacturer shall provide the Certificate(s) of Conformance to the appropriate inspection activity. Certificate(s) of Conformance not provided shall be cause for rejection of the lot.

A. Definitions.

(1) Critical defect. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.

(2) Major defect. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.

(3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

B. Classification of inspections. The inspection requirements specified herein are classified as follows:

(1) Product standard inspection. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

US Army Research, Development and Engineering Command
Natick Soldier Center
AMSRD-NSC-CF-F
15 Kansas Street
Natick, MA 01760-5018

One lot shall be randomly selected during each calendar month of production. Two (2) sample units of each item produced shall be randomly selected from that one production lot. The two (2) sample units shall be shipped to Natick within five working days from the end of the production month and upon completion of all USDA inspection requirements. The

sample units will be evaluated for the characteristics of appearance, odor, flavor, texture and overall quality.

(2) Conformance inspection. Conformance inspection shall include the examinations and the methods of inspection cited in this section.

E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)

A. Product examination. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQC Z1.4 - 1993. The lot size shall be expressed in trays. The sample unit shall be the contents of one tray. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 4.0 for major defects and 6.5 for minor defects. Defects and defect classifications are listed in table I below. The trays shall be heated in accordance with the heating instructions from the tray label prior to conducting any portion of the product examination. The samples for drained weight inspection shall be selected using the same sampling criteria as above.

TABLE I. Product defects 1/ 2/ 3/ 4/

Category	Defect
<u>Major</u>	<u>Minor</u>
	<u>Appearance</u>
101	Product not roasted beef pot roast with gravy.
102	Bone or bone fragment measuring more than 0.3 inch in any dimension.
	201
	Total weight of cartilage, coarse connective tissue, tendons or ligaments, and glandular material more than 2.0 ounces.
	202
	Exterior of beef not medium to dark brown.
	203
	Interior of beef not light to medium brown.
	204
	Gravy not medium to dark brown or lacks a glossy sheen.
	<u>Odor and flavor</u>
103	Packaged food does not have an odor or flavor of roasted beef pot roasted in a beef flavored gravy with black pepper, salt, and onion.

TABLE I. Product defects 1/ 2/ 3/ ~~4/~~ cont'd

Category		Defect
<u>Major</u>	<u>Minor</u>	
		<u>Texture</u>
	205	Cooked whole muscle beef pieces chunks not moist or not tender.
	206	Gravy not smooth or not moderately thick.
		<u>Net weight</u>
	207	Net weight of an individual polymeric tray less than 86 ounces. 54/
		<u>Drained weight</u>
	208	Drained weight of 20 intact roasted beef pieces chunks in an individual polymeric tray less than 48.0 ounces. 65/
	209	Individual beef piece less than 2.0 ounces.

1/ Presence of any foreign materials such as but not limited to, dirt, insect parts, hair, wood, glass, metal, or mold or the presence of any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, or stale shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.

3/ Requirement for whole muscle beef cuts shall be verified by a Certificate of Conformance.

~~4/~~ The finding of any individual polymeric tray containing less than 20 intact beef pieces shall be cause for rejection of the lot.

~~54/~~ Sample average net weight less than 88 ounces shall be cause for rejection of the lot.

~~65/~~ Sample average drained weight less than 50.0 ounces shall be cause for rejection of the lot.

B. Methods of inspection.

(1) Commercial sterility. Commercial sterility shall be verified in accordance with USDA/FSIS regulations.

(2) Shelf life. The contractor shall provide a Certificate of Conformance that the product has a 36 month shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point hedonic scale to be considered acceptable.

(3) Net weight. The net weight of the filled and sealed polymeric tray shall be determined by weighing each sample unit on a suitable scale tared with a representative empty tray and lid. Results shall be reported to the nearest 1 ounce.

(4) Drained weight. To determine drained weight, contents shall be poured into a flat bottom container. A minimum of three times the polymeric tray's volume of not less than 140°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquefy rendered fat and to remove the gravy without breaking the beef. The contents shall then be poured into the U.S. Standard 1/4 inch sieve in a manner that will distribute the product over the sieve without breaking the beef. Sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at such an angle to assure complete drainage of liquid from the product. Drain product for two minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.5 ounce.

(5) Analytical. The sample to be analyzed shall be a one-pound composite of three filled and sealed polymeric trays that have been selected at random from one production lot. The composite sample shall be prepared and analyzed in accordance with the following Official Methods of Analysis (OMA) of AOAC International.

<u>Test</u>	<u>Method Number</u>
Fat	985.15
Salt	935.47

Test results shall be reported to the nearest 0.1 percent. Verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirements shall be cause for rejection of the lot.

E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS, POLYMERIC TRAY)

A. Packaging and labeling.

PCR-B-046
31 March 2006
W/Change 01 31 January 2008

(1) Polymeric tray testing. For purposes of clarification, the polymeric tray without the lid will be referred to as the “tray” and the polymeric tray with the lid shall be referred to as the “container”. The polymeric tray with protective sleeve and polymeric tray material shall be examined for the characteristics listed in table I of MIL-PRF-32004, Packaging of Food in Polymeric Trays. The lot size, sample unit, and inspection level criteria are provided in table II below for each of the test characteristics. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot. For rough handling survivability at frozen temperature, polymeric tray survival rate shall be at least 85 percent.

TABLE II. Polymeric tray quality assurance criteria
Prior to processing

Characteristic	Lot size expressed in	Sample unit	Inspection level
Tray configurations and dimensions	Trays	1 tray	S-1
Oxygen gas transmission rate of tray	Trays	1 tray	S-1
Oxygen gas transmission rate of lid	Yards	1/2 yard	S-1
Water vapor transmission rate of tray	Trays	1 tray	S-1
Water vapor transmission rate of lid	Yards	1/2 yard	S-1
Camouflage	Containers	1 container	S-1

After processing

Characteristic	Lot size expressed in	Sample unit	Inspection level
Processing	Trays	1 tray	S-2
Rough handling survivability	Test containers	1 container	S-2
Protective sleeve	Containers	1 container	S-1
Residual gas	Containers	1 container	S-1
Closure seal	Containers	1 container	S-1
Internal pressure	Containers	1 container	S-1
Lid opening	Containers	1 container	S-1

(2) Examination of container. The container with protective sleeve removed shall be examined for the defects listed in table II of MIL-PRF-32004 and the labeling defects listed in table III below. The lot size shall be expressed in containers. The sample unit shall be one processed and labeled container. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects and 4.0 for minor defects. Two hundred sample units shall be examined for critical defects. The finding of any critical defect shall be cause for rejection of the lot.

TABLE III. Container labeling defects

Category	Defect	
<u>Major A</u>	<u>Minor</u>	
101		Polymeric tray lid or body labeling missing or incorrect or illegible.
	201	When a pre-printed self adhering label is used, the label not adhering to tray lid (for example, label raised or peeled back from edge to corner) or presence of any areas of gaps along the perimeter of the label where the label is not properly adhered.

(3) Label adhesive examination. When self-adhering labels are used, the adhesive shall be tested in accordance with ASTM D 3330/D 3330M, Standard Test Method for Peel Adhesion of Pressure-Sensitive Tape. In lieu of testing, a Certificate of Conformance shall be provided.

B. Packing.

(1) Shipping container and marking examination. The filled and sealed shipping containers shall be examined for the defects listed in table IV below. The lot size shall be expressed in shipping containers. The sample unit shall be one shipping container fully packed. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for total defects.

TABLE IV. Shipping container and marking defects

Category	Defect	
<u>Major</u>	<u>Minor</u>	
101		Marking missing or incorrect or illegible.
102		Inadequate workmanship. 1/
	201	Arrangement or number of polymeric trays not as specified.

1/ Inadequate workmanship is defined as, but not limited to, incomplete closure of container flaps, loose strapping, inadequate stapling, improper taping, or bulged or distorted container.

C. Unitization.

(1) Unit load examination. The unit load shall be examined in accordance with the requirements of DSCP FORM 3507, Loads, Unit: Preparation of Semiperishable Subsistence Items. Any nonconformance shall be classified as a major defect.

SECTION J REFERENCE DOCUMENTS

DSCP FORMS

DSCP FORM 3507	Loads, Unit: Preparation of Semiperishable Subsistence Items
DSCP FORM 3556	Marking Instructions for Boxes, Sacks and Unit Loads of Perishable and Semiperishable Subsistence

MILITARY SPECIFICATIONS

MIL-PRF-32004	Packaging of Food in Polymeric Trays
---------------	--------------------------------------

GOVERNMENT PUBLICATIONS

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199) and (9 CFR Parts 1-391)

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY (ASQ)

ANSI/ASQCZ1.4-1993	Sampling Procedures and Tables for Inspection by Attributes
--------------------	---

ASTM INTERNATIONAL

D 1974-98 (2003)	Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes
D 3330/D 3330M-04	Standard Test Method for Peel Adhesion of Pressure-Sensitive Tape
D 5118/D 5118M-05a	Standard Practice for Fabrication of Fiberboard

PCR-B-046
31 March 2006
W/Change 01 31 January 2008

Shipping Boxes

AOAC INTERNATIONAL

Official Methods of Analysis (OMA) of the AOAC International

For DSCP Website Posting

SUBJECT: ES08-042; Technical Inquiry, Specification Change Request; PCR-B-046 Beef Pot Roast with Gravy; Name change and deletion of requirement for 20 intact pieces.

REFERENCE: ES07-158, DSCP-SS-07-66174; Deviation Request, PCR-B-046 Beef Pot Roast with Gravy; Request for specification change; Serving size, piece count requirement.

1. In the above referenced ES Case, Natick received a deviation request for a change in serving size and piece count. The request was to change the requirement of “2 pieces per serving” to a one cup serving size as well as eliminating the requirement for “each individual polymeric tray shall contain 20 intact pieces of beef”. Natick and the Service reps non-concurred with this deviation and specification request.
2. Natick received and approved the First Article Resubmittal for Beef Pot Roast in January 2008. After approval of the First Article Resubmittal, is submitting a specification change request for PCR-B-046 with the following changes requested; Change the name to Roasted Beef with Gravy, delete requirement for 20 intact pieces of beef, change the serving size to 1 cup each of roasted beef with gravy.
3. Natick concurs with the specification change request and submits changes as highlighted in the attached document. Some of the key changes are:
 - a. Changing title of the document to read, PCR-B-046 Beef, Roasted with Gravy.
 - b. Deleting requirement for each individual polymeric tray to contain 20 intact pieces of beef. Which includes deletion of 20 intact pieces from drained weight requirement as well as minor defect 208. Deletion of minor defect 209 and deletion of footnote 4.
 - c. Changing of serving size to “Serves 10 portions of approximately 1 cup each of roasted beef with gravy”.
4. Natick recommends that DSCP implement these changes for the current UGR 08 procurements, pending and future procurements until the subject document is formally amended or revised.