AME	ENDMENT OF SOLICITATION	ON/MODIFICATION	OF CONTRACT	1. CONTRACT ID	CODE	PAGE 1 OF 2	
2. AMENDME 0001	NT/MODIFICATION NO.	3. EFFECTIVE DATE 2/23/2022	4. REQUISITION/PURCHASE REQ. NO.     5. PROJE     See Block 14		5. PROJECT	I Γ NO. (If applicable)	
700 ROBBIN	SUPPORT CE SUPPLY CHAIN	SPE3S1	7. ADMINISTERED BY (If o	ther than Item 6)	CODE		
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				9A. AMENDME SPE3S122  9B. DATED (Si		FATION NO.	
				10A. MODIFIC	2022 FEE ATION OF CON	TRACT/ORDER NO.	
			]	10B. DATED (	SEE ITEM 13)		
CODE		CILITY CODE					
	11. THIS ITE	M ONLY APPLIES TO A	AMENDMENTS OF SOL	ICITATIONS			
Offers must ack  (a) By completin  or (c) By separa  DESIGNATED F  desire to change	numbered solicitation is amended as set forth in nowledge receipt of this amendment prior to the g Items 8 and 15, and returning 1 te letter or telegram which includes a reference FOR THE RECEIPT OF OFFERS PRIOR TO To an offer already submitted, such change may ment, and is received prior to the opening hour	e hour and date specified in the  copies of the amendment; to the solicitation and amendm HE HOUR AND DATE SPECIF be made by telegram or letter, I	solicitation or as amended, by (b) By acknowledging receipt continumbers. FAILURE OF YOUR MAY RESULT IN REJECT	of this amendment on e DUR ACKNOWLEDGM TION OF YOUR OFFER	ethods: each copy of the centre of the centr	EIVED AT THE PLACE	
12. ACCOUNT	TING AND APPROPRIATION DATA (If requi	red)					
		IES ONLY TO MODIFICA S THE CONTRACT/ORD					
CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PUR IN ITEM 10A.	RSUANT TO: (Specify authority	y) THE CHANGES SET FORT	TH IN ITEM 14 ARE M	IADE IN THE CO	ONTRACT ORDER NO.	
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
	D. OTHER (Specify type of modification and authority)						
	ANT: Contractor is not,	is required to sign this			ies to issuing	office.	
	ON OF AMENDMENT/MODIFICATION (Organiz	ed by UCF section headings, inc	oluding solicitation/contract subje	ect matter where feasibl	e.)		
	ed herein, all terms and conditions of the docum	nent referenced in Item 9A or 10A					
15A NAME AN	D TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF	CONTRACTING OFF	ICER (Type or p	orint)	
15B. CONTRACTOR/OFFEROR 15C. DATE SIG			16B. UNITED STATES OF A	AMERICA		16C. DATE SIGNED	

(Signature of person authorized to sign)

(Signature of Contracting Officer)

**CONTINUATION SHEET** 

## REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S122R0007 - 0001

PAGE 2 OF 2 PAGES

This amendment is hereby issued to implement the following changes:

SPE3S1-22-R-0007 Page 6:

Delete: Required delivery dates shall not exceed 30 days after issuance of each delivery order.

Replace with: Required delivery dates shall not exceed 120 days after issuance of each delivery order.

SPE3S1-22-R-0007 Page 8:

Delete: Required delivery date (RDD) to Tracy Depot shall be no later than 30 days after issuance of each delivery order.

Replace with: Required delivery date (RDD) to Tracy Depot shall be no later than 120 days after issuance of each delivery order.

SPE3S1-22-R-0007 Page 42:

Delete:

52.216-19 ORDER LIMITATIONS (OCT 1995) - FAR

(a) Minimum order. When the Government requires supplies or services covered by this contract in an amount of less than 7,000 Heater Trays and 1,000 BIB Egg Modules the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.

Replace with:

52.216-19 ORDER LIMITATIONS (OCT 1995) - FAR

(a) Minimum order. When the Government requires supplies or services covered by this contract in an amount of less than 140,000 Heater Trays and 20,000 BIB Egg Modules the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.

MIL-DTL-32235/4 - Page 2, B. Activation fluid unit

Add: If pouch material and configuration provides easy-tear properties and activation fluid is fully dispensed upon opening, laser/mechanical scoring may be omitted.

Delete: The pouch shall be filled with 1.5 percent saline (water and sodium chloride) solution Replace with: The pouch shall be filled with 1.0 percent saline (water and sodium chloride) solution

MIL-DTL-32235/4 - Page 12, Defect 107

Delete: Score lines on activation fluid units missing or damaged.

Replace with: Score lines on activation fluid units missing, damaged, or if omitted by design/material of construction, the pouch does not tear open to fully dispense fluid

MIL-DTL-32235/4 - Page 13

Delete: 4/ The use of 0.090 inch high density polyethylene for the heating tray shall be verified by CoC.

MIL-DTL-32235/3A - Page 2, B. Activation fluid unit

Delete: The pouch shall be filled with 1.5 percent saline (water and sodium chloride) solution

Replace with: The pouch shall be filled with 0.4 percent saline (water and sodium chloride) solution

All other terms, conditions, and requirements of the solicitation remain the same.