AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE		PAGE 1 OF 5
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE	4. REQUISITION/PURCH See Block 14	HASE REQ. NO. 5. PROJECT NO. (If applicable)		NO. (If applicable)
6. ISSUED BY CODE DLA TROOP SUPPORT SUBSISTENCE SUPPLY CHAIN 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096	SPE3S1	7. ADMINISTERED BY (If or	ther than Item 6)	CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street,			SPE3S125R SPE3S125R 9B. DATED (SE 10A. MODIFICA 10B. DATED (S	R0007 E ITEM 11) 2025 JUN TION OF CONT	
***************************************	CILITY CODE M ONLY APPLIES TO A				
The above numbered solicitation is amended as set forth in Offers must acknowledge receipt of this amendment prior to the (a) By completing Items 8 and 15, and returning 1 or (c) By separate letter or telegram which includes a reference DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO T desire to change an offer already submitted, such change may and this amendment, and is received prior to the opening hour	e hour and date specified in the copies of the amendment; to the solicitation and amendm HE HOUR AND DATE SPECIF be made by telegram or letter, I	solicitation or as amended, by (b) By acknowledging receipt or ent numbers. FAILURE OF YOUTED MAY RESULT IN REJECT	of this amendment on ea UR ACKNOWLEDGME ION OF YOUR OFFER	thods: ach copy of the of NT TO BE REC! If by virtue of the	EIVED AT THE PLACE
12. ACCOUNTING AND APPROPRIATION DATA (If require		8			*
13. THIS APPL IT MODIFIE	IES ONLY TO MODIFICA S THE CONTRACT/ORD	ATIONS OF CONTRACT DER NO. AS DESCRIBE	TS/ORDERS. ED IN ITEM 14.		
A. THIS CHANGE ORDER IS ISSUED PUR IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ date, etc.) SET FORTH IN ITEM 14, PURS C. THIS SUPPLEMENTAL AGREEMENT IS	UANT TO THE AUTHORITY (OF FAR 43,103(b).	E CHANGES (such as	changes in pay	ing office, appropriation
D. OTHER (Specify type of modification and					
E. IMPORTANT: Contractor X is not,	is required to sign this			es to issuing	office.
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organiz See Attached Continuation Sheet(s). Except as provided herein, all terms and conditions of the docum 15A NAME AND TITLE OF SIGNER (Type or print)			s unchanged and in füll (force and effect.	rint)
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF A	MERICA		16C. DATE SIGNED
(Signature of person authorized to sign)	_	(Signature	of Contracting Officer)		

CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S125R0007 - 0001

PAGE 2 OF 5 PAGES

The following amendment applies to solicitation SPE3S125R0007:

The submission deadline for this solicitation is hereby extended from 7/10/2025 at 3:00 PM EST to 7/17/2025 at 3:00 PM EST.

The following changes are applied to solicitation SPE3S125R0007:

DELETE the following from Section B5:

New PDM (may not apply)

During contract performance, new items may be introduced for delivery during the next delivery period. PDMs are required for all new items and must be submitted 45 days prior to the start of the delivery period in which the new items will be incorporated into the contract. If approved product technical requirements for new items are not available to meet this requirement, the contractor must submit PDMs within 30 days from the date the requirements document is published. Contractors must certify that the PDM(s) conforms to all specification/ production description characteristics or must adequately describe any differences the PDM may have from the requirements of the product description or specification(s). Upon approval by DLA Troop Support, the New PDM will become the product standard.

Replacement PDM

Changes in production methodology or packaging, such as implementation of new technology, may result in a product non-comparable to one or more observable characteristics of the production standard.

If the Government determines, on its own or at the suggestion of the contractor, that any change in a product characteristic, other than changes to shape or dimension compatible with performance requirements, results in a product that is no longer comparable to the production standard, the contractor must submit a replacement PDM. If the Government determines, on its own or at the suggestion of the contractor, that any changes to shape or dimension impact on the ability to compare the new product to the production standard in terms of the performance requirements designated for appearance, cdor, flavor, and texture, the contractor must submit a replacement PDM. The contractor must submit a replacement PDM if determined necessary by the Government. Contractors must certify that the PDM(s) conforms to all specification/production description characteristics or must adequately describe any differences the PDM may have from the requirements of the product description or specification(s).

The contractor must bear all expenses incidental to the submission of Replacement PDMs to DEVCOM and their evaluations by DEVCOM.

Upon approval by DLA Troop Support, the Replacement PDM will become the product standard.

Replenishment PDM

Every 12 months, or as otherwise specified by the Contracting Officer, for finished-product components inspected by the Government at origin, the Government Quality Assurance Representative (GQAR) will replenish the Government's supply of PDM's at origin with 70 PDMs randomly selected from a lot inspected and accepted by the Government for all contractual requirements. In addition, the GQAR will randomly select from the lot 32 replenishment PDMs for DEVCOM and 4 replenishment PDMs for DLA Troop Support.

Upon approval by DLA Troop Support, the Replenishment PDM will become the product standard.

Submission Process for New, Replacement, and Replenishment PDMs

20 PDMs of Emergency Drinking Water, Type II; Rigid Plastic Container must be submitted as follows:

15 PDMs of Emergency Drinking Water, Type II; Rigid Plastic Container must be sent to:

DEPARTMENT OF THE ARMY

FCDD-SCD-SCR ATTN: Jill Bates

COMBAT CAPABILITIES DEVCOM SOLDIER CENTER

10 GENERAL GREENE AVENUE

NATICK, MA 01760

5 PDMs of Emergency Drinking Water, Type II; Rigid Plastic Container must be sent to:

ATTN: MELANIE LEDOUX AND TIENDUNG NGUYEN

DLA TROOP SUPPORT

700 ROBBINS AVENUE

BLDG. 6B085

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S125R0007 - 0001

PAGE 3 OF 5 PAGES

PHILADELPHIA, PA 19111

Note: The end or side of the Case should have a label, or be printed on the Case, with the following information:

Product Demonstration Model Contract Number

Product Identity

Lot#

Company Name and Address

Point of Contact Name and Phone Number

Inside the Case, along with the PDMs, must be the required paperwork fully identifying the item; the lot number; the contractor; the contract number; the type of PDM (New, Replenishment, or Replacement); the current PDM lot number; USDA certification as applicable; analytical and microbiological test results performed by the contractor; any other information to assist in identifying the product and conducting the evaluation. Analytical and microbiological test results, wherever required, must be submitted with PDMs.

Evaluation Process for New, Replacement, and Replenishment PDMs

A DEVCOM PDM evaluation panel will evaluate New and Replacement PDMs for compliance with product specifications and for compliance with the sensory characteristics designated and defined in the product's technical documents. These sensory characteristics, namely appearance, odor, flavor, and texture (or combination thereof, where dictated by the product's technical documents), represents distinct sensory characteristic categories and will be evaluated by category by panelist. Each panelist will assign to each sensory characteristic category a quality rating by using a 9-point quality scale, where 9 is the highest rating and 1 the lowest rating. The mean value of the panelist's ratings for each sensory characteristic category will be determined.

DEVCOM will assign an overall quality scale rating to each New and Replacement PDM that it evaluates. The overall rating will be equal to the mean score of the lowest-rated sensory characteristic category. For each New PDM, an overall quality rating of 6.00 through 9.00 will indicate an acceptable rating and an overall quality rating of 1.00 through 5.99 will indicate an unacceptable rating. For each Replacement PDM, an overall quality rating of 6.00 through 9.00 will indicate an acceptable rating and an overall quality rating of 1.00 through 5.99 will indicate an unacceptable rating. In addition, for a Replacement PDM to be found "acceptable", its overall quality rating will be equal to or higher than the original overall quality scale assigned to the Initial, New, or Replacement PDM representing the item to be replaced. A lower overall quality rating will indicate an unacceptable replacement rating.

DEVCOM will evaluate Replenishment PDMs for appearance, odor, flavor, and texture; and the evaluation must determine the Replenishment PDM to be equal to or better than the existing product standard for all characteristics in order to be rated as "Acceptable".

The results of DEVCOM's PDM evaluations will be reported to DLA Troop Support as "Acceptable" or "Unacceptable". An "Acceptable" PDM-rating will not constitute a waiver of any specification requirement unless specifically stated by the Contracting Officer.

DELETE the following from Section E-15. ADDENDA APPLICABLE TO COMMERCIAL ITEM DESCRIPTION A-A-20332 AND PACKAGING REQUIREMENTS AND QUALITY ASSURANCE PROVISIONS A-A-20332 (EDW, RIGID)

ADDENDA TO COMMERCIAL ITEM DESCRIPTION, WATER, DRINKING, EMERGENCY, A-A-20332:

- 1. 7.1.5 Turbidity: Read as "7.1.5 Turbidity. Not to exceed 1 NTU. Government test verification may be determined by means of the finished product manufacturer's Certificate of Analysis.
- 2. 7.2.1 Sampling procedures for pH and sodium and 7.2.2 Sampling procedures for turbidity: Read as "7.2.1 and 7.2.2 Procedures for pH, sodium, and turbidity analysis. Analysis for pH, sodium, and turbidity shall be performed on a composite sample. The composite sample shall be prepared from five randomly selected bottles per lot."

REPLACE with the following in Section E-15. ADDENDA APPLICABLE TO COMMERCIAL ITEM DESCRIPTION A-A-20332 AND PACKAGING REQUIREMENTS AND QUALITY ASSURANCE PROVISIONS A-A-20332 (EDW, RIGID) ADDENDA TO COMMERCIAL ITEM DESCRIPTION, WATER, DRINKING, EMERGENCY, A-A-20332:

1. 7.1.5 Turbidity: Read as "7.1.5 Turbidity. Not to exceed 1 NTU. Testing will be conducted by the contractor on the first production lot and a Certificate of Analaysis (CoA) will be provided to the USDA.* A Certificate of Conformance (CoC) will be provided on all future lots, unless turbidity testing is deemed necessary by the Contracting Officer. If the source, treatment, processing or packaging of the finished product is changed or a new contract starts, then another production lot test for turbidity shall be conducted by the contractor and a CoA will be provide to USDA. For

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S125R0007 - 0001

PAGE 4 OF 5 PAGES

the initial offer of a finished product lot, Government test verification may be determined by means of the contractor's CoA and by means of the contractor's CoC for succeeding lots offered, except when turbidity testing is deemed necessary by the Contracting Officer, Government testing for turbidty shall be conducted on Replenishment PDM lots annually.

- * Provided the approved PDMs are packaged in hermetically sealed, per- or polyfluoroalkyl substance free containers (see Solicitation Section C for complete end-item packaging requirements) and no changes to source, treatment, or processing occurred for production of the finished product lots, the contractor may offer turbidity CoA for the approved PDM lot in lieu of testing the first product lot.
- 2. 7.2.1 Sampling procedures for pH and sodium: Read as "7.2.1 Sampling Procedures for pH and sodium. Analysis for pH and sodium shall be performed on a composite sample. The composite sample shall be prepared from five randomly selected bottles per lot."

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE3S125R0007 - 0001	PAGE 5 OF 5 PAGES		
ttachments				
ID Data - Custom Clause				
Header C1				
		13		